



API Reference

Amazon MSK Connect



API Version 2021-09-14

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon MSK Connect: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateConnector	3
Request Syntax	3
URI Request Parameters	5
Request Body	5
Response Syntax	8
Response Elements	8
Errors	9
See Also	10
CreateCustomPlugin	11
Request Syntax	11
URI Request Parameters	11
Request Body	11
Response Syntax	12
Response Elements	13
Errors	13
See Also	15
CreateWorkerConfiguration	16
Request Syntax	16
URI Request Parameters	16
Request Body	16
Response Syntax	17
Response Elements	17
Errors	18
See Also	20
DeleteConnector	21
Request Syntax	21
URI Request Parameters	21
Request Body	21
Response Syntax	21
Response Elements	21
Errors	22
See Also	23

DeleteCustomPlugin	24
Request Syntax	24
URI Request Parameters	24
Request Body	24
Response Syntax	24
Response Elements	24
Errors	25
See Also	26
DeleteWorkerConfiguration	27
Request Syntax	27
URI Request Parameters	27
Request Body	27
Response Syntax	27
Response Elements	27
Errors	28
See Also	29
DescribeConnector	30
Request Syntax	30
URI Request Parameters	30
Request Body	30
Response Syntax	30
Response Elements	32
Errors	35
See Also	36
DescribeConnectorOperation	37
Request Syntax	37
URI Request Parameters	37
Request Body	37
Response Syntax	37
Response Elements	39
Errors	40
See Also	42
DescribeCustomPlugin	43
Request Syntax	43
URI Request Parameters	43
Request Body	43

Response Syntax	43
Response Elements	44
Errors	45
See Also	46
DescribeWorkerConfiguration	48
Request Syntax	48
URI Request Parameters	48
Request Body	48
Response Syntax	48
Response Elements	49
Errors	50
See Also	51
ListConnectorOperations	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	53
Errors	53
See Also	54
ListConnectors	56
Request Syntax	56
URI Request Parameters	56
Request Body	56
Response Syntax	56
Response Elements	58
Errors	59
See Also	60
ListCustomPlugins	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	62
Errors	63
See Also	64

ListTagsForResource	65
Request Syntax	65
URI Request Parameters	65
Request Body	65
Response Syntax	65
Response Elements	65
Errors	66
See Also	67
ListWorkerConfigurations	68
Request Syntax	68
URI Request Parameters	68
Request Body	68
Response Syntax	68
Response Elements	69
Errors	69
See Also	70
TagResource	72
Request Syntax	72
URI Request Parameters	72
Request Body	72
Response Syntax	73
Response Elements	73
Errors	73
See Also	74
UntagResource	75
Request Syntax	75
URI Request Parameters	75
Request Body	75
Response Syntax	75
Response Elements	75
Errors	76
See Also	77
UpdateConnector	78
Request Syntax	78
URI Request Parameters	78
Request Body	79

Response Syntax	79
Response Elements	79
Errors	80
See Also	81
Data Types	83
ApacheKafkaCluster	86
Contents	86
See Also	86
ApacheKafkaClusterDescription	87
Contents	87
See Also	87
AutoScaling	88
Contents	88
See Also	89
AutoScalingDescription	90
Contents	90
See Also	91
AutoScalingUpdate	92
Contents	92
See Also	93
Capacity	94
Contents	94
See Also	94
CapacityDescription	95
Contents	95
See Also	95
CapacityUpdate	96
Contents	96
See Also	96
CloudWatchLogsLogDelivery	97
Contents	97
See Also	97
CloudWatchLogsLogDeliveryDescription	98
Contents	98
See Also	98
ConnectorOperationStep	99

Contents	99
See Also	99
ConnectorOperationSummary	100
Contents	100
See Also	101
ConnectorSummary	102
Contents	102
See Also	105
CustomPlugin	106
Contents	106
See Also	106
CustomPluginDescription	107
Contents	107
See Also	107
CustomPluginFileDescription	108
Contents	108
See Also	108
CustomPluginLocation	109
Contents	109
See Also	109
CustomPluginLocationDescription	110
Contents	110
See Also	110
CustomPluginRevisionSummary	111
Contents	111
See Also	112
CustomPluginSummary	113
Contents	113
See Also	114
FirehoseLogDelivery	115
Contents	115
See Also	115
FirehoseLogDeliveryDescription	116
Contents	116
See Also	116
KafkaCluster	117

Contents	117
See Also	117
KafkaClusterClientAuthentication	118
Contents	118
See Also	118
KafkaClusterClientAuthenticationDescription	119
Contents	119
See Also	119
KafkaClusterDescription	120
Contents	120
See Also	120
KafkaClusterEncryptionInTransit	121
Contents	121
See Also	121
KafkaClusterEncryptionInTransitDescription	122
Contents	122
See Also	122
LogDelivery	123
Contents	123
See Also	123
LogDeliveryDescription	124
Contents	124
See Also	124
Plugin	125
Contents	125
See Also	125
PluginDescription	126
Contents	126
See Also	126
ProvisionedCapacity	127
Contents	127
See Also	127
ProvisionedCapacityDescription	128
Contents	128
See Also	128
ProvisionedCapacityUpdate	129

Contents	129
See Also	129
S3Location	130
Contents	130
See Also	130
S3LocationDescription	131
Contents	131
See Also	131
S3LogDelivery	132
Contents	132
See Also	132
S3LogDeliveryDescription	133
Contents	133
See Also	133
ScaleInPolicy	134
Contents	134
See Also	134
ScaleInPolicyDescription	135
Contents	135
See Also	135
ScaleInPolicyUpdate	136
Contents	136
See Also	136
ScaleOutPolicy	137
Contents	137
See Also	137
ScaleOutPolicyDescription	138
Contents	138
See Also	138
ScaleOutPolicyUpdate	139
Contents	139
See Also	139
StateDescription	140
Contents	140
See Also	140
Vpc	141

Contents	141
See Also	141
VpcDescription	142
Contents	142
See Also	142
WorkerConfiguration	143
Contents	143
See Also	143
WorkerConfigurationDescription	144
Contents	144
See Also	144
WorkerConfigurationRevisionDescription	145
Contents	145
See Also	145
WorkerConfigurationRevisionSummary	147
Contents	147
See Also	147
WorkerConfigurationSummary	148
Contents	148
See Also	149
WorkerLogDelivery	150
Contents	150
See Also	150
WorkerLogDeliveryDescription	151
Contents	151
See Also	151
WorkerSetting	152
Contents	152
See Also	152
Common Parameters	153
Common Error Types	156

Welcome

This document was last published on April 3, 2026.

Actions

The following actions are supported:

- [CreateConnector](#)
- [CreateCustomPlugin](#)
- [CreateWorkerConfiguration](#)
- [DeleteConnector](#)
- [DeleteCustomPlugin](#)
- [DeleteWorkerConfiguration](#)
- [DescribeConnector](#)
- [DescribeConnectorOperation](#)
- [DescribeCustomPlugin](#)
- [DescribeWorkerConfiguration](#)
- [ListConnectorOperations](#)
- [ListConnectors](#)
- [ListCustomPlugins](#)
- [ListTagsForResource](#)
- [ListWorkerConfigurations](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateConnector](#)

CreateConnector

Creates a connector using the specified properties.

Request Syntax

```
POST /v1/connectors HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "capacity": {
    "autoScaling": {
      "maxAutoscalingTaskCount": number,
      "maxWorkerCount": number,
      "mcuCount": number,
      "minWorkerCount": number,
      "scaleInPolicy": {
        "cpuUtilizationPercentage": number
      },
      "scaleOutPolicy": {
        "cpuUtilizationPercentage": number
      }
    },
    "provisionedCapacity": {
      "mcuCount": number,
      "workerCount": number
    }
  },
  "connectorConfiguration": {
    "string" : "string"
  },
  "connectorDescription": "string",
  "connectorName": "string",
  "kafkaCluster": {
    "apacheKafkaCluster": {
      "bootstrapServers": "string",
      "vpc": {
        "securityGroups": [ "string" ],
        "subnets": [ "string" ]
      }
    }
  },
  "kafkaClusterClientAuthentication": {
```

```
    "authenticationType": "string"
  },
  "kafkaClusterEncryptionInTransit": {
    "encryptionType": "string"
  },
  "kafkaConnectVersion": "string",
  "logDelivery": {
    "workerLogDelivery": {
      "cloudWatchLogs": {
        "enabled": boolean,
        "logGroup": "string"
      },
      "firehose": {
        "deliveryStream": "string",
        "enabled": boolean
      },
      "s3": {
        "bucket": "string",
        "enabled": boolean,
        "prefix": "string"
      }
    }
  },
  "networkType": "string",
  "plugins": [
    {
      "customPlugin": {
        "customPluginArn": "string",
        "revision": number
      }
    }
  ],
  "serviceExecutionRoleArn": "string",
  "tags": {
    "string" : "string"
  },
  "workerConfiguration": {
    "revision": number,
    "workerConfigurationArn": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

capacity

Information about the capacity allocated to the connector. Exactly one of the two properties must be specified.

Type: [Capacity](#) object

Required: Yes

connectorConfiguration

A map of keys to values that represent the configuration for the connector.

Type: String to string map

Required: Yes

connectorDescription

A summary description of the connector.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

connectorName

The name of the connector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

kafkaCluster

Specifies which Apache Kafka cluster to connect to.

Type: [KafkaCluster](#) object

Required: Yes

kafkaClusterClientAuthentication

Details of the client authentication used by the Apache Kafka cluster.

Type: [KafkaClusterClientAuthentication](#) object

Required: Yes

kafkaClusterEncryptionInTransit

Details of encryption in transit to the Apache Kafka cluster.

Type: [KafkaClusterEncryptionInTransit](#) object

Required: Yes

kafkaConnectVersion

The version of Kafka Connect. It has to be compatible with both the Apache Kafka cluster's version and the plugins.

Type: String

Required: Yes

logDelivery

Details about log delivery.

Type: [LogDelivery](#) object

Required: No

networkType

The network type of the connector. It gives connectors connectivity to either IPv4 (IPV4) or IPv4 and IPv6 (DUAL) destinations. Defaults to IPV4.

Type: String

Valid Values: IPV4 | DUAL

Required: No

plugins

Important

Amazon MSK Connect does not currently support specifying multiple plugins as a list. To use more than one plugin for your connector, you can create a single custom plugin using a ZIP file that bundles multiple plugins together.

Specifies which plugin to use for the connector. You must specify a single-element list containing one customPlugin object.

Type: Array of [Plugin](#) objects

Required: Yes

serviceExecutionRoleArn

The Amazon Resource Name (ARN) of the IAM role used by the connector to access the Amazon Web Services resources that it needs. The types of resources depends on the logic of the connector. For example, a connector that has Amazon S3 as a destination must have permissions that allow it to write to the S3 destination bucket.

Type: String

Required: Yes

tags

The tags you want to attach to the connector.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

workerConfiguration

Specifies which worker configuration to use with the connector.

Type: [WorkerConfiguration](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "connectorArn": "string",
  "connectorName": "string",
  "connectorState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

connectorArn

The Amazon Resource Name (ARN) that Amazon assigned to the connector.

Type: String

connectorName

The name of the connector.

Type: String

connectorState

The state of the connector.

Type: String

Valid Values: RUNNING | CREATING | UPDATING | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ConflictException

HTTP Status Code 409: Conflict. A resource with this name already exists. Retry your request with another name.

HTTP Status Code: 409

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateCustomPlugin

Creates a custom plugin using the specified properties.

Request Syntax

```
POST /v1/custom-plugins HTTP/1.1
Content-type: application/json

{
  "contentType": "string",
  "description": "string",
  "location": {
    "s3Location": {
      "bucketArn": "string",
      "fileKey": "string",
      "objectVersion": "string"
    }
  },
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

contentType

The type of the plugin file.

Type: String

Valid Values: JAR | ZIP

Required: Yes

description

A summary description of the custom plugin.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

location

Information about the location of a custom plugin.

Type: [CustomPluginLocation](#) object

Required: Yes

name

The name of the custom plugin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

tags

The tags you want to attach to the custom plugin.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "customPluginArn": "string",
  "customPluginState": "string",
  "name": "string",
  "revision": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

customPluginArn

The Amazon Resource Name (ARN) that Amazon assigned to the custom plugin.

Type: String

customPluginState

The state of the custom plugin.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATE_FAILED | DELETING

name

The name of the custom plugin.

Type: String

revision

The revision of the custom plugin.

Type: Long

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ConflictException

HTTP Status Code 409: Conflict. A resource with this name already exists. Retry your request with another name.

HTTP Status Code: 409

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateWorkerConfiguration

Creates a worker configuration using the specified properties.

Request Syntax

```
POST /v1/worker-configurations HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "name": "string",
  "propertiesFileContent": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

description

A summary description of the worker configuration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

name

The name of the worker configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

propertiesFileContent

Base64 encoded contents of connect-distributed.properties file.

Type: String

Required: Yes

tags

The tags you want to attach to the worker configuration.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": "string",
  "latestRevision": {
    "creationTime": "string",
    "description": "string",
    "revision": number
  },
  "name": "string",
  "workerConfigurationArn": "string",
  "workerConfigurationState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time that the worker configuration was created.

Type: Timestamp

latestRevision

The latest revision of the worker configuration.

Type: [WorkerConfigurationRevisionSummary](#) object

name

The name of the worker configuration.

Type: String

workerConfigurationArn

The Amazon Resource Name (ARN) that Amazon assigned to the worker configuration.

Type: String

workerConfigurationState

The state of the worker configuration.

Type: String

Valid Values: ACTIVE | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ConflictException

HTTP Status Code 409: Conflict. A resource with this name already exists. Retry your request with another name.

HTTP Status Code: 409

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteConnector

Deletes the specified connector.

Request Syntax

```
DELETE /v1/connectors/connectorArn?currentVersion=currentVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

connectorArn

The Amazon Resource Name (ARN) of the connector that you want to delete.

Required: Yes

currentVersion

The current version of the connector that you want to delete.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "connectorArn": "string",
  "connectorState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

connectorArn

The Amazon Resource Name (ARN) of the connector that you requested to delete.

Type: String

connectorState

The state of the connector that you requested to delete.

Type: String

Valid Values: RUNNING | CREATING | UPDATING | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteCustomPlugin

Deletes a custom plugin.

Request Syntax

```
DELETE /v1/custom-plugins/customPluginArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

customPluginArn

The Amazon Resource Name (ARN) of the custom plugin that you want to delete.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "customPluginArn": "string",
  "customPluginState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

customPluginArn

The Amazon Resource Name (ARN) of the custom plugin that you requested to delete.

Type: String

customPluginState

The state of the custom plugin.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATE_FAILED | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteWorkerConfiguration

Deletes the specified worker configuration.

Request Syntax

```
DELETE /v1/worker-configurations/workerConfigurationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[workerConfigurationArn](#)

The Amazon Resource Name (ARN) of the worker configuration that you want to delete.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "workerConfigurationArn": "string",
  "workerConfigurationState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[workerConfigurationArn](#)

The Amazon Resource Name (ARN) of the worker configuration that you requested to delete.

Type: String

workerConfigurationState

The state of the worker configuration.

Type: String

Valid Values: ACTIVE | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeConnector

Returns summary information about the connector.

Request Syntax

```
GET /v1/connectors/connectorArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

connectorArn

The Amazon Resource Name (ARN) of the connector that you want to describe.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "capacity": {
    "autoScaling": {
      "maxAutoscalingTaskCount": number,
      "maxWorkerCount": number,
      "mcuCount": number,
      "minWorkerCount": number,
      "scaleInPolicy": {
        "cpuUtilizationPercentage": number
      },
      "scaleOutPolicy": {
        "cpuUtilizationPercentage": number
      }
    },
  },
},
```

```
    "provisionedCapacity": {
      "mcuCount": number,
      "workerCount": number
    }
  },
  "connectorArn": "string",
  "connectorConfiguration": {
    "string" : "string"
  },
  "connectorDescription": "string",
  "connectorName": "string",
  "connectorState": "string",
  "creationTime": "string",
  "currentVersion": "string",
  "kafkaCluster": {
    "apacheKafkaCluster": {
      "bootstrapServers": "string",
      "vpc": {
        "securityGroups": [ "string" ],
        "subnets": [ "string" ]
      }
    }
  },
  "kafkaClusterClientAuthentication": {
    "authenticationType": "string"
  },
  "kafkaClusterEncryptionInTransit": {
    "encryptionType": "string"
  },
  "kafkaConnectVersion": "string",
  "logDelivery": {
    "workerLogDelivery": {
      "cloudWatchLogs": {
        "enabled": boolean,
        "logGroup": "string"
      }
    },
    "firehose": {
      "deliveryStream": "string",
      "enabled": boolean
    }
  },
  "s3": {
    "bucket": "string",
    "enabled": boolean,
    "prefix": "string"
  }
}
```

```
    }
  }
},
"networkType": "string",
"plugins": [
  {
    "customPlugin": {
      "customPluginArn": "string",
      "revision": number
    }
  }
],
"serviceExecutionRoleArn": "string",
"stateDescription": {
  "code": "string",
  "message": "string"
},
"workerConfiguration": {
  "revision": number,
  "workerConfigurationArn": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

capacity

Information about the capacity of the connector, whether it is auto scaled or provisioned.

Type: [CapacityDescription](#) object

connectorArn

The Amazon Resource Name (ARN) of the connector.

Type: String

connectorConfiguration

A map of keys to values that represent the configuration for the connector.

Type: String to string map

[connectorDescription](#)

A summary description of the connector.

Type: String

[connectorName](#)

The name of the connector.

Type: String

[connectorState](#)

The state of the connector.

Type: String

Valid Values: RUNNING | CREATING | UPDATING | DELETING | FAILED

[creationTime](#)

The time the connector was created.

Type: Timestamp

[currentVersion](#)

The current version of the connector.

Type: String

[kafkaCluster](#)

The Apache Kafka cluster that the connector is connected to.

Type: [KafkaClusterDescription](#) object

[kafkaClusterClientAuthentication](#)

The type of client authentication used to connect to the Apache Kafka cluster. The value is NONE when no client authentication is used.

Type: [KafkaClusterClientAuthenticationDescription](#) object

kafkaClusterEncryptionInTransit

Details of encryption in transit to the Apache Kafka cluster.

Type: [KafkaClusterEncryptionInTransitDescription](#) object

kafkaConnectVersion

The version of Kafka Connect. It has to be compatible with both the Apache Kafka cluster's version and the plugins.

Type: String

logDelivery

Details about delivering logs to Amazon CloudWatch Logs.

Type: [LogDeliveryDescription](#) object

networkType

The network type of the connector. It gives connectors connectivity to either IPv4 (IPV4) or IPv4 and IPv6 (DUAL) destinations. Defaults to IPV4.

Type: String

Valid Values: IPV4 | DUAL

plugins

Specifies which plugins were used for this connector.

Type: Array of [PluginDescription](#) objects

serviceExecutionRoleArn

The Amazon Resource Name (ARN) of the IAM role used by the connector to access Amazon Web Services resources.

Type: String

stateDescription

Details about the state of a connector.

Type: [StateDescription](#) object

workerConfiguration

Specifies which worker configuration was used for the connector.

Type: [WorkerConfigurationDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeConnectorOperation

Returns information about the specified connector's operations.

Request Syntax

```
GET /v1/connectorOperations/connectorOperationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

connectorOperationArn

ARN of the connector operation to be described.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "connectorArn": "string",
  "connectorOperationArn": "string",
  "connectorOperationState": "string",
  "connectorOperationType": "string",
  "creationTime": "string",
  "endTime": "string",
  "errorInfo": {
    "code": "string",
    "message": "string"
  },
  "operationSteps": [
    {
      "stepState": "string",
```

```
    "stepType": "string"
  }
],
"originConnectorConfiguration": {
  "string" : "string"
},
"originWorkerSetting": {
  "capacity": {
    "autoScaling": {
      "maxAutoscalingTaskCount": number,
      "maxWorkerCount": number,
      "mcuCount": number,
      "minWorkerCount": number,
      "scaleInPolicy": {
        "cpuUtilizationPercentage": number
      },
      "scaleOutPolicy": {
        "cpuUtilizationPercentage": number
      }
    },
    "provisionedCapacity": {
      "mcuCount": number,
      "workerCount": number
    }
  }
},
"targetConnectorConfiguration": {
  "string" : "string"
},
"targetWorkerSetting": {
  "capacity": {
    "autoScaling": {
      "maxAutoscalingTaskCount": number,
      "maxWorkerCount": number,
      "mcuCount": number,
      "minWorkerCount": number,
      "scaleInPolicy": {
        "cpuUtilizationPercentage": number
      },
      "scaleOutPolicy": {
        "cpuUtilizationPercentage": number
      }
    },
    "provisionedCapacity": {
```

```
        "mcuCount": number,  
        "workerCount": number  
    }  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

connectorArn

The Amazon Resource Name (ARN) of the connector.

Type: String

connectorOperationArn

The Amazon Resource Name (ARN) of the connector operation.

Type: String

connectorOperationState

The state of the connector operation.

Type: String

Valid Values: PENDING | UPDATE_IN_PROGRESS | UPDATE_COMPLETE | UPDATE_FAILED
| ROLLBACK_IN_PROGRESS | ROLLBACK_FAILED | ROLLBACK_COMPLETE

connectorOperationType

The type of connector operation performed.

Type: String

Valid Values: UPDATE_WORKER_SETTING | UPDATE_CONNECTOR_CONFIGURATION |
ISOLATE_CONNECTOR | RESTORE_CONNECTOR

creationTime

The time when the operation was created.

Type: Timestamp

endTime

The time when the operation ended.

Type: Timestamp

errorInfo

Details about the state of a resource.

Type: [StateDescription](#) object

operationSteps

The array of operation steps taken.

Type: Array of [ConnectorOperationStep](#) objects

originConnectorConfiguration

The origin connector configuration.

Type: String to string map

originWorkerSetting

The origin worker setting.

Type: [WorkerSetting](#) object

targetConnectorConfiguration

The target connector configuration.

Type: String to string map

targetWorkerSetting

The target worker setting.

Type: [WorkerSetting](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeCustomPlugin

A summary description of the custom plugin.

Request Syntax

```
GET /v1/custom-plugins/customPluginArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

customPluginArn

Returns information about a custom plugin.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": "string",
  "customPluginArn": "string",
  "customPluginState": "string",
  "description": "string",
  "latestRevision": {
    "contentType": "string",
    "creationTime": "string",
    "description": "string",
    "fileDescription": {
      "fileMd5": "string",
      "fileSize": number
    },
  },
  "location": {
```

```
    "s3Location": {
      "bucketArn": "string",
      "fileKey": "string",
      "objectVersion": "string"
    },
    "revision": number
  },
  "name": "string",
  "stateDescription": {
    "code": "string",
    "message": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time that the custom plugin was created.

Type: Timestamp

customPluginArn

The Amazon Resource Name (ARN) of the custom plugin.

Type: String

customPluginState

The state of the custom plugin.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATE_FAILED | DELETING

description

The description of the custom plugin.

Type: String

latestRevision

The latest successfully created revision of the custom plugin. If there are no successfully created revisions, this field will be absent.

Type: [CustomPluginRevisionSummary](#) object

name

The name of the custom plugin.

Type: String

stateDescription

Details about the state of a custom plugin.

Type: [StateDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DescribeWorkerConfiguration

Returns information about a worker configuration.

Request Syntax

```
GET /v1/worker-configurations/workerConfigurationArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workerConfigurationArn

The Amazon Resource Name (ARN) of the worker configuration that you want to get information about.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": "string",
  "description": "string",
  "latestRevision": {
    "creationTime": "string",
    "description": "string",
    "propertiesFileContent": "string",
    "revision": number
  },
  "name": "string",
  "workerConfigurationArn": "string",
  "workerConfigurationState": "string"
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time that the worker configuration was created.

Type: Timestamp

description

The description of the worker configuration.

Type: String

latestRevision

The latest revision of the custom configuration.

Type: [WorkerConfigurationRevisionDescription](#) object

name

The name of the worker configuration.

Type: String

workerConfigurationArn

The Amazon Resource Name (ARN) of the custom configuration.

Type: String

workerConfigurationState

The state of the worker configuration.

Type: String

Valid Values: ACTIVE | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListConnectorOperations

Lists information about a connector's operation(s).

Request Syntax

```
GET /v1/connectors/connectorArn/operations?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

connectorArn

The Amazon Resource Name (ARN) of the connector for which to list operations.

Required: Yes

maxResults

Maximum number of connector operations to fetch in one get request.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

If the response is truncated, it includes a NextToken. Send this NextToken in a subsequent request to continue listing from where it left off.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "connectorOperations": [
    {
```

```
    "connectorOperationArn": "string",
    "connectorOperationState": "string",
    "connectorOperationType": "string",
    "creationTime": "string",
    "endTime": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

connectorOperations

An array of connector operation descriptions.

Type: Array of [ConnectorOperationSummary](#) objects

nextToken

If the response is truncated, it includes a NextToken. Send this NextToken in a subsequent request to continue listing from where it left off.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListConnectors

Returns a list of all the connectors in this account and Region. The list is limited to connectors whose name starts with the specified prefix. The response also includes a description of each of the listed connectors.

Request Syntax

```
GET /v1/connectors?  
connectorNamePrefix=connectorNamePrefix&maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

connectorNamePrefix

The name prefix that you want to use to search for and list connectors.

maxResults

The maximum number of connectors to list in one response.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

If the response of a ListConnectors operation is truncated, it will include a NextToken. Send this NextToken in a subsequent request to continue listing from where the previous operation left off.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{
```

```
"connectors": [  
  {  
    "capacity": {  
      "autoScaling": {  
        "maxAutoscalingTaskCount": number,  
        "maxWorkerCount": number,  
        "mcuCount": number,  
        "minWorkerCount": number,  
        "scaleInPolicy": {  
          "cpuUtilizationPercentage": number  
        },  
        "scaleOutPolicy": {  
          "cpuUtilizationPercentage": number  
        }  
      },  
      "provisionedCapacity": {  
        "mcuCount": number,  
        "workerCount": number  
      }  
    },  
    "connectorArn": "string",  
    "connectorDescription": "string",  
    "connectorName": "string",  
    "connectorState": "string",  
    "creationTime": "string",  
    "currentVersion": "string",  
    "kafkaCluster": {  
      "apacheKafkaCluster": {  
        "bootstrapServers": "string",  
        "vpc": {  
          "securityGroups": [ "string" ],  
          "subnets": [ "string" ]  
        }  
      }  
    },  
    "kafkaClusterClientAuthentication": {  
      "authenticationType": "string"  
    },  
    "kafkaClusterEncryptionInTransit": {  
      "encryptionType": "string"  
    },  
    "kafkaConnectVersion": "string",  
    "logDelivery": {  
      "workerLogDelivery": {
```

```

    "cloudWatchLogs": {
      "enabled": boolean,
      "logGroup": "string"
    },
    "firehose": {
      "deliveryStream": "string",
      "enabled": boolean
    },
    "s3": {
      "bucket": "string",
      "enabled": boolean,
      "prefix": "string"
    }
  }
},
"networkType": "string",
"plugins": [
  {
    "customPlugin": {
      "customPluginArn": "string",
      "revision": number
    }
  }
],
"serviceExecutionRoleArn": "string",
"workerConfiguration": {
  "revision": number,
  "workerConfigurationArn": "string"
}
},
"nextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

connectors

An array of connector descriptions.

Type: Array of [ConnectorSummary](#) objects

[nextToken](#)

If the response of a ListConnectors operation is truncated, it will include a NextToken. Send this NextToken in a subsequent request to continue listing from where it left off.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCustomPlugins

Returns a list of all of the custom plugins in this account and Region.

Request Syntax

```
GET /v1/custom-plugins?maxResults=maxResults&namePrefix=namePrefix&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of custom plugins to list in one response.

Valid Range: Minimum value of 1. Maximum value of 100.

[namePrefix](#)

Lists custom plugin names that start with the specified text string.

[nextToken](#)

If the response of a ListCustomPlugins operation is truncated, it will include a NextToken. Send this NextToken in a subsequent request to continue listing from where the previous operation left off.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "customPlugins": [
    {
```

```

    "creationTime": "string",
    "customPluginArn": "string",
    "customPluginState": "string",
    "description": "string",
    "latestRevision": {
      "contentType": "string",
      "creationTime": "string",
      "description": "string",
      "fileDescription": {
        "fileMd5": "string",
        "fileSize": number
      },
      "location": {
        "s3Location": {
          "bucketArn": "string",
          "fileKey": "string",
          "objectVersion": "string"
        }
      },
      "revision": number
    },
    "name": "string"
  }
],
"nextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

customPlugins

An array of custom plugin descriptions.

Type: Array of [CustomPluginSummary](#) objects

nextToken

If the response of a ListCustomPlugins operation is truncated, it will include a NextToken. Send this NextToken in a subsequent request to continue listing from where the previous operation left off.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all the tags attached to the specified resource.

Request Syntax

```
GET /v1/tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource for which you want to list all attached tags.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

Lists the tags attached to the specified resource in the corresponding request.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListWorkerConfigurations

Returns a list of all of the worker configurations in this account and Region.

Request Syntax

```
GET /v1/worker-configurations?  
maxResults=maxResults&namePrefix=namePrefix&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of worker configurations to list in one response.

Valid Range: Minimum value of 1. Maximum value of 100.

[namePrefix](#)

Lists worker configuration names that start with the specified text string.

[nextToken](#)

If the response of a ListWorkerConfigurations operation is truncated, it will include a NextToken. Send this NextToken in a subsequent request to continue listing from where the previous operation left off.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "nextToken": "string",  
  "workerConfigurations": [  
    ...  
  ]  
}
```

```
{
  "creationTime": "string",
  "description": "string",
  "latestRevision": {
    "creationTime": "string",
    "description": "string",
    "revision": number
  },
  "name": "string",
  "workerConfigurationArn": "string",
  "workerConfigurationState": "string"
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

If the response of a ListWorkerConfigurations operation is truncated, it will include a NextToken. Send this NextToken in a subsequent request to continue listing from where the previous operation left off.

Type: String

workerConfigurations

An array of worker configuration descriptions.

Type: Array of [WorkerConfigurationSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Attaches tags to the specified resource.

Request Syntax

```
POST /v1/tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource to which you want to attach tags.

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The tags that you want to attach to the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ConflictException

HTTP Status Code 409: Conflict. A resource with this name already exists. Retry your request with another name.

HTTP Status Code: 409

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes tags from the specified resource.

Request Syntax

```
DELETE /v1/tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource from which you want to remove tags.

Required: Yes

tagKeys

The keys of the tags that you want to remove from the resource.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateConnector

Updates the specified connector. For request body, specify only one parameter: either `capacity` or `connectorConfiguration`.

Request Syntax

```
PUT /v1/connectors/connectorArn?currentVersion=currentVersion HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "capacity": {
    "autoScaling": {
      "maxAutoscalingTaskCount": number,
      "maxWorkerCount": number,
      "mcuCount": number,
      "minWorkerCount": number,
      "scaleInPolicy": {
        "cpuUtilizationPercentage": number
      },
      "scaleOutPolicy": {
        "cpuUtilizationPercentage": number
      }
    },
    "provisionedCapacity": {
      "mcuCount": number,
      "workerCount": number
    }
  },
  "connectorConfiguration": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

connectorArn

The Amazon Resource Name (ARN) of the connector that you want to update.

Required: Yes

currentVersion

The current version of the connector that you want to update.

Required: Yes

Request Body

The request accepts the following data in JSON format.

capacity

The target capacity.

Type: [CapacityUpdate](#) object

Required: No

connectorConfiguration

A map of keys to values that represent the configuration for the connector.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "connectorArn": "string",
  "connectorOperationArn": "string",
  "connectorState": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

connectorArn

The Amazon Resource Name (ARN) of the connector.

Type: String

connectorOperationArn

The Amazon Resource Name (ARN) of the connector operation.

Type: String

connectorState

The state of the connector.

Type: String

Valid Values: RUNNING | CREATING | UPDATING | DELETING | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

BadRequestException

HTTP Status Code 400: Bad request due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 400

ForbiddenException

HTTP Status Code 403: Access forbidden. Correct your credentials and then retry your request.

HTTP Status Code: 403

InternalServerErrorException

HTTP Status Code 500: Unexpected internal server error. Retrying your request might resolve the issue.

HTTP Status Code: 500

NotFoundException

HTTP Status Code 404: Resource not found due to incorrect input. Correct your request and then retry it.

HTTP Status Code: 404

ServiceUnavailableException

HTTP Status Code 503: Service Unavailable. Retrying your request in some time might resolve the issue.

HTTP Status Code: 503

TooManyRequestsException

HTTP Status Code 429: Limit exceeded. Resource limit reached.

HTTP Status Code: 429

UnauthorizedException

HTTP Status Code 401: Unauthorized request. The provided credentials couldn't be validated.

HTTP Status Code: 401

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

Data Types

The Managed Streaming for Kafka Connect API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ApacheKafkaCluster](#)
- [ApacheKafkaClusterDescription](#)
- [AutoScaling](#)
- [AutoScalingDescription](#)
- [AutoScalingUpdate](#)
- [Capacity](#)
- [CapacityDescription](#)
- [CapacityUpdate](#)
- [CloudWatchLogsLogDelivery](#)
- [CloudWatchLogsLogDeliveryDescription](#)
- [ConnectorOperationStep](#)
- [ConnectorOperationSummary](#)
- [ConnectorSummary](#)
- [CustomPlugin](#)
- [CustomPluginDescription](#)
- [CustomPluginFileDescription](#)
- [CustomPluginLocation](#)
- [CustomPluginLocationDescription](#)
- [CustomPluginRevisionSummary](#)
- [CustomPluginSummary](#)

- [FirehoseLogDelivery](#)
- [FirehoseLogDeliveryDescription](#)
- [KafkaCluster](#)
- [KafkaClusterClientAuthentication](#)
- [KafkaClusterClientAuthenticationDescription](#)
- [KafkaClusterDescription](#)
- [KafkaClusterEncryptionInTransit](#)
- [KafkaClusterEncryptionInTransitDescription](#)
- [LogDelivery](#)
- [LogDeliveryDescription](#)
- [Plugin](#)
- [PluginDescription](#)
- [ProvisionedCapacity](#)
- [ProvisionedCapacityDescription](#)
- [ProvisionedCapacityUpdate](#)
- [S3Location](#)
- [S3LocationDescription](#)
- [S3LogDelivery](#)
- [S3LogDeliveryDescription](#)
- [ScaleInPolicy](#)
- [ScaleInPolicyDescription](#)
- [ScaleInPolicyUpdate](#)
- [ScaleOutPolicy](#)
- [ScaleOutPolicyDescription](#)
- [ScaleOutPolicyUpdate](#)
- [StateDescription](#)
- [Vpc](#)
- [VpcDescription](#)
- [WorkerConfiguration](#)
- [WorkerConfigurationDescription](#)

- [WorkerConfigurationRevisionDescription](#)
- [WorkerConfigurationRevisionSummary](#)
- [WorkerConfigurationSummary](#)
- [WorkerLogDelivery](#)
- [WorkerLogDeliveryDescription](#)
- [WorkerSetting](#)

ApacheKafkaCluster

The details of the Apache Kafka cluster to which the connector is connected.

Contents

bootstrapServers

The bootstrap servers of the cluster.

Type: String

Required: Yes

vpc

Details of an Amazon VPC which has network connectivity to the Apache Kafka cluster.

Type: [Vpc](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApacheKafkaClusterDescription

The description of the Apache Kafka cluster to which the connector is connected.

Contents

bootstrapServers

The bootstrap servers of the cluster.

Type: String

Required: No

vpc

Details of an Amazon VPC which has network connectivity to the Apache Kafka cluster.

Type: [VpcDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutoScaling

Specifies how the connector scales.

Contents

maxWorkerCount

The maximum number of workers allocated to the connector.

Type: Integer

Required: Yes

mcuCount

The number of microcontroller units (MCUs) allocated to each connector worker. The valid values are 1,2,4,8.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 8.

Required: Yes

minWorkerCount

The minimum number of workers allocated to the connector.

Type: Integer

Required: Yes

maxAutoscalingTaskCount

The maximum number of tasks allocated to the connector during autoscaling operations. Must be at least equal to maxWorkerCount.

Type: Integer

Required: No

scaleInPolicy

The scale-in policy for the connector.

Type: [ScaleInPolicy](#) object

Required: No

scaleOutPolicy

The scale-out policy for the connector.

Type: [ScaleOutPolicy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutoScalingDescription

Information about the auto scaling parameters for the connector.

Contents

maxAutoscalingTaskCount

The maximum number of tasks allocated to the connector during autoscaling operations. Must be at least equal to `maxWorkerCount`.

Type: Integer

Required: No

maxWorkerCount

The maximum number of workers allocated to the connector.

Type: Integer

Required: No

mcuCount

The number of microcontroller units (MCUs) allocated to each connector worker. The valid values are 1,2,4,8.

Type: Integer

Required: No

minWorkerCount

The minimum number of workers allocated to the connector.

Type: Integer

Required: No

scaleInPolicy

The scale-in policy for the connector.

Type: [ScaleInPolicyDescription](#) object

Required: No

scaleOutPolicy

The scale-out policy for the connector.

Type: [ScaleOutPolicyDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutoScalingUpdate

The updates to the auto scaling parameters for the connector.

Contents

maxWorkerCount

The target maximum number of workers allocated to the connector.

Type: Integer

Required: Yes

mcuCount

The target number of microcontroller units (MCUs) allocated to each connector worker. The valid values are 1,2,4,8.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 8.

Required: Yes

minWorkerCount

The target minimum number of workers allocated to the connector.

Type: Integer

Required: Yes

scaleInPolicy

The target scale-in policy for the connector.

Type: [ScaleInPolicyUpdate](#) object

Required: Yes

scaleOutPolicy

The target scale-out policy for the connector.

Type: [ScaleOutPolicyUpdate](#) object

Required: Yes

maxAutoscalingTaskCount

The maximum number of tasks allocated to the connector during autoscaling operations. Must be at least equal to maxWorkerCount.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Capacity

Information about the capacity of the connector, whether it is auto scaled or provisioned.

Contents

autoScaling

Information about the auto scaling parameters for the connector.

Type: [AutoScaling](#) object

Required: No

provisionedCapacity

Details about a fixed capacity allocated to a connector.

Type: [ProvisionedCapacity](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapacityDescription

A description of the connector's capacity.

Contents

autoScaling

Describes the connector's auto scaling capacity.

Type: [AutoScalingDescription](#) object

Required: No

provisionedCapacity

Describes a connector's provisioned capacity.

Type: [ProvisionedCapacityDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapacityUpdate

The target capacity for the connector. The capacity can be auto scaled or provisioned.

Contents

autoScaling

The target auto scaling setting.

Type: [AutoScalingUpdate](#) object

Required: No

provisionedCapacity

The target settings for provisioned capacity.

Type: [ProvisionedCapacityUpdate](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudWatchLogsLogDelivery

The settings for delivering connector logs to Amazon CloudWatch Logs.

Contents

enabled

Whether log delivery to Amazon CloudWatch Logs is enabled.

Type: Boolean

Required: Yes

logGroup

The name of the CloudWatch log group that is the destination for log delivery.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudWatchLogsLogDeliveryDescription

A description of the log delivery settings.

Contents

enabled

Whether log delivery to Amazon CloudWatch Logs is enabled.

Type: Boolean

Required: No

logGroup

The name of the CloudWatch log group that is the destination for log delivery.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConnectorOperationStep

Details of a step that is involved in a connector's operation.

Contents

stepState

The step state of the operation.

Type: String

Valid Values: PENDING | IN_PROGRESS | COMPLETED | FAILED | CANCELLED

Required: No

stepType

The step type of the operation.

Type: String

Valid Values: INITIALIZE_UPDATE | FINALIZE_UPDATE | UPDATE_WORKER_SETTING | UPDATE_CONNECTOR_CONFIGURATION | VALIDATE_UPDATE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConnectorOperationSummary

Summary of a connector operation.

Contents

connectorOperationArn

The Amazon Resource Name (ARN) of the connector operation.

Type: String

Required: No

connectorOperationState

The state of the connector operation.

Type: String

Valid Values: PENDING | UPDATE_IN_PROGRESS | UPDATE_COMPLETE | UPDATE_FAILED
| ROLLBACK_IN_PROGRESS | ROLLBACK_FAILED | ROLLBACK_COMPLETE

Required: No

connectorOperationType

The type of connector operation performed.

Type: String

Valid Values: UPDATE_WORKER_SETTING | UPDATE_CONNECTOR_CONFIGURATION |
ISOLATE_CONNECTOR | RESTORE_CONNECTOR

Required: No

creationTime

The time when operation was created.

Type: Timestamp

Required: No

endTime

The time when operation ended.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConnectorSummary

Summary of a connector.

Contents

capacity

The connector's compute capacity settings.

Type: [CapacityDescription](#) object

Required: No

connectorArn

The Amazon Resource Name (ARN) of the connector.

Type: String

Required: No

connectorDescription

The description of the connector.

Type: String

Required: No

connectorName

The name of the connector.

Type: String

Required: No

connectorState

The state of the connector.

Type: String

Valid Values: RUNNING | CREATING | UPDATING | DELETING | FAILED

Required: No

creationTime

The time that the connector was created.

Type: Timestamp

Required: No

currentVersion

The current version of the connector.

Type: String

Required: No

kafkaCluster

The details of the Apache Kafka cluster to which the connector is connected.

Type: [KafkaClusterDescription](#) object

Required: No

kafkaClusterClientAuthentication

The type of client authentication used to connect to the Apache Kafka cluster. The value is NONE when no client authentication is used.

Type: [KafkaClusterClientAuthenticationDescription](#) object

Required: No

kafkaClusterEncryptionInTransit

Details of encryption in transit to the Apache Kafka cluster.

Type: [KafkaClusterEncryptionInTransitDescription](#) object

Required: No

kafkaConnectVersion

The version of Kafka Connect. It has to be compatible with both the Apache Kafka cluster's version and the plugins.

Type: String

Required: No

logDelivery

The settings for delivering connector logs to Amazon CloudWatch Logs.

Type: [LogDeliveryDescription](#) object

Required: No

networkType

The network type of the connector. It gives connectors connectivity to either IPv4 (IPV4) or IPv4 and IPv6 (DUAL) destinations. Defaults to IPV4.

Type: String

Valid Values: IPV4 | DUAL

Required: No

plugins

Specifies which plugins were used for this connector.

Type: Array of [PluginDescription](#) objects

Required: No

serviceExecutionRoleArn

The Amazon Resource Name (ARN) of the IAM role used by the connector to access Amazon Web Services resources.

Type: String

Required: No

workerConfiguration

The worker configurations that are in use with the connector.

Type: [WorkerConfigurationDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPlugin

A plugin is an AWS resource that contains the code that defines a connector's logic.

Contents

customPluginArn

The Amazon Resource Name (ARN) of the custom plugin.

Type: String

Required: Yes

revision

The revision of the custom plugin.

Type: Long

Valid Range: Minimum value of 1. Maximum value of 9223372036854775807.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPluginDescription

Details about a custom plugin.

Contents

customPluginArn

The Amazon Resource Name (ARN) of the custom plugin.

Type: String

Required: No

revision

The revision of the custom plugin.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPluginFileDescription

Details about a custom plugin file.

Contents

fileMd5

The hex-encoded MD5 checksum of the custom plugin file. You can use it to validate the file.

Type: String

Required: No

fileSize

The size in bytes of the custom plugin file. You can use it to validate the file.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPluginLocation

Information about the location of a custom plugin.

Contents

s3Location

The S3 bucket Amazon Resource Name (ARN), file key, and object version of the plugin file stored in Amazon S3.

Type: [S3Location](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPluginLocationDescription

Information about the location of a custom plugin.

Contents

s3Location

The S3 bucket Amazon Resource Name (ARN), file key, and object version of the plugin file stored in Amazon S3.

Type: [S3LocationDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPluginRevisionSummary

Details about the revision of a custom plugin.

Contents

contentType

The format of the plugin file.

Type: String

Valid Values: JAR | ZIP

Required: No

creationTime

The time that the custom plugin was created.

Type: Timestamp

Required: No

description

The description of the custom plugin.

Type: String

Required: No

fileDescription

Details about the custom plugin file.

Type: [CustomPluginFileDescription](#) object

Required: No

location

Information about the location of the custom plugin.

Type: [CustomPluginLocationDescription](#) object

Required: No

revision

The revision of the custom plugin.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomPluginSummary

A summary of the custom plugin.

Contents

creationTime

The time that the custom plugin was created.

Type: Timestamp

Required: No

customPluginArn

The Amazon Resource Name (ARN) of the custom plugin.

Type: String

Required: No

customPluginState

The state of the custom plugin.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATE_FAILED | DELETING

Required: No

description

A description of the custom plugin.

Type: String

Required: No

latestRevision

The latest revision of the custom plugin.

Type: [CustomPluginRevisionSummary](#) object

Required: No

name

The name of the custom plugin.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FirehoseLogDelivery

The settings for delivering logs to Amazon Kinesis Data Firehose.

Contents

enabled

Specifies whether connector logs get delivered to Amazon Kinesis Data Firehose.

Type: Boolean

Required: Yes

deliveryStream

The name of the Kinesis Data Firehose delivery stream that is the destination for log delivery.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FirehoseLogDeliveryDescription

A description of the settings for delivering logs to Amazon Kinesis Data Firehose.

Contents

deliveryStream

The name of the Kinesis Data Firehose delivery stream that is the destination for log delivery.

Type: String

Required: No

enabled

Specifies whether connector logs get delivered to Amazon Kinesis Data Firehose.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KafkaCluster

The details of the Apache Kafka cluster to which the connector is connected.

Contents

apacheKafkaCluster

The Apache Kafka cluster to which the connector is connected.

Type: [ApacheKafkaCluster](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KafkaClusterClientAuthentication

The client authentication information used in order to authenticate with the Apache Kafka cluster.

Contents

authenticationType

The type of client authentication used to connect to the Apache Kafka cluster. Value NONE means that no client authentication is used.

Type: String

Valid Values: NONE | IAM

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KafkaClusterClientAuthenticationDescription

The client authentication information used in order to authenticate with the Apache Kafka cluster.

Contents

authenticationType

The type of client authentication used to connect to the Apache Kafka cluster. Value NONE means that no client authentication is used.

Type: String

Valid Values: NONE | IAM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KafkaClusterDescription

Details of how to connect to the Apache Kafka cluster.

Contents

apacheKafkaCluster

The Apache Kafka cluster to which the connector is connected.

Type: [ApacheKafkaClusterDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KafkaClusterEncryptionInTransit

Details of encryption in transit to the Apache Kafka cluster.

Contents

encryptionType

The type of encryption in transit to the Apache Kafka cluster.

Type: String

Valid Values: PLAINTEXT | TLS

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KafkaClusterEncryptionInTransitDescription

The description of the encryption in transit to the Apache Kafka cluster.

Contents

encryptionType

The type of encryption in transit to the Apache Kafka cluster.

Type: String

Valid Values: PLAINTEXT | TLS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogDelivery

Details about log delivery.

Contents

workerLogDelivery

The workers can send worker logs to different destination types. This configuration specifies the details of these destinations.

Type: [WorkerLogDelivery](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogDeliveryDescription

The description of the log delivery settings.

Contents

workerLogDelivery

The workers can send worker logs to different destination types. This configuration specifies the details of these destinations.

Type: [WorkerLogDeliveryDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Plugin

A plugin is an AWS resource that contains the code that defines your connector logic.

Contents

customPlugin

Details about a custom plugin.

Type: [CustomPlugin](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PluginDescription

The description of the plugin.

Contents

customPlugin

Details about a custom plugin.

Type: [CustomPluginDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProvisionedCapacity

Details about a connector's provisioned capacity.

Contents

mcuCount

The number of microcontroller units (MCUs) allocated to each connector worker. The valid values are 1,2,4,8.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 8.

Required: Yes

workerCount

The number of workers that are allocated to the connector.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProvisionedCapacityDescription

The description of a connector's provisioned capacity.

Contents

mcuCount

The number of microcontroller units (MCUs) allocated to each connector worker. The valid values are 1,2,4,8.

Type: Integer

Required: No

workerCount

The number of workers that are allocated to the connector.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProvisionedCapacityUpdate

An update to a connector's fixed capacity.

Contents

mcuCount

The number of microcontroller units (MCUs) allocated to each connector worker. The valid values are 1,2,4,8.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 8.

Required: Yes

workerCount

The number of workers that are allocated to the connector.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Location

The location of an object in Amazon S3.

Contents

bucketArn

The Amazon Resource Name (ARN) of an S3 bucket.

Type: String

Required: Yes

fileKey

The file key for an object in an S3 bucket.

Type: String

Required: Yes

objectVersion

The version of an object in an S3 bucket.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3LocationDescription

The description of the location of an object in Amazon S3.

Contents

bucketArn

The Amazon Resource Name (ARN) of an S3 bucket.

Type: String

Required: No

fileKey

The file key for an object in an S3 bucket.

Type: String

Required: No

objectVersion

The version of an object in an S3 bucket.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3LogDelivery

Details about delivering logs to Amazon S3.

Contents

enabled

Specifies whether connector logs get sent to the specified Amazon S3 destination.

Type: Boolean

Required: Yes

bucket

The name of the S3 bucket that is the destination for log delivery.

Type: String

Required: No

prefix

The S3 prefix that is the destination for log delivery.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3LogDeliveryDescription

The description of the details about delivering logs to Amazon S3.

Contents

bucket

The name of the S3 bucket that is the destination for log delivery.

Type: String

Required: No

enabled

Specifies whether connector logs get sent to the specified Amazon S3 destination.

Type: Boolean

Required: No

prefix

The S3 prefix that is the destination for log delivery.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScaleInPolicy

The scale-in policy for the connector.

Contents

cpuUtilizationPercentage

Specifies the CPU utilization percentage threshold at which you want connector scale in to be triggered.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScaleInPolicyDescription

The description of the scale-in policy for the connector.

Contents

cpuUtilizationPercentage

Specifies the CPU utilization percentage threshold at which you want connector scale in to be triggered.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScaleInPolicyUpdate

An update to the connector's scale-in policy.

Contents

cpuUtilizationPercentage

The target CPU utilization percentage threshold at which you want connector scale in to be triggered.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScaleOutPolicy

The scale-out policy for the connector.

Contents

cpuUtilizationPercentage

The CPU utilization percentage threshold at which you want connector scale out to be triggered.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScaleOutPolicyDescription

The description of the scale-out policy for the connector.

Contents

cpuUtilizationPercentage

The CPU utilization percentage threshold at which you want connector scale out to be triggered.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScaleOutPolicyUpdate

An update to the connector's scale-out policy.

Contents

cpuUtilizationPercentage

The target CPU utilization percentage threshold at which you want connector scale out to be triggered.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StateDescription

Details about the state of a resource.

Contents

code

A code that describes the state of a resource.

Type: String

Required: No

message

A message that describes the state of a resource.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Vpc

Information about the VPC in which the connector resides.

Contents

subnets

The subnets for the connector.

Type: Array of strings

Required: Yes

securityGroups

The security groups for the connector.

Type: Array of strings

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VpcDescription

The description of the VPC in which the connector resides.

Contents

securityGroups

The security groups for the connector.

Type: Array of strings

Required: No

subnets

The subnets for the connector.

Type: Array of strings

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerConfiguration

The configuration of the workers, which are the processes that run the connector logic.

Contents

revision

The revision of the worker configuration.

Type: Long

Valid Range: Minimum value of 1. Maximum value of 9223372036854775807.

Required: Yes

workerConfigurationArn

The Amazon Resource Name (ARN) of the worker configuration.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerConfigurationDescription

The description of the worker configuration.

Contents

revision

The revision of the worker configuration.

Type: Long

Required: No

workerConfigurationArn

The Amazon Resource Name (ARN) of the worker configuration.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerConfigurationRevisionDescription

The description of the worker configuration revision.

Contents

creationTime

The time that the worker configuration was created.

Type: Timestamp

Required: No

description

The description of the worker configuration revision.

Type: String

Required: No

propertiesFileContent

Base64 encoded contents of the connect-distributed.properties file.

Type: String

Required: No

revision

The description of a revision of the worker configuration.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerConfigurationRevisionSummary

The summary of a worker configuration revision.

Contents

creationTime

The time that a worker configuration revision was created.

Type: Timestamp

Required: No

description

The description of a worker configuration revision.

Type: String

Required: No

revision

The revision of a worker configuration.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerConfigurationSummary

The summary of a worker configuration.

Contents

creationTime

The time that a worker configuration was created.

Type: Timestamp

Required: No

description

The description of a worker configuration.

Type: String

Required: No

latestRevision

The latest revision of a worker configuration.

Type: [WorkerConfigurationRevisionSummary](#) object

Required: No

name

The name of the worker configuration.

Type: String

Required: No

workerConfigurationArn

The Amazon Resource Name (ARN) of the worker configuration.

Type: String

Required: No

workerConfigurationState

The state of the worker configuration.

Type: String

Valid Values: ACTIVE | DELETING

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerLogDelivery

Workers can send worker logs to different destination types. This configuration specifies the details of these destinations.

Contents

cloudWatchLogs

Details about delivering logs to Amazon CloudWatch Logs.

Type: [CloudWatchLogsLogDelivery](#) object

Required: No

firehose

Details about delivering logs to Amazon Kinesis Data Firehose.

Type: [FirehoseLogDelivery](#) object

Required: No

s3

Details about delivering logs to Amazon S3.

Type: [S3LogDelivery](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerLogDeliveryDescription

Workers can send worker logs to different destination types. This configuration specifies the details of these destinations.

Contents

cloudWatchLogs

Details about delivering logs to Amazon CloudWatch Logs.

Type: [CloudWatchLogsLogDeliveryDescription](#) object

Required: No

firehose

Details about delivering logs to Amazon Kinesis Data Firehose.

Type: [FirehoseLogDeliveryDescription](#) object

Required: No

s3

Details about delivering logs to Amazon S3.

Type: [S3LogDeliveryDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkerSetting

Details about worker setting of a connector

Contents

capacity

A description of the connector's capacity.

Type: [CapacityDescription](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400