



API Reference

AWS Data Exchange



AWS Data Exchange: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Data sets and products	2
API access control	2
Endpoints and AWS Regions	2
Service quotas	3
Actions	4
AcceptDataGrant	6
Request Syntax	6
URI Request Parameters	6
Request Body	6
Response Syntax	6
Response Elements	7
Errors	9
See Also	11
CancelJob	12
Request Syntax	12
URI Request Parameters	12
Request Body	12
Response Syntax	12
Response Elements	12
Errors	12
See Also	14
CreateDataGrant	15
Request Syntax	15
URI Request Parameters	15
Request Body	15
Response Syntax	17
Response Elements	17
Errors	20
See Also	21
CreateDataSet	23
Request Syntax	23
URI Request Parameters	23
Request Body	23

Response Syntax	24
Response Elements	25
Errors	26
See Also	28
CreateEventAction	29
Request Syntax	29
URI Request Parameters	29
Request Body	29
Response Syntax	30
Response Elements	31
Errors	32
See Also	33
CreateJob	35
Request Syntax	35
URI Request Parameters	38
Request Body	38
Response Syntax	38
Response Elements	42
Errors	44
See Also	45
CreateRevision	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	48
Response Elements	48
Errors	50
See Also	52
DeleteAsset	53
Request Syntax	53
URI Request Parameters	53
Request Body	53
Response Syntax	53
Response Elements	54
Errors	54
See Also	55

DeleteDataGrant	57
Request Syntax	57
URI Request Parameters	57
Request Body	57
Response Syntax	57
Response Elements	57
Errors	57
See Also	59
DeleteDataSet	60
Request Syntax	60
URI Request Parameters	60
Request Body	60
Response Syntax	60
Response Elements	60
Errors	60
See Also	62
DeleteEventAction	64
Request Syntax	64
URI Request Parameters	64
Request Body	64
Response Syntax	64
Response Elements	64
Errors	64
See Also	65
DeleteRevision	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	67
Response Elements	67
Errors	68
See Also	69
GetAsset	71
Request Syntax	71
URI Request Parameters	71
Request Body	71

Response Syntax	71
Response Elements	73
Errors	75
See Also	76
GetDataGrant	78
Request Syntax	78
URI Request Parameters	78
Request Body	78
Response Syntax	78
Response Elements	79
Errors	81
See Also	83
GetDataSet	84
Request Syntax	84
URI Request Parameters	84
Request Body	84
Response Syntax	84
Response Elements	85
Errors	87
See Also	88
GetEventAction	89
Request Syntax	89
URI Request Parameters	89
Request Body	89
Response Syntax	89
Response Elements	90
Errors	91
See Also	92
GetJob	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	97
Errors	98
See Also	100

GetReceivedDataGrant	101
Request Syntax	101
URI Request Parameters	101
Request Body	101
Response Syntax	101
Response Elements	102
Errors	104
See Also	105
GetRevision	107
Request Syntax	107
URI Request Parameters	107
Request Body	107
Response Syntax	107
Response Elements	108
Errors	110
See Also	111
ListDataGrants	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	112
Response Elements	113
Errors	113
See Also	115
ListDataSetRevisions	116
Request Syntax	116
URI Request Parameters	116
Request Body	116
Response Syntax	116
Response Elements	117
Errors	117
See Also	119
ListDataSets	120
Request Syntax	120
URI Request Parameters	120
Request Body	120

Response Syntax	120
Response Elements	121
Errors	121
See Also	123
ListEventActions	124
Request Syntax	124
URI Request Parameters	124
Request Body	124
Response Syntax	124
Response Elements	125
Errors	125
See Also	127
ListJobs	128
Request Syntax	128
URI Request Parameters	128
Request Body	128
Response Syntax	128
Response Elements	132
Errors	133
See Also	134
ListReceivedDataGrants	135
Request Syntax	135
URI Request Parameters	135
Request Body	135
Response Syntax	135
Response Elements	136
Errors	136
See Also	138
ListRevisionAssets	139
Request Syntax	139
URI Request Parameters	139
Request Body	139
Response Syntax	140
Response Elements	141
Errors	142
See Also	143

ListTagsForResource	144
Request Syntax	144
URI Request Parameters	144
Request Body	144
Response Syntax	144
Response Elements	144
Errors	145
See Also	145
RevokeRevision	146
Request Syntax	146
URI Request Parameters	146
Request Body	146
Response Syntax	147
Response Elements	147
Errors	149
See Also	151
SendApiAsset	152
Request Syntax	152
URI Request Parameters	152
Request Body	153
Response Syntax	153
Response Elements	153
Errors	153
See Also	155
SendDataSetNotification	156
Request Syntax	156
URI Request Parameters	157
Request Body	157
Response Syntax	158
Response Elements	158
Errors	159
See Also	160
StartJob	162
Request Syntax	162
URI Request Parameters	162
Request Body	162

Response Syntax	162
Response Elements	162
Errors	162
See Also	164
TagResource	166
Request Syntax	166
URI Request Parameters	166
Request Body	166
Response Syntax	166
Response Elements	167
Errors	167
See Also	167
UntagResource	168
Request Syntax	168
URI Request Parameters	168
Request Body	168
Response Syntax	168
Response Elements	168
Errors	168
See Also	169
UpdateAsset	170
Request Syntax	170
URI Request Parameters	170
Request Body	170
Response Syntax	171
Response Elements	173
Errors	174
See Also	176
UpdateDataSet	178
Request Syntax	178
URI Request Parameters	178
Request Body	178
Response Syntax	179
Response Elements	179
Errors	181
See Also	182

UpdateEventAction	184
Request Syntax	184
URI Request Parameters	184
Request Body	184
Response Syntax	185
Response Elements	185
Errors	186
See Also	188
UpdateRevision	189
Request Syntax	189
URI Request Parameters	189
Request Body	189
Response Syntax	190
Response Elements	190
Errors	192
See Also	194
Data Types	195
Action	198
Contents	198
See Also	198
ApiGatewayApiAsset	199
Contents	199
See Also	200
AssetConfiguration	201
Contents	201
See Also	201
AssetDestinationEntry	202
Contents	202
See Also	202
AssetDetails	203
Contents	203
See Also	204
AssetEntry	205
Contents	205
See Also	207
AssetSourceEntry	208

Contents	208
See Also	208
AutoExportRevisionDestinationEntry	209
Contents	209
See Also	209
AutoExportRevisionToS3RequestDetails	210
Contents	210
See Also	210
CreateS3DataAccessFromS3BucketRequestDetails	211
Contents	211
See Also	211
CreateS3DataAccessFromS3BucketResponseDetails	213
Contents	213
See Also	213
DatabaseLFTagPolicy	215
Contents	215
See Also	215
DatabaseLFTagPolicyAndPermissions	216
Contents	216
See Also	216
DataGrantSummaryEntry	217
Contents	217
See Also	219
DataSetEntry	220
Contents	220
See Also	222
DataUpdateRequestDetails	223
Contents	223
See Also	223
DeprecationRequestDetails	224
Contents	224
See Also	224
Details	225
Contents	225
See Also	225
Event	226

Contents	226
See Also	226
EventActionEntry	227
Contents	227
See Also	228
ExportAssetsToS3RequestDetails	229
Contents	229
See Also	229
ExportAssetsToS3ResponseDetails	231
Contents	231
See Also	231
ExportAssetToSignedUrlRequestDetails	233
Contents	233
See Also	233
ExportAssetToSignedUrlResponseDetails	235
Contents	235
See Also	236
ExportRevisionsToS3RequestDetails	237
Contents	237
See Also	237
ExportRevisionsToS3ResponseDetails	238
Contents	238
See Also	238
ExportServerSideEncryption	240
Contents	240
See Also	240
ImportAssetFromApiGatewayApiRequestDetails	241
Contents	241
See Also	243
ImportAssetFromApiGatewayApiResponseDetails	244
Contents	244
See Also	246
ImportAssetFromSignedUrlJobErrorDetails	247
Contents	247
See Also	247
ImportAssetFromSignedUrlRequestDetails	248

Contents	248
See Also	249
ImportAssetFromSignedUrlResponseDetails	250
Contents	250
See Also	251
ImportAssetsFromLakeFormationTagPolicyRequestDetails	252
Contents	252
See Also	253
ImportAssetsFromLakeFormationTagPolicyResponseDetails	254
Contents	254
See Also	255
ImportAssetsFromRedshiftDataSharesRequestDetails	256
Contents	256
See Also	256
ImportAssetsFromRedshiftDataSharesResponseDetails	258
Contents	258
See Also	258
ImportAssetsFromS3RequestDetails	260
Contents	260
See Also	260
ImportAssetsFromS3ResponseDetails	262
Contents	262
See Also	262
JobEntry	264
Contents	264
See Also	266
JobError	267
Contents	267
See Also	268
KmsKeyToGrant	269
Contents	269
See Also	269
LakeFormationDataPermissionAsset	270
Contents	270
See Also	271
LakeFormationDataPermissionDetails	272

Contents	272
See Also	272
LakeFormationTagPolicyDetails	273
Contents	273
See Also	273
LFResourceDetails	274
Contents	274
See Also	274
LFTag	275
Contents	275
See Also	275
LFTagPolicyDetails	276
Contents	276
See Also	276
NotificationDetails	278
Contents	278
See Also	278
OriginDetails	279
Contents	279
See Also	279
ReceivedDataGrantSummariesEntry	280
Contents	280
See Also	282
RedshiftDataShareAsset	283
Contents	283
See Also	283
RedshiftDataShareAssetSourceEntry	284
Contents	284
See Also	284
RedshiftDataShareDetails	285
Contents	285
See Also	286
RequestDetails	287
Contents	287
See Also	288
ResponseDetails	289

Contents	289
See Also	290
RevisionDestinationEntry	291
Contents	291
See Also	291
RevisionEntry	293
Contents	293
See Also	295
RevisionPublished	296
Contents	296
See Also	296
S3DataAccessAsset	297
Contents	297
See Also	298
S3DataAccessAssetSourceEntry	299
Contents	299
See Also	299
S3DataAccessDetails	301
Contents	301
See Also	301
S3SnapshotAsset	302
Contents	302
See Also	302
SchemaChangeDetails	303
Contents	303
See Also	303
SchemaChangeRequestDetails	305
Contents	305
See Also	305
ScopeDetails	306
Contents	306
See Also	306
TableLFTagPolicy	307
Contents	307
See Also	307
TableLFTagPolicyAndPermissions	308

Contents	308
See Also	308
Tag	309
Contents	309
See Also	309
Common Parameters	310
Common Error Types	313
Document history	316

Welcome

Welcome to the *AWS Data Exchange API Reference*. AWS Data Exchange is a service that helps AWS customers to exchange data in the AWS Cloud. You can use the AWS Data Exchange API operations in the AWS Cloud.

As a subscriber, you can view and access the data sets that you have an entitlement to through a subscription. You can use the API operations to download (export) or copy your entitled data sets to Amazon Simple Storage Service (Amazon S3) for use across a variety of AWS analytics and machine learning services.

As a provider, you can create and manage your data sets that you want to publish to a product. You can download (export) or copy your assets or revisions to Amazon S3 or a signed URL. In addition, providers can import assets from an Amazon API Gateway API or import assets from an Amazon Redshift datashare.

A *data set* in AWS Data Exchange is a collection of data that can be changed or updated over time. Data sets can be updated using revisions, which represent a new version or incremental change to a data set. A revision contains one or more assets.

An *asset* in AWS Data Exchange is a piece of data. The asset can be one of the following:

- A structured data file, an image file, or some other data file that is stored as an Amazon S3 object.
- An Amazon Redshift datashare. Datashares are created in Amazon Redshift based on an existing database within a cluster that contain schemas, tables, views, or user-defined functions.
- A REST API that you created in Amazon API Gateway.
- An Amazon S3 access point that allows read-only access to an Amazon S3 bucket or subset of a bucket.
- An AWS Lake Formation data permission (Preview).

As a subscriber, you can view and access the data sets that you have an entitlement to through a subscription. You can use the API operations to export or copy your entitled data sets for use across a variety of AWS analytics and machine learning services, or download them locally.

As a provider, you can create and manage your data sets that you want to publish to a product. Providers can import assets locally, from an Amazon Simple Storage Service (S3) bucket, an

Amazon API Gateway API, from an Amazon Redshift datashare, or from an AWS Lake Formation data permission (Preview).

Jobs are asynchronous import or export operations used to create or copy assets.

To learn more about these and other AWS Data Exchange concepts, procedures, best practices, and AWS Marketplace integration, see the [AWS Marketplace Catalog API Reference](#) and the [AWS Data Exchange User Guide](#).

Note

Currently, the `SendApiAsset` operation is not supported for AWS SDKs for Java or Swift.

Data sets and products

You can manage and interact with data sets by using the AWS Data Exchange API operations. You can perform product publishing and product subscription tasks through the AWS Marketplace Catalog API or the AWS Data Exchange console. For more information, see the [AWS Data Exchange User Guide](#).

API access control

You use [AWS Identity and Access Management](#) (IAM) to create IAM roles and assign policies that grant limited permissions to end users. The policies define the actions that the role can take on your data sets, revisions, assets, and associated jobs in the AWS Data Exchange API. For example, you can define roles such as engineering, marketing, and pricing. A user in your organization who has been added to the engineering role might be granted permissions to import an asset from Amazon S3 but can't finalize a revision for your data set.

For more information about AWS Data Exchange permissions, including managed policies, and a permissions reference for AWS Data Exchange actions and resources, see [Identity and Access Management in AWS Data Exchange](#) in the *AWS Data Exchange User Guide*.

Endpoints and AWS Regions

For information about AWS Regions and endpoints that are supported for AWS Data Exchange, see [AWS Data Exchange endpoints and quotas](#) in the *AWS General Reference*.

Service quotas

For information about the quotas for using AWS Data Exchange, see [AWS Data Exchange endpoints and quotas](#) in the *AWS General Reference*.

Actions

The following actions are supported:

- [AcceptDataGrant](#)
- [CancelJob](#)
- [CreateDataGrant](#)
- [CreateDataSet](#)
- [CreateEventAction](#)
- [CreateJob](#)
- [CreateRevision](#)
- [DeleteAsset](#)
- [DeleteDataGrant](#)
- [DeleteDataSet](#)
- [DeleteEventAction](#)
- [DeleteRevision](#)
- [GetAsset](#)
- [GetDataGrant](#)
- [GetDataSet](#)
- [GetEventAction](#)
- [GetJob](#)
- [GetReceivedDataGrant](#)
- [GetRevision](#)
- [ListDataGrants](#)
- [ListDataSetRevisions](#)
- [ListDataSets](#)
- [ListEventActions](#)
- [ListJobs](#)
- [ListReceivedDataGrants](#)
- [ListRevisionAssets](#)
- [ListTagsForResource](#)

- [RevokeRevision](#)
- [SendApiAsset](#)
- [SendDataSetNotification](#)
- [StartJob](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateAsset](#)
- [UpdateDataSet](#)
- [UpdateEventAction](#)
- [UpdateRevision](#)

AcceptDataGrant

This operation accepts a data grant.

Request Syntax

```
POST /v1/data-grants/DataGrantArn/accept HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataGrantArn

The Amazon Resource Name (ARN) of the data grant to accept.

Pattern: `arn:aws:dataexchange:[\ -a-z0-9]*:(\d{12}):data-grants\[a-zA-Z0-9\]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AcceptanceState": "string",
  "AcceptedAt": "string",
  "Arn": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Description": "string",
  "EndsAt": "string",
  "GrantDistributionScope": "string",
  "Id": "string",
```

```
"Name": "string",  
"ReceiverPrincipal": "string",  
"SenderPrincipal": "string",  
"UpdatedAt": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AcceptanceState

The acceptance state of the data grant.

Type: String

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

AcceptedAt

The timestamp of when the data grant was accepted.

Type: Timestamp

Arn

The Amazon Resource Name (ARN) of the accepted data grant.

Type: String

CreatedAt

The timestamp of when the data grant was created.

Type: Timestamp

DataSetId

The ID of the data set associated to the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Description

The description of the accepted data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16384.

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

GrantDistributionScope

The distribution scope for the data grant.

Type: String

Valid Values: AWS_ORGANIZATION | NONE

Id

The ID of the data grant.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Name

The name of the accepted data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: `\d{12}`

SenderPrincipal

The AWS account ID of the data grant sender.

Type: String

Pattern: \d{12}

UpdatedAt

The timestamp of when the data grant was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CancelJob

This operation cancels a job. Jobs can be cancelled only when they are in the WAITING state.

Request Syntax

```
DELETE /v1/jobs/JobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobId

The unique identifier for a job.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateDataGrant

This operation creates a data grant.

Request Syntax

```
POST /v1/data-grants HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "EndsAt": "string",
  "GrantDistributionScope": "string",
  "Name": "string",
  "ReceiverPrincipal": "string",
  "SourceDataSetId": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Description

The description of the data grant.

Type: String

Required: No

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

Required: No

GrantDistributionScope

The distribution scope of the data grant.

Type: String

Valid Values: AWS_ORGANIZATION | NONE

Required: Yes

Name

The name of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: `\d{12}`

Required: Yes

SourceDataSetId

The ID of the data set used to create the data grant.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Tags

The tags to add to the data grant. A tag is a key-value pair.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "AcceptanceState": "string",
  "AcceptedAt": "string",
  "Arn": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Description": "string",
  "EndsAt": "string",
  "GrantDistributionScope": "string",
  "Id": "string",
  "Name": "string",
  "ReceiverPrincipal": "string",
  "SenderPrincipal": "string",
  "SourceDataSetId": "string",
  "Tags": {
    "string" : "string"
  },
  "UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

AcceptanceState

The acceptance state of the data grant.

Type: String

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

AcceptedAt

The timestamp of when the data grant was accepted.

Type: Timestamp

Arn

The Amazon Resource Name (ARN) of the data grant.

Type: String

CreatedAt

The timestamp of when the data grant was created.

Type: Timestamp

DataSetId

The ID of the data set associated to the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Description

The description of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16384.

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

GrantDistributionScope

The distribution scope for the data grant.

Type: String

Valid Values: AWS_ORGANIZATION | NONE

Id

The ID of the data grant.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Name

The name of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: `\d{12}`

SenderPrincipal

The AWS account ID of the data grant sender.

Type: String

Pattern: `\d{12}`

SourceDataSetId

The ID of the data set used to create the data grant.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags associated to the data grant. A tag is a key-value pair.

Type: String to string map

UpdatedAt

The timestamp of when the data grant was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ServiceLimitExceededException

The request has exceeded the quotas imposed by the service.

LimitName

The name of the limit that was reached.

LimitValue

The value of the exceeded limit.

Message

The request has exceeded the quotas imposed by the service.

HTTP Status Code: 402

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateDataSet

This operation creates a data set.

Request Syntax

```
POST /v1/data-sets HTTP/1.1
Content-type: application/json

{
  "AssetType": "string",
  "Description": "string",
  "Name": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

Required: Yes

Description

A description for the data set. This value can be up to 16,348 characters long.

Type: String

Required: Yes

Name

The name of the data set.

Type: String

Required: Yes

Tags

A data set tag is an optional label that you can assign to a data set when you create it. Each tag consists of a key and an optional value, both of which you define. When you use tagging, you can also use tag-based access control in IAM policies to control access to these data sets and revisions.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Arn": "string",
  "AssetType": "string",
  "CreatedAt": "string",
  "Description": "string",
  "Id": "string",
  "Name": "string",
  "Origin": "string",
  "OriginDetails": {
    "DataGrantId": "string",
    "ProductId": "string"
  },
  "SourceId": "string",
  "Tags": {
    "string" : "string"
  },
  "UpdatedAt": "string"
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the data set.

Type: String

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

CreatedAt

The date and time that the data set was created, in ISO 8601 format.

Type: Timestamp

Description

The description for the data set.

Type: String

Id

The unique identifier for the data set.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Name

The name of the data set.

Type: String

Origin

A property that defines the data set as OWNED by the account (for providers) or ENTITLED to the account (for subscribers).

Type: String

Valid Values: OWNED | ENTITLED

OriginDetails

If the origin of this data set is ENTITLED, includes the details for the product on AWS Marketplace.

Type: [OriginDetails](#) object

SourceId

The data set ID of the owned data set corresponding to the entitled data set being viewed. This parameter is returned when a data set owner is viewing the entitled copy of its owned data set.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the data set.

Type: String to string map

UpdatedAt

The date and time that the data set was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ServiceLimitExceededException

The request has exceeded the quotas imposed by the service.

LimitName

The name of the limit that was reached.

LimitValue

The value of the exceeded limit.

Message

The request has exceeded the quotas imposed by the service.

HTTP Status Code: 402

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateEventAction

This operation creates an event action.

Request Syntax

```
POST /v1/event-actions HTTP/1.1
Content-type: application/json

{
  "Action": {
    "ExportRevisionToS3": {
      "Encryption": {
        "KmsKeyArn": "string",
        "Type": "string"
      },
      "RevisionDestination": {
        "Bucket": "string",
        "KeyPattern": "string"
      }
    }
  },
  "Event": {
    "RevisionPublished": {
      "DataSetId": "string"
    }
  },
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Action

What occurs after a certain event.

Type: [Action](#) object

Required: Yes

Event

What occurs to start an action.

Type: [Event](#) object

Required: Yes

Tags

Key-value pairs that you can associate with the event action.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Action": {
    "ExportRevisionToS3": {
      "Encryption": {
        "KmsKeyArn": "string",
        "Type": "string"
      },
      "RevisionDestination": {
        "Bucket": "string",
        "KeyPattern": "string"
      }
    }
  },
  "Arn": "string",
  "CreatedAt": "string",
```

```
"Event": {
  "RevisionPublished": {
    "DataSetId": "string"
  }
},
"Id": "string",
"Tags": {
  "string" : "string"
},
"UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Action

What occurs after a certain event.

Type: [Action](#) object

Arn

The ARN for the event action.

Type: String

CreatedAt

The date and time that the event action was created, in ISO 8601 format.

Type: Timestamp

Event

What occurs to start an action.

Type: [Event](#) object

Id

The unique identifier for the event action.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the event action.

Type: String to string map

UpdatedAt

The date and time that the event action was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ServiceLimitExceededException

The request has exceeded the quotas imposed by the service.

LimitName

The name of the limit that was reached.

LimitValue

The value of the exceeded limit.

Message

The request has exceeded the quotas imposed by the service.

HTTP Status Code: 402

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateJob

This operation creates a job.

Request Syntax

```
POST /v1/jobs HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "AssetConfiguration": {
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  },
  "Details": {
    "CreateS3DataAccessFromS3Bucket": {
      "AssetSource": {
        "Bucket": "string",
        "KeyPrefixes": [ "string" ],
        "Keys": [ "string" ],
        "KmsKeysToGrant": [
          {
            "KmsKeyArn": "string"
          }
        ]
      },
      "DataSetId": "string",
      "RevisionId": "string"
    },
    "ExportAssetsToS3": {
      "AssetDestinations": [
        {
          "AssetId": "string",
          "Bucket": "string",
          "Key": "string"
        }
      ],
      "DataSetId": "string",
      "Encryption": {
```

```
    "KmsKeyArn": "string",
    "Type": "string"
  },
  "RevisionId": "string"
},
"ExportAssetToSignedUrl": {
  "AssetId": "string",
  "DataSetId": "string",
  "RevisionId": "string"
},
"ExportRevisionsToS3": {
  "DataSetId": "string",
  "Encryption": {
    "KmsKeyArn": "string",
    "Type": "string"
  },
  "RevisionDestinations": [
    {
      "Bucket": "string",
      "KeyPattern": "string",
      "RevisionId": "string"
    }
  ]
},
"ImportAssetFromApiGatewayApi": {
  "ApiDescription": "string",
  "ApiId": "string",
  "ApiKey": "string",
  "ApiName": "string",
  "ApiSpecificationMd5Hash": "string",
  "DataSetId": "string",
  "ProtocolType": "string",
  "RevisionId": "string",
  "Stage": "string"
},
"ImportAssetFromSignedUrl": {
  "AssetName": "string",
  "DataSetId": "string",
  "Md5Hash": "string",
  "RevisionId": "string"
},
"ImportAssetsFromLakeFormationTagPolicy": {
  "CatalogId": "string",
  "Database": {
```

```

    "Expression": [
      {
        "TagKey": "string",
        "TagValues": [ "string" ]
      }
    ],
    "Permissions": [ "string" ]
  },
  "DataSetId": "string",
  "RevisionId": "string",
  "RoleArn": "string",
  "Table": {
    "Expression": [
      {
        "TagKey": "string",
        "TagValues": [ "string" ]
      }
    ],
    "Permissions": [ "string" ]
  }
},
"ImportAssetsFromRedshiftDataShares": {
  "AssetSources": [
    {
      "DataShareArn": "string"
    }
  ],
  "DataSetId": "string",
  "RevisionId": "string"
},
"ImportAssetsFromS3": {
  "AssetSources": [
    {
      "Bucket": "string",
      "Key": "string"
    }
  ],
  "DataSetId": "string",
  "RevisionId": "string"
}
},
"Type": "string"
}

```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AssetConfiguration

The configuration for the asset, including tags to be applied to assets created by the job.

Type: [AssetConfiguration](#) object

Required: No

Details

The details for the CreateJob request.

Type: [RequestDetails](#) object

Required: Yes

Type

The type of job to be created.

Type: String

Valid Values: IMPORT_ASSETS_FROM_S3 | IMPORT_ASSET_FROM_SIGNED_URL
| EXPORT_ASSETS_TO_S3 | EXPORT_ASSET_TO_SIGNED_URL |
EXPORT_REVISIONS_TO_S3 | IMPORT_ASSETS_FROM_REDSHIFT_DATA_SHARES |
IMPORT_ASSET_FROM_API_GATEWAY_API | CREATE_S3_DATA_ACCESS_FROM_S3_BUCKET
| IMPORT_ASSETS_FROM_LAKE_FORMATION_TAG_POLICY

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
```

```
"Arn": "string",
"AssetConfiguration": {
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
},
"CreatedAt": "string",
"Details": {
  "CreateS3DataAccessFromS3Bucket": {
    "AssetSource": {
      "Bucket": "string",
      "KeyPrefixes": [ "string" ],
      "Keys": [ "string" ],
      "KmsKeysToGrant": [
        {
          "KmsKeyArn": "string"
        }
      ]
    },
    "DataSetId": "string",
    "RevisionId": "string"
  },
  "ExportAssetsToS3": {
    "AssetDestinations": [
      {
        "AssetId": "string",
        "Bucket": "string",
        "Key": "string"
      }
    ],
    "DataSetId": "string",
    "Encryption": {
      "KmsKeyArn": "string",
      "Type": "string"
    },
    "RevisionId": "string"
  },
  "ExportAssetToSignedUrl": {
    "AssetId": "string",
    "DataSetId": "string",
    "RevisionId": "string",
```

```
    "SignedUrl": "string",
    "SignedUrlExpiresAt": "string"
  },
  "ExportRevisionsToS3": {
    "DataSetId": "string",
    "Encryption": {
      "KmsKeyArn": "string",
      "Type": "string"
    },
    "EventActionArn": "string",
    "RevisionDestinations": [
      {
        "Bucket": "string",
        "KeyPattern": "string",
        "RevisionId": "string"
      }
    ]
  },
  "ImportAssetFromApiGatewayApi": {
    "ApiDescription": "string",
    "ApiId": "string",
    "ApiKey": "string",
    "ApiName": "string",
    "ApiSpecificationMd5Hash": "string",
    "ApiSpecificationUploadUrl": "string",
    "ApiSpecificationUploadUrlExpiresAt": "string",
    "DataSetId": "string",
    "ProtocolType": "string",
    "RevisionId": "string",
    "Stage": "string"
  },
  "ImportAssetFromSignedUrl": {
    "AssetName": "string",
    "DataSetId": "string",
    "Md5Hash": "string",
    "RevisionId": "string",
    "SignedUrl": "string",
    "SignedUrlExpiresAt": "string"
  },
  "ImportAssetsFromLakeFormationTagPolicy": {
    "CatalogId": "string",
    "Database": {
      "Expression": [
        {
```

```

        "TagKey": "string",
        "TagValues": [ "string" ]
      }
    ],
    "Permissions": [ "string" ]
  },
  "DataSetId": "string",
  "RevisionId": "string",
  "RoleArn": "string",
  "Table": {
    "Expression": [
      {
        "TagKey": "string",
        "TagValues": [ "string" ]
      }
    ],
    "Permissions": [ "string" ]
  }
},
"ImportAssetsFromRedshiftDataShares": {
  "AssetSources": [
    {
      "DataShareArn": "string"
    }
  ],
  "DataSetId": "string",
  "RevisionId": "string"
},
"ImportAssetsFromS3": {
  "AssetSources": [
    {
      "Bucket": "string",
      "Key": "string"
    }
  ],
  "DataSetId": "string",
  "RevisionId": "string"
}
},
"Errors": [
  {
    "Code": "string",
    "Details": {
      "ImportAssetFromSignedUrlJobErrorDetails": {

```

```
        "AssetName": "string"
      },
      "ImportAssetsFromS3JobErrorDetails": [
        {
          "Bucket": "string",
          "Key": "string"
        }
      ]
    },
    "LimitName": "string",
    "LimitValue": number,
    "Message": "string",
    "ResourceId": "string",
    "ResourceType": "string"
  }
],
"Id": "string",
"State": "string",
"Type": "string",
"UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the job.

Type: String

AssetConfiguration

The configuration for the asset, including tags applied to assets created by the job.

Type: [AssetConfiguration](#) object

CreatedAt

The date and time that the job was created, in ISO 8601 format.

Type: Timestamp

Details

Details about the job.

Type: [ResponseDetails](#) object

Errors

The errors associated with jobs.

Type: Array of [JobError](#) objects

Id

The unique identifier for the job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

State

The state of the job.

Type: String

Valid Values: WAITING | IN_PROGRESS | ERROR | COMPLETED | CANCELLED | TIMED_OUT

Type

The job type.

Type: String

Valid Values: IMPORT_ASSETS_FROM_S3 | IMPORT_ASSET_FROM_SIGNED_URL | EXPORT_ASSETS_TO_S3 | EXPORT_ASSET_TO_SIGNED_URL | EXPORT_REVISIONS_TO_S3 | IMPORT_ASSETS_FROM_REDSHIFT_DATA_SHARES | IMPORT_ASSET_FROM_API_GATEWAY_API | CREATE_S3_DATA_ACCESS_FROM_S3_BUCKET | IMPORT_ASSETS_FROM_LAKE_FORMATION_TAG_POLICY

UpdatedAt

The date and time that the job was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRevision

This operation creates a revision for a data set.

Request Syntax

```
POST /v1/data-sets/DataSetId/revisions HTTP/1.1
Content-type: application/json
```

```
{
  "Comment": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Request Body

The request accepts the following data in JSON format.

Comment

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

Tags

A revision tag is an optional label that you can assign to a revision when you create it. Each tag consists of a key and an optional value, both of which you define. When you use tagging, you can also use tag-based access control in IAM policies to control access to these data sets and revisions.

Type: String to string map

Required: No

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "Arn": "string",
  "Comment": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Finalized": boolean,
  "Id": "string",
  "RevocationComment": "string",
  "Revoked": boolean,
  "RevokedAt": "string",
  "SourceId": "string",
  "Tags": {
    "string" : "string"
  },
  "UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the revision.

Type: String

Comment

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

CreatedAt

The date and time that the revision was created, in ISO 8601 format.

Type: Timestamp

DataSetId

The unique identifier for the data set associated with the data set revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Finalized

To publish a revision to a data set in a product, the revision must first be finalized. Finalizing a revision tells AWS Data Exchange that your changes to the assets in the revision are complete. After it's in this read-only state, you can publish the revision to your products. Finalized revisions can be published through the AWS Data Exchange console or the AWS Marketplace Catalog API, using the `StartChangeSet` AWS Marketplace Catalog API action. When using the API, revisions are uniquely identified by their ARN.

Type: Boolean

Id

The unique identifier for the revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

RevocationComment

A required comment to inform subscribers of the reason their access to the revision was revoked.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 512.

Revoked

A status indicating that subscribers' access to the revision was revoked.

Type: Boolean

RevokedAt

The date and time that the revision was revoked, in ISO 8601 format.

Type: Timestamp

SourceId

The revision ID of the owned revision corresponding to the entitled revision being viewed. This parameter is returned when a revision owner is viewing the entitled copy of its owned revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the revision.

Type: String to string map

UpdatedAt

The date and time that the revision was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAsset

This operation deletes an asset.

Request Syntax

```
DELETE /v1/data-sets/DataSetId/revisions/RevisionId/assets/AssetId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

AssetId

The unique identifier for an asset.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

DataSetId

The unique identifier for a data set.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDataGrant

This operation deletes a data grant.

Request Syntax

```
DELETE /v1/data-grants/DataGrantId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataGrantId

The ID of the data grant to delete.

Pattern: `[a-zA-Z0-9]{30,40}$|^arn:aws:dataexchange:[\a-z0-9]*:(\d{12}):data-grants\[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDataSet

This operation deletes a data set.

Request Syntax

```
DELETE /v1/data-sets/DataSetId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteEventAction

This operation deletes the event action.

Request Syntax

```
DELETE /v1/event-actions/EventActionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

EventActionId

The unique identifier for the event action.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRevision

This operation deletes a revision.

Request Syntax

```
DELETE /v1/data-sets/DataSetId/revisions/RevisionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAsset

This operation returns information about an asset.

Request Syntax

```
GET /v1/data-sets/DataSetId/revisions/RevisionId/assets/AssetId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

AssetId

The unique identifier for an asset.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{
  "Arn": "string",
  "AssetDetails": {
    "ApiGatewayApiAsset": {
      "ApiDescription": "string",
      "ApiEndpoint": "string",
      "ApiId": "string",
      "ApiKey": "string",
      "ApiName": "string",
      "ApiSpecificationDownloadUrl": "string",
      "ApiSpecificationDownloadUrlExpiresAt": "string",
      "ProtocolType": "string",
      "Stage": "string"
    },
    "LakeFormationDataPermissionAsset": {
      "LakeFormationDataPermissionDetails": {
        "LFTagPolicy": {
          "CatalogId": "string",
          "ResourceDetails": {
            "Database": {
              "Expression": [
                {
                  "TagKey": "string",
                  "TagValues": [ "string" ]
                }
              ]
            },
            "Table": {
              "Expression": [
                {
                  "TagKey": "string",
                  "TagValues": [ "string" ]
                }
              ]
            }
          }
        },
        "ResourceType": "string"
      }
    },
    "LakeFormationDataPermissionType": "string",
    "Permissions": [ "string" ],
    "RoleArn": "string"
  }
}
```

```

    },
    "RedshiftDataShareAsset": {
      "Arn": "string"
    },
    "S3DataAccessAsset": {
      "Bucket": "string",
      "KeyPrefixes": [ "string" ],
      "Keys": [ "string" ],
      "KmsKeysToGrant": [
        {
          "KmsKeyArn": "string"
        }
      ],
      "S3AccessPointAlias": "string",
      "S3AccessPointArn": "string"
    },
    "S3SnapshotAsset": {
      "Size": number
    }
  },
  "AssetType": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Id": "string",
  "Name": "string",
  "RevisionId": "string",
  "SourceId": "string",
  "Tags": {
    "string" : "string"
  },
  "UpdatedAt": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the asset.

Type: String

AssetDetails

Details about the asset.

Type: [AssetDetails](#) object

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

CreatedAt

The date and time that the asset was created, in ISO 8601 format.

Type: Timestamp

DataSetId

The unique identifier for the data set associated with this asset.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Id

The unique identifier for the asset.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Name

The name of the asset. When importing from Amazon S3, the Amazon S3 object key is used as the asset name. When exporting to Amazon S3, the asset name is used as default target Amazon S3 object key. When importing from Amazon API Gateway API, the API name is used as the asset name. When importing from Amazon Redshift, the datashare name is used as the asset name. When importing from AWS Lake Formation, the static values of "Database(s) included in the LF-tag policy" or "Table(s) included in the LF-tag policy" are used as the asset name.

Type: String

RevisionId

The unique identifier for the revision associated with this asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

SourceId

The asset ID of the owned asset corresponding to the entitled asset being viewed. This parameter is returned when an asset owner is viewing the entitled copy of its owned asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the asset.

Type: String to string map

UpdatedAt

The date and time that the asset was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDataGrant

This operation returns information about a data grant.

Request Syntax

```
GET /v1/data-grants/DataGrantId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataGrantId

The ID of the data grant.

Pattern: `[a-zA-Z0-9]{30,40}$|^arn:aws:dataexchange:[\a-z0-9]*:(\d{12}):data-grants\[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AcceptanceState": "string",
  "AcceptedAt": "string",
  "Arn": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Description": "string",
  "EndsAt": "string",
  "GrantDistributionScope": "string",
  "Id": "string",
```

```
"Name": "string",  
"ReceiverPrincipal": "string",  
"SenderPrincipal": "string",  
"SourceDataSetId": "string",  
"Tags": {  
  "string" : "string"  
},  
"UpdatedAt": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AcceptanceState

The acceptance state of the data grant.

Type: String

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

AcceptedAt

The timestamp of when the data grant was accepted.

Type: Timestamp

Arn

The Amazon Resource Name (ARN) of the data grant.

Type: String

CreatedAt

The timestamp of when the data grant was created.

Type: Timestamp

DataSetId

The ID of the data set associated to the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Description

The description of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16384.

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

GrantDistributionScope

The distribution scope for the data grant.

Type: String

Valid Values: AWS_ORGANIZATION | NONE

Id

The ID of the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Name

The name of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: `\d{12}`

SenderPrincipal

The AWS account ID of the data grant sender.

Type: String

Pattern: `\d{12}`

SourceDataSetId

The ID of the data set used to create the data grant.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags associated to the data grant. A tag is a key-value pair.

Type: String to string map

UpdatedAt

The timestamp of when the data grant was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDataSet

This operation returns information about a data set.

Request Syntax

```
GET /v1/data-sets/DataSetId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "Arn": "string",  
  "AssetType": "string",  
  "CreatedAt": "string",  
  "Description": "string",  
  "Id": "string",  
  "Name": "string",  
  "Origin": "string",  
  "OriginDetails": {  
    "DataGrantId": "string",  
    "ProductId": "string"  
  }  
}
```

```
  },  
  "SourceId": "string",  
  "Tags": {  
    "string" : "string"  
  },  
  "UpdatedAt": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the data set.

Type: String

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

CreatedAt

The date and time that the data set was created, in ISO 8601 format.

Type: Timestamp

Description

The description for the data set.

Type: String

Id

The unique identifier for the data set.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Name

The name of the data set.

Type: String

Origin

A property that defines the data set as OWNED by the account (for providers) or ENTITLED to the account (for subscribers).

Type: String

Valid Values: OWNED | ENTITLED

OriginDetails

If the origin of this data set is ENTITLED, includes the details for the product on AWS Marketplace.

Type: [OriginDetails](#) object

SourceId

The data set ID of the owned data set corresponding to the entitled data set being viewed. This parameter is returned when a data set owner is viewing the entitled copy of its owned data set.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the data set.

Type: String to string map

UpdatedAt

The date and time that the data set was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEventAction

This operation retrieves information about an event action.

Request Syntax

```
GET /v1/event-actions/EventActionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[EventActionId](#)

The unique identifier for the event action.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Action": {
    "ExportRevisionToS3": {
      "Encryption": {
        "KmsKeyArn": "string",
        "Type": "string"
      },
      "RevisionDestination": {
        "Bucket": "string",
        "KeyPattern": "string"
      }
    }
  },
  "Arn": "string",
```

```
"CreatedAt": "string",
"Event": {
  "RevisionPublished": {
    "DataSetId": "string"
  }
},
"Id": "string",
"Tags": {
  "string" : "string"
},
"UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Action

What occurs after a certain event.

Type: [Action](#) object

Arn

The ARN for the event action.

Type: String

CreatedAt

The date and time that the event action was created, in ISO 8601 format.

Type: Timestamp

Event

What occurs to start an action.

Type: [Event](#) object

Id

The unique identifier for the event action.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the event action.

Type: String to string map

UpdatedAt

The date and time that the event action was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetJob

This operation returns information about a job.

Request Syntax

```
GET /v1/jobs/JobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobId

The unique identifier for a job.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "AssetConfiguration": {
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  },
  "CreatedAt": "string",
  "Details": {
```

```
"CreateS3DataAccessFromS3Bucket": {
  "AssetSource": {
    "Bucket": "string",
    "KeyPrefixes": [ "string" ],
    "Keys": [ "string" ],
    "KmsKeysToGrant": [
      {
        "KmsKeyArn": "string"
      }
    ]
  },
  "DataSetId": "string",
  "RevisionId": "string"
},
"ExportAssetsToS3": {
  "AssetDestinations": [
    {
      "AssetId": "string",
      "Bucket": "string",
      "Key": "string"
    }
  ],
  "DataSetId": "string",
  "Encryption": {
    "KmsKeyArn": "string",
    "Type": "string"
  },
  "RevisionId": "string"
},
"ExportAssetToSignedUrl": {
  "AssetId": "string",
  "DataSetId": "string",
  "RevisionId": "string",
  "SignedUrl": "string",
  "SignedUrlExpiresAt": "string"
},
"ExportRevisionsToS3": {
  "DataSetId": "string",
  "Encryption": {
    "KmsKeyArn": "string",
    "Type": "string"
  },
  "EventActionArn": "string",
  "RevisionDestinations": [
```

```

    {
      "Bucket": "string",
      "KeyPattern": "string",
      "RevisionId": "string"
    }
  ]
},
"ImportAssetFromApiGatewayApi": {
  "ApiDescription": "string",
  "ApiId": "string",
  "ApiKey": "string",
  "ApiName": "string",
  "ApiSpecificationMd5Hash": "string",
  "ApiSpecificationUploadUrl": "string",
  "ApiSpecificationUploadUrlExpiresAt": "string",
  "DataSetId": "string",
  "ProtocolType": "string",
  "RevisionId": "string",
  "Stage": "string"
},
"ImportAssetFromSignedUrl": {
  "AssetName": "string",
  "DataSetId": "string",
  "Md5Hash": "string",
  "RevisionId": "string",
  "SignedUrl": "string",
  "SignedUrlExpiresAt": "string"
},
"ImportAssetsFromLakeFormationTagPolicy": {
  "CatalogId": "string",
  "Database": {
    "Expression": [
      {
        "TagKey": "string",
        "TagValues": [ "string" ]
      }
    ],
    "Permissions": [ "string" ]
  },
  "DataSetId": "string",
  "RevisionId": "string",
  "RoleArn": "string",
  "Table": {
    "Expression": [

```

```

        {
            "TagKey": "string",
            "TagValues": [ "string" ]
        }
    ],
    "Permissions": [ "string" ]
}
},
"ImportAssetsFromRedshiftDataShares": {
    "AssetSources": [
        {
            "DataShareArn": "string"
        }
    ],
    "DataSetId": "string",
    "RevisionId": "string"
},
"ImportAssetsFromS3": {
    "AssetSources": [
        {
            "Bucket": "string",
            "Key": "string"
        }
    ],
    "DataSetId": "string",
    "RevisionId": "string"
}
},
"Errors": [
    {
        "Code": "string",
        "Details": {
            "ImportAssetFromSignedUrlJobErrorDetails": {
                "AssetName": "string"
            },
            "ImportAssetsFromS3JobErrorDetails": [
                {
                    "Bucket": "string",
                    "Key": "string"
                }
            ]
        }
    },
    "LimitName": "string",
    "LimitValue": number,

```

```
        "Message": "string",
        "ResourceId": "string",
        "ResourceType": "string"
    }
],
"Id": "string",
"State": "string",
"Type": "string",
"UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the job.

Type: String

AssetConfiguration

The configuration for the asset, including tags applied to assets created by the job.

Type: [AssetConfiguration](#) object

CreatedAt

The date and time that the job was created, in ISO 8601 format.

Type: Timestamp

Details

Details about the job.

Type: [ResponseDetails](#) object

Errors

The errors associated with jobs.

Type: Array of [JobError](#) objects

Id

The unique identifier for the job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

State

The state of the job.

Type: String

Valid Values: WAITING | IN_PROGRESS | ERROR | COMPLETED | CANCELLED | TIMED_OUT

Type

The job type.

Type: String

Valid Values: IMPORT_ASSETS_FROM_S3 | IMPORT_ASSET_FROM_SIGNED_URL | EXPORT_ASSETS_TO_S3 | EXPORT_ASSET_TO_SIGNED_URL | EXPORT_REVISIONS_TO_S3 | IMPORT_ASSETS_FROM_REDSHIFT_DATA_SHARES | IMPORT_ASSET_FROM_API_GATEWAY_API | CREATE_S3_DATA_ACCESS_FROM_S3_BUCKET | IMPORT_ASSETS_FROM_LAKE_FORMATION_TAG_POLICY

UpdatedAt

The date and time that the job was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetReceivedDataGrant

This operation returns information about a received data grant.

Request Syntax

```
GET /v1/received-data-grants/DataGrantArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataGrantArn

The Amazon Resource Name (ARN) of the data grant.

Pattern: `arn:aws:dataexchange:[\ -a-z0-9]*:(\d{12}):data-grants\[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AcceptanceState": "string",
  "AcceptedAt": "string",
  "Arn": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Description": "string",
  "EndsAt": "string",
  "GrantDistributionScope": "string",
  "Id": "string",
```

```
"Name": "string",  
"ReceiverPrincipal": "string",  
"SenderPrincipal": "string",  
"UpdatedAt": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AcceptanceState

The acceptance state of the data grant.

Type: String

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

AcceptedAt

The timestamp of when the data grant was accepted.

Type: Timestamp

Arn

The Amazon Resource Name (ARN) of the data grant.

Type: String

CreatedAt

The timestamp of when the data grant was created.

Type: Timestamp

DataSetId

The ID of the data set associated to the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Description

The description of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16384.

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

GrantDistributionScope

The distribution scope for the data grant.

Type: String

Valid Values: AWS_ORGANIZATION | NONE

Id

The ID of the data grant.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Name

The name of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: `\d{12}`

SenderPrincipal

The AWS account ID of the data grant sender.

Type: String

Pattern: \d{12}

UpdatedAt

The timestamp of when the data grant was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetRevision

This operation returns information about a revision.

Request Syntax

```
GET /v1/data-sets/DataSetId/revisions/RevisionId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "Comment": "string",
```

```
"CreatedAt": "string",
"DataSetId": "string",
"Finalized": boolean,
"Id": "string",
"RevocationComment": "string",
"Revoked": boolean,
"RevokedAt": "string",
"SourceId": "string",
"Tags": {
  "string" : "string"
},
"UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the revision.

Type: String

Comment

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

CreatedAt

The date and time that the revision was created, in ISO 8601 format.

Type: Timestamp

DataSetId

The unique identifier for the data set associated with the data set revision.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Finalized

To publish a revision to a data set in a product, the revision must first be finalized. Finalizing a revision tells AWS Data Exchange that your changes to the assets in the revision are complete. After it's in this read-only state, you can publish the revision to your products. Finalized revisions can be published through the AWS Data Exchange console or the AWS Marketplace Catalog API, using the StartChangeSet AWS Marketplace Catalog API action. When using the API, revisions are uniquely identified by their ARN.

Type: Boolean

Id

The unique identifier for the revision.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

RevocationComment

A required comment to inform subscribers of the reason their access to the revision was revoked.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 512.

Revoked

A status indicating that subscribers' access to the revision was revoked.

Type: Boolean

RevokedAt

The date and time that the revision was revoked, in ISO 8601 format.

Type: Timestamp

SourceId

The revision ID of the owned revision corresponding to the entitled revision being viewed. This parameter is returned when a revision owner is viewing the entitled copy of its owned revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Tags

The tags for the revision.

Type: String to string map

UpdatedAt

The date and time that the revision was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDataGrants

This operation returns information about all data grants.

Request Syntax

```
GET /v1/data-grants?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[MaxResults](#)

The maximum number of results to be included in the next page.

Valid Range: Minimum value of 1. Maximum value of 200.

[NextToken](#)

The pagination token used to retrieve the next page of results for this operation.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DataGrantSummaries": [
    {
      "AcceptanceState": "string",
      "AcceptedAt": "string",
      "Arn": "string",
      "CreatedAt": "string",
      "DataSetId": "string",
      "EndsAt": "string",
```

```
    "Id": "string",
    "Name": "string",
    "ReceiverPrincipal": "string",
    "SenderPrincipal": "string",
    "SourceDataSetId": "string",
    "UpdatedAt": "string"
  }
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DataGrantSummaries

An object that contains a list of data grant information.

Type: Array of [DataGrantSummaryEntry](#) objects

NextToken

The pagination token used to retrieve the next page of results for this operation.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDataSetRevisions

This operation lists a data set's revisions sorted by CreatedAt in descending order.

Request Syntax

```
GET /v1/data-sets/DataSetId/revisions?maxResults=MaxResults&nextToken=NextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

MaxResults

The maximum number of results returned by a single call.

Valid Range: Minimum value of 1. Maximum value of 200.

NextToken

The token value retrieved from a previous call to access the next page of results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{
```

```
"NextToken": "string",
"Revisions": [
  {
    "Arn": "string",
    "Comment": "string",
    "CreatedAt": "string",
    "DataSetId": "string",
    "Finalized": boolean,
    "Id": "string",
    "RevocationComment": "string",
    "Revoked": boolean,
    "RevokedAt": "string",
    "SourceId": "string",
    "UpdatedAt": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The token value retrieved from a previous call to access the next page of results.

Type: String

Revisions

The asset objects listed by the request.

Type: Array of [RevisionEntry](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDataSets

This operation lists your data sets. When listing by origin OWNED, results are sorted by CreatedAt in descending order. When listing by origin ENTITLED, there is no order.

Request Syntax

```
GET /v1/data-sets?maxResults=MaxResults&nextToken=NextToken&origin=Origin HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results returned by a single call.

Valid Range: Minimum value of 1. Maximum value of 200.

NextToken

The token value retrieved from a previous call to access the next page of results.

Origin

A property that defines the data set as OWNED by the account (for providers) or ENTITLED to the account (for subscribers).

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DataSets": [
    {
```

```
    "Arn": "string",
    "AssetType": "string",
    "CreatedAt": "string",
    "Description": "string",
    "Id": "string",
    "Name": "string",
    "Origin": "string",
    "OriginDetails": {
      "DataGrantId": "string",
      "ProductId": "string"
    },
    "SourceId": "string",
    "UpdatedAt": "string"
  }
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DataSets

The data set objects listed by the request.

Type: Array of [DataSetEntry](#) objects

NextToken

The token value retrieved from a previous call to access the next page of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEventActions

This operation lists your event actions.

Request Syntax

```
GET /v1/event-actions?  
eventSourceId=EventSourceId&maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[EventSourceId](#)

The unique identifier for the event source.

[MaxResults](#)

The maximum number of results returned by a single call.

Valid Range: Minimum value of 1. Maximum value of 200.

[NextToken](#)

The token value retrieved from a previous call to access the next page of results.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "EventActions": [  
    {  
      "Action": {  
        "ExportRevisionToS3": {  
          "Encryption": {  
            "KmsKeyArn": "string",
```

```
        "Type": "string"
      },
      "RevisionDestination": {
        "Bucket": "string",
        "KeyPattern": "string"
      }
    }
  },
  "Arn": "string",
  "CreatedAt": "string",
  "Event": {
    "RevisionPublished": {
      "DataSetId": "string"
    }
  },
  "Id": "string",
  "UpdatedAt": "string"
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

EventActions

The event action objects listed by the request.

Type: Array of [EventActionEntry](#) objects

NextToken

The token value retrieved from a previous call to access the next page of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListJobs

This operation lists your jobs sorted by CreatedAt in descending order.

Request Syntax

```
GET /v1/jobs?  
dataSetId=DataSetId&maxResults=MaxResults&nextToken=NextToken&revisionId=RevisionId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

MaxResults

The maximum number of results returned by a single call.

Valid Range: Minimum value of 1. Maximum value of 200.

NextToken

The token value retrieved from a previous call to access the next page of results.

RevisionId

The unique identifier for a revision.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "Jobs": [  
    ...  
  ]  
}
```

```
{
  "Arn": "string",
  "AssetConfiguration": {
    "Tags": [
      {
        "Key": "string",
        "Value": "string"
      }
    ]
  },
  "CreatedAt": "string",
  "Details": {
    "CreateS3DataAccessFromS3Bucket": {
      "AssetSource": {
        "Bucket": "string",
        "KeyPrefixes": [ "string ],
        "Keys": [ "string ],
        "KmsKeysToGrant": [
          {
            "KmsKeyArn": "string"
          }
        ]
      },
      "DataSetId": "string",
      "RevisionId": "string"
    },
    "ExportAssetsToS3": {
      "AssetDestinations": [
        {
          "AssetId": "string",
          "Bucket": "string",
          "Key": "string"
        }
      ],
      "DataSetId": "string",
      "Encryption": {
        "KmsKeyArn": "string",
        "Type": "string"
      },
      "RevisionId": "string"
    },
    "ExportAssetToSignedUrl": {
      "AssetId": "string",
      "DataSetId": "string",

```

```

    "RevisionId": "string",
    "SignedUrl": "string",
    "SignedUrlExpiresAt": "string"
  },
  "ExportRevisionsToS3": {
    "DataSetId": "string",
    "Encryption": {
      "KmsKeyArn": "string",
      "Type": "string"
    },
    "EventActionArn": "string",
    "RevisionDestinations": [
      {
        "Bucket": "string",
        "KeyPattern": "string",
        "RevisionId": "string"
      }
    ]
  },
  "ImportAssetFromApiGatewayApi": {
    "ApiDescription": "string",
    "ApiId": "string",
    "ApiKey": "string",
    "ApiName": "string",
    "ApiSpecificationMd5Hash": "string",
    "ApiSpecificationUploadUrl": "string",
    "ApiSpecificationUploadUrlExpiresAt": "string",
    "DataSetId": "string",
    "ProtocolType": "string",
    "RevisionId": "string",
    "Stage": "string"
  },
  "ImportAssetFromSignedUrl": {
    "AssetName": "string",
    "DataSetId": "string",
    "Md5Hash": "string",
    "RevisionId": "string",
    "SignedUrl": "string",
    "SignedUrlExpiresAt": "string"
  },
  "ImportAssetsFromLakeFormationTagPolicy": {
    "CatalogId": "string",
    "Database": {
      "Expression": [

```

```

        {
            "TagKey": "string",
            "TagValues": [ "string" ]
        }
    ],
    "Permissions": [ "string" ]
},
"DataSetId": "string",
"RevisionId": "string",
"RoleArn": "string",
"Table": {
    "Expression": [
        {
            "TagKey": "string",
            "TagValues": [ "string" ]
        }
    ],
    "Permissions": [ "string" ]
}
},
"ImportAssetsFromRedshiftDataShares": {
    "AssetSources": [
        {
            "DataShareArn": "string"
        }
    ],
    "DataSetId": "string",
    "RevisionId": "string"
},
"ImportAssetsFromS3": {
    "AssetSources": [
        {
            "Bucket": "string",
            "Key": "string"
        }
    ],
    "DataSetId": "string",
    "RevisionId": "string"
}
},
"Errors": [
    {
        "Code": "string",
        "Details": {

```

```
    "ImportAssetFromSignedUrlJobErrorDetails": {
      "AssetName": "string"
    },
    "ImportAssetsFromS3JobErrorDetails": [
      {
        "Bucket": "string",
        "Key": "string"
      }
    ],
    "LimitName": "string",
    "LimitValue": number,
    "Message": "string",
    "ResourceId": "string",
    "ResourceType": "string"
  }
],
"Id": "string",
"State": "string",
"Type": "string",
"UpdatedAt": "string"
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Jobs

The jobs listed by the request.

Type: Array of [JobEntry](#) objects

NextToken

The token value retrieved from a previous call to access the next page of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListReceivedDataGrants

This operation returns information about all received data grants.

Request Syntax

```
GET /v1/received-data-grants?  
acceptanceState=AcceptanceState&maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

AcceptanceState

The acceptance state of the data grants to list.

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

MaxResults

The maximum number of results to be included in the next page.

Valid Range: Minimum value of 1. Maximum value of 200.

NextToken

The pagination token used to retrieve the next page of results for this operation.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json  
  
{  
  "DataGrantSummaries": [  
    {  
      "AcceptanceState": "string",
```

```
    "AcceptedAt": "string",
    "Arn": "string",
    "CreatedAt": "string",
    "DataSetId": "string",
    "EndsAt": "string",
    "Id": "string",
    "Name": "string",
    "ReceiverPrincipal": "string",
    "SenderPrincipal": "string",
    "UpdatedAt": "string"
  }
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DataGrantSummaries

An object that contains a list of received data grant information.

Type: Array of [ReceivedDataGrantSummariesEntry](#) objects

NextToken

The pagination token used to retrieve the next page of results for this operation.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRevisionAssets

This operation lists a revision's assets sorted alphabetically in descending order.

Request Syntax

```
GET /v1/data-sets/DataSetId/revisions/RevisionId/assets?  
maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

MaxResults

The maximum number of results returned by a single call.

Valid Range: Minimum value of 1. Maximum value of 200.

NextToken

The token value retrieved from a previous call to access the next page of results.

RevisionId

The unique identifier for a revision.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "Assets": [
    {
      "Arn": "string",
      "AssetDetails": {
        "ApiGatewayApiAsset": {
          "ApiDescription": "string",
          "ApiEndpoint": "string",
          "ApiId": "string",
          "ApiKey": "string",
          "ApiName": "string",
          "ApiSpecificationDownloadUrl": "string",
          "ApiSpecificationDownloadUrlExpiresAt": "string",
          "ProtocolType": "string",
          "Stage": "string"
        },
        "LakeFormationDataPermissionAsset": {
          "LakeFormationDataPermissionDetails": {
            "LFTagPolicy": {
              "CatalogId": "string",
              "ResourceDetails": {
                "Database": {
                  "Expression": [
                    {
                      "TagKey": "string",
                      "TagValues": [ "string" ]
                    }
                  ]
                }
              }
            },
            "Table": {
              "Expression": [
                {
                  "TagKey": "string",
                  "TagValues": [ "string" ]
                }
              ]
            }
          }
        }
      }
    }
  ],
}
```

```

        "ResourceType": "string"
    }
},
"LakeFormationDataPermissionType": "string",
"Permissions": [ "string" ],
"RoleArn": "string"
},
"RedshiftDataShareAsset": {
    "Arn": "string"
},
"S3DataAccessAsset": {
    "Bucket": "string",
    "KeyPrefixes": [ "string" ],
    "Keys": [ "string" ],
    "KmsKeysToGrant": [
        {
            "KmsKeyArn": "string"
        }
    ],
    "S3AccessPointAlias": "string",
    "S3AccessPointArn": "string"
},
"S3SnapshotAsset": {
    "Size": number
}
},
"AssetType": "string",
"CreatedAt": "string",
"DataSetId": "string",
"Id": "string",
"Name": "string",
"RevisionId": "string",
"SourceId": "string",
"UpdatedAt": "string"
}
],
"NextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Assets

The asset objects listed by the request.

Type: Array of [AssetEntry](#) objects

NextToken

The token value retrieved from a previous call to access the next page of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

This operation lists the tags on the resource.

Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

An Amazon Resource Name (ARN) that uniquely identifies an AWS resource.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

A label that consists of a customer-defined key and an optional value.

Type: String to string map

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RevokeRevision

This operation revokes subscribers' access to a revision.

Request Syntax

```
POST /v1/data-sets/DataSetId/revisions/RevisionId/revoke HTTP/1.1
Content-type: application/json

{
  "RevocationComment": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

RevocationComment

A required comment to inform subscribers of the reason their access to the revision was revoked.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 512.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "Comment": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Finalized": boolean,
  "Id": "string",
  "RevocationComment": "string",
  "Revoked": boolean,
  "RevokedAt": "string",
  "SourceId": "string",
  "UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Arn](#)

The ARN for the revision.

Type: String

[Comment](#)

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

CreatedAt

The date and time that the revision was created, in ISO 8601 format.

Type: Timestamp

DataSetId

The unique identifier for the data set associated with the data set revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Finalized

To publish a revision to a data set in a product, the revision must first be finalized. Finalizing a revision tells AWS Data Exchange that changes to the assets in the revision are complete. After it's in this read-only state, you can publish the revision to your products. Finalized revisions can be published through the AWS Data Exchange console or the AWS Marketplace Catalog API, using the `StartChangeSet` AWS Marketplace Catalog API action. When using the API, revisions are uniquely identified by their ARN.

Type: Boolean

Id

The unique identifier for the revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

RevocationComment

A required comment to inform subscribers of the reason their access to the revision was revoked.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 512.

Revoked

A status indicating that subscribers' access to the revision was revoked.

Type: Boolean

RevokedAt

The date and time that the revision was revoked, in ISO 8601 format.

Type: Timestamp

SourceId

The revision ID of the owned revision corresponding to the entitled revision being viewed. This parameter is returned when a revision owner is viewing the entitled copy of its owned revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

UpdatedAt

The date and time that the revision was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SendApiAsset

This operation invokes an API Gateway API asset. The request is proxied to the provider's API Gateway API.

Request Syntax

```
POST /v1?QueryStringParameters HTTP/1.1
x-amzn-dataexchange-asset-id: AssetId
x-amzn-dataexchange-data-set-id: DataSetId
x-amzn-dataexchange-http-method: Method
x-amzn-dataexchange-path: Path
x-amzn-dataexchange-revision-id: RevisionId
```

Body

URI Request Parameters

The request uses the following URI parameters.

[AssetId](#)

Asset ID value for the API request.

Required: Yes

[DataSetId](#)

Data set ID value for the API request.

Required: Yes

[Method](#)

HTTP method value for the API request. Alternatively, you can use the appropriate verb in your request.

[Path](#)

URI path value for the API request. Alternatively, you can set the URI path directly by invoking /v1/{pathValue}.

QueryStringParameters

Attach query string parameters to the end of the URI (for example, /v1/examplePath?exampleParam=exampleValue).

RevisionId

Revision ID value for the API request.

Required: Yes

Request Body

The request accepts the following string data.

Body

The request body.

Response Syntax

```
HTTP/1.1 200
```

Body

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The response returns the following as the HTTP body.

Body

The response body from the underlying API tracked by the API asset.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SendDataSetNotification

The type of event associated with the data set.

Request Syntax

```
POST /v1/data-sets/DataSetId/notification HTTP/1.1
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "Comment": "string",
  "Details": {
    "DataUpdate": {
      "DataUpdatedAt": "string"
    },
    "Deprecation": {
      "DeprecationAt": "string"
    },
    "SchemaChange": {
      "Changes": [
        {
          "Description": "string",
          "Name": "string",
          "Type": "string"
        }
      ],
      "SchemaChangeAt": "string"
    }
  },
  "Scope": {
    "LakeFormationTagPolicies": [
      {
        "Database": "string",
        "Table": "string"
      }
    ],
    "RedshiftDataShares": [
      {
        "Arn": "string",
        "Database": "string",
        "Function": "string",
        "Schema": "string",

```

```
        "Table": "string",
        "View": "string"
    }
],
"S3DataAccesses": [
    {
        "KeyPrefixes": [ "string" ],
        "Keys": [ "string" ]
    }
]
},
"Type": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

Affected data set of the notification.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientToken

Idempotency key for the notification, this key allows us to deduplicate notifications that are sent in quick succession erroneously.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [\x21-\x7E]{1,64}

Required: No

Comment

Free-form text field for providers to add information about their notifications.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

Details

Extra details specific to this notification type.

Type: [NotificationDetails](#) object

Required: No

Scope

Affected scope of this notification such as the underlying resources affected by the notification event.

Type: [ScopeDetails](#) object

Required: No

Type

The type of the notification. Describing the kind of event the notification is alerting you to.

Type: String

Valid Values: DATA_DELAY | DATA_UPDATE | DEPRECATION | SCHEMA_CHANGE

Required: Yes

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartJob

This operation starts a job.

Request Syntax

```
PATCH /v1/jobs/JobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobId

The unique identifier for a job.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

This operation tags a resource.

Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

An Amazon Resource Name (ARN) that uniquely identifies an AWS resource.

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

A label that consists of a customer-defined key and an optional value.

Type: String to string map

Required: Yes

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

This operation removes one or more tags from a resource.

Request Syntax

```
DELETE /tags/ResourceArn?tagKeys=TagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

An Amazon Resource Name (ARN) that uniquely identifies an AWS resource.

Required: Yes

TagKeys

The key tags.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateAsset

This operation updates an asset.

Request Syntax

```
PATCH /v1/data-sets/DataSetId/revisions/RevisionId/assets/AssetId HTTP/1.1  
Content-type: application/json
```

```
{  
  "Name": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

AssetId

The unique identifier for an asset.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

DataSetId

The unique identifier for a data set.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Request Body

The request accepts the following data in JSON format.

Name

The name of the asset. When importing from Amazon S3, the Amazon S3 object key is used as the asset name. When exporting to Amazon S3, the asset name is used as default target Amazon S3 object key. When importing from Amazon API Gateway API, the API name is used as the asset name. When importing from Amazon Redshift, the datashare name is used as the asset name. When importing from AWS Lake Formation, the static values of "Database(s) included in the LF-tag policy" or "Table(s) included in LF-tag policy" are used as the name.

Type: String

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "AssetDetails": {
    "ApiGatewayApiAsset": {
      "ApiDescription": "string",
      "ApiEndpoint": "string",
      "ApiId": "string",
      "ApiKey": "string",
      "ApiName": "string",
      "ApiSpecificationDownloadUrl": "string",
      "ApiSpecificationDownloadUrlExpiresAt": "string",
      "ProtocolType": "string",
      "Stage": "string"
    },
    "LakeFormationDataPermissionAsset": {
      "LakeFormationDataPermissionDetails": {
        "LFTagPolicy": {
          "CatalogId": "string",
          "ResourceDetails": {
            "Database": {
              "Expression": [
                {
                  "TagKey": "string",
                  "TagValues": [ "string" ]
                }
              ]
            }
          }
        }
      }
    }
  }
}
```

```

    }
  ]
},
  "Table": {
    "Expression": [
      {
        "TagKey": "string",
        "TagValues": [ "string" ]
      }
    ]
  }
},
  "ResourceType": "string"
}
},
  "LakeFormationDataPermissionType": "string",
  "Permissions": [ "string" ],
  "RoleArn": "string"
},
  "RedshiftDataShareAsset": {
    "Arn": "string"
  },
  "S3DataAccessAsset": {
    "Bucket": "string",
    "KeyPrefixes": [ "string" ],
    "Keys": [ "string" ],
    "KmsKeysToGrant": [
      {
        "KmsKeyArn": "string"
      }
    ],
    "S3AccessPointAlias": "string",
    "S3AccessPointArn": "string"
  },
  "S3SnapshotAsset": {
    "Size": number
  }
},
  "AssetType": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Id": "string",
  "Name": "string",
  "RevisionId": "string",

```

```
"SourceId": "string",  
"UpdatedAt": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the asset.

Type: String

AssetDetails

Details about the asset.

Type: [AssetDetails](#) object

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

CreatedAt

The date and time that the asset was created, in ISO 8601 format.

Type: Timestamp

DataSetId

The unique identifier for the data set associated with this asset.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Id

The unique identifier for the asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Name

The name of the asset. When importing from Amazon S3, the Amazon S3 object key is used as the asset name. When exporting to Amazon S3, the asset name is used as default target Amazon S3 object key. When importing from Amazon API Gateway API, the API name is used as the asset name. When importing from Amazon Redshift, the datashare name is used as the asset name. When importing from AWS Lake Formation, the static values of "Database(s) included in the LF-tag policy"- or "Table(s) included in LF-tag policy" are used as the asset name.

Type: String

RevisionId

The unique identifier for the revision associated with this asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

SourceId

The asset ID of the owned asset corresponding to the entitled asset being viewed. This parameter is returned when an asset owner is viewing the entitled copy of its owned asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

UpdatedAt

The date and time that the asset was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateDataSet

This operation updates a data set.

Request Syntax

```
PATCH /v1/data-sets/DataSetId HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Name": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

Description

The description for the data set.

Type: String

Required: No

Name

The name of the data set.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "AssetType": "string",
  "CreatedAt": "string",
  "Description": "string",
  "Id": "string",
  "Name": "string",
  "Origin": "string",
  "OriginDetails": {
    "DataGrantId": "string",
    "ProductId": "string"
  },
  "SourceId": "string",
  "UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Arn](#)

The ARN for the data set.

Type: String

[AssetType](#)

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

CreatedAt

The date and time that the data set was created, in ISO 8601 format.

Type: Timestamp

Description

The description for the data set.

Type: String

Id

The unique identifier for the data set.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Name

The name of the data set.

Type: String

Origin

A property that defines the data set as OWNED by the account (for providers) or ENTITLED to the account (for subscribers).

Type: String

Valid Values: OWNED | ENTITLED

OriginDetails

If the origin of this data set is ENTITLED, includes the details for the product on AWS Marketplace.

Type: [OriginDetails](#) object

SourceId

The data set ID of the owned data set corresponding to the entitled data set being viewed. This parameter is returned when a data set owner is viewing the entitled copy of its owned data set.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

UpdatedAt

The date and time that the data set was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerError

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateEventAction

This operation updates the event action.

Request Syntax

```
PATCH /v1/event-actions/EventActionId HTTP/1.1
Content-type: application/json
```

```
{
  "Action": {
    "ExportRevisionToS3": {
      "Encryption": {
        "KmsKeyArn": "string",
        "Type": "string"
      },
      "RevisionDestination": {
        "Bucket": "string",
        "KeyPattern": "string"
      }
    }
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

EventActionId

The unique identifier for the event action.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Action

What occurs after a certain event.

Type: [Action](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Action": {
    "ExportRevisionToS3": {
      "Encryption": {
        "KmsKeyArn": "string",
        "Type": "string"
      },
      "RevisionDestination": {
        "Bucket": "string",
        "KeyPattern": "string"
      }
    }
  },
  "Arn": "string",
  "CreatedAt": "string",
  "Event": {
    "RevisionPublished": {
      "DataSetId": "string"
    }
  },
  "Id": "string",
  "UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Action](#)

What occurs after a certain event.

Type: [Action](#) object

[Arn](#)

The ARN for the event action.

Type: String

[CreatedAt](#)

The date and time that the event action was created, in ISO 8601 format.

Type: Timestamp

[Event](#)

What occurs to start an action.

Type: [Event](#) object

[Id](#)

The unique identifier for the event action.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

[UpdatedAt](#)

The date and time that the event action was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateRevision

This operation updates a revision.

Request Syntax

```
PATCH /v1/data-sets/DataSetId/revisions/RevisionId HTTP/1.1
Content-type: application/json

{
  "Comment": "string",
  "Finalized": boolean
}
```

URI Request Parameters

The request uses the following URI parameters.

DataSetId

The unique identifier for a data set.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for a revision.

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

Comment

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

Finalized

Finalizing a revision tells AWS Data Exchange that your changes to the assets in the revision are complete. After it's in this read-only state, you can publish the revision to your products.

Type: Boolean

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "Comment": "string",
  "CreatedAt": "string",
  "DataSetId": "string",
  "Finalized": boolean,
  "Id": "string",
  "RevocationComment": "string",
  "Revoked": boolean,
  "RevokedAt": "string",
  "SourceId": "string",
  "UpdatedAt": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The ARN for the revision.

Type: String

Comment

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

CreatedAt

The date and time that the revision was created, in ISO 8601 format.

Type: Timestamp

DataSetId

The unique identifier for the data set associated with the data set revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Finalized

To publish a revision to a data set in a product, the revision must first be finalized. Finalizing a revision tells AWS Data Exchange that changes to the assets in the revision are complete. After it's in this read-only state, you can publish the revision to your products. Finalized revisions can be published through the AWS Data Exchange console or the AWS Marketplace Catalog API, using the `StartChangeSet` AWS Marketplace Catalog API action. When using the API, revisions are uniquely identified by their ARN.

Type: Boolean

Id

The unique identifier for the revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

RevocationComment

A required comment to inform subscribers of the reason their access to the revision was revoked.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 512.

Revoked

A status indicating that subscribers' access to the revision was revoked.

Type: Boolean

RevokedAt

The date and time that the revision was revoked, in ISO 8601 format.

Type: Timestamp

SourceId

The revision ID of the owned revision corresponding to the entitled revision being viewed. This parameter is returned when a revision owner is viewing the entitled copy of its owned revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

UpdatedAt

The date and time that the revision was last updated, in ISO 8601 format.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the resource is denied.

Message

Access to the resource is denied.

HTTP Status Code: 403

ConflictException

The request couldn't be completed because it conflicted with the current state of the resource.

Message

The request couldn't be completed because it conflicted with the current state of the resource.

ResourceId

The unique identifier for the resource with the conflict.

ResourceType

The type of the resource with the conflict.

HTTP Status Code: 409

InternalServerErrorException

An exception occurred with the service.

Message

The message identifying the service exception that occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource couldn't be found.

Message

The resource couldn't be found.

ResourceId

The unique identifier for the resource that couldn't be found.

ResourceType

The type of resource that couldn't be found.

HTTP Status Code: 404

ThrottlingException

The limit on the number of requests per second was exceeded.

Message

The limit on the number of requests per second was exceeded.

HTTP Status Code: 429

ValidationException

The request was invalid.

ExceptionCause

The unique identifier for the resource that couldn't be found.

Message

The message that informs you about what was invalid about the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Data Exchange API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Action](#)
- [ApiGatewayApiAsset](#)
- [AssetConfiguration](#)
- [AssetDestinationEntry](#)
- [AssetDetails](#)
- [AssetEntry](#)
- [AssetSourceEntry](#)
- [AutoExportRevisionDestinationEntry](#)
- [AutoExportRevisionToS3RequestDetails](#)
- [CreateS3DataAccessFromS3BucketRequestDetails](#)
- [CreateS3DataAccessFromS3BucketResponseDetails](#)
- [DatabaseLFTagPolicy](#)
- [DatabaseLFTagPolicyAndPermissions](#)
- [DataGrantSummaryEntry](#)
- [DataSetEntry](#)
- [DataUpdateRequestDetails](#)
- [DeprecationRequestDetails](#)
- [Details](#)
- [Event](#)
- [EventActionEntry](#)

- [ExportAssetsToS3RequestDetails](#)
- [ExportAssetsToS3ResponseDetails](#)
- [ExportAssetToSignedUrlRequestDetails](#)
- [ExportAssetToSignedUrlResponseDetails](#)
- [ExportRevisionsToS3RequestDetails](#)
- [ExportRevisionsToS3ResponseDetails](#)
- [ExportServerSideEncryption](#)
- [ImportAssetFromApiGatewayApiRequestDetails](#)
- [ImportAssetFromApiGatewayApiResponseDetails](#)
- [ImportAssetFromSignedUrlJobErrorDetails](#)
- [ImportAssetFromSignedUrlRequestDetails](#)
- [ImportAssetFromSignedUrlResponseDetails](#)
- [ImportAssetsFromLakeFormationTagPolicyRequestDetails](#)
- [ImportAssetsFromLakeFormationTagPolicyResponseDetails](#)
- [ImportAssetsFromRedshiftDataSharesRequestDetails](#)
- [ImportAssetsFromRedshiftDataSharesResponseDetails](#)
- [ImportAssetsFromS3RequestDetails](#)
- [ImportAssetsFromS3ResponseDetails](#)
- [JobEntry](#)
- [JobError](#)
- [KmsKeyToGrant](#)
- [LakeFormationDataPermissionAsset](#)
- [LakeFormationDataPermissionDetails](#)
- [LakeFormationTagPolicyDetails](#)
- [LFResourceDetails](#)
- [LFTag](#)
- [LFTagPolicyDetails](#)
- [NotificationDetails](#)
- [OriginDetails](#)
- [ReceivedDataGrantSummariesEntry](#)

- [RedshiftDataShareAsset](#)
- [RedshiftDataShareAssetSourceEntry](#)
- [RedshiftDataShareDetails](#)
- [RequestDetails](#)
- [ResponseDetails](#)
- [RevisionDestinationEntry](#)
- [RevisionEntry](#)
- [RevisionPublished](#)
- [S3DataAccessAsset](#)
- [S3DataAccessAssetSourceEntry](#)
- [S3DataAccessDetails](#)
- [S3SnapshotAsset](#)
- [SchemaChangeDetails](#)
- [SchemaChangeRequestDetails](#)
- [ScopeDetails](#)
- [TableLFTagPolicy](#)
- [TableLFTagPolicyAndPermissions](#)
- [Tag](#)

Action

What occurs after a certain event.

Contents

ExportRevisionToS3

Details for the export revision to Amazon S3 action.

Type: [AutoExportRevisionToS3RequestDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApiGatewayApiAsset

The API Gateway API that is the asset.

Contents

ApiDescription

The API description of the API asset.

Type: String

Required: No

ApiEndpoint

The API endpoint of the API asset.

Type: String

Required: No

ApiId

The unique identifier of the API asset.

Type: String

Required: No

ApiKey

The API key of the API asset.

Type: String

Required: No

ApiName

The API name of the API asset.

Type: String

Required: No

ApiSpecificationDownloadUrl

The download URL of the API specification of the API asset.

Type: String

Required: No

ApiSpecificationDownloadUrlExpiresAt

The date and time that the upload URL expires, in ISO 8601 format.

Type: Timestamp

Required: No

ProtocolType

The protocol type of the API asset.

Type: String

Valid Values: REST

Required: No

Stage

The stage of the API asset.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssetConfiguration

The configuration for the asset, which can include tags.

Contents

Tags

The tags to be applied to assets created by the job.

Type: Array of [Tag](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssetDestinationEntry

The destination for the asset.

Contents

AssetId

The unique identifier for the asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Bucket

The Amazon S3 bucket that is the destination for the asset.

Type: String

Required: Yes

Key

The name of the object in Amazon S3 for the asset.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssetDetails

Details about the asset.

Contents

ApiGatewayApiAsset

Information about the API Gateway API asset.

Type: [ApiGatewayApiAsset](#) object

Required: No

LakeFormationDataPermissionAsset

The AWS Lake Formation data permission that is the asset.

Type: [LakeFormationDataPermissionAsset](#) object

Required: No

RedshiftDataShareAsset

The Amazon Redshift datashare that is the asset.

Type: [RedshiftDataShareAsset](#) object

Required: No

S3DataAccessAsset

The Amazon S3 data access that is the asset.

Type: [S3DataAccessAsset](#) object

Required: No

S3SnapshotAsset

The Amazon S3 object that is the asset.

Type: [S3SnapshotAsset](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssetEntry

An asset in AWS Data Exchange is a piece of data (Amazon S3 object) or a means of fulfilling data (Amazon Redshift datashare or Amazon API Gateway API, AWS Lake Formation data permission, or Amazon S3 data access). The asset can be a structured data file, an image file, or some other data file that can be stored as an Amazon S3 object, an Amazon API Gateway API, or an Amazon Redshift datashare, an AWS Lake Formation data permission, or an Amazon S3 data access. When you create an import job for your files, API Gateway APIs, Amazon Redshift datashares, AWS Lake Formation data permission, or Amazon S3 data access, you create an asset in AWS Data Exchange.

Contents

Arn

The ARN for the asset.

Type: String

Required: Yes

AssetDetails

Details about the asset.

Type: [AssetDetails](#) object

Required: Yes

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

Required: Yes

CreatedAt

The date and time that the asset was created, in ISO 8601 format.

Type: Timestamp

Required: Yes

DataSetId

The unique identifier for the data set associated with this asset.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Id

The unique identifier for the asset.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Name

The name of the asset. When importing from Amazon S3, the Amazon S3 object key is used as the asset name. When exporting to Amazon S3, the asset name is used as default target Amazon S3 object key. When importing from Amazon API Gateway API, the API name is used as the asset name. When importing from Amazon Redshift, the datashare name is used as the asset name. When importing from AWS Lake Formation, the static values of "Database(s) included in LF-tag policy" or "Table(s) included in LF-tag policy" are used as the asset name.

Type: String

Required: Yes

RevisionId

The unique identifier for the revision associated with this asset.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

UpdatedAt

The date and time that the asset was last updated, in ISO 8601 format.

Type: Timestamp

Required: Yes

SourceId

The asset ID of the owned asset corresponding to the entitled asset being viewed. This parameter is returned when an asset owner is viewing the entitled copy of its owned asset.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AssetSourceEntry

The source of the assets.

Contents

Bucket

The Amazon S3 bucket that's part of the source of the asset.

Type: String

Required: Yes

Key

The name of the object in Amazon S3 for the asset.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutoExportRevisionDestinationEntry

A revision destination is the Amazon S3 bucket folder destination to where the export will be sent.

Contents

Bucket

The Amazon S3 bucket that is the destination for the event action.

Type: String

Required: Yes

KeyPattern

A string representing the pattern for generated names of the individual assets in the revision. For more information about key patterns, see [Key patterns when exporting revisions](#).

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AutoExportRevisionToS3RequestDetails

Details of the operation to be performed by the job.

Contents

RevisionDestination

A revision destination is the Amazon S3 bucket folder destination to where the export will be sent.

Type: [AutoExportRevisionDestinationEntry](#) object

Required: Yes

Encryption

Encryption configuration for the auto export job.

Type: [ExportServerSideEncryption](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateS3DataAccessFromS3BucketRequestDetails

Details of the operation to create an Amazon S3 data access from an S3 bucket.

Contents

AssetSource

Details about the S3 data access source asset.

Type: [S3DataAccessAssetSourceEntry](#) object

Required: Yes

DataSetId

The unique identifier for the data set associated with the creation of this Amazon S3 data access.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for a revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

CreateS3DataAccessFromS3BucketResponseDetails

Details about the response of the operation to create an S3 data access from an S3 bucket.

Contents

AssetSource

Details about the asset source from an Amazon S3 bucket.

Type: [S3DataAccessAssetSourceEntry](#) object

Required: Yes

DataSetId

The unique identifier for this data set.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatabaseLFTagPolicy

The LF-tag policy for database resources.

Contents

Expression

A list of LF-tag conditions that apply to database resources.

Type: Array of [LFTag](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatabaseLFTagPolicyAndPermissions

The LF-tag policy and permissions for database resources.

Contents

Expression

A list of LF-tag conditions that apply to database resources.

Type: Array of [LFTag](#) objects

Required: Yes

Permissions

The permissions granted to subscribers on database resources.

Type: Array of strings

Valid Values: DESCRIBE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataGrantSummaryEntry

Information about a data grant.

Contents

AcceptanceState

The acceptance state of the data grant.

Type: String

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

Required: Yes

Arn

The Amazon Resource Name (ARN) of the data grant.

Type: String

Required: Yes

CreatedAt

The timestamp of when the data grant was created.

Type: Timestamp

Required: Yes

DataSetId

The ID of the data set associated to the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Id

The ID of the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Name

The name of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: \d{12}

Required: Yes

SenderPrincipal

The AWS account ID of the data grant sender.

Type: String

Pattern: \d{12}

Required: Yes

SourceDataSetId

The ID of the data set used to create the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

UpdatedAt

The timestamp of when the data grant was last updated.

Type: Timestamp

Required: Yes

AcceptedAt

The timestamp of when the data grant was accepted.

Type: Timestamp

Required: No

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataSetEntry

A data set is an AWS resource with one or more revisions.

Contents

Arn

The ARN for the data set.

Type: String

Required: Yes

AssetType

The type of asset that is added to a data set.

Type: String

Valid Values: S3_SNAPSHOT | REDSHIFT_DATA_SHARE | API_GATEWAY_API | S3_DATA_ACCESS | LAKE_FORMATION_DATA_PERMISSION

Required: Yes

CreatedAt

The date and time that the data set was created, in ISO 8601 format.

Type: Timestamp

Required: Yes

Description

The description for the data set.

Type: String

Required: Yes

Id

The unique identifier for the data set.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Name

The name of the data set.

Type: String

Required: Yes

Origin

A property that defines the data set as OWNED by the account (for providers) or ENTITLED to the account (for subscribers).

Type: String

Valid Values: OWNED | ENTITLED

Required: Yes

UpdatedAt

The date and time that the data set was last updated, in ISO 8601 format.

Type: Timestamp

Required: Yes

OriginDetails

If the origin of this data set is ENTITLED, includes the details for the product on AWS Marketplace.

Type: [OriginDetails](#) object

Required: No

SourceId

The data set ID of the owned data set corresponding to the entitled data set being viewed. This parameter is returned when a data set owner is viewing the entitled copy of its owned data set.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataUpdateRequestDetails

Extra details specific to a data update type notification.

Contents

DataUpdatedAt

A datetime in the past when the data was updated. This typically means that the underlying resource supporting the data set was updated.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeprecationRequestDetails

Extra details specific to a deprecation type notification.

Contents

DeprecationAt

A datetime in the future when the data set will be deprecated.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Details

Information about the job error.

Contents

ImportAssetFromSignedUrlJobErrorDetails

Information about the job error.

Type: [ImportAssetFromSignedUrlJobErrorDetails](#) object

Required: No

ImportAssetsFromS3JobErrorDetails

Details about the job error.

Type: Array of [AssetSourceEntry](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Event

What occurs to start an action.

Contents

RevisionPublished

What occurs to start the revision publish action.

Type: [RevisionPublished](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EventActionEntry

An event action is an object that defines the relationship between a specific event and an automated action that will be taken on behalf of the customer.

Contents

Action

What occurs after a certain event.

Type: [Action](#) object

Required: Yes

Arn

The Amazon Resource Name (ARN) for the event action.

Type: String

Required: Yes

CreatedAt

The date and time that the event action was created, in ISO 8601 format.

Type: Timestamp

Required: Yes

Event

What occurs to start an action.

Type: [Event](#) object

Required: Yes

Id

The unique identifier for the event action.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

UpdatedAt

The date and time that the event action was last updated, in ISO 8601 format.

Type: Timestamp

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportAssetsToS3RequestDetails

Details of the operation to be performed by the job.

Contents

AssetDestinations

The destination for the asset.

Type: Array of [AssetDestinationEntry](#) objects

Required: Yes

DataSetId

The unique identifier for the data set associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this export request.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Encryption

Encryption configuration for the export job.

Type: [ExportServerSideEncryption](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportAssetsToS3ResponseDetails

Details about the export to Amazon S3 response.

Contents

AssetDestinations

The destination in Amazon S3 where the asset is exported.

Type: Array of [AssetDestinationEntry](#) objects

Required: Yes

DataSetId

The unique identifier for the data set associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this export response.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Encryption

Encryption configuration of the export job.

Type: [ExportServerSideEncryption](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportAssetToSignedUrlRequestDetails

Details of the operation to be performed by the job.

Contents

AssetId

The unique identifier for the asset that is exported to a signed URL.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

DataSetId

The unique identifier for the data set associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this export request.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ExportAssetToSignedUrlResponseDetails

The details of the export to signed URL response.

Contents

AssetId

The unique identifier for the asset associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

DataSetId

The unique identifier for the data set associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this export response.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

SignedUrl

The signed URL for the export request.

Type: String

Required: No

SignedUrlExpiresAt

The date and time that the signed URL expires, in ISO 8601 format.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportRevisionsToS3RequestDetails

Details of the operation to be performed by the job.

Contents

DataSetId

The unique identifier for the data set associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionDestinations

The destination for the revision.

Type: Array of [RevisionDestinationEntry](#) objects

Required: Yes

Encryption

Encryption configuration for the export job.

Type: [ExportServerSideEncryption](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportRevisionsToS3ResponseDetails

Details about the export revisions to Amazon S3 response.

Contents

DataSetId

The unique identifier for the data set associated with this export job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionDestinations

The destination in Amazon S3 where the revision is exported.

Type: Array of [RevisionDestinationEntry](#) objects

Required: Yes

Encryption

Encryption configuration of the export job.

Type: [ExportServerSideEncryption](#) object

Required: No

EventActionArn

The Amazon Resource Name (ARN) of the event action.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExportServerSideEncryption

Encryption configuration of the export job. Includes the encryption type in addition to the AWS KMS key. The KMS key is only necessary if you chose the KMS encryption type.

Contents

Type

The type of server side encryption used for encrypting the objects in Amazon S3.

Type: String

Valid Values: `aws:kms` | `AES256`

Required: Yes

KmsKeyArn

The Amazon Resource Name (ARN) of the AWS KMS key you want to use to encrypt the Amazon S3 objects. This parameter is required if you choose `aws:kms` as an encryption type.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetFromApiGatewayApiRequestDetails

The request details.

Contents

ApiId

The API Gateway API ID.

Type: String

Required: Yes

ApiName

The API name.

Type: String

Required: Yes

ApiSpecificationMd5Hash

The Base64-encoded MD5 hash of the OpenAPI 3.0 JSON API specification file. It is used to ensure the integrity of the file.

Type: String

Length Constraints: Fixed length of 24.

Pattern: `(?:[A-Za-z0-9+/]{4})*(?:[A-Za-z0-9+/]{2}=|[A-Za-z0-9+/]{3}=)?`

Required: Yes

DataSetId

The data set ID.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

ProtocolType

The protocol type.

Type: String

Valid Values: REST

Required: Yes

RevisionId

The revision ID.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Stage

The API stage.

Type: String

Required: Yes

ApiDescription

The API description. Markdown supported.

Type: String

Required: No

ApiKey

The API Gateway API key.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetFromApiGatewayApiResponseDetails

The response details.

Contents

ApiId

The API ID.

Type: String

Required: Yes

ApiName

The API name.

Type: String

Required: Yes

ApiSpecificationMd5Hash

The Base64-encoded Md5 hash for the API asset, used to ensure the integrity of the API at that location.

Type: String

Length Constraints: Fixed length of 24.

Pattern: (?:[A-Za-z0-9+/\]{4})*(?:[A-Za-z0-9+/\]{2}==|[A-Za-z0-9+/\]{3}=)?

Required: Yes

ApiSpecificationUploadUrl

The upload URL of the API specification.

Type: String

Required: Yes

ApiSpecificationUploadUrlExpiresAt

The date and time that the upload URL expires, in ISO 8601 format.

Type: Timestamp

Required: Yes

DataSetId

The data set ID.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

ProtocolType

The protocol type.

Type: String

Valid Values: REST

Required: Yes

RevisionId

The revision ID.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Stage

The API stage.

Type: String

Required: Yes

ApiDescription

The API description.

Type: String

Required: No

ApiKey

The API key.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetFromSignedUrlJobErrorDetails

Details about the job error.

Contents

AssetName

Details about the job error.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetFromSignedUrlRequestDetails

Details of the operation to be performed by the job.

Contents

AssetName

The name of the asset. When importing from Amazon S3, the Amazon S3 object key is used as the asset name.

Type: String

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Md5Hash

The Base64-encoded Md5 hash for the asset, used to ensure the integrity of the file at that location.

Type: String

Length Constraints: Fixed length of 24.

Pattern: `(?:[A-Za-z0-9+/]{4})*(?:[A-Za-z0-9+/]{2}==|[A-Za-z0-9+/]{3}=)?`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import request.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetFromSignedUrlResponseDetails

The details in the response for an import request, including the signed URL and other information.

Contents

AssetName

The name for the asset associated with this import job.

Type: String

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import response.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

Md5Hash

The Base64-encoded Md5 hash for the asset, used to ensure the integrity of the file at that location.

Type: String

Length Constraints: Fixed length of 24.

Pattern: `(?:[A-Za-z0-9+/]{4})*(?:[A-Za-z0-9+/]{2}==|[A-Za-z0-9+/]{3}=)?`

Required: No

SignedUrl

The signed URL.

Type: String

Required: No

SignedUrlExpiresAt

The time and date at which the signed URL expires, in ISO 8601 format.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetsFromLakeFormationTagPolicyRequestDetails

Details about the assets imported from an AWS Lake Formation tag policy request.

Contents

CatalogId

The identifier for the AWS Glue Data Catalog.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `.*^[0-9]{12}$/*`

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RoleArn

The IAM role's ARN that allows AWS Data Exchange to assume the role and grant and revoke permissions of subscribers to AWS Lake Formation data permissions.

Type: String

Pattern: `arn:aws:iam::(\d{12}):role\./.+`

Required: Yes

Database

A structure for the database object.

Type: [DatabaseLFTagPolicyAndPermissions](#) object

Required: No

Table

A structure for the table object.

Type: [TableLFTagPolicyAndPermissions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetsFromLakeFormationTagPolicyResponseDetails

Details from an import AWS Lake Formation tag policy job response.

Contents

CatalogId

The identifier for the AWS Glue Data Catalog.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `.*^[0-9]{12}$.*`

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RoleArn

The IAM role's ARN that allows AWS Data Exchange to assume the role and grant and revoke permissions to AWS Lake Formation data permissions.

Type: String

Pattern: `arn:aws:iam::(\d{12}):role\./.+`

Required: Yes

Database

A structure for the database object.

Type: [DatabaseLFTagPolicyAndPermissions](#) object

Required: No

Table

A structure for the table object.

Type: [TableLFTagPolicyAndPermissions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetsFromRedshiftDataSharesRequestDetails

Details from an import from Amazon Redshift datashare request.

Contents

AssetSources

A list of Amazon Redshift datashare assets.

Type: Array of [RedshiftDataShareAssetSourceEntry](#) objects

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetsFromRedshiftDataSharesResponseDetails

Details from an import from Amazon Redshift datashare response.

Contents

AssetSources

A list of Amazon Redshift datashare asset sources.

Type: Array of [RedshiftDataShareAssetSourceEntry](#) objects

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetsFromS3RequestDetails

Details of the operation to be performed by the job.

Contents

AssetSources

Is a list of Amazon S3 bucket and object key pairs.

Type: Array of [AssetSourceEntry](#) objects

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import request.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ImportAssetsFromS3ResponseDetails

Details from an import from Amazon S3 response.

Contents

AssetSources

Is a list of Amazon S3 bucket and object key pairs.

Type: Array of [AssetSourceEntry](#) objects

Required: Yes

DataSetId

The unique identifier for the data set associated with this import job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

RevisionId

The unique identifier for the revision associated with this import response.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobEntry

AWS Data Exchange Jobs are asynchronous import or export operations used to create or copy assets. A data set owner can both import and export as they see fit. Someone with an entitlement to a data set can only export. Jobs are deleted 90 days after they are created.

Contents

Arn

The ARN for the job.

Type: String

Required: Yes

CreatedAt

The date and time that the job was created, in ISO 8601 format.

Type: Timestamp

Required: Yes

Details

Details of the operation to be performed by the job, such as export destination details or import source details.

Type: [ResponseDetails](#) object

Required: Yes

Id

The unique identifier for the job.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

State

The state of the job.

Type: String

Valid Values: WAITING | IN_PROGRESS | ERROR | COMPLETED | CANCELLED | TIMED_OUT

Required: Yes

Type

The job type.

Type: String

Valid Values: IMPORT_ASSETS_FROM_S3 | IMPORT_ASSET_FROM_SIGNED_URL | EXPORT_ASSETS_TO_S3 | EXPORT_ASSET_TO_SIGNED_URL | EXPORT_REVISIONS_TO_S3 | IMPORT_ASSETS_FROM_REDSHIFT_DATA_SHARES | IMPORT_ASSET_FROM_API_GATEWAY_API | CREATE_S3_DATA_ACCESS_FROM_S3_BUCKET | IMPORT_ASSETS_FROM_LAKE_FORMATION_TAG_POLICY

Required: Yes

UpdatedAt

The date and time that the job was last updated, in ISO 8601 format.

Type: Timestamp

Required: Yes

AssetConfiguration

The configuration for the asset, including tags applied to assets created by the job.

Type: [AssetConfiguration](#) object

Required: No

Errors

Errors for jobs.

Type: Array of [JobError](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobError

An error that occurred with the job request.

Contents

Code

The code for the job error.

Type: String

Valid Values: ACCESS_DENIED_EXCEPTION | INTERNAL_SERVER_EXCEPTION
| MALWARE_DETECTED | RESOURCE_NOT_FOUND_EXCEPTION |
SERVICE_QUOTA_EXCEEDED_EXCEPTION | VALIDATION_EXCEPTION |
MALWARE_SCAN_ENCRYPTED_FILE

Required: Yes

Message

The message related to the job error.

Type: String

Required: Yes

Details

The details about the job error.

Type: [Details](#) object

Required: No

LimitName

The name of the limit that was reached.

Type: String

Valid Values: Assets per revision | Asset size in GB | Amazon Redshift
datashare assets per revision | AWS Lake Formation data permission
assets per revision | Amazon S3 data access assets per revision

Required: No

LimitValue

The value of the exceeded limit.

Type: Double

Required: No

ResourceId

The unique identifier for the resource related to the error.

Type: String

Required: No

ResourceType

The type of resource related to the error.

Type: String

Valid Values: REVISION | ASSET | DATA_SET

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KmsKeyToGrant

The Amazon Resource Name (ARN) of the AWS KMS key used to encrypt the shared S3 objects.

Contents

KmsKeyArn

The AWS KMS CMK (Key Management System Customer Managed Key) used to encrypt S3 objects in the shared S3 Bucket. AWS Data exchange will create a KMS grant for each subscriber to allow them to access and decrypt their entitled data that is encrypted using this KMS key specified.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LakeFormationDataPermissionAsset

The AWS Lake Formation data permission asset.

Contents

LakeFormationDataPermissionDetails

Details about the AWS Lake Formation data permission.

Type: [LakeFormationDataPermissionDetails](#) object

Required: Yes

LakeFormationDataPermissionType

The data permission type.

Type: String

Valid Values: LFTagPolicy

Required: Yes

Permissions

The permissions granted to the subscribers on the resource.

Type: Array of strings

Valid Values: DESCRIBE | SELECT

Required: Yes

RoleArn

The IAM role's ARN that allows AWS Data Exchange to assume the role and grant and revoke permissions to AWS Lake Formation data permissions.

Type: String

Pattern: `arn:aws:iam::(\d{12}):role\./.+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LakeFormationDataPermissionDetails

Details about the AWS Lake Formation data permission.

Contents

LFTagPolicy

Details about the LF-tag policy.

Type: [LFTagPolicyDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LakeFormationTagPolicyDetails

Extra details specific to the affected scope in this LF data set.

Contents

Database

The underlying Glue database that the notification is referring to.

Type: String

Required: No

Table

The underlying Glue table that the notification is referring to.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LFResourceDetails

Details about the AWS Lake Formation resource (Table or Database) included in the AWS Lake Formation data permission.

Contents

Database

Details about the database resource included in the AWS Lake Formation data permission.

Type: [DatabaseLFTagPolicy](#) object

Required: No

Table

Details about the table resource included in the AWS Lake Formation data permission.

Type: [TableLFTagPolicy](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LFTag

A structure that allows an LF-admin to grant permissions on certain conditions.

Contents

TagKey

The key name for the LF-tag.

Type: String

Required: Yes

TagValues

A list of LF-tag values.

Type: Array of strings

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LFTagPolicyDetails

Details about the LF-tag policy.

Contents

CatalogId

The identifier for the AWS Glue Data Catalog.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `.*\/^\[\\d]{12}\$\/.*`

Required: Yes

ResourceDetails

Details for the Lake Formation Resources included in the LF-tag policy.

Type: [LFResourceDetails](#) object

Required: Yes

ResourceType

The resource type for which the LF-tag policy applies.

Type: String

Valid Values: TABLE | DATABASE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

NotificationDetails

Extra details specific to this notification.

Contents

DataUpdate

Extra details specific to a data update type notification.

Type: [DataUpdateRequestDetails](#) object

Required: No

Deprecation

Extra details specific to a deprecation type notification.

Type: [DeprecationRequestDetails](#) object

Required: No

SchemaChange

Extra details specific to a schema change type notification.

Type: [SchemaChangeRequestDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OriginDetails

Details about the origin of the data set.

Contents

DataGrantId

The ID of the data grant.

Type: String

Required: No

ProductId

The product ID of the origin of the data set.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReceivedDataGrantSummariesEntry

Information about a received data grant.

Contents

AcceptanceState

The acceptance state of the data grant.

Type: String

Valid Values: PENDING_RECEIVER_ACCEPTANCE | ACCEPTED

Required: Yes

Arn

The Amazon Resource Name (ARN) of the data grant.

Type: String

Required: Yes

CreatedAt

The timestamp of when the data grant was created.

Type: Timestamp

Required: Yes

DataSetId

The ID of the data set associated to the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Id

The ID of the data grant.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Name

The name of the data grant.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

ReceiverPrincipal

The AWS account ID of the data grant receiver.

Type: String

Pattern: \d{12}

Required: Yes

SenderPrincipal

The AWS account ID of the data grant sender.

Type: String

Pattern: \d{12}

Required: Yes

UpdatedAt

The timestamp of when the data grant was last updated.

Type: Timestamp

Required: Yes

AcceptedAt

The timestamp of when the data grant was accepted.

Type: Timestamp

Required: No

EndsAt

The timestamp of when access to the associated data set ends.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RedshiftDataShareAsset

The Amazon Redshift datashare asset.

Contents

Arn

The Amazon Resource Name (ARN) of the datashare asset.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RedshiftDataShareAssetSourceEntry

The source of the Amazon Redshift datashare asset.

Contents

DataShareArn

The Amazon Resource Name (ARN) of the datashare asset.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RedshiftDataShareDetails

Extra details specific to the affected scope in this Redshift data set.

Contents

Arn

The ARN of the underlying Redshift data share that is being affected by this notification.

Type: String

Required: Yes

Database

The database name in the Redshift data share that is being affected by this notification.

Type: String

Required: Yes

Function

A function name in the Redshift database that is being affected by this notification.

Type: String

Required: No

Schema

A schema name in the Redshift database that is being affected by this notification.

Type: String

Required: No

Table

A table name in the Redshift database that is being affected by this notification.

Type: String

Required: No

View

A view name in the Redshift database that is being affected by this notification.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RequestDetails

The details for the request.

Contents

CreateS3DataAccessFromS3Bucket

Details of the request to create S3 data access from the Amazon S3 bucket.

Type: [CreateS3DataAccessFromS3BucketRequestDetails](#) object

Required: No

ExportAssetsToS3

Details about the export to Amazon S3 request.

Type: [ExportAssetsToS3RequestDetails](#) object

Required: No

ExportAssetToSignedUrl

Details about the export to signed URL request.

Type: [ExportAssetToSignedUrlRequestDetails](#) object

Required: No

ExportRevisionsToS3

Details about the export to Amazon S3 request.

Type: [ExportRevisionsToS3RequestDetails](#) object

Required: No

ImportAssetFromApiGatewayApi

Details about the import from signed URL request.

Type: [ImportAssetFromApiGatewayApiRequestDetails](#) object

Required: No

ImportAssetFromSignedUrl

Details about the import from Amazon S3 request.

Type: [ImportAssetFromSignedUrlRequestDetails](#) object

Required: No

ImportAssetsFromLakeFormationTagPolicy

Request details for the ImportAssetsFromLakeFormationTagPolicy job.

Type: [ImportAssetsFromLakeFormationTagPolicyRequestDetails](#) object

Required: No

ImportAssetsFromRedshiftDataShares

Details from an import from Amazon Redshift datashare request.

Type: [ImportAssetsFromRedshiftDataSharesRequestDetails](#) object

Required: No

ImportAssetsFromS3

Details about the import asset from API Gateway API request.

Type: [ImportAssetsFromS3RequestDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResponseDetails

Details for the response.

Contents

CreateS3DataAccessFromS3Bucket

Response details from the CreateS3DataAccessFromS3Bucket job.

Type: [CreateS3DataAccessFromS3BucketResponseDetails](#) object

Required: No

ExportAssetsToS3

Details for the export to Amazon S3 response.

Type: [ExportAssetsToS3ResponseDetails](#) object

Required: No

ExportAssetToSignedUrl

Details for the export to signed URL response.

Type: [ExportAssetToSignedUrlResponseDetails](#) object

Required: No

ExportRevisionsToS3

Details for the export revisions to Amazon S3 response.

Type: [ExportRevisionsToS3ResponseDetails](#) object

Required: No

ImportAssetFromApiGatewayApi

The response details.

Type: [ImportAssetFromApiGatewayApiResponseDetails](#) object

Required: No

ImportAssetFromSignedUrl

Details for the import from signed URL response.

Type: [ImportAssetFromSignedUrlResponseDetails](#) object

Required: No

ImportAssetsFromLakeFormationTagPolicy

Response details from the ImportAssetsFromLakeFormationTagPolicy job.

Type: [ImportAssetsFromLakeFormationTagPolicyResponseDetails](#) object

Required: No

ImportAssetsFromRedshiftDataShares

Details from an import from Amazon Redshift datashare response.

Type: [ImportAssetsFromRedshiftDataSharesResponseDetails](#) object

Required: No

ImportAssetsFromS3

Details for the import from Amazon S3 response.

Type: [ImportAssetsFromS3ResponseDetails](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RevisionDestinationEntry

The destination where the assets in the revision will be exported.

Contents

Bucket

The Amazon S3 bucket that is the destination for the assets in the revision.

Type: String

Required: Yes

RevisionId

The unique identifier for the revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

KeyPattern

A string representing the pattern for generated names of the individual assets in the revision. For more information about key patterns, see [Key patterns when exporting revisions](#).

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RevisionEntry

A revision is a container for one or more assets.

Contents

Arn

The ARN for the revision.

Type: String

Required: Yes

CreatedAt

The date and time that the revision was created, in ISO 8601 format.

Type: Timestamp

Required: Yes

DataSetId

The unique identifier for the data set associated with the data set revision.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

Id

The unique identifier for the revision.

Type: String

Pattern: [a-zA-Z0-9]{30,40}

Required: Yes

UpdatedAt

The date and time that the revision was last updated, in ISO 8601 format.

Type: Timestamp

Required: Yes

Comment

An optional comment about the revision.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 16384.

Required: No

Finalized

To publish a revision to a data set in a product, the revision must first be finalized. Finalizing a revision tells AWS Data Exchange that your changes to the assets in the revision are complete. After it's in this read-only state, you can publish the revision to your products. Finalized revisions can be published through the AWS Data Exchange console or the AWS Marketplace Catalog API, using the StartChangeSet AWS Marketplace Catalog API action. When using the API, revisions are uniquely identified by their ARN.

Type: Boolean

Required: No

RevocationComment

A required comment to inform subscribers of the reason their access to the revision was revoked.

Type: String

Length Constraints: Minimum length of 10. Maximum length of 512.

Required: No

Revoked

A status indicating that subscribers' access to the revision was revoked.

Type: Boolean

Required: No

RevokedAt

The date and time that the revision was revoked, in ISO 8601 format.

Type: Timestamp

Required: No

SourceId

The revision ID of the owned revision corresponding to the entitled revision being viewed. This parameter is returned when a revision owner is viewing the entitled copy of its owned revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RevisionPublished

Information about the published revision.

Contents

DataSetId

The data set ID of the published revision.

Type: String

Pattern: `[a-zA-Z0-9]{30,40}`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3DataAccessAsset

The Amazon S3 data access that is the asset.

Contents

Bucket

The Amazon S3 bucket hosting data to be shared in the S3 data access.

Type: String

Required: Yes

KeyPrefixes

The Amazon S3 bucket used for hosting shared data in the Amazon S3 data access.

Type: Array of strings

Required: No

Keys

S3 keys made available using this asset.

Type: Array of strings

Required: No

KmsKeysToGrant

List of AWS KMS CMKs (Key Management System Customer Managed Keys) and ARNs used to encrypt S3 objects being shared in this S3 Data Access asset. Providers must include all AWS KMS keys used to encrypt these shared S3 objects.

Type: Array of [KmsKeyToGrant](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

S3AccessPointAlias

The automatically-generated bucket-style alias for your Amazon S3 Access Point. Customers can access their entitled data using the S3 Access Point alias.

Type: String

Required: No

S3AccessPointArn

The ARN for your Amazon S3 Access Point. Customers can also access their entitled data using the S3 Access Point ARN.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3DataAccessAssetSourceEntry

Source details for an Amazon S3 data access asset.

Contents

Bucket

The Amazon S3 bucket used for hosting shared data in the Amazon S3 data access.

Type: String

Required: Yes

KeyPrefixes

Organizes Amazon S3 asset key prefixes stored in an Amazon S3 bucket.

Type: Array of strings

Required: No

Keys

The keys used to create the Amazon S3 data access.

Type: Array of strings

Required: No

KmsKeysToGrant

List of AWS KMS CMKs (Key Management System Customer Managed Keys) and ARNs used to encrypt S3 objects being shared in this S3 Data Access asset.

Type: Array of [KmsKeyToGrant](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3DataAccessDetails

Extra details specific to the affected scope in this S3 Data Access data set.

Contents

KeyPrefixes

A list of the key prefixes affected by this notification. This can have up to 50 entries.

Type: Array of strings

Required: No

Keys

A list of the keys affected by this notification. This can have up to 50 entries.

Type: Array of strings

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3SnapshotAsset

The Amazon S3 object that is the asset.

Contents

Size

The size of the Amazon S3 object that is the object.

Type: Double

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SchemaChangeDetails

Object encompassing information about a schema change to a single, particular field, a notification can have up to 100 of these.

Contents

Name

Name of the changing field. This value can be up to 255 characters long.

Type: String

Required: Yes

Type

Is the field being added, removed, or modified?

Type: String

Valid Values: ADD | REMOVE | MODIFY

Required: Yes

Description

Description of what's changing about this field. This value can be up to 512 characters long.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SchemaChangeRequestDetails

Extra details specific to this schema change type notification.

Contents

SchemaChangeAt

A date in the future when the schema change is taking effect.

Type: Timestamp

Required: Yes

Changes

List of schema changes happening in the scope of this notification. This can have up to 100 entries.

Type: Array of [SchemaChangeDetails](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScopeDetails

Details about the scope of the notifications such as the affected resources.

Contents

LakeFormationTagPolicies

Underlying LF resources that will be affected by this notification.

Type: Array of [LakeFormationTagPolicyDetails](#) objects

Required: No

RedshiftDataShares

Underlying Redshift resources that will be affected by this notification.

Type: Array of [RedshiftDataShareDetails](#) objects

Required: No

S3DataAccesses

Underlying S3 resources that will be affected by this notification.

Type: Array of [S3DataAccessDetails](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TableLFTagPolicy

The LF-tag policy for a table resource.

Contents

Expression

A list of LF-tag conditions that apply to table resources.

Type: Array of [LFTag](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TableLFTagPolicyAndPermissions

The LF-tag policy and permissions that apply to table resources.

Contents

Expression

A list of LF-tag conditions that apply to table resources.

Type: Array of [LFTag](#) objects

Required: Yes

Permissions

The permissions granted to subscribers on table resources.

Type: Array of strings

Valid Values: DESCRIBE | SELECT

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tag

A tag consisting of a key-value pair that can be applied to a resource.

Contents

Key

The key of the tag.

Type: String

Required: Yes

Value

The value of the tag.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400

Document history

The following table describes the documentation for this release of the *AWS Data Exchange API Reference*.

For notification about updates to this documentation, you can subscribe to the RSS feed. To subscribe to the RSS feed, you must have an RSS plug-in enabled for the browser you are using.

Change	Description	Date
Documentation organization enhancements	Documentation-only update to enhance the organization of the AWS Data Exchange API Reference Guide.	September 7, 2022
Revoke Revision API operation	Providers can now use the RevokeRevision API operation to revoke subscriber access to a revision.	March 15, 2022
Send API Asset API operation and updates to Asset, DataSet, and Job API operations	Providers can now use the CreateDataSet API operation to include a new AssetType : IMPORT_ASSET_FROM_API_GATEWAY_API , which adds API assets from Amazon API Gateway. This new job type, which affects the Job shape, comes with its own Details block that looks very similar to other Job types. Subscribers can now use the SendApiAsset API operation to invoke a provider's Amazon API	November 29, 2021

Gateway API that they are entitled to.

[\(Preview\) Updates to Asset, Data Set, and Job API operations](#)

(Preview) Providers can now use the `CreateDataSet` API operation to include a new `AssetType : REDSHIFT_DATA_SHARE`, which affects the Data Set shape. Assets can now be Type `REDSHIFT_DATA_SHARE`, which only affects the Asset shape. There is a new `AssetDetails` object for this type, which points at the Amazon Redshift datashare ARN. Providers can now use the `CreateJob` API operation to run a new job type: `IMPORT_ASSETS_FROM_REDSHIFT_DATA_SHARES`, which adds assets from Amazon Redshift datashares. This new job type, which affects the Job shape, comes with its own `Details` block that looks very similar to other Job types.

October 19, 2021

[Event Action API operation and Event Actions API operation](#)

Subscribers can now use the Event Action API operation and Event Actions API operation to configure jobs to automatically export revisions to an Amazon S3 bucket.

September 30, 2021

[AWS Data Exchange is now generally available](#)

AWS Data Exchange is a service that makes it easy for AWS customers to create, update, maintain, and securely exchange file-based data sets in the AWS Cloud.

November 13, 2019