



User Guide

Amazon ECR Public



API Version 2015-09-21

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon ECR Public: User Guide

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

What is Amazon ECR Public	1
Components of Amazon ECR Public	1
How to get started with Amazon ECR Public	2
Amazon ECR Public Gallery	3
Making requests	4
Getting started with IPv6	4
Testing IP address compatibility	5
Making requests using dual-stack endpoints	6
Using Amazon ECR Public endpoints from the docker CLI	6
Using IPv6 addresses in IAM policies	6
Moving an image through its lifecycle in Amazon ECR Public	9
Prerequisites	9
Install the AWS CLI	9
Install Docker	9
Step 1: Create a Docker image	11
Step 2: Authenticate to the public registry	13
Step 3: Create a public repository	14
Step 4: Push an image to Amazon ECR Public	15
Step 5: Pull an image from the Amazon ECR Public Gallery	16
Step 6: Delete a public image	16
Step 7: Delete a public repository	17
Public registries	18
Public registry concepts	18
Registry authentication	19
Using an authorization token	20
Using HTTP API authentication	20
Required IAM permissions	22
Updating registry settings	23
Prerequisites	23
Update your registry settings	24
Public repositories	25
Public repository concepts	25
Creating a public repository	26
Next steps	27

Editing a public repository	27
Repository catalog data	28
Examples	29
Viewing public repository information	37
Deleting a public repository	38
Public repository policies in Amazon ECR Public	39
Repository policies vs IAM policies	39
Setting a repository policy statement in Amazon ECR Public	41
Deleting a public repository policy statement in Amazon ECR Public	43
Public repository policy examples in Amazon ECR Public	43
Tag a public repository	45
Tag basics	46
Tagging your resources	46
Adding tags	47
Deleting tags	48
Public images	50
Pushing an image	50
Pushing a multi-architecture image	52
Pushing a Helm chart	53
Pulling an image	56
Deleting an image	57
Container image manifest formats	58
Amazon ECR image manifest conversion	59
Security	61
Identity and Access Management	61
Audience	62
Authenticating With Identities	62
Managing Access Using Policies	63
How Amazon ECR Public works with IAM	65
AWS managed policies for Amazon ECR Public	69
Identity-based policy examples	71
Using tag-based access control in Amazon ECR public	75
Troubleshooting	77
Logging actions with AWS CloudTrail	80
Amazon ECR Public information in CloudTrail	80
Understanding Amazon ECR Public log file entries	81

CloudTrail log entry examples	81
Service quotas	87
Managing your Amazon ECR Public service quotas in the AWS Management Console	91
Troubleshooting	92
Authentication issues	92
Document history	93

What Is Amazon Elastic Container Registry Public?

Amazon Elastic Container Registry Public is a managed AWS container image registry service that is secure, scalable, and reliable. Amazon ECR supports public image repositories with resource-based permissions using AWS IAM so that specific users can access your public repositories to push images. Developers can use their preferred CLI to push and manage Docker images, Open Container Initiative (OCI) images, and OCI compatible artifacts. Your images are publicly available to pull, either anonymously or using an Amazon ECR Public authentication token.

Note

Amazon ECR supports private container image repositories as well. For more information, see [What is Amazon ECR](#) in the *Amazon Elastic Container Registry User Guide*.

The AWS container services team maintains a public roadmap on GitHub. It contains information about what the teams are working on and allows all AWS customers the ability to give direct feedback. For more information, see [AWS Containers Roadmap](#).

Components of Amazon ECR Public

Amazon ECR Public contains the following components:

Amazon ECR Public Gallery

The Amazon ECR Public Gallery is the public portal that lists all public repositories hosted on Amazon ECR Public. Visit the Amazon ECR Public Gallery at <https://gallery.ecr.aws>. For more information, see [Amazon ECR Public Gallery](#).

Registry

A public registry is provided to each AWS account; you can create public image repositories in your public registry and store images in them. For more information, see [Amazon ECR public registries](#).

Authorization token

Your client must authenticate to a public registry as an AWS user before it can push images to a public repository. For image pulls, Amazon ECR Public accepts both anonymous pulls and pulls

using an authentication token. For more information, see [Registry authentication in Amazon ECR public](#).

Repository

An Amazon ECR image repository contains your Docker images, Open Container Initiative (OCI) images, and OCI compatible artifacts. For more information, see [Amazon ECR public repositories](#).

Repository policy

You can control access to your repositories and the images within them with repository policies. For more information, see [Public repository policies in Amazon ECR Public](#).

Image

You can push and pull container images to your repositories. You can use these images locally on your development system, or you can use them in Amazon ECS task definitions and Amazon EKS pod specifications.

How to get started with Amazon ECR Public

If you've signed up for AWS and have been using Amazon Elastic Container Service (Amazon ECS) or Amazon Elastic Kubernetes Service (Amazon EKS), you are close to being able to use Amazon ECR. The setup process for those two services is similar, as Amazon ECR is an extension of both services. When using the AWS CLI with Amazon ECR, we recommend that you use a version of the AWS CLI that supports the latest Amazon ECR features. If you do not see support for an Amazon ECR feature in the AWS CLI, you should upgrade to the latest version. For more information, see <http://aws.amazon.com/cli/>.

For a quickstart guide on pushing a container image to Amazon ECR Public repository, see [Moving an image through its lifecycle in Amazon ECR Public](#).

Amazon ECR Public Gallery

The Amazon ECR Public Gallery is a public website to find and share container images hosted in Amazon ECR public repositories. There is no authentication required to browse the public repositories and pull the images. Visit the Amazon ECR Public Gallery at <https://gallery.ecr.aws>.

Amazon ECR users create public repositories and define the catalog data that appears in the Amazon ECR Public Gallery. The catalog data includes the repository name, a short description, a more detailed description on the **About** tab, and detailed usage instructions on the **Usage** tab. AWS accounts that publish popular or commonly used images can request a **Verified account** badge by contacting support. For more information, see [Creating a support case](#).

The Amazon ECR Public Gallery provides search filters that make it easy to browse through the public repositories. The available search filters include verified accounts, supported operating systems, and system architectures. You can also use the search option to find a specific repository.

You can launch some Amazon ECR Public Gallery container images as web services running on AWS App Runner. When browsing the gallery, look for **Launch to AWS App Runner** on an image's gallery page. An image with this option is a web application that App Runner supports. For more information, see [Launch an App Runner service directly from the Amazon ECR Public Gallery](#) in the *App Runner developer guide*.

To get started with creating your own public repository, see [Moving an image through its lifecycle in Amazon ECR Public](#).

Making requests to Amazon ECR Public registries

You can push, pull, delete, view, and manage OCI images, Docker images, and OCI-compatible artifacts in Amazon ECR Public registries using either IPv4-only endpoints or dual-stack (IPv4 and IPv6) endpoints. For making requests from IPv4 networks, you can use either dual-stack or IPv4 endpoints. For making requests from an IPv6 network, use a dual-stack endpoint. For more information about making requests to Amazon ECR private registries using IPv4 and dual-stack endpoints, see [Making requests to Amazon ECR registries](#). There are no additional charges for accessing Amazon ECR Public over IPv6. For more information about pricing, see [Amazon Elastic Container Registry pricing](#).

Amazon ECR Public endpoints are designated by attributes beyond IPv4-only endpoint or dual-stack endpoints support. These attributes can include:

- **Region** – Each endpoint is specific to a Region.
- **Type** – Endpoint selection depends on whether you're using the AWS SDK or OCI-compatible and Docker command line interfaces.

For more information about service endpoints supported by IPv4, dual-stack, Docker, and OCI client, which handles Amazon ECR Public API calls from AWS CLI and AWS SDKs see, [Service endpoints](#).

Getting started with making requests over IPv6

To make a request to an Amazon ECR Public registry over IPv6, you need to use a dual-stack endpoint. Before accessing an Amazon ECR Public registry over IPv6, verify the following requirements:

- Your client and network must support IPv6.
- Amazon ECR Public supports the following request types over IPv6:
 - OCI and Docker client requests:

```
ecr-public.aws.com
```

- AWS API requests

```
ecr-public.us-east-1.api.aws
```

- You must update any AWS Identity and Access Management (IAM) or registry policies that use source IP address filtering to include IPv6 address ranges. For more information, see [Using IPv6 addresses in IAM policies](#).
- When you use IPv6, server access logs display Remote IP addresses in IPv6 format. Update your existing tools, scripts, and software to parse these IPv6-formatted IP addresses.

Note

If you experience issues related to the presence of IPv6 addresses in log files, contact [AWS Support](#).

Testing IP address compatibility

If you are using Linux/Unix or Mac OS X, you can test whether you can access a dual-stack endpoint over IPv6 by using the `curl` command as shown in the following example:

Example

```
curl -v https://ecr-public.us-east-1.api.aws
```

You get back information similar to the following example. If you are connected over IPv6 the connected IP address will be an IPv6 address.

```
* About to connect() to ecr-public.us-east-1.api.aws port 80 (#0)
* Trying IPv6 address... connected
* Connected to ecr-public.us-east-1.api.aws (IPv6 address) port 80 (#0)
> GET / HTTP/1.1
> User-Agent: curl/7.18.1 (x86_64-unknown-linux-gnu) libcurl/7.18.1 OpenSSL/1.0.1t
zlib/1.2.3
> Host:ecr-public.us-east-1.api.aws
```

If you are using Microsoft Windows 7 or Windows 10, you can test whether you can access a dual-stack endpoint over IPv6 or IPv4 by using the `ping` command as shown in the following example.

```
ping ipv6.ecr-public.us-east-1.api.aws
```

Making requests over IPv6 by using dual-stack endpoints

You can make Amazon ECR Public API calls over IPv6 using dual-stack endpoints. The functionality and performance of Amazon ECR Public API operations remain consistent whether you use IPv4 or IPv6.

When you use the AWS Command Line Interface (AWS CLI) and AWS SDKs, you can enable IPv6 either by using a parameter or flag to switch to a dual-stack endpoint, or by directly specifying the dual-stack endpoint in your config file to override the default Amazon ECR endpoint. The following example shows how to make requests over IPv6 by using the AWS CLI.

Example Making requests over IPv6 using the AWS CLI

```
aws ecr-public describe-repositories --region us-east-1 --endpoint-url  
https://ecr-public.us-east-1.api.aws
```

Using Amazon ECR Public endpoints from the docker CLI

After you sign in to your Amazon ECR Public repository and tag your image, you can push and pull OCI containers and Docker images to and from Amazon ECR Public registries. The following examples demonstrate docker push and docker pull commands with both dual-stack endpoints.

Example Pushing docker images using IPv4 endpoint

```
docker push public.ecr.aws/<public-registry-alias>/my-repository:tag
```

Example Pushing docker images using dual-stack endpoint

```
docker push ecr-public.aws.com/<public-registry-alias>/my-repository:tag
```

Example Pulling docker images using IPv4 endpoint

```
docker pull public.ecr.aws/<public-registry-alias>/my-repository:tag
```

Example Pulling docker images using dual-stack endpoint

```
docker pull ecr-public.aws.com/<public-registry-alias>/my-repository:tag
```

Using IPv6 addresses in IAM policies

Before you access a registry using IPv6, ensure that your IAM user and Amazon ECR registry policies that use IP address filtering include IPv6 address ranges. If IP address filtering policies aren't

updated to handle IPv6 addresses, clients might incorrectly lose or gain access to the registry when they start using IPv6. For more information about managing access permissions with IAM, see [Identity and Access Management for Amazon ECR Public](#).

IAM policies that filter IP addresses use [IP Address Condition Operators](#). The following registry policy example shows how to identify the `54.240.143.*` range of allowed IPv4 addresses by using IP address condition operators. Any IP addresses outside of this range are denied access to the registry (`exampleregistry`). Because all IPv6 addresses are outside of the allowed range, this policy prevents IPv6 addresses from accessing `exampleregistry`.

JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "IPAllow",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "ecr-public:*",
      "Resource": "arn:aws:ecr-public::exampleregistry/*",
      "Condition": {
        "IpAddress": {"aws:SourceIp": "54.240.143.0/24"}
      }
    }
  ]
}
```

To allow both IPv4 (`54.240.143.0/24`) and IPv6 (`2001:DB8:1234:5678::/64`) address ranges, modify the registry policy's Condition element as shown in the following example. You can use this Condition block format to update both your IAM user and registry policies.

```
"Condition": {
  "IpAddress": {
    "aws:SourceIp": [
      "54.240.143.0/24",
      "2001:DB8:1234:5678::/64"
    ]
  }
}
```

```
}
```

 Important

Before using IPv6 you must update all relevant IAM user and registry policies that use IP address filtering. We don't recommend using IP address filtering in registry policies.

You can review your IAM user policies using the IAM console at <https://console.aws.amazon.com/iam/>. For more information about IAM, see the [IAM User Guide](#).

Moving an image through its lifecycle in Amazon ECR Public

This quick start guide walks you through the steps needed to create a Docker image, publish the image to a public repository, pull the image down from the Amazon ECR Public Gallery, and then clean up the resources using the Docker CLI and the AWS CLI.

To use the AWS Management Console instead of the AWS CLI, see [the section called “Creating a public repository”](#).

For more information on the other tools available for managing your AWS resources, including the different AWS SDKs, IDE toolkits, and the Windows PowerShell command line tools, see <http://aws.amazon.com/tools/>.

Prerequisites

If you do not have the latest AWS CLI and Docker installed and ready to use, use the following steps to install both of these tools.

Install the AWS CLI

To use the AWS CLI with Amazon ECR, install the latest AWS CLI version. For information, see [Installing the AWS Command Line Interface](#) in the *AWS Command Line Interface User Guide*.

Install Docker

Docker is available on many different operating systems, including most modern Linux distributions, like Ubuntu, and even macOS and Windows. For more information about how to install Docker on your particular operating system, go to the [Docker installation guide](#).

You do not need a local development system to use Docker. If you are using Amazon EC2 already, you can launch an Amazon Linux 2023 instance and install Docker to get started.

If you already have Docker installed, skip to [Step 1: Create a Docker image](#).

To install Docker on an Amazon EC2 instance using an Amazon Linux 2023 AMI

1. Launch an instance with the latest Amazon Linux 2023 AMI. For more information, see [Launching an instance](#) in the *Amazon EC2 User Guide*.

2. Connect to your instance. For more information, see [Connect to Your Linux Instance](#) in the *Amazon EC2 User Guide*.
3. Update the installed packages and package cache on your instance.

```
sudo yum update -y
```

4. Install the most recent Docker Community Edition package.

```
sudo yum install docker
```

5. Start the Docker service.

```
sudo service docker start
```

6. Add the `ec2-user` to the `docker` group so you can execute Docker commands without using `sudo`.

```
sudo usermod -a -G docker ec2-user
```

7. Log out and log back in again to pick up the new `docker` group permissions. You can accomplish this by closing your current SSH terminal window and reconnecting to your instance in a new one. Your new SSH session will have the appropriate `docker` group permissions.
8. Verify that the `ec2-user` can run Docker commands without `sudo`.

```
docker info
```

Note

In some cases, you may need to reboot your instance to provide permissions for the `ec2-user` to access the Docker daemon. Try rebooting your instance if you see the following error:

```
Cannot connect to the Docker daemon. Is the docker daemon running on this host?
```

Step 1: Create a Docker image

In this step, you create a Docker image of a simple web application, and test it on your local system or Amazon EC2 instance.

To create a Docker image of a simple web application

1. Create a file called `Dockerfile`. A Dockerfile is a manifest that describes the base image to use for your Docker image and what you want installed and running on it. For more information about Dockerfiles, go to the [Dockerfile Reference](#).

```
touch Dockerfile
```

2. Edit the Dockerfile you just created and add the following content.

```
FROM public.ecr.aws/amazonlinux/amazonlinux:latest

# Install dependencies
RUN yum update -y && \
    yum install -y httpd

# Install apache and write hello world message
RUN echo 'Hello World!' > /var/www/html/index.html

# Configure apache
RUN echo 'mkdir -p /var/run/httpd' >> /root/run_apache.sh && \
    echo 'mkdir -p /var/lock/httpd' >> /root/run_apache.sh && \
    echo '/usr/sbin/httpd -D FOREGROUND' >> /root/run_apache.sh && \
    chmod 755 /root/run_apache.sh

EXPOSE 80

CMD /root/run_apache.sh
```

This Dockerfile uses the public Amazon Linux 2 image hosted on Amazon ECR Public. The RUN instructions update the package caches, install some software packages for the web server, and then write the "Hello World!" content to the web servers document root. The EXPOSE instruction exposes port 80 on the container, and the CMD instruction starts the web server.

3. Build the Docker image from your Dockerfile.

Note

Some versions of Docker may require the full path to your Dockerfile in the following command, instead of the relative path shown below.

```
docker build -t hello-world .
```

4. List your container image.

```
docker images --filter reference=hello-world
```

Output:

REPOSITORY	TAG	IMAGE ID	CREATED
hello-world	latest	e9ffedc8c286	4 minutes ago
SIZE			
194MB			

5. Run the newly built image. The `-p 80:80` option maps the exposed port 80 on the container to port 80 on the host system. For more information about **docker run**, go to the [Docker run reference](#).

```
docker run -t -i -p 80:80 hello-world
```

Note

Output from the Apache web server is displayed in the terminal window. You can ignore the "Could not reliably determine the fully qualified domain name" message.

- 6.**
- Open a browser and point to the server that is running Docker and hosting your container.
- If you are using an EC2 instance, this is the **Public DNS** value for the server, which is the same address you use to connect to the instance with SSH. Make sure that the security group for your instance allows inbound traffic on port 80.
 - If you are running Docker locally, point your browser to <http://localhost/>.

- If you are using **docker-machine** on a Windows or Mac computer, find the IP address of the VirtualBox VM that is hosting Docker with the **docker-machine ip** command, substituting *machine-name* with the name of the docker machine you are using.

```
docker-machine ip machine-name
```

You should see a web page with your "Hello World!" statement.

7. Stop the Docker container by typing **Ctrl + c**.

Step 2: Authenticate to the public registry

After you have installed and configured the AWS CLI, authenticate the Docker CLI to your public registry. That way, the **docker** command can push to and pull images from an Amazon ECR public repository. The AWS CLI provides a **get-login-password** command to simplify the authentication process.

To authenticate Docker to an Amazon ECR public registry with **get-login-password**, run the **aws ecr-public get-login-password --region us-east-1** command. The Amazon ECR Public registry requires authentication in the `us-east-1` Region, so you need to specify `--region us-east-1` each time you authenticate. The authentication token received gives you access to each public registry your IAM principal has access to. When passing the authentication token to the **docker login** command, use the value `AWS` for the username and specify `public.ecr.aws`, which is the common public registry URI.

Important

If you receive an error, install or upgrade to the latest version of the AWS CLI. For more information, see [Installing the AWS Command Line Interface](#) in the *AWS Command Line Interface User Guide*.

```
aws ecr-public get-login-password --region us-east-1 | docker login --username AWS --password-stdin public.ecr.aws
```

Step 3: Create a public repository

Now that you have an image to push to Amazon ECR Public, you can create a public repository. In this example, you create a public repository called `ecr-tutorial` to which you later push the `hello-world:latest` image. All public repositories that contain an image are publicly visible in the Amazon ECR Public Gallery so we will specify some catalog data for the repository.

Create a file named `repositorycatalogdata.json` with the following contents. For this tutorial we are going to include a repository logo, which is named `myrepoimage.png` and is in the same directory as the `repositorycatalogdata.json` file we are creating.

Note

When creating a repository logo, the supported image dimensions for both height and width should be a minimum of 60 pixels and a maximum of 2048 pixels. The maximum logo file size is 500 KB.

```
{
  "description": "This is a test repo for an Amazon ECR tutorial.",
  "architectures": [
    "x86"
  ],
  "operatingSystems": [
    "Linux"
  ],
  "logoImageBlob": "$(cat myrepoimage.png |base64 -w 0)",
  "aboutText": "This repository is used as a tutorial only.",
  "usageText": "This repository is not for public use."
}
```

Use the catalog data file we just created to run the following `create-repository` command. Your repository URI is included in the response, which you will need in the next step for pushing an image to the repository.

```
aws ecr-public create-repository \
  --repository-name ecr-tutorial \
  --catalog-data file://repositorycatalogdata.json \
  --region us-east-1
```

Step 4: Push an image to Amazon ECR Public

Now you can push your image to the Amazon ECR public repository you created in the previous section. You use the Docker CLI to push images, but there are a few prerequisites that must be satisfied for this to work properly:

- The Amazon ECR Public authorization token has been configured with **docker login**.
- The Amazon ECR public repository exists and the user has access to push to the repository.

After those prerequisites are met, you can push your image to your newly created repository in the default registry for your account.

To tag and push an image to Amazon ECR Public

1. List the images you have stored locally to identify the image to tag and push.

```
docker images
```

Output:

REPOSITORY	TAG	IMAGE ID	CREATED
hello-world	latest	e9ffedc8c286	4 minutes ago
VIRTUAL SIZE			
241MB			

2. Tag the image to push to your repository with your public repository URI which was in the response to the `create-repository` call you made in the previous step.

```
docker tag hello-world:latest public.ecr.aws/registry_alias/ecr-tutorial
```

3. Push the image.

```
docker push public.ecr.aws/registry_alias/ecr-tutorial
```

Output:

```
The push refers to a repository [public.ecr.aws/registry_alias/ecr-tutorial] (len: 1)
e9ae3c220b23: Pushed
```

```
a6785352b25c: Pushed
0998bf8fb9e9: Pushed
0a85502c06c9: Pushed
latest: digest: sha256:215d7e4121b30157d8839e81c4e0912606fca105775bb0636b95EXAMPLE
size: 1569
```

Step 5: Pull an image from the Amazon ECR Public Gallery

After your image has been pushed to your Amazon ECR public repository, you can pull it from other locations. It is considered best practice to authenticate prior to pulling images from the public gallery. If you need to reauthenticate, see [Step 2: Authenticate to the public registry](#).

Note

Unauthenticated pulls are allowed, but have a lower rate limit than authenticated pulls. For more information, see [Amazon ECR Public service quotas](#).

View your repository on the Amazon ECR Public Gallery.

```
https://gallery.ecr.aws/registry_alias/ecr-tutorial
```

```
docker pull public.ecr.aws/registry_alias/ecr-tutorial/hello-world:latest
```

Step 6: Delete a public image

If you decide that you no longer need or want an image in one of your repositories, you can delete it with the **batch-delete-image** command. To delete an image, you must specify the repository that it is in and either a `imageTag` or `imageDigest` value for the image. The example below deletes an image in the `hello-world` repository with the image tag `latest`.

```
aws ecr-public batch-delete-image \
  --repository-name ecr-tutorial \
  --image-ids imageTag=latest \
  --region us-east-1
```

Step 7: Delete a public repository

If you decide that you no longer need or want an entire repository of images, you can delete the repository. By default, you cannot delete a repository that contains images; however, the `--force` flag allows this. To delete a repository that contains images (and all the images within it), run the following command.

```
aws ecr-public delete-repository \  
  --repository-name ecr-tutorial \  
  --force \  
  --region us-east-1
```

Amazon ECR public registries

Amazon ECR public registries host your container images in a highly available and scalable architecture, allowing you to deploy containers reliably for your applications. You can use your public registry to manage public image repositories consisting of Docker and Open Container Initiative (OCI) images. Each AWS account is provided with a default public and private Amazon ECR registry. For information about private registries, see [Amazon ECR registries](#) in the *Amazon Elastic Container Registry User Guide*.

Topics

- [Public registry concepts](#)
- [Registry authentication in Amazon ECR public](#)
- [Required IAM permissions for Amazon ECR public registries](#)
- [Updating registry settings in Amazon ECR public](#)

Public registry concepts

The following concepts apply to your public registry.

- A default alias is assigned to your public registry after creating your first public repository. A custom alias can be requested in the public registry settings in the Amazon ECR console.
- Each repository you create in your public registry is available publicly in the Amazon ECR Public Gallery. The Amazon ECR Public Gallery is available at `https://gallery.ecr.aws`. The URL to access a repository in your public registry on the Amazon ECR Public Gallery is `https://gallery.ecr.aws/registry_alias/repository_name`.

Note

Any active alias for your public registry can be used. This includes both the default alias and custom alias for your public registry.

- The URI to use when pulling images from a repository in your public registry is `public.ecr.aws/registry_alias/repository_name:image_tag`.

Note

Any active alias for your public registry can be used. This includes both the default alias and custom alias for your public registry.

- By default, your account has read and write access to the repositories in your private registry. However, users require permissions to make calls to the Amazon ECR APIs and to push images to your repositories. Anyone will be able to pull images from your public repository from the Amazon ECR Public Gallery.

Important

If you've previously authenticated to Amazon ECR Public, if your auth token has expired you may receive an authentication error when attempting to do unauthenticated docker pulls from Amazon ECR Public. To resolve this issue, it may be necessary to run `docker logout public.ecr.aws` to avoid the error. This will result in an unauthenticated pull. For more information, see [Authentication issues](#).

- You must authenticate your Docker client to your public registry so that you can use the **docker push** command to push images to the repositories in your public registry. For more information, see [Registry authentication in Amazon ECR public](#).
- Repositories can be controlled with both IAM user access policies and repository policies. For more information about repository policies, see [Public repository policies in Amazon ECR Public](#).

Registry authentication in Amazon ECR public

You can use the AWS Management Console, the AWS CLI, or the AWS SDKs to create and manage public repositories. You can also use those methods to perform some actions on images, such as listing or deleting them. These clients use standard AWS authentication methods. Although technically you can use the Amazon ECR Public API to push and pull images, you are much more likely to use the Docker CLI or a language-specific Docker library.

The Docker CLI does not support native IAM authentication methods. Additional steps must be taken so that Amazon ECR can authenticate and authorize Docker push and pull requests.

The following registry authentication methods are available.

Using an authorization token

The permission scope of an authorization token matches that of the IAM principal used to retrieve the authentication token. An authentication token is used to access any Amazon ECR public registry that your IAM principal has access to and is valid for 12 hours. The authentication token is also used to pull any images from a public repository on the Amazon ECR Public Gallery. To obtain an authorization token, you must use the [GetAuthorizationToken](#) API operation to retrieve a base64-encoded authorization token containing the username `AWS` and an encoded password. The AWS CLI `get-login-password` command simplifies this by retrieving and decoding the authorization token which you can then pipe into a `docker login` command to authenticate.

To authenticate Docker to an Amazon ECR registry with `get-login-password`

To authenticate Docker to an Amazon ECR registry with `get-login-password`, run the `aws ecr-public get-login-password` command. When passing the authentication token to the `docker login` command, use the value `AWS` for the username and specify the Amazon ECR registry URI you want to authenticate to. When authenticating to a public registry, always authenticate to the `us-east-1` Region when using the AWS CLI.

Important

If you receive an error, install or upgrade to the latest version of the AWS CLI. For more information, see [Installing the AWS Command Line Interface](#) in the *AWS Command Line Interface User Guide*.

[get-login-password](#) (AWS CLI)

```
aws ecr-public get-login-password --region us-east-1 | docker login --username AWS --password-stdin public.ecr.aws
```

Using HTTP API authentication

Amazon ECR Public supports the [Docker Registry HTTP API](#), with the exception of the tags API. However, you must provide an authorization token with every HTTP request. You can add an HTTP authorization header using the `-H` option for `curl` and pass the authorization token provided by the `get-authorization-token` AWS CLI command.

To authenticate with the Amazon ECR HTTP API

1. Retrieve an authorization token with the AWS CLI and set it to an environment variable.

```
TOKEN=$(aws ecr-public get-authorization-token --region us-east-1 --output=text --query 'authorizationData.authorizationToken')
```

2. To authenticate to the API, pass the \$TOKEN variable to the -H option of **curl**. For example, the following command lists the manifest details for an image in an Amazon ECR public repository. For more information, see the [Docker Registry HTTP API](#) reference documentation.

```
curl -i -H "Authorization: Bearer $TOKEN" https://public.ecr.aws/v2/registry_alias/repository_name/manifests/image_tag
```

Output:

```
HTTP/1.1 200 OK
Date: Mon, 30 Nov 2020 16:20:09 GMT
Content-Type: application/vnd.docker.distribution.manifest.v2+json
Content-Length: 1569
Connection: keep-alive
Docker-Distribution-Api-Version: registry/2.0

{
  "schemaVersion": 2,
  "mediaType": "application/vnd.docker.distribution.manifest.v2+json",
  "config": {
    "mediaType": "application/vnd.docker.container.image.v1+json",
    "size": 3854,
    "digest":
"sha256:2599adbc30c28b1ee5f25a5ebabcc40a37eb81bd89e6f837989ce0fEXAMPLE"
  },
  "layers": [
    {
      "mediaType": "application/vnd.docker.image.rootfs.diff.tar.gzip",
      "size": 26708056,
      "digest":
"sha256:f22ccc0b8772d8e1bcb40f137b373686bc27427a70c0e41dd22b3801EXAMPLE"
    },
    {
      "mediaType": "application/vnd.docker.image.rootfs.diff.tar.gzip",
      "size": 850,
```

```
    "digest":
      "sha256:3cf8fb62ba5fffb221a2edb2208741346eb4d2d99a174138e4afbb69ceEXAMPLE"
    },
    {
      "mediaType": "application/vnd.docker.image.rootfs.diff.tar.gzip",
      "size": 162,
      "digest":
        "sha256:e80c964ece6a3edf0db1cfc72ae0e6f0699fb776bbfcc92b708fbb945EXAMPLE"
    },
    {
      "mediaType": "application/vnd.docker.image.rootfs.diff.tar.gzip",
      "size": 56322511,
      "digest":
        "sha256:9f379ca76d09bc8d1647896e7dc2d9de21b772fd49cb9f21114de76EXAMPLE"
    },
    {
      "mediaType": "application/vnd.docker.image.rootfs.diff.tar.gzip",
      "size": 190,
      "digest":
        "sha256:d8a5f6eb23fabfe50ebb6facb8c46aa2b2ca0b3a455fe631c312034EXAMPLE"
    },
    {
      "mediaType": "application/vnd.docker.image.rootfs.diff.tar.gzip",
      "size": 207,
      "digest":
        "sha256:69c1ea2550a94189f95691ed2538c44a2635f988b7cf0d5425f5b4aEXAMPLE"
    }
  ]
}
```

Required IAM permissions for Amazon ECR public registries

When editing your Amazon ECR public registry settings, the IAM principal must have permission to call the `ecr-public:PutRegistryPolicy` API for registry-level operations.

Note

Setting a **Display name** for your Amazon ECR public registry doesn't require any additional permissions.

The following IAM policy can be added as an inline policy to the principal performing the public registry edit. Replace the example AWS account ID in this example with your own account ID.

JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "ecr-public:PutRegistryCatalogData",
      "Resource": "arn:aws:ecr-public::123456789012:registry/*"
    }
  ]
}
```

Updating registry settings in Amazon ECR public

Your public registry provides settings to configure a custom alias and display name.

By default, your public registry is assigned a **default alias** after your first public repository is created. You can request a **custom alias** for your registry, and if approved, both the default alias and custom alias can be used to access your public repositories. The registry **display name** appears on each repository in the Amazon ECR Public Gallery as well.

When requesting a custom alias, the following words or phrases should be avoided:

- An alias that includes `aws`, `amazon`, or the name of an AWS service
- An alias using a company name for which you do not have permission to use
- Generic names, such as `test`, `public`, and `marketplace`
- Offensive, inappropriate, or non-inclusive words and phrases

Prerequisites

Before you can update your public registry settings in Amazon ECR, you must first have the required IAM permissions. See, [Required IAM permissions for Amazon ECR public registries](#) to ensure you have the necessary permissions before continuing with the steps outlined on this page.

Update your registry settings

Use the following steps to edit your public registry settings.

To edit public registry settings (AWS Management Console)

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/>.
2. From the navigation bar, choose the Region to edit your public registry settings in.
3. In the navigation pane, choose **Registries**.
4. On the **Registries** page, select your **Public** registry and then choose **Edit**.
5. For **Custom alias**, enter a custom alias to request.
6. For **Display name**, enter a display name for your registry.
7. Choose **Save changes**.

Amazon ECR public repositories

Amazon Elastic Container Registry provides API operations to create, monitor, and delete public image repositories and set permissions that control who can push images to them. You can perform the same actions in the **Repositories** section of the Amazon ECR console. Amazon ECR integrates with the Docker CLI to push images from your development environments to your public repositories.

A public repository is open to pull images from and is visible on the Amazon ECR Public Gallery. When you create a public repository, you specify catalog data that helps users find and use your images. For more information about the Amazon ECR Public Gallery, see [Amazon ECR Public Gallery](#).

Topics

- [Public repository concepts](#)
- [Creating an Amazon ECR public repository to store images](#)
- [Editing an Amazon ECR public repository](#)
- [Specifying the repository catalog data in Amazon ECR public](#)
- [Viewing the contents and details of a repository in Amazon ECR public](#)
- [Deleting a public repository policy statement Amazon ECR public](#)
- [Public repository policies in Amazon ECR Public](#)
- [Tag an Amazon ECR Public repository](#)

Public repository concepts

- The public repositories that you create with images appear publicly on the Amazon ECR Public Gallery. Visit the Amazon ECR Public Gallery at <https://gallery.ecr.aws>. For more information, see [Amazon ECR Public Gallery](#).
- By default, your account has read and write access to the repositories in your public registry. However, users require permissions to make calls to the Amazon ECR APIs and to push images to your repositories.
- Public repositories can be controlled with both IAM user access policies and repository policies. For more information, see [Public repository policies in Amazon ECR Public](#).

Creating an Amazon ECR public repository to store images

Before you can push your Docker or Open Container Initiative (OCI) images to Amazon ECR, you must create a repository to store them in. Public repositories are visible on the Amazon ECR Public Gallery and are open to publicly pull images from. If you want to create a private repository instead, see [Repositories](#) in the *Amazon Elastic Container Registry User Guide*.

To create a public repository (AWS Management Console)

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/>.
2. From the navigation bar, choose the AWS Region to create your public repository in.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, choose **Create repository**.
5. For **Visibility settings**, choose **Public**.
6. For **Repository name**, enter a unique name for your public repository. The repository name can be specified on its own (for example, `nginx-web-app`) or prepended with a namespace to group the repository into a category (for example, `project-a/nginx-web-app`).

Note

The repository name may contain a maximum of 205 characters. The name must start with a letter and can only contain lowercase letters, numbers, hyphens, underscores, periods and forward slashes. Using a double hyphen, double underscore, or double forward slash isn't supported.

7. For **Repository logo**, choose **Upload file** and select a local image file to use as the repository logo. Amazon ECR uploads your logo as a base64-encoded payload to a publicly available Amazon S3 bucket.

Note

The repository logo is only publicly visible in the Amazon ECR Public Gallery for verified accounts. A verified account is an account that is AWS Marketplace certified.

8. For **Short description** enter a description of the repository. The description field is displayed on the Amazon ECR Public Gallery in the search results and on the repository detail page.

9. For **Content types** select the operating system and system architecture tags to associate with the repository. These tags are publicly displayed in the Amazon ECR Public Gallery as badges on the repository and are used as search filters.
10. For **About**, enter a detailed description for the repository. This text should be in Github Flavored Markdown format. For format examples, see [Specifying the repository catalog data in Amazon ECR public](#). This field is publicly visible on the Amazon ECR Public Gallery on the repository detail page.
11. For **Usage**, enter details about how to use the images in the repository. This text should be in Github Flavored Markdown format. For format examples, see [Specifying the repository catalog data in Amazon ECR public](#). This field is publicly visible on the Amazon ECR Public Gallery on the repository detail page.
12. Choose **Create repository**.

Next steps

To view the steps to push an image to your repository, select the repository and choose **View push commands**. For more information about pushing an image to your repository, see [Pushing an image to a public repository in Amazon ECR public](#).

Editing an Amazon ECR public repository

An existing public repository can be edited to change the catalog data details that are visible in the Amazon ECR Public Gallery.

To edit a repository

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/repositories>.
2. From the navigation bar, choose the Region that the repository to edit is in.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, select the **Public** tab, and then select the repository to edit and choose **Edit**.
5. For **Repository logo**, if your repository doesn't have a logo, then choose **Upload file** and select a local image file to use as the repository logo. If your repository has a logo currently, choose **Replace file** to choose a new logo file. Choose **Reset** to reset your logo selection.

Note

The repository logo is only publicly visible in the Amazon ECR Public Gallery for verified accounts.

6. For **Short description** edit the description of the repository. The description field is displayed on the Amazon ECR Public Gallery in the search results and on the repository detail page.
7. For **Content types** select the operating system and system architecture tags to associate with the repository. These tags are publicly displayed in the Amazon ECR Public Gallery as badges on the repository and are used as search filters.
8. For **About**, enter a detailed description for the repository. This field is publicly visible on the Amazon ECR Public Gallery on the repository detail page. This text must be in the GitHub Flavored Markdown format. For examples, see [Specifying the repository catalog data in Amazon ECR public](#).
9. For **Usage**, enter details about how to use the images in the repository. This field is publicly visible on the Amazon ECR Public Gallery on the repository detail page. This text must be in the GitHub Flavored Markdown format. For examples, see [Specifying the repository catalog data in Amazon ECR public](#).
10. Choose **Save** to update the repository settings.

Specifying the repository catalog data in Amazon ECR public

When you create a public repository, you specify the catalog data that helps users find, understand, and use the images in the repository. The catalog data that you configure for a public repository includes a short description, the operating system and system architecture compatibilities, an optional logo, an **About** section that provides a more detailed description, and an **Usage** section that provides details on how to use the images.

When you specify a logo, the logo is specified as a blob that's a base64-encoded string. The supported image dimensions for both height and width must be at least 60 pixels but can be up to 2048 pixels long. The maximum file size is 500 KB. To generate a blob from an existing PNG file, run the following command.

```
cat myrepoimage.png | base64
```

The text for the **About** and **Usage** must be in the GitHub Flavored Markdown format. When using the API, SDK, or AWS CLI to format the text, use `/n` to indicate a line break.

The following table provides examples for specifying certain element types in the About and Usage sections of your repository catalog data.

Examples

The following are examples of how to format the **About** and **Usage** repository catalog data so that it appears properly on the Amazon ECR Public Gallery.

Topics

- [Example: Headings](#)
- [Example: Text formatting](#)
- [Example: Code formatting](#)
- [Example: Links](#)
- [Example: Lists](#)
- [Example: Full About description](#)
- [Example: Full Usage description](#)

Example: Headings

Headings are designated by the number sign (#). A single number sign and a space indicate a top-level heading, two number signs create a second-level heading, and three number signs create a third-level heading. This is illustrated in the following examples.

AWS Management Console

The following example is the format for headings in the console.

```
# Heading level one

Body text

## Heading level two

Body text

### Heading level three
```

```
Body text
```

AWS CLI

The following example is the format to use for headings in the AWS CLI.

```
# Heading level one\n\nBody text\n\n## Heading level two\n\nBody text\n\n### Heading level three\n\nBody text\n\n#### Heading level four\n\nBody text
```

Example: Text formatting

You can use the following syntax to apply italics, bold, or strikethrough to text. The syntax is the same for both the console and the AWS CLI.

```
*This text appears in italics*
```

```
**This text appears in bold**
```

```
~~This text appears in strikethrough~~
```

Example: Code formatting

You can use the following syntax for single-line and multi-line code blocks. The syntax is the same for both the console and the AWS CLI.

```
`code text`
```

```
```\nmulti-line\ncodeblock\n```\n
```

## Example: Links

You can create a clickable web link by surrounding the `link_text` with square brackets and surrounding the full URL with parentheses. The syntax for is the same for both the console and the AWS CLI.

[What is Amazon Elastic Container Registry?](https://docs.aws.amazon.com/AmazonECR/latest/userguide/what-is-ecr.html)

## Example: Lists

To format lines as part of a bulleted list, enter them on separate lines with a single asterisk and then a space at the beginning of the line. To format lines as part of a numbered list, enter them on separate lines with a number, period, and space at the beginning of the line.

### AWS Management Console

The following example is the format to use for lists in the console.

```
* Bullet 1
* Bullet 2
* Bullet 3
```

```
1. Step one
2. Step two
3. Step three
```

### AWS CLI

The following example is the format to use for lists in the AWS CLI.

```
* Bullet 1\n* Bullet 2\n* Bullet 3
```

```
1. Step one\n2. Step two\n3. Step three
```

## Example: Full About description

The following screenshot from the Amazon ECR Public Gallery displays how an **About** section is constructed. This section covers the format to use for this text when using both the AWS Management Console and the AWS CLI.

[About](#)[Usage](#)[Image tags](#)

## Quick reference

Maintained by: [the Amazon Linux Team](#)

Where to get help: [the Docker Community Forums](#), [the Docker Community Slack](#), or [Stack Overflow](#)

## Supported tags and respective dockerfile links

- [2.0.20200722.0](#), [2](#), [latest](#)
- [2.0.20200722.0-with-sources](#), [2-with-sources](#), [with-sources](#)
- [2018.03.0.20200602.1](#), [2018.03](#), [1](#)
- [2018.03.0.20200602.1-with-sources](#), [2018.03-with-sources](#), [1-with-sources](#)

## What is Amazon Linux?

Amazon Linux is provided by Amazon Web Services. It is designed to provide a stable, secure, and high-performance execution environment for applications running on Amazon EC2. The full distribution includes packages that enable easy integration with Amazon Web Services, including launch configuration tools and many popular Amazon Web Services libraries and tools. Amazon Web Services provides ongoing security and maintenance updates to all instances running Amazon Linux.

The Amazon Linux container image contains a minimal set of packages. To install additional packages, [use yum](#).

Amazon Web Services provides two versions of Amazon Linux: [Amazon Linux 2](#) and [Amazon Linux AMI](#).

For information on security updates for Amazon Linux, please refer to [Amazon Linux 2 Security Advisories](#) and [Amazon Linux AMI Security Advisories](#). Note that Docker Hub's vulnerability scanning for Amazon Linux is currently based on RPM versions, which does not reflect the state of backported patches for vulnerabilities.

## Where can I run Amazon Linux container images?

You can run Amazon Linux container images in any Docker based environment. Examples include, your laptop, in Amazon EC2 instances, and Amazon ECS clusters.

## License

Amazon Linux is available under the [GNU General Public License, version 2.0](#). Individual software packages are available under their own licenses; run `rpm -qi [package name]` or check `/usr/share/doc/[package name]-*` and `/usr/share/licenses/[package name]-*` for details.

As with all Docker images, these likely also contain other software which may be under other licenses (such as Bash, etc from the base distribution, along with any direct or indirect dependencies of the primary software being contained).

Some additional license information which was able to be auto-detected might be found in [the repo-info repository's amazonlinux/ directory](#).

## Security

For information on security updates for Amazon Linux, please refer to [Amazon Linux 2 Security Advisories](#) and [Amazon Linux AMI Security Advisories](#). Note that Docker Hub's vulnerability scanning for Amazon Linux is currently based on RPM versions, which does not reflect the state of backported patches for vulnerabilities.

## AWS Management Console

The following is the format to use for the preceding screenshot in the console.

```
Quick reference
```

```
Maintained by: [the Amazon Linux Team](https://github.com/aws/amazon-linux-docker-images)
```

Where to get help: [the Docker Community Forums](<https://forums.docker.com/>), [the Docker Community Slack](<https://dockr.ly/slack>), or [Stack Overflow](<https://stackoverflow.com/search?tab=newest&q=docker>)

## Supported tags and respective `dockerfile` links

```
* [`2.0.20200722.0`, `2`, `latest`](https://github.com/amazonlinux/container-images/blob/03d54f8c4d522bf712cffd6c8f9aafba0a875e78/Dockerfile)
* [`2.0.20200722.0-with-sources`, `2-with-sources`, `with-sources`](https://github.com/amazonlinux/container-images/blob/1e7349845e029a2e6afe6dc473ef17d052e3546f/Dockerfile)
* [`2018.03.0.20200602.1`, `2018.03`, `1`](https://github.com/amazonlinux/container-images/blob/f10932e08c75457eeb372bf1cc47ea2a4b8e98c8/Dockerfile)
* [`2018.03.0.20200602.1-with-sources`, `2018.03-with-sources`, `1-with-sources`](https://github.com/amazonlinux/container-images/blob/8c9ee491689d901aa72719be0ec12087a5fa8faf/Dockerfile)
```

## What is Amazon Linux?

Amazon Linux is provided by Amazon Web Services. It is designed to provide a stable, secure, and high-performance execution environment for applications running on Amazon EC2. The full distribution includes packages that enable easy integration with Amazon Web Services, including launch configuration tools and many popular AWS libraries and tools. AWS provides ongoing security and maintenance updates to all instances running Amazon Linux.

The Amazon Linux container image contains a minimal set of packages. To install additional packages, [use `yum`](<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/managing-software.html>).

Amazon Web Services provides two versions of Amazon Linux: [Amazon Linux 2](<https://aws.amazon.com/amazon-linux-2/>) and [Amazon Linux AMI](<https://aws.amazon.com/amazon-linux-ami/>).

For information on security updates for Amazon Linux, please refer to [Amazon Linux 2 Security Advisories](<https://alas.aws.amazon.com/alas2.html>) and [Amazon Linux AMI Security Advisories](<https://alas.aws.amazon.com/>). Note that Docker Hub's vulnerability scanning for Amazon Linux is currently based on RPM versions, which does not reflect the state of backported patches for vulnerabilities.

## Where can I run Amazon Linux container images?

You can run Amazon Linux container images in any Docker based environment. Examples include, your laptop, in Amazon EC2 instances, and Amazon ECS clusters.

**## License**

Amazon Linux is available under the [GNU General Public License, version 2.0](https://github.com/aws/amazon-linux-docker-images/blob/master/LICENSE). Individual software packages are available under their own licenses; run `rpm -qi [package name]` or check `/usr/share/doc/[package name]-\*` and `/usr/share/licenses/[package name]-\*` for details.

As with all Docker images, these likely also contain other software which may be under other licenses (such as Bash, etc from the base distribution, along with any direct or indirect dependencies of the primary software being contained).

Some additional license information which was able to be auto-detected might be found in [the `repo-info` repository's `amazonlinux/` directory](https://github.com/docker-library/repo-info/tree/master/repos/amazonlinux).

**## Security**

For information on security updates for Amazon Linux, please refer to [Amazon Linux 2 Security Advisories](https://alas.aws.amazon.com/alas2.html) and [Amazon Linux AMI Security Advisories](https://alas.aws.amazon.com/). Note that Docker Hub's vulnerability scanning for Amazon Linux is currently based on RPM versions, which does not reflect the state of backported patches for vulnerabilities.

**AWS CLI**

The following is the format to use for the preceding screenshot in the AWS CLI.

```
Quick reference\n\nMaintained by: [the Amazon Linux Team](https://github.com/aws/amazon-linux-docker-images)\n\nWhere to get help: [the Docker Community Forums](https://forums.docker.com/), [the Docker Community Slack](https://dockr.ly/slack), or [Stack Overflow](https://stackoverflow.com/search?tab=newest&q=docker)\n\n## Supported tags and respective `dockerfile` links\n\n* [2.0.20200722.0, 2, latest](https://github.com/amazonlinux/container-images/blob/03d54f8c4d522bf712cffd6c8f9aafba0a875e78/Dockerfile)\n* [2.0.20200722.0-with-sources, 2-with-sources, with-sources](https://github.com/amazonlinux/container-images/blob/1e7349845e029a2e6afe6dc473ef17d052e3546f/Dockerfile)\n* [2018.03.0.20200602.1, 2018.03, 1](https://github.com/amazonlinux/container-images/blob/f10932e08c75457eeb372bf1cc47ea2a4b8e98c8/Dockerfile)\n* [2018.03.0.20200602.1-with-sources, 2018.03-with-sources, 1-with-sources](https://github.com/amazonlinux/container-images/blob/8c9ee491689d901aa72719be0ec12087a5fa8faf/Dockerfile)\n\n## What is Amazon Linux?\n\nAmazon Linux is provided by Amazon Web Services (AWS). It is designed to provide a stable, secure, and high-performance execution environment for applications running
```

```
on Amazon EC2. The full distribution includes packages that enable easy integration
with AWS, including launch configuration tools and many popular AWS libraries and
tools. AWS provides ongoing security and maintenance updates to all instances running
Amazon Linux.

The Amazon Linux container image contains a minimal set of packages.
To install additional packages, [use `yum`](https://docs.aws.amazon.com/AWSEC2/latest/
UserGuide/managing-software.html).

AWS provides two versions of Amazon Linux:
[Amazon Linux 2](https://aws.amazon.com/amazon-linux-2/) and [Amazon Linux AMI]
(https://aws.amazon.com/amazon-linux-ami/).

For information on security updates
for Amazon Linux, please refer to [Amazon Linux 2 Security Advisories](https://
alas.aws.amazon.com/alas2.html) and [Amazon Linux AMI Security Advisories](https://
alas.aws.amazon.com/). Note that Docker Hub's vulnerability scanning for Amazon Linux
is currently based on RPM versions, which does not reflect the state of backported
patches for vulnerabilities.

Where can I run Amazon Linux container images?

You can run Amazon Linux container images in any Docker based environment. Examples
include, your laptop, in Amazon EC2 instances, and Amazon ECS clusters.

License

Amazon Linux is available under the [GNU General Public License, version 2.0]
(https://github.com/aws/amazon-linux-docker-images/blob/master/LICENSE). Individual
software packages are available under their own licenses; run `rpm -qi [package name]`
or check `/usr/share/doc/[package name]-*` and `/usr/share/licenses/[package name]-*`
for details.

As with all Docker images, these likely also contain other software
which may be under other licenses (such as Bash, etc from the base distribution, along
with any direct or indirect dependencies of the primary software being contained).

Some additional license information which was able to be auto-detected might be found
in [the `repo-info` repository's `amazonlinux/` directory](https://github.com/docker-
library/repo-info/tree/master/repos/amazonlinux).

Security

For information
on security updates for Amazon Linux, please refer to [Amazon Linux 2 Security
Advisories](https://alas.aws.amazon.com/alas2.html) and [Amazon Linux AMI Security
Advisories](https://alas.aws.amazon.com/). Note that Docker Hub's vulnerability
scanning for Amazon Linux is currently based on RPM versions, which does not reflect
the state of backported patches for vulnerabilities.
```

## Example: Full Usage description

The following screenshot from the Amazon ECR Public Gallery displays how an **Usage** section is constructed. This section covers how to format this text using both the AWS Management Console and the AWS CLI.

[About](#)[Usage](#)[Image tags](#)

## Supported architectures

amd64, arm64v8

## Where can I run Amazon Linux container images?

You can run Amazon Linux container images in any Docker based environment. Examples include, your laptop, in Amazon EC2 instances, and Amazon ECS clusters.

## How do I install a software package from Extras repository in Amazon Linux 2?

Available packages can be listed with the `amazon-linux-extras` command. Packages can be installed with the `amazon-linux-extras install <package>` command. Example: `amazon-linux-extras install rust1`

## Will updates be available for Amazon Linux containers?

Similar to the Amazon Linux images for Amazon EC2 and on-premises use, Amazon Linux container images will get ongoing updates from Amazon in the form of security updates, bug fix updates, and other enhancements. Security bulletins for Amazon Linux are available at <https://alas.aws.amazon.com/>

## Will Amazon Web Services support the current version of Amazon Linux going forward?

Yes; in order to avoid any disruption to your existing applications and to facilitate migration to Amazon Linux 2, Amazon Web Services will provide regular security updates for Amazon Linux 2018.03 AMI and container image for 2 years after the final LTS build is announced. You can also use all your existing support channels such as Amazon Web Services Support and Amazon Linux Discussion Forum to continue to submit support requests.

## AWS Management Console

The following is the format to use for the preceding screenshot in the console.

```
Supported architectures
```

```
amd64, arm64v8
```

```
Where can I run Amazon Linux container images?
```

```
You can run Amazon Linux container images in any Docker based environment. Examples include, your laptop, in Amazon EC2 instances, and Amazon ECS clusters.
```

```
How do I install a software package from Extras repository in Amazon Linux 2?
```

```
Available packages can be listed with the `amazon-linux-extras` command. Packages can be installed with the `amazon-linux-extras install <package>` command. Example: `amazon-linux-extras install rust1`
```

```
Will updates be available for Amazon Linux containers?
```

```
Similar to the Amazon Linux images for Amazon EC2 and on-premises use, Amazon Linux container images will get ongoing updates from Amazon in the form of security updates, bug fix updates, and other enhancements. Security bulletins for Amazon Linux are available at https://alas.aws.amazon.com/
```

```
Will Amazon Web Services support the current version of Amazon Linux going forward?
```

Yes; in order to avoid any disruption to your existing applications and to facilitate migration to Amazon Linux 2, AWS will provide regular security updates for Amazon Linux 2018.03 AMI and container image for 2 years after the final LTS build is announced. You can also use all your existing support channels such as Support and Amazon Linux Discussion Forum to continue to submit support requests.

## AWS CLI

The following is the format to use for the preceding screenshot in the AWS CLI.

```
Supported architectures\n\namd64, arm64v8\n\n## Where can I run Amazon Linux container images?\n\nYou can run Amazon Linux container images in any Docker based environment. Examples include, your laptop, in Amazon EC2 instances, and ECS clusters.\n\n## How do I install a software package from Extras repository in Amazon Linux 2?\n\nAvailable packages can be listed with the `amazon-linux-extras` command. Packages can be installed with the `amazon-linux-extras install <package>` command. Example: `amazon-linux-extras install rust1`\n\n## Will updates be available for Amazon Linux containers?\n\nSimilar to the Amazon Linux images for Amazon EC2 and on-premises use, Amazon Linux container images will get ongoing updates from Amazon in the form of security updates, bug fix updates, and other enhancements. Security bulletins for Amazon Linux are available at https://alas.aws.amazon.com/\n\n## Will Support the current version of Amazon Linux going forward?\n\nYes; in order to avoid any disruption to your existing applications and to facilitate migration to Amazon Linux 2, AWS will provide regular security updates for Amazon Linux 2018.03 AMI and container image for 2 years after the final LTS build is announced. You can also use all your existing support channels such as Support and Amazon Linux Discussion Forum to continue to submit support requests.
```

## Viewing the contents and details of a repository in Amazon ECR public

After you create a public repository, you can view details about it in the AWS Management Console. For each image in the repository, you can view the image size, the URI for pulling the image, the SHA digest, the image tags, and the time when the image was last pushed. You can review the catalog data for the Amazon ECR Public Gallery. You can also see the repository permission policies that are associated with the repository.

**Note**

Beginning with Docker version 1.9, the Docker client compresses image layers before pushing them to a V2 Docker registry. The output of the **docker images** command shows the uncompressed image size. Therefore, the image size that's returned might be larger than the image sizes that are shown in the AWS Management Console.

**To view public repository information**

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/repositories>.
2. From the navigation bar, choose the Region that the repository to view is in.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, select the **Public** tab, and then choose the repository to view the details of.
5. On the **Repositories > *repository\_name*** page, choose **View public listing** to navigate to the repository detail page in the Amazon ECR Public Gallery in a new tab or use the navigation bar to view more details about the repository.
  - Choose **Images** to view information about the images in the repository. If there are untagged images that you want to delete, you can select the box to the left of the repositories to delete and choose **Delete**. For more information, see [Deleting an image in a public repository in Amazon ECR public](#).
  - Choose **Gallery detail** to view the public catalog data for the repository.
  - Choose **Permissions** to view the repository policies that are applied to the repository. For more information, see [Public repository policies in Amazon ECR Public](#).

## Deleting a public repository policy statement Amazon ECR public

If you're finished using a repository, you can delete it. When you delete a repository in the AWS Management Console, all of the images that are contained in the repository are also deleted. This action can't be undone.

## To delete a public repository

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/repositories>.
2. From the navigation bar, choose the AWS Region that contains the repository to delete.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, select the **Public** tab, and then select the repository to delete and choose **Delete**.
5. In the **Delete *repository\_name*** window, double check the repositories that you selected to delete and choose **Delete**.

### Important

Any images in the selected repositories are also deleted.

## Public repository policies in Amazon ECR Public

Amazon ECR uses resource-based permissions to control access to public repositories. When a public repository is created, it is publicly visible on the Amazon ECR Public Gallery and anyone can pull images from the repository. By default however, only the repository owner has access to push to the repository. With resource-based permissions, you specify which users, or roles have access to push to a public repository and what additional actions they can perform on it. You can apply a policy document to allow additional permissions to your repository.

### Note

All public repositories are visible on the Amazon ECR Public Gallery. Using a repository policy to deny access to view or pull from a public repository is not supported.

## Repository policies vs IAM policies

Amazon ECR public repository policies are a subset of IAM policies that are both scoped for and specifically used for controlling access to individual Amazon ECR repositories. In general, you use IAM policies to apply permissions for the entire Amazon ECR service. However, you can also use IAM policies to control access to specific resources.

For determining which actions a specific IAM user or role might perform on a repository, you use both Amazon ECR repository policies and IAM policies. If a user or role is allowed to perform an action through a repository policy but is denied permission through an IAM policy, the action is denied. Similarly, if a user or role is denied permission through an IAM policy even though that identity is allowed to perform an action, the action is denied. You can grant a user or role permission for an action through either a repository policy or an IAM policy, but you can't grant permission both ways.

### Important

Amazon ECR requires that users have permission to make calls to the `ecr-public:GetAuthorizationToken` and `sts:GetServiceBearerToken` API through an IAM policy before they can authenticate to a registry and push any images to an Amazon ECR repository.

You can use either of these policy types to control access to your public repositories, as shown in the following examples.

This example shows an Amazon ECR public repository policy, which allows for a specific IAM user to describe the repository and the images within the repository.

### JSON

```
{
 "Version": "2012-10-17",
 "Statement": [{
 "Sid": "ECR Public Repository Policy",
 "Effect": "Allow",
 "Principal": {
 "AWS": "arn:aws:iam::111122223333:user/username"
 },
 "Action": [
 "ecr-public:DescribeImages",
 "ecr-public:DescribeRepositories"
],
 "Resource": "*"
 }]
}
```

This example shows an IAM policy that achieves the same goal as the preceding example. In this example, the policy is scoped to a public repository (specified by the full Amazon Resource Name (ARN) of the public repository) using the resource parameter. For more information about ARN format, see [Resources](#).

JSON

```
{
 "Version": "2012-10-17",
 "Statement": [{
 "Sid": "ECR Public Repository Policy",
 "Effect": "Allow",
 "Principal": {
 "AWS": "arn:aws:iam::111122223333:user/username"
 },
 "Action": [
 "ecr-public:DescribeImages",
 "ecr-public:DescribeRepositories"
],
 "Resource": [
 "arn:aws:ecr-public::111122223333:repository/repository-name"
]
 }]
}
```

## Topics

- [Setting a repository policy statement in Amazon ECR Public](#)
- [Deleting a public repository policy statement in Amazon ECR Public](#)
- [Public repository policy examples in Amazon ECR Public](#)

## Setting a repository policy statement in Amazon ECR Public

You can add an access policy statement to a public repository in the AWS Management Console by following these steps. You can add multiple policy statements per public repository. For example policies, see [Public repository policy examples in Amazon ECR Public](#).

**⚠ Important**

Amazon ECR requires that users have permission to make calls to the `ecr-public:GetAuthorizationToken` and `sts:GetServiceBearerToken` API through an IAM policy before they can authenticate to a registry and push any images to an Amazon ECR repository.

**To set a repository policy statement**


1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/repositories>.
2. From the navigation bar, choose the AWS Region that contains the repository to set a policy statement on.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, select the **Public** tab, and then choose the repository to set a policy statement on.
5. In the navigation pane, choose **Permissions, Edit**.
6. On the **Edit permissions** page, choose **Add statement**.
7. For **Statement name**, enter a name for the statement.
8. For **Effect**, choose whether the policy statement results in an allow or an explicit deny.

**📘 Note**

All public repositories are visible on the Amazon ECR Public Gallery. Using a repository policy to deny access to view or pull from a public repository is not supported.

9. For **Principal**, choose the scope to apply the policy statement to. For more information, see [AWS JSON Policy Elements: Principal](#) in the *IAM User Guide*.
  - You can apply the statement to all authenticated AWS users by selecting the **Everyone (\*)** check box.
  - For **Service principal**, specify the service principal name (for example, `ecs.amazonaws.com`) to apply the statement to a specific service.
  - For **AWS Account IDs**, specify an AWS account number (for example, `111122223333`) to apply the statement to all users under a specific AWS account. Multiple accounts can be specified by using a comma-separated list.

- For **IAM Entities**, select the roles or users under your AWS account to apply the statement to.

 **Note**

For more complicated repository policies that are not currently supported in the AWS Management Console, you can apply the policy with the [set-repository-policy](#) AWS CLI command.

10. For **Actions**, choose the scope of the Amazon ECR API operations that the policy statement applies to from the list of individual API operations.
11. When you're finished, choose **Save** to set the policy.
12. Repeat the previous step for each repository policy to add.

## Deleting a public repository policy statement in Amazon ECR Public

If you no longer want an existing repository policy statement to apply to a repository, you can delete it.

### To delete a repository policy statement

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/repositories>.
2. From the navigation bar, choose the Region that contains the repository to delete a policy statement from.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, select the **Public** tab, and then choose the repository to delete a policy statement from.
5. In the navigation pane, choose **Permissions, Edit**.
6. On the **Edit permissions** page, choose **Delete**.

## Public repository policy examples in Amazon ECR Public

The following examples show policy statements that you use to control the permissions that users have to your public repositories.

**Note**

All public repositories are visible on the Amazon ECR Public Gallery. Using a repository policy to deny access to view or pull from a public repository is not supported.

**Important**

Amazon ECR requires that users have permission to make calls to the `ecr-public:GetAuthorizationToken` and `sts:GetServiceBearerToken` API through an IAM policy before they can authenticate to a registry and push any images to an Amazon ECR repository.

**Example: Allow an IAM user within your account**

The following repository policy allows users within your account to push images.

JSON

```
{
 "Version": "2012-10-17",
 "Statement": [
 {
 "Sid": "AllowPush",
 "Effect": "Allow",
 "Principal": {
 "AWS": [
 "arn:aws:iam::111122223333:user/push-pull-user-1",
 "arn:aws:iam::111122223333:user/push-pull-user-2"
]
 },
 "Action": [
 "ecr-public:BatchCheckLayerAvailability",
 "ecr-public:PutImage",
 "ecr-public:InitiateLayerUpload",
 "ecr-public:UploadLayerPart",
 "ecr-public:CompleteLayerUpload"
],
 "Resource": "*"
 }
]
}
```

```
 }
]
}
```

## Example: Allow another account

The following repository policy allows a specific account to push images.

JSON

```
{
 "Version": "2012-10-17",
 "Statement": [
 {
 "Sid": "AllowCrossAccountPush",
 "Effect": "Allow",
 "Principal": {
 "AWS": "arn:aws:iam::111122223333:root"
 },
 "Action": [
 "ecr-public:BatchCheckLayerAvailability",
 "ecr-public:PutImage",
 "ecr-public:InitiateLayerUpload",
 "ecr-public:UploadLayerPart",
 "ecr-public:CompleteLayerUpload"
],
 "Resource": "*"
 }
]
}
```

## Tag an Amazon ECR Public repository

To help you manage your Amazon ECR Public repositories, you can optionally assign your own metadata to each repository by using *tags*. This topic provides an overview about tags and how to create them.

## Tag basics

A tag is a label that you assign to an AWS resource. Each tag consists of a *key* and an optional *value*. You define both of them.

You can use tags to categorize your AWS resources in different ways, for example, by purpose, owner, or environment. This is useful when you have many resources of the same type. This is because you can quickly identify a specific resource based on the tags you've assigned to it. For example, you can define a set of tags for your account's Amazon ECR Public repositories to track each repository's owner.

We recommend that you devise a set of tag keys that meets your specific needs. Using a consistent set of tag keys can help you keep better track of your resources and find specific resources quickly. That is, you can search and filter the resources based on the specific tags that you add.

Tags don't have any semantic meaning to Amazon ECR and are interpreted strictly as a string of characters. Tags aren't automatically assigned to your resources. You can edit tag keys and values, and you can remove tags from a resource at any time. You can set the value of a tag to an empty string. However, you can't set the value of a tag to null. If you add a tag that has the same key as an existing tag on that resource, the new value overwrites the old value. If you delete a resource, any tags for the resource are also deleted.

You can work with tags using the AWS Management Console, the AWS CLI, and the Amazon ECR Public API.

If you're using AWS Identity and Access Management (IAM), you can control which users in your AWS account have permission to manage tags.

## Tagging your resources

You can tag new or existing Amazon ECR Public repositories.

If you're using the Amazon ECR console, you can apply tags to new resources when they're created or to existing resources by using the **Tags** option on the navigation pane at any time.

If you're using the Amazon ECR Public API, the AWS CLI, or an AWS SDK, you can apply tags to new repositories using the `tags` parameter on the `CreateRepository` API action or use the `TagResource` API action to apply tags to existing resources. For more information, see [TagResource](#).

Additionally, if tags can't be applied when a repository is created, the repository creation process is rolled back. This ensures that repositories are either created with tags or not created at all and that no repositories are left untagged at any time. By tagging repositories when they're created, you eliminate the need to run custom tagging scripts after the repository is created.

## Adding tags to a public repository in Amazon ECR public

You can add tags to a public repository.

For information about names and best practices for tags, see [Tag naming limits and requirements](#) and [Best practices](#) in the *Tagging AWS Resources User Guide*.

When you select a specific repository in the Amazon ECR console, you can view the tags by selecting **Tags** in the navigation pane.

### AWS Management Console

#### To add a tag to a public repository

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/>.
2. From the navigation bar, select the AWS Region to use.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, on the **Public** tab, choose the repository to view.
5. On the **Repositories > repository\_name** page, select **Tags** from the navigation pane.
6. On the **Tags** page, select **Add tags, Add tag**.
7. On the **Edit Tags** page, specify the key and value for each tag, and then choose **Save**.

### AWS CLI

You can add or overwrite one or more tags by using the AWS CLI or an API.

- AWS CLI - [tag-resource](#)
- API action - [TagResource](#)

The following examples show how to manage tags using the AWS CLI.

#### Example 1: Tag an existing public repository

The following command tags an existing public repository.

```
aws ecr-public tag-resource \
 --resource-arn arn:aws:ecr-public::account_id:repository/repository_name \
 --tags Key=stack,Value=dev \
 --region us-east-1
```

### Example 2: Tag an existing public repository with multiple tags

The following command tags an existing repository.

```
aws ecr-public tag-resource \
 --resource-arn arn:aws:ecr-public::account_id:repository/repository_name \
 --tags Key=key1,Value=value1 Key=key2,Value=value2 Key=key3,Value=value3 \
 --region us-east-1
```

### Example 3: List tags for a public repository

The following command lists the tags that are associated with an existing public repository.

```
aws ecr-public list-tags-for-resource \
 --resource-arn arn:aws:ecr-public::account_id:repository/repository_name \
 --region us-east-1
```

### Example 4: Create a public repository and apply a tag

The following command creates a public repository that's named `test-repo` and adds a tag with key `team` and value `devs`.

```
aws ecr-public create-repository \
 --repository-name test-repo \
 --tags Key=team,Value=devs \
 --region us-east-1
```

## Deleting tags from a public repository in Amazon ECR public

You can delete tags from an individual resource.

### AWS Management Console

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/>.

2. From the navigation bar, select the Region to use.
3. On the **Repositories** page, on the **Public** tab, choose the repository to view.
4. On the **Repositories > *repository\_name*** page, select **Tags** from the navigation pane.
5. On the **Tags** page, select **Edit**.
6. On the **Edit tags** page, select **Remove** for each tag you want to delete, and choose **Save**.

## AWS CLI

You can delete one or more tags by using the AWS CLI or an API.

- AWS CLI - [untag-resource](#)
- API action - [UntagResource](#)

The following example shows how to delete a tag from an existing public repository.

```
aws ecr-public untag-resource \
 --resource-arn arn:aws:ecr-public::account_id:repository/repository_name \
 --tag-keys tag_key \
 --region us-east-1
```

# Amazon ECR Public images

Amazon ECR Public is a fully-managed service provided by AWS that allows you to store, manage, and deploy Docker images, Open Container Initiative (OCI) images, and OCI compatible artifacts in public repositories. You can use the Docker CLI and other compatible clients to push and pull images to and from your Amazon ECR public repositories. Once stored, you can easily deploy these container images to various environments like Amazon ECS, Amazon EKS, or on-premises infrastructure.

Amazon ECR public provides features for managing the lifecycle of your container images, including tracking versions, applying tags, and controlling access to your public repositories. Amazon ECR public repositories are globally available, allowing you to distribute and consume container images from anywhere in the world.

## Important

Amazon ECR requires that users have permission to make calls to the `ecr-public:GetAuthorizationToken` and `sts:GetServiceBearerToken` API through an IAM policy before they can authenticate to a registry and push any images to an Amazon ECR repository.

## Topics

- [Pushing an image to a public repository in Amazon ECR public](#)
- [Pushing a multi-architecture image to a public repository in Amazon ECR public](#)
- [Pushing a Helm chart to a public repository in Amazon ECR public](#)
- [Pulling an image from the Amazon ECR Public Gallery](#)
- [Deleting an image in a public repository in Amazon ECR public](#)
- [Container image manifest formats in Amazon ECR public](#)

## Pushing an image to a public repository in Amazon ECR public

You can push your Docker images to an Amazon ECR public repository with the **docker push** command.

**⚠ Important**

Amazon ECR requires that users have permission to make calls to the `ecr-public:GetAuthorizationToken` and `sts:GetServiceBearerToken` API through an IAM policy before they can authenticate to a registry and push any images to an Amazon ECR repository.

Amazon ECR Public also supports creating and pushing Docker manifest lists which are used for multi-architecture images. Each image referenced in a manifest list must already be pushed to your repository. For more information, see [Pushing a multi-architecture image to a public repository in Amazon ECR public](#).

**To push a Docker image to an Amazon ECR public repository**

1. Authenticate your Docker client to the Amazon ECR public registry to which you intend to push your image. Authentication tokens are valid for 12 hours. For more information, see [Registry authentication in Amazon ECR public](#).
2. If your public repository does not exist in the registry you intend to push to yet, create it. For more information, see [Creating an Amazon ECR public repository to store images](#).
3. Identify the image to push. Run the **docker images** command to list the images on your system.

```
docker images
```

You can identify an image with the *repository:tag* value or the image ID in the resulting command output.

4. Tag your image with the Amazon ECR public registry, public repository, and optional image tag name combination to use. The public registry format is `public.ecr.aws/registry_alias`. The public repository name should match the repository that you created for your image. If you omit the image tag, we assume that the tag is `latest`.

```
docker tag e9ae3c220b23 public.ecr.aws/registry_alias/my-web-app:image-tag
```

For this example command, note the following:

- Image ID is *e9ae3c220b23*

- Public registry is `public.ecr.aws/registry_alias/`
  - Repository is `my-web-app`
  - Image tag is `image-tag`
5. Push the image using the **docker push** command (again, (`my-web-app` is the name of the repository, and `image-tag` is the image tag):

```
docker push public.ecr.aws/registry_alias/my-web-app:image-tag
```

6. (Optional) Apply any additional tags to your image and push those tags to Amazon ECR Public by repeating [Step 4](#) and [Step 5](#). You can apply up to 1000 tags per image in Amazon ECR Public.

## Pushing a multi-architecture image to a public repository in Amazon ECR public

Amazon ECR Public supports creating and pushing Docker manifest lists which are used for multi-architecture images. A *manifest list* is a list of images that is created by specifying one or more image names. Typically the manifest list is created from images that serve the same function but for different operating systems or architectures, but this is not required. For more information, see [docker manifest](#).

### Important

Your Docker CLI must have experimental features enabled to use this feature. For more information, see [Experimental features](#).

A manifest list can be pulled or referenced in an Amazon ECS task definition or Amazon EKS pod spec like other Amazon ECR Public images.

The following steps can be used to create and push a Docker manifest list to an Amazon ECR public repository. You must already have the images pushed to your public repository to reference in the Docker manifest. For information on pushing an image, see [Pushing an image to a public repository in Amazon ECR public](#).

## To push a multi-architecture Docker image to an Amazon ECR public repository

1. Authenticate your Docker client to the Amazon ECR public registry to which you intend to push your image. Authentication tokens are valid for 12 hours. For more information, see [Registry authentication in Amazon ECR public](#).
2. List the images in your public repository, confirming the image tags.

```
aws ecr-public describe-images \
 --repository-name my-web-app \
 --region us-east-1
```

3. Create the Docker manifest list. The `manifest create` command verifies that the referenced images are already in your public repository and creates the manifest locally.

```
docker manifest create public.ecr.aws/registry_alias/my-web-app \
 public.ecr.aws/registry_alias/my-web-app:image_one_tag \
 public.ecr.aws/registry_alias/my-web-app:image_two
```

4. (Optional) Inspect the Docker manifest list. This enables you to confirm the size and digest for each image manifest referenced in the manifest list.

```
docker manifest inspect public.ecr.aws/registry_alias/my-web-app
```

5. Push the Docker manifest list to your Amazon ECR public repository.

```
docker manifest push public.ecr.aws/registry_alias/my-web-app
```

## Pushing a Helm chart to a public repository in Amazon ECR public

Amazon ECR Public supports pushing Open Container Initiative (OCI) artifacts to your public repositories. To display this functionality, use the following steps to push a Helm chart to Amazon ECR Public.

### To push a Helm chart to an Amazon ECR public repository

1. Install Helm version 3.8.0 or higher of the Helm client. These steps were written using Helm version 3.8.0. For more information, see [Installing Helm](#).

2. Use the following steps to create a test Helm chart. For more information, see [Helm Docs - Getting Started](#).
  - a. Create a Helm chart named `helm-test-chart` and clear the contents of the `templates` directory.

```
helm create helm-test-chart
rm -rf ./helm-test-chart/templates/*
```

- b. Create a ConfigMap in the `templates` folder.

```
cd helm-test-chart/templates
cat <<EOF > configmap.yaml
apiVersion: v1
kind: ConfigMap
metadata:
 name: helm-test-chart-configmap
data:
 myvalue: "Hello World"
EOF
```

3. Package the chart. The output will contain the filename of the packaged chart which you use when pushing the Helm chart.

```
cd ..
helm package helm-test-chart
```

### Output

```
Successfully packaged chart and saved it to: /Users/username/helm-test-chart-0.1.0.tgz
```

4. Create a public repository to store your Helm chart. For more information, see [Creating an Amazon ECR public repository to store images](#).

```
aws ecr-public create-repository \
 --repository-name helm-test-chart \
 --region us-east-1
```

5. Authenticate your Helm client to the Amazon ECR public registry to which you intend to push your Helm chart. Authentication tokens are valid for 12 hours. For more information, see [Registry authentication in Amazon ECR public](#).

```
aws ecr-public get-login-password \
 --region us-east-1 | helm registry login \
 --username AWS \
 --password-stdin public.ecr.aws
```

6. Push the Helm chart using the **helm push** command. The output should include the Amazon ECR repository URI and SHA digest.

```
helm push helm-test-chart-0.1.0.tgz oci://public.ecr.aws/registry_alias
```

7. Describe your Helm chart.

```
aws ecr-public describe-images \
 --repository-name helm-test-chart \
 --region us-east-1
```

```
{
 "imageDetails": [
 {
 "registryId": "aws_account_id",
 "repositoryName": "helm-test-chart",
 "imageDigest":
 "sha256:f23ab9dc0fda33175e465bd694a5f4cade93eaf62715fa9390d9fEXAMPLE",
 "imageTags": [
 "0.1.0"
],
 "imageSizeInBytes": 1636,
 "imagePushedAt": "2022-06-01T12:17:39-05:00",
 "imageManifestMediaType": "application/vnd.oci.image.manifest.v1+json"
 }
]
}
```

# Pulling an image from the Amazon ECR Public Gallery

If you would like to run a Docker image that is available in Amazon ECR Public, you can pull it to your local environment with the **docker pull** command. You can do this from any public repository. Every public repository created on Amazon ECR Public is available on the Amazon ECR Public Gallery. Visit the Amazon ECR Public Gallery at <https://gallery.ecr.aws>. For more information, see [Amazon ECR Public Gallery](#).

Amazon ECR Public supports both unauthenticated and authenticated pulls from public repositories. There are separate service quotas for each type of image pull. For more information, see [Amazon ECR Public service quotas](#).

- An unauthenticated pull is a pull without an auth token. You can confirm whether there is an auth token in your Docker configuration by checking your `~/.docker/config.json` file. If you've previously authenticated to Amazon ECR Public but you want to perform an unauthenticated pull, you can logout using the `docker logout public.ecr.aws` command which will remove the auth token from your Docker configuration file.
- An authenticated pull requires that you authenticate to Amazon ECR Public prior to the pull request. For more information, see [Registry authentication in Amazon ECR public](#).

## Note

For authenticated pulls, Amazon ECR Public requires that users have permission to make calls to the `ecr-public:GetAuthorizationToken` and `sts:GetServiceBearerToken` API through an IAM policy before they can authenticate to Amazon ECR Public and pull an image from a public repository.

## To pull a public image from the Amazon ECR Public Gallery

1. Identify the image to pull. You can view the available public repositories on the Amazon ECR Public Gallery at <https://gallery.ecr.aws>.
2. For authenticated pulls, you must authenticate your Docker client to the Amazon ECR public registry. Authentication tokens are valid for 12 hours. For more information, see [Registry authentication in Amazon ECR public](#).

**Note**

For unauthenticated pulls, you can skip this step.

3. Pull the image using the **docker pull** command. The image name format should be `registry_alias/repository[:tag]` to pull by tag, or `registry_alias/repository[@digest]` to pull by digest.

```
docker pull public.ecr.aws/registry_alias/repository:tag
```

## Deleting an image in a public repository in Amazon ECR public

If you are done using an image, you can delete it from your public repository. You can delete an image using the AWS Management Console, or the AWS CLI.

**Note**

If you are done with a public repository, you can delete the entire repository and all of the images within it. For more information, see [Deleting a public repository policy statement Amazon ECR public](#).

### To delete a public image with the AWS Management Console

1. Open the Amazon ECR console at <https://console.aws.amazon.com/ecr/repositories>.
2. From the navigation bar, choose the Region that contains the image to delete.
3. In the navigation pane, choose **Repositories**.
4. On the **Repositories** page, select the **Public** tab and then select the repository containing the image to delete.
5. On the **Repositories: repository\_name** page, select the box to the left of the image to delete and choose **Delete**.
6. In the **Delete image(s)** dialog box, verify that the selected images should be deleted and choose **Delete**.

## To delete a public image with the AWS CLI

1. List the image tags in your repository.

```
aws ecr-public describe-image-tags \
 --repository-name my-repo \
 --region us-east-1
```

2. (Optional) Delete any unwanted tags for the image by specifying the tag of the image you want to delete.

### Note

When you delete the last tag for an image, the image is deleted.

```
aws ecr-public batch-delete-image \
 --repository-name my-repo \
 --image-ids imageTag=latest \
 --region us-east-1
```

3. Delete the image by specifying the digest of the image to delete.

### Note

When you delete an image by referencing its digest, the image and all of its tags are deleted.

```
aws ecr-public batch-delete-image \
 --repository-name my-repo \
 --image-ids
 imageDigest=sha256:4f70ef7a4d29e8c0c302b13e25962d8f7a0bd304c7c2c1a9d6fa3e9de6bf552d
 --region us-east-1
```

## Container image manifest formats in Amazon ECR public

Amazon ECR Public supports the following container image manifest formats:

- Docker Image Manifest V2 Schema 1 (used with Docker version 1.9 and older)
- Docker Image Manifest V2 Schema 2 (used with Docker version 1.10 and newer)
- Open Container Initiative (OCI) Specifications (v1.0 and up)

Support for Docker Image Manifest V2 Schema 2 provides the following functionality:

- The ability to use multiple tags per image.
- Support for storing Windows container images. For more information, see [Pushing Windows Images to Amazon ECR](#) in the *Amazon Elastic Container Service Developer Guide*.

## Amazon ECR image manifest conversion

When you push and pull images to and from Amazon ECR Public, your container engine client (for example, Docker) communicates with the public registry to agree on a manifest format that is understood by the client and the registry to use for the image.

When you push an image to Amazon ECR Public with Docker version 1.9 or older, the image manifest format is stored as Docker Image Manifest V2 Schema 1. When you push an image to Amazon ECR Public with Docker version 1.10 or newer, the image manifest format is stored as Docker Image Manifest V2 Schema 2.

When you pull an image from Amazon ECR Public *by tag*, Amazon ECR Public returns the image manifest format that is stored in the repository. The format is returned only if that format is understood by the client. If the stored image manifest format is not understood by the client, Amazon ECR Public converts the image manifest into a format that is understood by the client. For example, if a Docker 1.9 client requests an image manifest that is stored as Docker Image Manifest V2 Schema 2, Amazon ECR Public returns the manifest in the Docker Image Manifest V2 Schema 1 format. The table below describes the available conversions supported by Amazon ECR Public when an image is pulled *by tag*:

Schema requested by client	Pushed to ECR as V2, schema 1	Pushed to ECR as V2, schema 2	Pushed to ECR as OCI
V2, schema 1	No translation required	Translated to V2, schema 1	Translated to V2, schema 1

Schema requested by client	Pushed to ECR as V2, schema 1	Pushed to ECR as V2, schema 2	Pushed to ECR as OCI
V2, schema 2	No translation available, client falls back to V2, schema 1	No translation required	Translated to V2, schema 2
OCI	No translation available	Translated to OCI	No translation required

** Important**

If you pull an image *by digest*, there is no translation available; your client must understand the image manifest format that is stored in Amazon ECR. If you request a Docker Image Manifest V2 Schema 2 image by digest on a Docker 1.9 or older client, the image pull fails. For more information, see [Registry compatibility](#) in the Docker documentation. In this example, if you request the same image *by tag*, Amazon ECR Public translates the image manifest into a format that the client can understand. The image pull succeeds.

# Security in Amazon Elastic Container Registry

Cloud security at AWS is the highest priority. As an AWS customer, you benefit from a data center and network architecture that is built to meet the requirements of the most security-sensitive organizations.

Security is a shared responsibility between AWS and you. The [shared responsibility model](#) describes this as security *of* the cloud and security *in* the cloud:

- **Security of the cloud** – AWS is responsible for protecting the infrastructure that runs AWS services in the AWS Cloud. AWS also provides you with services that you can use securely. Third-party auditors regularly test and verify the effectiveness of our security as part of the [AWS compliance programs](#). To learn about the compliance programs that apply to Amazon ECR, see [AWS Services in Scope by Compliance Program](#).
- **Security in the cloud** – Your responsibility is determined by the AWS service that you use. You are also responsible for other factors including the sensitivity of your data, your company's requirements, and applicable laws and regulations.

This documentation helps you understand how to apply the shared responsibility model when using Amazon ECR. The following topics show you how to configure Amazon ECR to meet your security and compliance objectives. You also learn how to use other AWS services that help you to monitor and secure your Amazon ECR resources.

## Topics

- [Identity and Access Management for Amazon ECR Public](#)

## Identity and Access Management for Amazon ECR Public

AWS Identity and Access Management (IAM) is an AWS service that helps an administrator securely control access to AWS resources. IAM administrators control who can be *authenticated* (signed in) and *authorized* (have permissions) to use Amazon ECR Public resources. IAM is an AWS service that you can use with no additional charge.

**Note**

For IAM information for Amazon ECR private registries, see [Identity and Access Management for Amazon Elastic Container Registry](#) in the *Amazon Elastic Container Registry User Guide*.

**Topics**

- [Audience](#)
- [Authenticating With Identities](#)
- [Managing Access Using Policies](#)
- [How Amazon ECR Public works with IAM](#)
- [AWS managed policies for Amazon ECR Public](#)
- [Amazon ECR public identity-based policy examples](#)
- [Using tag-based access control in Amazon ECR public](#)
- [Troubleshooting Amazon ECR Public identity and access](#)

**Audience**

How you use AWS Identity and Access Management (IAM) differs based on your role:

- **Service user** - request permissions from your administrator if you cannot access features (see [Troubleshooting Amazon ECR Public identity and access](#))
- **Service administrator** - determine user access and submit permission requests (see [How Amazon ECR Public works with IAM](#))
- **IAM administrator** - write policies to manage access (see [Amazon ECR public identity-based policy examples](#))

**Authenticating With Identities**

Authentication is how you sign in to AWS using your identity credentials. You must be authenticated as the AWS account root user, an IAM user, or by assuming an IAM role.

You can sign in as a federated identity using credentials from an identity source like AWS IAM Identity Center (IAM Identity Center), single sign-on authentication, or Google/Facebook

credentials. For more information about signing in, see [How to sign in to your AWS account](#) in the *AWS Sign-In User Guide*.

For programmatic access, AWS provides an SDK and CLI to cryptographically sign requests. For more information, see [AWS Signature Version 4 for API requests](#) in the *IAM User Guide*.

## AWS account root user

When you create an AWS account, you begin with one sign-in identity called the AWS account *root user* that has complete access to all AWS services and resources. We strongly recommend that you don't use the root user for everyday tasks. For tasks that require root user credentials, see [Tasks that require root user credentials](#) in the *IAM User Guide*.

## IAM Users and Groups

An [IAM user](#) is an identity with specific permissions for a single person or application. We recommend using temporary credentials instead of IAM users with long-term credentials. For more information, see [Require human users to use federation with an identity provider to access AWS using temporary credentials](#) in the *IAM User Guide*.

An [IAM group](#) specifies a collection of IAM users and makes permissions easier to manage for large sets of users. For more information, see [Use cases for IAM users](#) in the *IAM User Guide*.

## IAM Roles

An [IAM role](#) is an identity with specific permissions that provides temporary credentials. You can assume a role by [switching from a user to an IAM role \(console\)](#) or by calling an AWS CLI or AWS API operation. For more information, see [Methods to assume a role](#) in the *IAM User Guide*.

IAM roles are useful for federated user access, temporary IAM user permissions, cross-account access, cross-service access, and applications running on Amazon EC2. For more information, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

## Managing Access Using Policies

You control access in AWS by creating policies and attaching them to AWS identities or resources. A policy defines permissions when associated with an identity or resource. AWS evaluates these policies when a principal makes a request. Most policies are stored in AWS as JSON documents. For more information about JSON policy documents, see [Overview of JSON policies](#) in the *IAM User Guide*.

Using policies, administrators specify who has access to what by defining which **principal** can perform **actions** on what **resources**, and under what **conditions**.

By default, users and roles have no permissions. An IAM administrator creates IAM policies and adds them to roles, which users can then assume. IAM policies define permissions regardless of the method used to perform the operation.

## Identity-Based Policies

Identity-based policies are JSON permissions policy documents that you attach to an identity (user, group, or role). These policies control what actions identities can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Define custom IAM permissions with customer managed policies](#) in the *IAM User Guide*.

Identity-based policies can be *inline policies* (embedded directly into a single identity) or *managed policies* (standalone policies attached to multiple identities). To learn how to choose between managed and inline policies, see [Choose between managed policies and inline policies](#) in the *IAM User Guide*.

## Resource-Based Policies

Resource-based policies are JSON policy documents that you attach to a resource. Examples include *IAM role trust policies* and *Amazon S3 bucket policies*. In services that support resource-based policies, service administrators can use them to control access to a specific resource. You must [specify a principal](#) in a resource-based policy.

Resource-based policies are inline policies that are located in that service. You can't use AWS managed policies from IAM in a resource-based policy.

## Other Policy Types

AWS supports additional policy types that can set the maximum permissions granted by more common policy types:

- **Permissions boundaries** – Set the maximum permissions that an identity-based policy can grant to an IAM entity. For more information, see [Permissions boundaries for IAM entities](#) in the *IAM User Guide*.
- **Service control policies (SCPs)** – Specify the maximum permissions for an organization or organizational unit in AWS Organizations. For more information, see [Service control policies](#) in the *AWS Organizations User Guide*.

- **Resource control policies (RCPs)** – Set the maximum available permissions for resources in your accounts. For more information, see [Resource control policies \(RCPs\)](#) in the *AWS Organizations User Guide*.
- **Session policies** – Advanced policies passed as a parameter when creating a temporary session for a role or federated user. For more information, see [Session policies](#) in the *IAM User Guide*.

## Multiple Policy Types

When multiple types of policies apply to a request, the resulting permissions are more complicated to understand. To learn how AWS determines whether to allow a request when multiple policy types are involved, see [Policy evaluation logic](#) in the *IAM User Guide*.

## How Amazon ECR Public works with IAM

Before you use IAM to manage access to Amazon ECR, you should understand what IAM features are available to use with Amazon ECR. To get a high-level view of how Amazon ECR and other AWS services work with IAM, see [AWS services that work with IAM](#) in the *IAM User Guide*.

### Topics

- [Amazon ECR identity-based policies](#)
- [Amazon ECR resource-based policies](#)
- [Amazon ECR IAM roles](#)

## Amazon ECR identity-based policies

With IAM identity-based policies, you can specify allowed or denied actions and resources as well as the conditions under which actions are allowed or denied. Amazon ECR supports specific actions, resources, and condition keys when managing a public registry and the resources in a public registry. The image pull permissions can't be changed because Amazon ECR Public repositories are public accessible. To learn about all of the elements that you use in a JSON policy, see [IAM JSON policy elements reference](#) in the *IAM User Guide*.

### Actions

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The **Action** element of a JSON policy describes the actions that you can use to allow or deny access in a policy. Include actions in a policy to grant permissions to perform the associated operation.

Policy actions in Amazon ECR Public use the following prefix before the action: `ecr-public:`. For example, to grant someone permission to create a public Amazon ECR repository with the Amazon ECR Public `CreateRepository` API operation, you include the `ecr-public:CreateRepository` action in their policy. Policy statements must include either an **Action** or **NotAction** element. Amazon ECR defines its own set of actions that describe tasks that you can perform with this service.

To specify multiple actions in a single statement, separate them with commas as follows:

```
"Action": [
 "ecr-public:action1",
 "ecr-public:action2"
```

You can specify multiple actions using wildcards (\*). For example, to specify all actions that begin with the word `Describe`, include the following action:

```
"Action": "ecr-public:Describe*"
```

To see a list of Amazon ECR actions, see [Actions, Resources, and Condition Keys for Amazon ECR Public](#) in the *IAM User Guide*.

## Resources

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The **Resource** JSON policy element specifies the object or objects to which the action applies. As a best practice, specify a resource using its [Amazon Resource Name \(ARN\)](#). For actions that don't support resource-level permissions, use a wildcard (\*) to indicate that the statement applies to all resources.

```
"Resource": "*"
```

An Amazon ECR public repository resource has the following ARN. You don't use a Region name in the ARN.

```
arn:${Partition}:ecr-public::${Account}:repository/${Repository-name}
```

For more information about the format of ARNs, see [Amazon Resource Names \(ARNs\) and AWS Service Namespaces](#).

For example, to specify the my-repo public repository in your statement, use the following ARN:

```
"Resource": "arn:aws:ecr-public::123456789012:repository/my-repo"
```

To specify all public repositories that belong to a specific account, use the wildcard (\*):

```
"Resource": "arn:aws:ecr-public::123456789012:repository/*"
```

To specify multiple resources in a single statement, separate the ARNs with commas.

```
"Resource": [
 "resource1",
 "resource2"
```

To see a list of Amazon ECR Public resource types and their ARNs, see [Resources defined by Amazon ECR Public](#) in the *IAM User Guide*. To learn with which actions you can specify the ARN of each resource, see [Actions defined by Amazon ECR](#).

## Condition Keys

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The `Condition` element specifies when statements execute based on defined criteria. You can create conditional expressions that use [condition operators](#), such as equals or less than, to match the condition in the policy with values in the request. To see all AWS global condition keys, see [AWS global condition context keys](#) in the *IAM User Guide*.

Amazon ECR supports using some global condition keys. To see all AWS global condition keys, see [AWS global condition context keys](#) in the *IAM User Guide*.

To see a list of Amazon ECR Public condition keys, see [Condition keys defined by Amazon ECR Public](#) in the *IAM User Guide*. To learn with which actions and resources you can use a condition key, see [Actions defined by Amazon ECR](#).

## Examples

To view examples of Amazon ECR identity-based policies, see [Amazon ECR public identity-based policy examples](#).

## Amazon ECR resource-based policies

Resource-based policies are JSON policy documents that specify what actions a specified principal can perform on an Amazon ECR Public resource and under what conditions. Amazon ECR supports resource-based permissions policies for Amazon ECR public repositories. Resource-based policies let you grant usage permission to other accounts on a per-resource basis. You can also use a resource-based policy to allow an AWS service to access your Amazon ECR public repositories.

To enable cross-account access, you can specify an entire account or IAM entities in another account as the [principal in a resource-based policy](#). Adding a cross-account principal to a resource-based policy is only half of establishing the trust relationship. When the principal and the resource are in different AWS accounts, you must also grant the principal entity permission to access the resource. Grant permission by attaching an identity-based policy to the entity. However, if a resource-based policy grants access to a principal in the same account, no additional identity-based policy is required. For more information, see [How IAM roles differ from resource-based policies](#) in the *IAM User Guide*.

The Amazon ECR Public service supports only one type of resource-based policy called a *repository policy*, which is attached to a *repository*. This policy defines which principal entities (accounts, users, roles, and federated users) can perform actions on the repository.

To learn how to attach a resource-based policy to a repository, see [Public repository policies in Amazon ECR Public](#).

## Examples

To view examples of Amazon ECR resource-based policies, see [Public repository policy examples in Amazon ECR Public](#).

## Amazon ECR IAM roles

An [IAM role](#) is an entity within your AWS account that has specific permissions.

## Using temporary credentials with Amazon ECR

You can use temporary credentials to sign in with federation, assume an IAM role, or to assume a cross-account role. You obtain temporary security credentials by calling AWS STS API operations such as [AssumeRole](#) or [GetFederationToken](#).

Amazon ECR Public supports using temporary credentials.

### Service-linked roles

[Service-linked roles](#) allow AWS services to access resources in other services to complete an action on your behalf. Service-linked roles appear in your IAM account and are owned by the service. An IAM administrator can view but not edit the permissions for service-linked roles.

Amazon ECR Public does not support service-linked roles.

## AWS managed policies for Amazon ECR Public

Amazon ECR Public provides several managed policies that you can attach to users or Amazon EC2 instances. These policies allow for differing levels of control over Amazon ECR resources and API operations. You can apply these policies directly or use them as starting points for creating your own policies. For more information about each API operation that's mentioned in these policies, see [Actions](#) in the *Amazon ECR Public API Reference*.

### Topics

- [AmazonElasticContainerRegistryPublicFullAccess](#)
- [AmazonElasticContainerRegistryPublicPowerUser](#)
- [AmazonElasticContainerRegistryPublicReadOnly](#)
- [Amazon ECR Public updates to AWS managed policies](#)

### AmazonElasticContainerRegistryPublicFullAccess

You can attach the `AmazonElasticContainerRegistryPublicFullAccess` policy to your IAM identities. This policy grants administrative access to Amazon ECR Public resources and allows an IAM identity (such as a user, group, or role) to use all Amazon ECR Public features.

To view the permissions for this policy, see [AmazonElasticContainerRegistryPublicFullAccess](#) in the *AWS Managed Policy Reference*.

## AmazonElasticContainerRegistryPublicPowerUser

You can attach the AmazonElasticContainerRegistryPublicPowerUser policy to your IAM identities. This policy grants power user access to Amazon ECR Public resources, providing write access to public repositories without allowing deletion of repositories or modification of policy documents.

To view the permissions for this policy, see [AmazonElasticContainerRegistryPublicPowerUser](#) in the *AWS Managed Policy Reference*.

## AmazonElasticContainerRegistryPublicReadOnly

You can attach the AmazonElasticContainerRegistryPublicReadOnly policy to your IAM identities. This policy grants read-only permissions to Amazon ECR Public resources, including the ability to describe public registries, list and describe public repositories, describe images, and pull images with the Docker CLI.

To view the permissions for this policy, see [AmazonElasticContainerRegistryPublicReadOnly](#) in the *AWS Managed Policy Reference*.

## Amazon ECR Public updates to AWS managed policies

View details about updates to AWS managed policies for Amazon ECR Public since the time that this service began tracking these changes. For automatic alerts about changes to this page, subscribe to the RSS feed on the Amazon ECR Public Document history page.

Change	Description	Date
Amazon ECR started tracking changes	Amazon ECR started tracking changes for AWS managed policies.	June 24, 2021
<a href="#">AmazonElasticContainerRegistryPublicReadOnly</a> – New policy	Amazon ECR added a new policy that grants read-only permissions to Amazon ECR Public. These permissions include the ability to describe public registries, to list and	December 1, 2020

Change	Description	Date
	describe public repositories, to describe images within a public repository and to pull images from Amazon ECR Public with the Docker CLI.	
<a href="#">AmazonElasticContainerRegistryPublicPowerUser</a> – New policy	Amazon ECR added a new policy that grants administrative permissions to Amazon ECR Public that allow write access to public repositories. However, these permissions don't allow users to delete public repositories or change the policy documents that are applied to them.	December 1, 2020
<a href="#">AmazonElasticContainerRegistryPublicFullAccess</a> – New policy	Amazon ECR added a new policy that grants full access to Amazon ECR Public.	December 1, 2020

## Amazon ECR public identity-based policy examples

By default, users and roles don't have permission to create or modify Amazon ECR Public resources. To grant users permission to perform actions on the resources that they need, an IAM administrator can create IAM policies.

To learn how to create an IAM identity-based policy by using these example JSON policy documents, see [Create IAM policies \(console\)](#) in the *IAM User Guide*.

For details about actions and resource types defined by Amazon ECR, including the format of the ARNs for each of the resource types, see [Actions, resources, and condition keys for Amazon Elastic Container Registry](#) in the *Service Authorization Reference*.

### Topics

- [Policy best practices](#)

- [Using the Amazon ECR console](#)
- [Allow users to view their own permissions](#)
- [Accessing an Amazon ECR public repository](#)

## Policy best practices

Identity-based policies determine whether someone can create, access, or delete Amazon ECR Public resources in your account. These actions can incur costs for your AWS account. When you create or edit identity-based policies, follow these guidelines and recommendations:

- **Get started with AWS managed policies and move toward least-privilege permissions** – To get started granting permissions to your users and workloads, use the *AWS managed policies* that grant permissions for many common use cases. They are available in your AWS account. We recommend that you reduce permissions further by defining AWS customer managed policies that are specific to your use cases. For more information, see [AWS managed policies](#) or [AWS managed policies for job functions](#) in the *IAM User Guide*.
- **Apply least-privilege permissions** – When you set permissions with IAM policies, grant only the permissions required to perform a task. You do this by defining the actions that can be taken on specific resources under specific conditions, also known as *least-privilege permissions*. For more information about using IAM to apply permissions, see [Policies and permissions in IAM](#) in the *IAM User Guide*.
- **Use conditions in IAM policies to further restrict access** – You can add a condition to your policies to limit access to actions and resources. For example, you can write a policy condition to specify that all requests must be sent using SSL. You can also use conditions to grant access to service actions if they are used through a specific AWS service, such as CloudFormation. For more information, see [IAM JSON policy elements: Condition](#) in the *IAM User Guide*.
- **Use IAM Access Analyzer to validate your IAM policies to ensure secure and functional permissions** – IAM Access Analyzer validates new and existing policies so that the policies adhere to the IAM policy language (JSON) and IAM best practices. IAM Access Analyzer provides more than 100 policy checks and actionable recommendations to help you author secure and functional policies. For more information, see [Validate policies with IAM Access Analyzer](#) in the *IAM User Guide*.
- **Require multi-factor authentication (MFA)** – If you have a scenario that requires IAM users or a root user in your AWS account, turn on MFA for additional security. To require MFA when API operations are called, add MFA conditions to your policies. For more information, see [Secure API access with MFA](#) in the *IAM User Guide*.

For more information about best practices in IAM, see [Security best practices in IAM](#) in the *IAM User Guide*.

## Using the Amazon ECR console

### Note

These permissions are only for Amazon ECR Public resources. For permissions related to your private Amazon ECR resources, see [Amazon ECR identity-based policy examples](#) in the *Amazon Elastic Container Registry User Guide*.

To access the Amazon ECR console, you must have a minimum set of permissions. These permissions must allow you to list and view details about the Amazon ECR Public resources in your AWS account. If you create an identity-based policy that is more restrictive than the minimum required permissions, the console won't function as intended for entities (users or roles) with that policy.

To ensure that those entities can still use the Amazon ECR console, add the `AmazonElasticContainerRegistryPublicReadOnly` AWS managed policy to the entities. For more information, see [Adding Permissions to a User](#) in the *IAM User Guide*:

To view the permissions for this policy, see [AmazonElasticContainerRegistryPublicReadOnly](#) in the *AWS Managed Policy Reference*.

You don't need to allow minimum console permissions for users that are making calls only to the AWS CLI or the AWS API. Instead, allow access to only the actions that match the API operation that you're trying to perform.

## Allow users to view their own permissions

This example shows how you might create a policy that allows IAM users to view the inline and managed policies that are attached to their user identity. This policy includes permissions to complete this action on the console or programmatically using the AWS CLI or AWS API.

```
{
 "Version": "2012-10-17",
 "Statement": [
 {
 "Sid": "ViewOwnUserInfo",
```

```

 "Effect": "Allow",
 "Action": [
 "iam:GetUserPolicy",
 "iam:ListGroupsForUser",
 "iam:ListAttachedUserPolicies",
 "iam:ListUserPolicies",
 "iam:GetUser"
],
 "Resource": ["arn:aws:iam::*:user/${aws:username}"]
 },
 {
 "Sid": "NavigateInConsole",
 "Effect": "Allow",
 "Action": [
 "iam:GetGroupPolicy",
 "iam:GetPolicyVersion",
 "iam:GetPolicy",
 "iam:ListAttachedGroupPolicies",
 "iam:ListGroupPolicies",
 "iam:ListPolicyVersions",
 "iam:ListPolicies",
 "iam:ListUsers"
],
 "Resource": "*"
 }
]
}

```

## Accessing an Amazon ECR public repository

In this example, you want to grant an IAM user in your AWS account access to one of your Amazon ECR public repositories, `my-repo`.

JSON

```

{
 "Version": "2012-10-17",
 "Statement": [
 {
 "Sid": "GetAuthorizationToken",
 "Effect": "Allow",
 "Action": [

```

```

 "ecr-public:GetAuthorizationToken"
],
 "Resource": "*"
 },
 {
 "Sid": "ManageRepositoryContents",
 "Effect": "Allow",
 "Action": [
 "ecr-public:BatchCheckLayerAvailability",
 "ecr-public:GetRepositoryPolicy",
 "ecr-public:DescribeRepositories",
 "ecr-public:DescribeImages",
 "ecr-public:InitiateLayerUpload",
 "ecr-public:UploadLayerPart",
 "ecr-public:CompleteLayerUpload",
 "ecr-public:PutImage"
],
 "Resource": "arn:aws:ecr-public::123456789012:repository/my-repo"
 }
]
}

```

## Using tag-based access control in Amazon ECR public

The Amazon ECR Public `CreateRepository` API action enables you to specify tags when you create the repository. For more information, see [Tag an Amazon ECR Public repository](#).

To enable users to tag repositories on creation, they must have permissions to use the action that creates the resource (for example, `ecr-public:CreateRepository`). If tags are specified in the resource-creating action, AWS performs additional authorization on the `ecr-public:CreateRepository` action to verify if users have permissions to create tags.

You can use tag-based access control through IAM policies. The following are examples.

The following policy would only allow an IAM user to create or tag a public repository where the tag key is `environment` and tag value is `dev`.

JSON

```

{
 "Version": "2012-10-17",

```

```

"Statement": [
 {
 "Sid": "AllowOnlyTagWithVals",
 "Effect": "Allow",
 "Action": [
 "ecr-public:CreateRepository",
 "ecr-public:TagResource"
],
 "Resource": "*",
 "Condition": {
 "StringEquals": {
 "aws:RequestTag/environment": [
 "dev"
]
 }
 }
 }
]
}

```

The following policy would allow an IAM user access to all public repositories unless they were tagged as key=environment, value=prod.

JSON

```

{
 "Version": "2012-10-17",
 "Statement": [
 {
 "Effect": "Allow",
 "Action": "ecr-public:*",
 "Resource": "*"
 },
 {
 "Effect": "Deny",
 "Action": "ecr-public:*",
 "Resource": "*",
 "Condition": {
 "StringEquals": {
 "ecr:ResourceTag/environment": "prod"
 }
 }
 }
]
}

```

```
}
 }
] }
}
```

## Troubleshooting Amazon ECR Public identity and access

Use the following information to help you diagnose and fix common issues that you might encounter when working with Amazon ECR and IAM.

### Topics

- [I am not authorized to perform an action in Amazon ECR Public](#)
- [I am not authorized to perform iam:PassRole](#)
- [I'm an administrator and want to allow others to access Amazon ECR Public](#)
- [I want to allow people outside of my AWS account to access my Amazon ECR Public resources](#)

### I am not authorized to perform an action in Amazon ECR Public

If you receive an error that you're not authorized to perform an action, your policies must be updated to allow you to perform the action.

The following example error occurs when the `mateojackson` IAM user tries to use the console to view details about a fictional `my-example-widget` resource but doesn't have the fictional `ecr:GetWidget` permissions.

```
User: arn:aws:iam::123456789012:user/mateojackson is not authorized to perform:
ecr:GetWidget on resource: my-example-widget
```

In this case, the policy for the `mateojackson` user must be updated to allow access to the `my-example-widget` resource by using the `ecr:GetWidget` action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

### I am not authorized to perform iam:PassRole

If you receive an error that you're not authorized to perform the `iam:PassRole` action, your policies must be updated to allow you to pass a role to Amazon ECR Public.

Some AWS services allow you to pass an existing role to that service instead of creating a new service role or service-linked role. To do this, you must have permissions to pass the role to the service.

The following example error occurs when an IAM user named `marymajor` tries to use the console to perform an action in Amazon ECR Public. However, the action requires the service to have permissions that are granted by a service role. Mary does not have permissions to pass the role to the service.

```
User: arn:aws:iam::123456789012:user/marymajor is not authorized to perform:
iam:PassRole
```

In this case, Mary's policies must be updated to allow her to perform the `iam:PassRole` action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

## I'm an administrator and want to allow others to access Amazon ECR Public

To allow others to access Amazon ECR Public, you must grant permission to the people or applications that need access. If you are using AWS IAM Identity Center to manage people and applications, you assign permission sets to users or groups to define their level of access. Permission sets automatically create and assign IAM policies to IAM roles that are associated with the person or application. For more information, see [Permission sets](#) in the *AWS IAM Identity Center User Guide*.

If you are not using IAM Identity Center, you must create IAM entities (users or roles) for the people or applications that need access. You must then attach a policy to the entity that grants them the correct permissions in Amazon ECR Public. After the permissions are granted, provide the credentials to the user or application developer. They will use those credentials to access AWS. To learn more about creating IAM users, groups, policies, and permissions, see [IAM Identities](#) and [Policies and permissions in IAM](#) in the *IAM User Guide*.

## I want to allow people outside of my AWS account to access my Amazon ECR Public resources

You can create a role that users in other accounts or people outside of your organization can use to access your resources. You can specify who is trusted to assume the role. For services that support

resource-based policies or access control lists (ACLs), you can use those policies to grant people access to your resources.

To learn more, consult the following:

- To learn whether Amazon ECR Public supports these features, see [How Amazon ECR Public works with IAM](#).
- To learn how to provide access to your resources across AWS accounts that you own, see [Providing access to an IAM user in another AWS account that you own](#) in the *IAM User Guide*.
- To learn how to provide access to your resources to third-party AWS accounts, see [Providing access to AWS accounts owned by third parties](#) in the *IAM User Guide*.
- To learn how to provide access through identity federation, see [Providing access to externally authenticated users \(identity federation\)](#) in the *IAM User Guide*.
- To learn the difference between using roles and resource-based policies for cross-account access, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

# Logging Amazon ECR Public actions with AWS CloudTrail

Amazon ECR Public is integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, a role, or an AWS service in Amazon ECR Public. When activity occurs in Amazon ECR Public, that activity is recorded in a CloudTrail event along with other AWS service events in **Event history**. You can view, search, and download recent events in your AWS account. Because Amazon ECR Public is a global service, events for the service are logged in **US East (N. Virginia)**.

When a trail is created, you can enable continuous delivery of CloudTrail events to an Amazon S3 bucket, including events for Amazon ECR Public. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in **Event history**. Using this information, you can determine the request that was made to Amazon ECR Public, the originating IP address, who made the request, when it was made, and additional details.

For more information, see the [AWS CloudTrail User Guide](#).

## Amazon ECR Public information in CloudTrail

CloudTrail is enabled on your AWS account when you create the account. When activity occurs in Amazon ECR Public, that activity is recorded in a CloudTrail event along with other AWS service events in **Event history**. You can view, search, and download recent events in your AWS account. For more information, see [Viewing Events with CloudTrail Event History](#).

For an ongoing record of events in your AWS account, including events for Amazon ECR Public, create a trail. A trail enables CloudTrail to deliver log files to an Amazon S3 bucket. When you create a trail in the console, you can apply the trail to a single Region or to all Regions. The trail logs events in the AWS partition and delivers the log files to the Amazon S3 bucket that you specify. Additionally, you can configure other AWS services to analyze and act upon the event data collected in CloudTrail logs. For more information, see:

- [Creating a trail for your AWS account](#)
- [AWS service integrations with CloudTrail logs](#)
- [Configuring Amazon SNS notifications for CloudTrail](#)
- [Receiving CloudTrail log files from multiple regions](#) and [Receiving CloudTrail Log Files from Multiple Accounts](#)

All Amazon ECR Public API actions are logged by CloudTrail and are documented in the [Amazon ECR Public API Reference](#). When you perform common tasks, sections are generated in the CloudTrail log files for each API action that is part of that task. For example, when you create a repository, `GetAuthorizationToken` and `CreateRepository` sections are generated in the CloudTrail log files. When you push an image to a repository, `InitiateLayerUpload`, `UploadLayerPart`, `CompleteLayerUpload`, and `PutImage` sections are generated. For examples of these common tasks, see [CloudTrail log entry examples](#).

Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root or IAM user credentials
- Whether the request was made with temporary security credentials for a role or federated user
- Whether the request was made by another AWS service

For more information, see the [CloudTrail `userIdentity` element](#).

## Understanding Amazon ECR Public log file entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single request from any source and includes information about the requested action, the date and time of the action, request parameters, and other information. CloudTrail log files are not an ordered stack trace of the public API calls, so they do not appear in any specific order.

### Important

Because Amazon ECR Public is a global service, events for the service are logged in **US East (N. Virginia)**.

## CloudTrail log entry examples

The following are CloudTrail log entry examples for a few common Amazon ECR tasks.

**Note**

These examples have been formatted for improved readability. In a CloudTrail log file, all entries and events are concatenated into a single line. In addition, this example has been limited to a single Amazon ECR Public entry. In a real CloudTrail log file, you see entries and events from multiple AWS services.

**Topics**

- [Example: Create repository action](#)
- [Example: Image push action](#)

**Example: Create repository action**

The following example shows a CloudTrail log entry that demonstrates the `CreateRepository` action.

```
{
 "eventVersion": "1.08",
 "userIdentity": {
 "type": "IAMUser",
 "principalId": "AIDACKC6C2EXAMPLE:account_name",
 "arn": "arn:aws:iam::123456789012:user/admin",
 "accountId": "123456789012",
 "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
 "userName": "admin"
 },
 "eventTime": "2020-11-27T21:51:29Z",
 "eventSource": "ecr-public.amazonaws.com",
 "eventName": "CreateRepository",
 "awsRegion": "us-east-1",
 "sourceIPAddress": "72.21.198.67",
 "userAgent": "aws-cli/2.0.28 Python/3.7.4 Darwin/18.7.0 boto3/2.0.0dev32",
 "requestParameters": {
 "repositoryName": "ecr-tutorial"
 },
 "responseElements": {
 "repository": {
 "repositoryArn": "arn:aws:ecr-public::123456789012:repository/ecr-tutorial",
```

```

 "registryId": "123456789012",
 "repositoryName": "ecr-tutorial",
 "repositoryUri": "public.ecr.aws/j3y4EXAMPLE/ecr-tutorial",
 "createdAt": "Nov 27, 2020, 9:51:29 PM"
 },
 "catalogData": {}
},
"requestID": "852d12c4-2495-451c-9fd6-a1fcEXAMPLE",
"eventID": "28371107-6ffc-44a1-92d9-564EXAMPLE",
"readOnly": false,
"resources": [
 {
 "accountId": "123456789012",
 "ARN": "arn:aws:ecr-public::123456789012:repository/ecr-tutorial"
 }
],
"eventType": "AwsApiCall",
"managementEvent": true,
"eventCategory": "Management",
"recipientAccountId": "123456789012"
}

```

## Example: Image push action

The following example shows a CloudTrail log entry that demonstrates an image push which uses the PutImage action.

### Note

When pushing an image, you will also see `InitiateLayerUpload`, `UploadLayerPart`, and `CompleteLayerUpload` references in the CloudTrail logs.

```

{
 "eventVersion": "1.04",
 "userIdentity": {
 "type": "IAMUser",
 "principalId": "AIDACKC6C2EXAMPLE:account_name",
 "arn": "arn:aws:sts::123456789012:user/Mary_Major",
 "accountId": "123456789012",
 "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
 "userName": "Mary_Major",

```

```

"sessionContext": {
 "attributes": {
 "mfaAuthenticated": "false",
 "creationDate": "2019-04-15T16:42:14Z"
 }
},
"eventTime": "2019-04-15T16:45:00Z",
"eventSource": "ecr-public.amazonaws.com",
"eventName": "PutImage",
"awsRegion": "us-east-1",
"sourceIPAddress": "203.0.113.12",
"userAgent": "console.amazonaws.com",
"requestParameters": {
 "repositoryName": "testrepo",
 "imageTag": "latest",
 "registryId": "123456789012",
 "imageManifest": "{\n \"schemaVersion\": 2,\n \"mediaType\": \"application/
vnd.docker.distribution.manifest.v2+json\",\n \"config\": {\n \"mediaType\":
\"application/vnd.docker.container.image.v1+json\",\n \"size\": 5543,\n
 \"digest\": \"sha256:000b9b805af1cdb60628898c9f411996301a1c13afd3dbef1d8a16ac6dbf503a
\"\n },\n \"layers\": [\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 43252507,\n
 \"digest\": \"sha256:3b37166ec61459e76e33282dda08f2a9cd698ca7e3d6bc44e6a6e7580cdeff8e
\"\n },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 846,\n \"digest
\": \"sha256:504facff238fde83f1ca8f9f54520b4219c5b8f80be9616ddc52d31448a044bd
\"\n },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 615,\n \"digest
\": \"sha256:ebbcacd28e101968415b0c812b2d2dc60f969e36b0b08c073bf796e12b1bb449\"\n
 },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 850,\n \"digest
\": \"sha256:c7fb3351ecad291a88b92b600037e2435c84a347683d540042086fe72c902b8a
\"\n },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 168,\n \"digest\":
\"sha256:2e3debadcbf7e542e2aefbce1b64a358b1931fb403b3e4aeca27cb4d809d56c2\"\n },
\n {\n \"mediaType\": \"application/vnd.docker.image.rootfs.diff.tar.gzip
\",\n \"size\": 37720774,\n \"digest\":
\"sha256:f8c9f51ad524d8ae9bf4db69cd3e720ba92373ec265f5c390ffb21bb0c277941\"\n
 },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 30432107,\n
 \"digest\": \"sha256:813a50b13f61cf1f8d25f19fa96ad3aa5b552896c83e86ce413b48b091d7f01b
\"\n },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\",\n \"size\": 197,\n \"digest

```

```

\": \"sha256:7ab043301a6187ea3293d80b30ba06c7bf1a0c3cd4c43d10353b31bc0cecf7d
\n },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 154, \n \"digest
\": \"sha256:67012cca8f31dc3b8ee2305e7762fee20c250513effdedb38a1c37784a5a2e71\" \n
 },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 176, \n \"digest
\": \"sha256:3bc892145603fffc9b1c97c94e2985b4cb19ca508750b15845a5d97becbd1a0e
\n },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 183, \n \"digest
\": \"sha256:6f1c79518f18251d35977e7e46bfa6c6b9cf50df2a79d4194941d95c54258d18\" \n
 },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 212, \n \"digest
\": \"sha256:b7bcfbc2e2888afebede4dd1cd5eebf029bb6315feeaf0b56e425e11a50afe42\" \n
 },\n {\n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 212, \n \"digest\":
\"sha256:2b220f8b0f32b7c2ed8eaafe1c802633bbd94849b9ab73926f0ba46cdae91629\" \n } \n
] \n } \n
},
\"responseElements\": {
 \"image\": {
 \"repositoryName\": \"testrepo\",
 \"imageManifest\": \"{ \n \"schemaVersion\": 2, \n \"mediaType\": \"application/
vnd.docker.distribution.manifest.v2+json\", \n \"config\": { \n \"mediaType\":
\"application/vnd.docker.container.image.v1+json\", \n \"size\": 5543, \n
 \"digest\": \"sha256:000b9b805af1cdb60628898c9f411996301a1c13afd3dbef1d8a16ac6dbf503a
\n \n }, \n \"layers\": [\n { \n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 43252507, \n
 \"digest\": \"sha256:3b37166ec61459e76e33282dda08f2a9cd698ca7e3d6bc44e6a6e7580cdeff8e
\n }, \n { \n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 846, \n \"digest
\": \"sha256:504facff238fde83f1ca8f9f54520b4219c5b8f80be9616ddc52d31448a044bd
\n }, \n { \n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 615, \n \"digest
\": \"sha256:ebbcacd28e101968415b0c812b2d2dc60f969e36b0b08c073bf796e12b1bb449\" \n
 }, \n { \n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 850, \n \"digest
\": \"sha256:c7fb3351ecad291a88b92b600037e2435c84a347683d540042086fe72c902b8a
\n }, \n { \n \"mediaType\": \"application/
vnd.docker.image.rootfs.diff.tar.gzip\", \n \"size\": 168, \n \"digest\":
\"sha256:2e3debadcbf7e542e2aefbce1b64a358b1931fb403b3e4aeca27cb4d809d56c2\" \n },
\n { \n \"mediaType\": \"application/vnd.docker.image.rootfs.diff.tar.gzip
\", \n \"size\": 37720774, \n \"digest\":
\"sha256:f8c9f51ad524d8ae9bf4db69cd3e720ba92373ec265f5c390ffb21bb0c277941\" \n
 }, \n { \n \"mediaType\": \"application/

```

```

vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 30432107,\n
 \digest": \sha256:813a50b13f61cf1f8d25f19fa96ad3aa5b552896c83e86ce413b48b091d7f01b
\n },\n {\n \mediaType": \application/
vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 197,\n \digest
\n: \sha256:7ab043301a6187ea3293d80b30ba06c7bf1a0c3cd4c43d10353b31bc0cecfe7d
\n },\n {\n \mediaType": \application/
vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 154,\n \digest
\n: \sha256:67012cca8f31dc3b8ee2305e7762fee20c250513effdedb38a1c37784a5a2e71\n\n
 },\n {\n \mediaType": \application/
vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 176,\n \digest
\n: \sha256:3bc892145603fffc9b1c97c94e2985b4cb19ca508750b15845a5d97becbd1a0e
\n\n },\n {\n \mediaType": \application/
vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 183,\n \digest
\n: \sha256:6f1c79518f18251d35977e7e46bfa6c6b9cf50df2a79d4194941d95c54258d18\n\n
 },\n {\n \mediaType": \application/
vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 212,\n \digest
\n: \sha256:b7bcfbc2e2888afebede4dd1cd5eebf029bb6315feeaf0b56e425e11a50afe42\n\n
 },\n {\n \mediaType": \application/
vnd.docker.image.rootfs.diff.tar.gzip",\n \size": 212,\n \digest\n:
\nsha256:2b220f8b0f32b7c2ed8eaafe1c802633bbd94849b9ab73926f0ba46cdae91629\n\n }\n
]\n}",
 "registryId": "123456789012",
 "imageId": {
 "imageDigest":
"sha256:98c8b060c21d9adbb6b8c41b916e95e6307102786973ab93a41e8b86d1fc6d3e",
 "imageTag": "latest"
 }
}
},
"requestID": "cf044b7d-5f9d-11e9-9b2a-95983139cc57",
"eventID": "2bfd4ee2-2178-4a82-a27d-b12939923f0f",
"resources": [{
 "ARN": "arn:aws:ecr-public:us-east-1:123456789012:repository/testrepo",
 "accountId": "123456789012"
}],
"eventType": "AwsApiCall",
"recipientAccountId": "123456789012"
}

```

## Amazon ECR Public service quotas

The following table provides the default service quotas for Amazon ECR Public. For unauthenticated customers, Amazon ECR Public supports up to 500GB of data per month. This is the max amount of data supported and isn't adjustable.

Name	Default	Adjustable	Description
Images per repository	Each supported Region: 100,000	<a href="#">Yes</a>	The maximum number of images per repository.
Layer parts	Each supported Region: 1,000	No	The maximum number of layer parts. This is only applicable if you are using Amazon ECR API actions directly to initiate multipart uploads for image push operations.
Maximum layer part size	Each supported Region: 10	No	The maximum size (MiB) of a layer part. This is only applicable if you are using Amazon ECR API actions directly to initiate multipart uploads for image push operations.
Maximum layer size	Each supported Region: 10,000	No	The maximum size per layer.
Minimum layer part size	Each supported Region: 5	No	The minimum size (MiB) of a layer part. This is only applicable if you are using Amazon ECR API actions directly to initiate

Name	Default	Adjustable	Description
			multipart uploads for image push operations.
Rate of BatchCheckLayerAvailability requests	Each supported Region: 200 per second	<a href="#">Yes</a>	The maximum number of BatchCheckLayerAvailability requests that you can make per second in the current Region. When an image is pushed to a repository, each image layer is checked to verify if it has been uploaded before. If it has been uploaded, then the image layer is skipped.
Rate of CompleteLayerUpload requests	Each supported Region: 10 per second	<a href="#">Yes</a>	The maximum number of CompleteLayerUpload requests that you can make per second in the current Region. When an image is pushed, the CompleteLayerUpload API is called once per each new image layer to verify that the upload has completed.
Rate of GetAuthorizationToken requests	Each supported Region: 200 per second	<a href="#">Yes</a>	The maximum number of GetAuthorizationToken requests that you can make per second in the current Region.

Name	Default	Adjustable	Description
Rate of InitiateLayerUpload requests	Each supported Region: 10 per second	<a href="#">Yes</a>	The maximum number of InitiateLayerUpload requests that you can make per second in the current Region. When an image is pushed, the InitiateLayerUpload API is called once per image layer that has not already been uploaded. Whether or not an image layer has been uploaded is determined by the BatchCheckLayerAvailability API action.
Rate of PutImage requests	Each supported Region: 10 per second	<a href="#">Yes</a>	The maximum number of PutImage requests that you can make per second in the current Region. When an image is pushed and all new image layers have been uploaded, the PutImage API is called once to create or update the image manifest and the tags associated with the image.

Name	Default	Adjustable	Description
Rate of UploadLayerPart requests	Each supported Region: 260 per second	<a href="#">Yes</a>	The maximum number of UploadLayerPart requests that you can make per second in the current Region. When an image is pushed, each new image layer is uploaded in parts and the UploadLayerPart API is called once per each new image layer part.
Rate of authenticated image pulls	Each supported Region: 10 per second	<a href="#">Yes</a>	The maximum number of authenticated image pulls per second.
Rate of image pulls to AWS resources	Each supported Region: 10 per second	No	The maximum number of image pulls per second to resources running on Amazon ECS, Fargate, or Amazon EC2.
Rate of unauthenticated image pulls	Each supported Region: 1 per second	No	The maximum number of unauthenticated image pulls per second.
Registered repositories	Each supported Region: 10,000	<a href="#">Yes</a>	The maximum number of repositories that you can create in this account in the current Region.
Tags per image	Each supported Region: 1,000	No	The maximum number of tags per image.

# Managing your Amazon ECR Public service quotas in the AWS Management Console

Amazon ECR Public has integrated with Service Quotas, an AWS service that enables you to view and manage your quotas from a central location. For more information, see [What Is Service Quotas?](#) in the *Service Quotas User Guide*.

Service Quotas makes it easy to look up the value of all Amazon ECR service quotas.

## To view Amazon ECR service quotas (AWS Management Console)

1. Open the Service Quotas console at <https://console.aws.amazon.com/servicequotas/>.
2. In the navigation pane, choose **AWS services**.
3. From the **AWS services** list, search for and select [Amazon Elastic Container Registry Public \(Amazon ECR Public\)](#).

In the **Service quotas** list, you can see the service quota name, applied value (if it is available), AWS default quota, and whether the quota value is adjustable.

4. To view additional information about a service quota, such as the description, choose the quota name.

To request a quota increase, see [Requesting a quota increase](#) in the *Service Quotas User Guide*.

# Amazon ECR Public troubleshooting

This chapter helps you find diagnostic information for Amazon ECR Public, and provides troubleshooting steps for common issues and error messages.

## Topics

- [Authentication issues](#)

## Authentication issues

**Issue:** When performing an unauthenticated pull from an Amazon ECR Public repository, you receive an authentication token expired response. This is likely due to the fact that you've previously requested an authentication token from Amazon ECR Public and that token has expired. When the new Amazon ECR Public image pull is performed, the expired token is used and the error is received. The following is an example error.

```
Error response from daemon: pull access denied for
public.ecr.aws/registry_alias/repository_name, repository does not exist or may
require 'docker login': denied: Your authorization token has expired. Reauthenticate
and try again.
```

**Resolution:** To resolve this issue, you can either re-authenticate to Amazon ECR Public or you can log your Docker CLI out of the Amazon ECR Public registry and re-attempt your unauthenticated image pull.

```
docker logout public.ecr.aws
```

## Document history

The following table describes the important changes to the documentation since the last release of Amazon ECR Public. We also update the documentation frequently to address the feedback that you send us.

Change	Description	Date
IPv6 support	Added support for making requests to Amazon ECR Public registries using both IPv4-only and dual-stack (IPv4 and IPv6) endpoints. For more information, see <a href="#">Making requests to Amazon ECR Public registries</a> .	30 April 2025
AWS Managed Policies for Amazon ECR Public	Amazon ECR Public added documentation of AWS managed policies. For more information, see <a href="#">AWS managed policies for Amazon ECR Public</a> .	24 June 2021
Tagging support	Added support for tagging your public repositories. For more information, see <a href="#">Tag an Amazon ECR Public repository</a> .	24 Feb 2021
Amazon ECR Public general availability	Amazon Elastic Container Registry Public is a public AWS container image registry service that is secure, scalable, and reliable.	1 Dec 2020