



Welcome

# Amplify



**API Version 2017-07-25**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# Amplify: Welcome

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>2</b>
CreateApp .....	4
Request Syntax .....	4
URI Request Parameters .....	5
Request Body .....	5
Response Syntax .....	11
Response Elements .....	13
Errors .....	13
See Also .....	14
CreateBackendEnvironment .....	15
Request Syntax .....	15
URI Request Parameters .....	15
Request Body .....	15
Response Syntax .....	16
Response Elements .....	17
Errors .....	17
See Also .....	18
CreateBranch .....	19
Request Syntax .....	19
URI Request Parameters .....	19
Request Body .....	20
Response Syntax .....	25
Response Elements .....	26
Errors .....	27
See Also .....	27
CreateDeployment .....	29
Request Syntax .....	29
URI Request Parameters .....	29
Request Body .....	30
Response Syntax .....	30
Response Elements .....	30
Errors .....	31
See Also .....	32

---

CreateDomainAssociation .....	33
Request Syntax .....	33
URI Request Parameters .....	33
Request Body .....	34
Response Syntax .....	35
Response Elements .....	36
Errors .....	36
See Also .....	37
CreateWebhook .....	38
Request Syntax .....	38
URI Request Parameters .....	38
Request Body .....	38
Response Syntax .....	39
Response Elements .....	39
Errors .....	40
See Also .....	40
DeleteApp .....	42
Request Syntax .....	42
URI Request Parameters .....	42
Request Body .....	42
Response Syntax .....	42
Response Elements .....	44
Errors .....	44
See Also .....	45
DeleteBackendEnvironment .....	46
Request Syntax .....	46
URI Request Parameters .....	46
Request Body .....	46
Response Syntax .....	47
Response Elements .....	47
Errors .....	47
See Also .....	48
DeleteBranch .....	49
Request Syntax .....	49
URI Request Parameters .....	49
Request Body .....	49

---

Response Syntax .....	49
Response Elements .....	50
Errors .....	51
See Also .....	51
DeleteDomainAssociation .....	53
Request Syntax .....	53
URI Request Parameters .....	53
Request Body .....	53
Response Syntax .....	53
Response Elements .....	54
Errors .....	54
See Also .....	55
DeleteJob .....	57
Request Syntax .....	57
URI Request Parameters .....	57
Request Body .....	58
Response Syntax .....	58
Response Elements .....	58
Errors .....	58
See Also .....	59
DeleteWebhook .....	61
Request Syntax .....	61
URI Request Parameters .....	61
Request Body .....	61
Response Syntax .....	61
Response Elements .....	62
Errors .....	62
See Also .....	63
GenerateAccessLogs .....	64
Request Syntax .....	64
URI Request Parameters .....	64
Request Body .....	64
Response Syntax .....	65
Response Elements .....	65
Errors .....	66
See Also .....	66

---

GetApp .....	68
Request Syntax .....	68
URI Request Parameters .....	68
Request Body .....	68
Response Syntax .....	68
Response Elements .....	70
Errors .....	70
See Also .....	71
GetArtifactUrl .....	72
Request Syntax .....	72
URI Request Parameters .....	72
Request Body .....	72
Response Syntax .....	72
Response Elements .....	72
Errors .....	73
See Also .....	74
GetBackendEnvironment .....	75
Request Syntax .....	75
URI Request Parameters .....	75
Request Body .....	75
Response Syntax .....	76
Response Elements .....	76
Errors .....	76
See Also .....	77
GetBranch .....	78
Request Syntax .....	78
URI Request Parameters .....	78
Request Body .....	78
Response Syntax .....	78
Response Elements .....	79
Errors .....	80
See Also .....	80
GetDomainAssociation .....	82
Request Syntax .....	82
URI Request Parameters .....	82
Request Body .....	82

---

Response Syntax .....	82
Response Elements .....	83
Errors .....	84
See Also .....	84
GetJob .....	86
Request Syntax .....	86
URI Request Parameters .....	86
Request Body .....	87
Response Syntax .....	87
Response Elements .....	88
Errors .....	88
See Also .....	89
GetWebhook .....	90
Request Syntax .....	90
URI Request Parameters .....	90
Request Body .....	90
Response Syntax .....	90
Response Elements .....	91
Errors .....	91
See Also .....	92
ListApps .....	93
Request Syntax .....	93
URI Request Parameters .....	93
Request Body .....	93
Response Syntax .....	93
Response Elements .....	95
Errors .....	96
See Also .....	96
ListArtifacts .....	98
Request Syntax .....	98
URI Request Parameters .....	98
Request Body .....	99
Response Syntax .....	99
Response Elements .....	99
Errors .....	100
See Also .....	101

---

ListBackendEnvironments .....	102
Request Syntax .....	102
URI Request Parameters .....	102
Request Body .....	103
Response Syntax .....	103
Response Elements .....	103
Errors .....	104
See Also .....	104
ListBranches .....	106
Request Syntax .....	106
URI Request Parameters .....	106
Request Body .....	106
Response Syntax .....	107
Response Elements .....	108
Errors .....	108
See Also .....	109
ListDomainAssociations .....	110
Request Syntax .....	110
URI Request Parameters .....	110
Request Body .....	110
Response Syntax .....	111
Response Elements .....	111
Errors .....	112
See Also .....	112
ListJobs .....	114
Request Syntax .....	114
URI Request Parameters .....	114
Request Body .....	115
Response Syntax .....	115
Response Elements .....	115
Errors .....	116
See Also .....	116
ListTagsForResource .....	118
Request Syntax .....	118
URI Request Parameters .....	118
Request Body .....	118

---

Response Syntax .....	118
Response Elements .....	118
Errors .....	119
See Also .....	119
ListWebhooks .....	121
Request Syntax .....	121
URI Request Parameters .....	121
Request Body .....	121
Response Syntax .....	122
Response Elements .....	122
Errors .....	123
See Also .....	123
StartDeployment .....	125
Request Syntax .....	125
URI Request Parameters .....	125
Request Body .....	126
Response Syntax .....	127
Response Elements .....	127
Errors .....	127
See Also .....	128
StartJob .....	129
Request Syntax .....	129
URI Request Parameters .....	129
Request Body .....	130
Response Syntax .....	131
Response Elements .....	132
Errors .....	132
See Also .....	133
StopJob .....	134
Request Syntax .....	134
URI Request Parameters .....	134
Request Body .....	135
Response Syntax .....	135
Response Elements .....	135
Errors .....	135
See Also .....	136

---

TagResource .....	138
Request Syntax .....	138
URI Request Parameters .....	138
Request Body .....	138
Response Syntax .....	139
Response Elements .....	139
Errors .....	139
See Also .....	139
UntagResource .....	141
Request Syntax .....	141
URI Request Parameters .....	141
Request Body .....	141
Response Syntax .....	141
Response Elements .....	142
Errors .....	142
See Also .....	142
UpdateApp .....	144
Request Syntax .....	144
URI Request Parameters .....	145
Request Body .....	145
Response Syntax .....	151
Response Elements .....	153
Errors .....	153
See Also .....	153
UpdateBranch .....	155
Request Syntax .....	155
URI Request Parameters .....	155
Request Body .....	156
Response Syntax .....	161
Response Elements .....	162
Errors .....	162
See Also .....	163
UpdateDomainAssociation .....	164
Request Syntax .....	164
URI Request Parameters .....	164
Request Body .....	165

Response Syntax .....	166
Response Elements .....	167
Errors .....	167
See Also .....	168
UpdateWebhook .....	169
Request Syntax .....	169
URI Request Parameters .....	169
Request Body .....	169
Response Syntax .....	170
Response Elements .....	170
Errors .....	171
See Also .....	171
<b>Data Types .....</b>	<b>173</b>
App .....	175
Contents .....	175
See Also .....	182
Artifact .....	183
Contents .....	183
See Also .....	183
AutoBranchCreationConfig .....	184
Contents .....	184
See Also .....	186
Backend .....	187
Contents .....	187
See Also .....	187
BackendEnvironment .....	188
Contents .....	188
See Also .....	189
Branch .....	190
Contents .....	190
See Also .....	197
CacheConfig .....	198
Contents .....	198
See Also .....	198
Certificate .....	199
Contents .....	199

---

See Also .....	200
CertificateSettings .....	201
Contents .....	201
See Also .....	201
CustomRule .....	203
Contents .....	203
See Also .....	204
DomainAssociation .....	205
Contents .....	205
See Also .....	208
Job .....	209
Contents .....	209
See Also .....	209
JobConfig .....	210
Contents .....	210
See Also .....	211
JobSummary .....	212
Contents .....	212
See Also .....	214
ProductionBranch .....	216
Contents .....	216
See Also .....	217
Step .....	218
Contents .....	218
See Also .....	220
SubDomain .....	221
Contents .....	221
See Also .....	221
SubDomainSetting .....	222
Contents .....	222
See Also .....	222
WafConfiguration .....	223
Contents .....	223
See Also .....	224
Webhook .....	225
Contents .....	225

---

See Also .....	227
<b>Common Parameters .....</b>	<b>228</b>
<b>Common Error Types .....</b>	<b>231</b>

# Welcome

Welcome to the AWS Amplify Hosting API documentation. This reference provides descriptions of the actions and data types for the Amplify Hosting API. If you are looking for the API documentation for the Amplify iOS, Amplify Android, and Amplify client libraries, see the open-source documentation for the [Amplify Framework](#).

Amplify enables developers to develop and deploy cloud-powered mobile and web apps. Amplify Hosting provides a continuous delivery and hosting service for web applications. For more information, see the [Amplify Hosting User Guide](#). The Amplify Framework is a comprehensive set of SDKs, libraries, tools, and documentation for client app development. For more information, see the [Amplify Framework](#).

This document was last published on April 10, 2026.

# Actions

The following actions are supported:

- [CreateApp](#)
- [CreateBackendEnvironment](#)
- [CreateBranch](#)
- [CreateDeployment](#)
- [CreateDomainAssociation](#)
- [CreateWebhook](#)
- [DeleteApp](#)
- [DeleteBackendEnvironment](#)
- [DeleteBranch](#)
- [DeleteDomainAssociation](#)
- [DeleteJob](#)
- [DeleteWebhook](#)
- [GenerateAccessLogs](#)
- [GetApp](#)
- [GetArtifactUrl](#)
- [GetBackendEnvironment](#)
- [GetBranch](#)
- [GetDomainAssociation](#)
- [GetJob](#)
- [GetWebhook](#)
- [ListApps](#)
- [ListArtifacts](#)
- [ListBackendEnvironments](#)
- [ListBranches](#)
- [ListDomainAssociations](#)
- [ListJobs](#)
- [ListTagsForResource](#)

- [ListWebhooks](#)
- [StartDeployment](#)
- [StartJob](#)
- [StopJob](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateApp](#)
- [UpdateBranch](#)
- [UpdateDomainAssociation](#)
- [UpdateWebhook](#)

# CreateApp

Creates a new Amplify app.

## Request Syntax

```
POST /apps HTTP/1.1
Content-type: application/json

{
  "accessToken": "string",
  "autoBranchCreationConfig": {
    "basicAuthCredentials": "string",
    "buildSpec": "string",
    "enableAutoBuild": boolean,
    "enableBasicAuth": boolean,
    "enablePerformanceMode": boolean,
    "enablePullRequestPreview": boolean,
    "environmentVariables": {
      "string" : "string"
    },
    "framework": "string",
    "pullRequestEnvironmentName": "string",
    "stage": "string"
  },
  "autoBranchCreationPatterns": [ "string" ],
  "basicAuthCredentials": "string",
  "buildSpec": "string",
  "cacheConfig": {
    "type": "string"
  },
  "computeRoleArn": "string",
  "customHeaders": "string",
  "customRules": [
    {
      "condition": "string",
      "source": "string",
      "status": "string",
      "target": "string"
    }
  ],
  "description": "string",
  "enableAutoBranchCreation": boolean,
```

```
"enableBasicAuth": boolean,
"enableBranchAutoBuild": boolean,
"enableBranchAutoDeletion": boolean,
"environmentVariables": {
  "string" : "string"
},
"iamServiceRoleArn": "string",
"jobConfig": {
  "buildComputeType": "string"
},
"name": "string",
"oauthToken": "string",
"platform": "string",
"repository": "string",
"tags": {
  "string" : "string"
}
}
```

## URI Request Parameters

The request does not use any URI parameters.

## Request Body

The request accepts the following data in JSON format.

### accessToken

The personal access token for a GitHub repository for an Amplify app. The personal access token is used to authorize access to a GitHub repository using the Amplify GitHub App. The token is not stored.

Use `accessToken` for GitHub repositories only. To authorize access to a repository provider such as Bitbucket or CodeCommit, use `oauthToken`.

You must specify either `accessToken` or `oauthToken` when you create a new app.

Existing Amplify apps deployed from a GitHub repository using OAuth continue to work with CI/CD. However, we strongly recommend that you migrate these apps to use the GitHub App. For more information, see [Migrating an existing OAuth app to the Amplify GitHub App](#) in the *Amplify User Guide* .

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: No

### [autoBranchCreationConfig](#)

The automated branch creation configuration for an Amplify app.

Type: [AutoBranchCreationConfig](#) object

Required: No

### [autoBranchCreationPatterns](#)

The automated branch creation glob patterns for an Amplify app.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: (?s) . +

Required: No

### [basicAuthCredentials](#)

The credentials for basic authorization for an Amplify app. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s) . \*

Required: No

### [buildSpec](#)

The build specification (build spec) for an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: (?s) . +

Required: No

### cacheConfig

The cache configuration for the Amplify app.

Type: [CacheConfig](#) object

Required: No

### computeRoleArn

The Amazon Resource Name (ARN) of the IAM role to assign to an SSR app. The SSR Compute role allows the Amplify Hosting compute service to securely access specific AWS resources based on the role's permissions. For more information about the SSR Compute role, see [Adding an SSR Compute role](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### customHeaders

The custom HTTP headers for an Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 25000.

Pattern: (?s) . \*

Required: No

### customRules

The custom rewrite and redirect rules for an Amplify app.

Type: Array of [CustomRule](#) objects

Required: No

## description

The description of the Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

## enableAutoBranchCreation

Enables automated branch creation for an Amplify app.

Type: Boolean

Required: No

## enableBasicAuth

Enables basic authorization for an Amplify app. This will apply to all branches that are part of this app.

Type: Boolean

Required: No

## enableBranchAutoBuild

Enables the auto building of branches for an Amplify app.

Type: Boolean

Required: No

## enableBranchAutoDeletion

Automatically disconnects a branch in the Amplify console when you delete a branch from your Git repository.

Type: Boolean

Required: No

## environmentVariables

The environment variables map for an Amplify app.

For a list of the environment variables that are accessible to Amplify by default, see [Amplify Environment variables](#) in the *Amplify Hosting User Guide*.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s) . \*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s) . \*

Required: No

### **iamServiceRoleArn**

The Amazon Resource Name (ARN) of the IAM service role for the Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### **jobConfig**

Describes the configuration details that apply to the jobs for an Amplify app.

Type: [JobConfig](#) object

Required: No

### **name**

The name of the Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: Yes

## oauthToken

The OAuth token for a third-party source control system for an Amplify app. The OAuth token is used to create a webhook and a read-only deploy key using SSH cloning. The OAuth token is not stored.

Use `oauthToken` for repository providers other than GitHub, such as Bitbucket or CodeCommit. To authorize access to GitHub as your repository provider, use `accessToken`.

You must specify either `oauthToken` or `accessToken` when you create a new app.

Existing Amplify apps deployed from a GitHub repository using OAuth continue to work with CI/CD. However, we strongly recommend that you migrate these apps to use the GitHub App. For more information, see [Migrating an existing OAuth app to the Amplify GitHub App](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `(?s).*`

Required: No

## platform

The platform for the Amplify app. For a static app, set the platform type to `WEB`. For a dynamic server-side rendered (SSR) app, set the platform type to `WEB_COMPUTE`. For an app requiring Amplify Hosting's original SSR support only, set the platform type to `WEB_DYNAMIC`.

If you are deploying an SSG only app with Next.js version 14 or later, you must set the platform type to `WEB_COMPUTE` and set the artifacts `baseDirectory` to `.next` in the application's build settings. For an example of the build specification settings, see [Amplify build settings for a Next.js 14 SSG application](#) in the *Amplify Hosting User Guide*.

Type: String

Valid Values: `WEB` | `WEB_DYNAMIC` | `WEB_COMPUTE`

Required: No

## repository

The Git repository for the Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

## tags

The tag for an Amplify app.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ^(?!aws:)[a-zA-Z+-. \_:/]+\$

Value Length Constraints: Maximum length of 256.

Value Pattern: ^([\p{L}\p{Z}\p{N}\_ .:/+=\ -@]\*)\$

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "app": {
    "appArn": "string",
    "appId": "string",
    "autoBranchCreationConfig": {
      "basicAuthCredentials": "string",
      "buildSpec": "string",
      "enableAutoBuild": boolean,
      "enableBasicAuth": boolean,
      "enablePerformanceMode": boolean,
      "enablePullRequestPreview": boolean,
      "environmentVariables": {
        "string" : "string"
      }
    },
  },
}
```

```
    "framework": "string",
    "pullRequestEnvironmentName": "string",
    "stage": "string"
  },
  "autoBranchCreationPatterns": [ "string" ],
  "basicAuthCredentials": "string",
  "buildSpec": "string",
  "cacheConfig": {
    "type": "string"
  },
  "computeRoleArn": "string",
  "createTime": number,
  "customHeaders": "string",
  "customRules": [
    {
      "condition": "string",
      "source": "string",
      "status": "string",
      "target": "string"
    }
  ],
  "defaultDomain": "string",
  "description": "string",
  "enableAutoBranchCreation": boolean,
  "enableBasicAuth": boolean,
  "enableBranchAutoBuild": boolean,
  "enableBranchAutoDeletion": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "iamServiceRoleArn": "string",
  "jobConfig": {
    "buildComputeType": "string"
  },
  "name": "string",
  "platform": "string",
  "productionBranch": {
    "branchName": "string",
    "lastDeployTime": number,
    "status": "string",
    "thumbnailUrl": "string"
  },
  "repository": "string",
  "repositoryCloneMethod": "string",
```

```
  "tags": {
    "string" : "string"
  },
  "updateTime": number,
  "wafConfiguration": {
    "statusReason": "string",
    "wafStatus": "string",
    "webAclArn": "string"
  },
  "webhookCreateTime": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [app](#)

Represents the different branches of a repository for building, deploying, and hosting an Amplify app.

Type: [App](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

## **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

## **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateBackendEnvironment

Creates a new backend environment for an Amplify app.

This API is available only to Amplify Gen 1 applications where the backend is created using Amplify Studio or the Amplify command line interface (CLI). This API isn't available to Amplify Gen 2 applications. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

## Request Syntax

```
POST /apps/appId/backendenvironments HTTP/1.1
Content-type: application/json
```

```
{
  "deploymentArtifacts": "string",
  "environmentName": "string",
  "stackName": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### deploymentArtifacts

The name of deployment artifacts.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: (?s).+

Required: No

### environmentName

The name for the backend environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

### stackName

The AWS CloudFormation stack name of a backend environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: No

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "backendEnvironment": {
    "backendEnvironmentArn": "string",
    "createTime": number,
    "deploymentArtifacts": "string",
    "environmentName": "string",
```

```
  "stackName": "string",  
  "updateTime": number  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### backendEnvironment

Describes the backend environment for an Amplify app.

Type: [BackendEnvironment](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateBranch

Creates a new branch for an Amplify app.

## Request Syntax

```
POST /apps/appId/branches HTTP/1.1
Content-type: application/json

{
  "backend": {
    "stackArn": "string"
  },
  "backendEnvironmentArn": "string",
  "basicAuthCredentials": "string",
  "branchName": "string",
  "buildSpec": "string",
  "computeRoleArn": "string",
  "description": "string",
  "displayName": "string",
  "enableAutoBuild": boolean,
  "enableBasicAuth": boolean,
  "enableNotification": boolean,
  "enablePerformanceMode": boolean,
  "enablePullRequestPreview": boolean,
  "enableSkewProtection": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "framework": "string",
  "pullRequestEnvironmentName": "string",
  "stage": "string",
  "tags": {
    "string" : "string"
  },
  "ttl": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

## appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### backend

The backend for a Branch of an Amplify app. Use for a backend created from an CloudFormation stack.

This field is available to Amplify Gen 2 apps only. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

Type: [Backend](#) object

Required: No

### backendEnvironmentArn

The Amazon Resource Name (ARN) for a backend environment that is part of a Gen 1 Amplify app.

This field is available to Amplify Gen 1 apps only where the backend is created using Amplify Studio or the Amplify command line interface (CLI).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `(?s).*`

Required: No

## basicAuthCredentials

The basic authorization credentials for the branch. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: `(?s).*`

Required: No

## branchName

The name for the branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

## buildSpec

The build specification (build spec) for the branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: `(?s).+`

Required: No

## computeRoleArn

The Amazon Resource Name (ARN) of the IAM role to assign to a branch of an SSR app. The SSR Compute role allows the Amplify Hosting compute service to securely access specific AWS resources based on the role's permissions. For more information about the SSR Compute role, see [Adding an SSR Compute role](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### description

The description for the branch.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### displayName

The display name for a branch. This is used as the default domain prefix.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s) . \*

Required: No

### enableAutoBuild

Enables auto building for the branch.

Type: Boolean

Required: No

### enableBasicAuth

Enables basic authorization for the branch.

Type: Boolean

Required: No

### enableNotification

Enables notifications for the branch.

Type: Boolean

Required: No

### enablePerformanceMode

Enables performance mode for the branch.

Performance mode optimizes for faster hosting performance by keeping content cached at the edge for a longer interval. When performance mode is enabled, hosting configuration or code changes can take up to 10 minutes to roll out.

Type: Boolean

Required: No

### enablePullRequestPreview

Enables pull request previews for this branch.

Type: Boolean

Required: No

### enableSkewProtection

Specifies whether the skew protection feature is enabled for the branch.

Deployment skew protection is available to Amplify applications to eliminate version skew issues between client and servers in web applications. When you apply skew protection to a branch, you can ensure that your clients always interact with the correct version of server-side assets, regardless of when a deployment occurs. For more information about skew protection, see [Skew protection for Amplify deployments](#) in the *Amplify User Guide*.

Type: Boolean

Required: No

### environmentVariables

The environment variables for the branch.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s) . \*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s) . \*

Required: No

### framework

The framework for the branch.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s) . \*

Required: No

### pullRequestEnvironmentName

The Amplify environment name for the pull request.

Type: String

Length Constraints: Maximum length of 20.

Pattern: (?s) . \*

Required: No

### stage

Describes the current stage for the branch.

Type: String

Valid Values: PRODUCTION | BETA | DEVELOPMENT | EXPERIMENTAL | PULL\_REQUEST

Required: No

## tags

The tag for the branch.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `^([\p{L}\p{Z}\p{N}_ .:/+=\ -@]*)`

Required: No

## ttl

The content Time To Live (TTL) for the website in seconds.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 32.

Pattern: `\d*`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "branch": {
    "activeJobId": "string",
    "associatedResources": [ "string" ],
    "backend": {
      "stackArn": "string"
    },
    "backendEnvironmentArn": "string",
    "basicAuthCredentials": "string",
```

```
"branchArn": "string",
"branchName": "string",
"buildSpec": "string",
"computeRoleArn": "string",
"createTime": number,
"customDomains": [ "string" ],
"description": "string",
"destinationBranch": "string",
"displayName": "string",
"enableAutoBuild": boolean,
"enableBasicAuth": boolean,
"enableNotification": boolean,
"enablePerformanceMode": boolean,
"enablePullRequestPreview": boolean,
"enableSkewProtection": boolean,
"environmentVariables": {
  "string" : "string"
},
"framework": "string",
"pullRequestEnvironmentName": "string",
"sourceBranch": "string",
"stage": "string",
"tags": {
  "string" : "string"
},
"thumbnailUrl": "string",
"totalNumberOfJobs": "string",
"ttl": "string",
"updateTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### branch

Describes the branch for an Amplify app, which maps to a third-party repository branch.

Type: [Branch](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDeployment

Creates a deployment for a manually deployed Amplify app. Manually deployed apps are not connected to a Git repository.

The maximum duration between the CreateDeployment call and the StartDeployment call cannot exceed 8 hours. If the duration exceeds 8 hours, the StartDeployment call and the associated Job will fail.

## Request Syntax

```
POST /apps/appId/branches/branchName/deployments HTTP/1.1
Content-type: application/json
```

```
{
  "fileMap": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

### branchName

The name of the branch to use for the job.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### fileMap

An optional file map that contains the file name as the key and the file content md5 hash as the value. If this argument is provided, the service will generate a unique upload URL per file. Otherwise, the service will only generate a single upload URL for the zipped files.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s) . \*

Value Length Constraints: Maximum length of 32.

Value Pattern: (?s) . \*

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "fileUploadUrls": {
    "string" : "string"
  },
  "jobId": "string",
  "zipUploadUrl": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## fileUploadUrls

When the `fileMap` argument is provided in the request, `fileUploadUrls` will contain a map of file names to upload URLs.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: `(?s).*`

Value Length Constraints: Maximum length of 1000.

## jobId

The job ID for this deployment. will supply to start deployment api.

Type: String

Length Constraints: Maximum length of 255.

Pattern: `[0-9]+`

## zipUploadUrl

When the `fileMap` argument is not provided in the request, this `zipUploadUrl` is returned.

Type: String

Length Constraints: Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateDomainAssociation

Creates a new domain association for an Amplify app. This action associates a custom domain with the Amplify app

## Request Syntax

```
POST /apps/appId/domains HTTP/1.1
Content-type: application/json

{
  "autoSubDomainCreationPatterns": [ "string" ],
  "autoSubDomainIAMRole": "string",
  "certificateSettings": {
    "customCertificateArn": "string",
    "type": "string"
  },
  "domainName": "string",
  "enableAutoSubDomain": boolean,
  "subDomainSettings": [
    {
      "branchName": "string",
      "prefix": "string"
    }
  ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### autoSubDomainCreationPatterns

Sets the branch patterns for automatic subdomain creation.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: (?s).+

Required: No

### autoSubDomainIAMRole

The required AWS Identity and Access Management (IAM) service role for the Amazon Resource Name (ARN) for automatically creating subdomains.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: ^\$|^arn:aws:iam:.\d{12}:role.+

Required: No

### certificateSettings

The type of SSL/TLS certificate to use for your custom domain. If you don't specify a certificate type, Amplify uses the default certificate that it provisions and manages for you.

Type: [CertificateSettings](#) object

Required: No

### domainName

The domain name for the domain association.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `^(((?!-)[A-Za-z0-9-]{0,62}[A-Za-z0-9])\.)+((?!-)[A-Za-z0-9-]{1,62}[A-Za-z0-9])(\.)?$`

Required: Yes

### enableAutoSubDomain

Enables the automated creation of subdomains for branches.

Type: Boolean

Required: No

### subDomainSettings

The setting for the subdomain.

Type: Array of [SubDomainSetting](#) objects

Array Members: Maximum number of 500 items.

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "domainAssociation": {
    "autoSubDomainCreationPatterns": [ "string" ],
    "autoSubDomainIAMRole": "string",
    "certificate": {
      "certificateVerificationDNSRecord": "string",
      "customCertificateArn": "string",
      "type": "string"
    },
    "certificateVerificationDNSRecord": "string",
    "domainAssociationArn": "string",
    "domainName": "string",
    "domainStatus": "string",
    "enableAutoSubDomain": boolean,
    "statusReason": "string",
```

```
    "subDomains": [  
      {  
        "dnsRecord": "string",  
        "subDomainSetting": {  
          "branchName": "string",  
          "prefix": "string"  
        },  
        "verified": boolean  
      }  
    ],  
    "updateStatus": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### domainAssociation

Describes the structure of a domain association, which associates a custom domain with an Amplify app.

Type: [DomainAssociation](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

## **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

## **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateWebhook

Creates a new webhook on an Amplify app.

## Request Syntax

```
POST /apps/appId/webhooks HTTP/1.1
Content-type: application/json
```

```
{
  "branchName": "string",
  "description": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### branchName

The name for a branch that is part of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

### description

The description for a webhook.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "webhook": {
    "appId": "string",
    "branchName": "string",
    "createTime": number,
    "description": "string",
    "updateTime": number,
    "webhookArn": "string",
    "webhookId": "string",
    "webhookUrl": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### webhook

Describes a webhook that connects repository events to an Amplify app.

Type: [Webhook](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteApp

Deletes an existing Amplify app specified by an app ID.

## Request Syntax

```
DELETE /apps/appId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [appId](#)

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "app": {
    "appArn": "string",
    "appId": "string",
    "autoBranchCreationConfig": {
      "basicAuthCredentials": "string",
      "buildSpec": "string",
      "enableAutoBuild": boolean,
      "enableBasicAuth": boolean,
      "enablePerformanceMode": boolean,
      "enablePullRequestPreview": boolean,

```

```
    "environmentVariables": {
      "string" : "string"
    },
    "framework": "string",
    "pullRequestEnvironmentName": "string",
    "stage": "string"
  },
  "autoBranchCreationPatterns": [ "string" ],
  "basicAuthCredentials": "string",
  "buildSpec": "string",
  "cacheConfig": {
    "type": "string"
  },
  "computeRoleArn": "string",
  "createTime": number,
  "customHeaders": "string",
  "customRules": [
    {
      "condition": "string",
      "source": "string",
      "status": "string",
      "target": "string"
    }
  ],
  "defaultDomain": "string",
  "description": "string",
  "enableAutoBranchCreation": boolean,
  "enableBasicAuth": boolean,
  "enableBranchAutoBuild": boolean,
  "enableBranchAutoDeletion": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "iamServiceRoleArn": "string",
  "jobConfig": {
    "buildComputeType": "string"
  },
  "name": "string",
  "platform": "string",
  "productionBranch": {
    "branchName": "string",
    "lastDeployTime": number,
    "status": "string",
    "thumbnailUrl": "string"
  }
}
```

```
    },
    "repository": "string",
    "repositoryCloneMethod": "string",
    "tags": {
      "string" : "string"
    },
    "updateTime": number,
    "wafConfiguration": {
      "statusReason": "string",
      "wafStatus": "string",
      "webAclArn": "string"
    },
    },
    "webhookCreateTime": number
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### app

Represents the different branches of a repository for building, deploying, and hosting an Amplify app.

Type: [App](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteBackendEnvironment

Deletes a backend environment for an Amplify app.

This API is available only to Amplify Gen 1 applications where the backend is created using Amplify Studio or the Amplify command line interface (CLI). This API isn't available to Amplify Gen 2 applications. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

## Request Syntax

```
DELETE /apps/appId/backendenvironments/environmentName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID of an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### environmentName

The name of a backend environment of an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "backendEnvironment": {
    "backendEnvironmentArn": "string",
    "createTime": number,
    "deploymentArtifacts": "string",
    "environmentName": "string",
    "stackName": "string",
    "updateTime": number
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### backendEnvironment

Describes the backend environment for an Amplify app.

Type: [BackendEnvironment](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteBranch

Deletes a branch for an Amplify app.

## Request Syntax

```
DELETE /apps/appId/branches/branchName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"branch": {
  "activeJobId": "string",
  "associatedResources": [ "string" ],
  "backend": {
    "stackArn": "string"
  },
  "backendEnvironmentArn": "string",
  "basicAuthCredentials": "string",
  "branchArn": "string",
  "branchName": "string",
  "buildSpec": "string",
  "computeRoleArn": "string",
  "createTime": number,
  "customDomains": [ "string" ],
  "description": "string",
  "destinationBranch": "string",
  "displayName": "string",
  "enableAutoBuild": boolean,
  "enableBasicAuth": boolean,
  "enableNotification": boolean,
  "enablePerformanceMode": boolean,
  "enablePullRequestPreview": boolean,
  "enableSkewProtection": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "framework": "string",
  "pullRequestEnvironmentName": "string",
  "sourceBranch": "string",
  "stage": "string",
  "tags": {
    "string" : "string"
  },
  "thumbnailUrl": "string",
  "totalNumberOfJobs": "string",
  "ttl": "string",
  "updateTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## branch

The branch for an Amplify app, which maps to a third-party repository branch.

Type: [Branch](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteDomainAssociation

Deletes a domain association for an Amplify app.

## Request Syntax

```
DELETE /apps/appId/domains/domainName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique id for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### domainName

The name of the domain.

Length Constraints: Maximum length of 64.

Pattern: `^(((?!-)[A-Za-z0-9-]{0,62}[A-Za-z0-9])\.)+((?!-)[A-Za-z0-9-]{1,62}[A-Za-z0-9])(\.)?$`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"domainAssociation": {
  "autoSubDomainCreationPatterns": [ "string" ],
  "autoSubDomainIAMRole": "string",
  "certificate": {
    "certificateVerificationDNSRecord": "string",
    "customCertificateArn": "string",
    "type": "string"
  },
  "certificateVerificationDNSRecord": "string",
  "domainAssociationArn": "string",
  "domainName": "string",
  "domainStatus": "string",
  "enableAutoSubDomain": boolean,
  "statusReason": "string",
  "subDomains": [
    {
      "dnsRecord": "string",
      "subDomainSetting": {
        "branchName": "string",
        "prefix": "string"
      },
      "verified": boolean
    }
  ],
  "updateStatus": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### domainAssociation

Describes the association between a custom domain and an Amplify app.

Type: [DomainAssociation](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

## **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

## **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteJob

Deletes a job for a branch of an Amplify app.

## Request Syntax

```
DELETE /apps/appId/branches/branchName/jobs/jobId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch to use for the job.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

### jobId

The unique ID for the job.

Length Constraints: Maximum length of 255.

Pattern: `[0-9]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "jobSummary": {
    "commitId": "string",
    "commitMessage": "string",
    "commitTime": number,
    "endTime": number,
    "jobArn": "string",
    "jobId": "string",
    "jobType": "string",
    "sourceUrl": "string",
    "sourceUrlType": "string",
    "startTime": number,
    "status": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### jobSummary

Describes the summary for an execution job for an Amplify app.

Type: [JobSummary](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

## **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

## **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteWebhook

Deletes a webhook.

## Request Syntax

```
DELETE /webhooks/webhookId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### webhookId

The unique ID for a webhook.

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "webhook": {
    "appId": "string",
    "branchName": "string",
    "createTime": number,
    "description": "string",
    "updateTime": number,
    "webhookArn": "string",
    "webhookId": "string",
```

```
    "webhookUrl": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### webhook

Describes a webhook that connects repository events to an Amplify app.

Type: [Webhook](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GenerateAccessLogs

Returns the website access logs for a specific time range using a presigned URL.

## Request Syntax

```
POST /apps/appId/accesslogs HTTP/1.1
Content-type: application/json
```

```
{
  "domainName": "string",
  "endTime": number,
  "startTime": number
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### domainName

The name of the domain.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `^(((?!-)[A-Za-z0-9-]{0,62}[A-Za-z0-9])\.)+((?!-)[A-Za-z0-9-]{1,62}[A-Za-z0-9])(\.)?&`

Required: Yes

### endTime

The time at which the logs should end. The time range specified is inclusive of the end time.

Type: Timestamp

Required: No

### startTime

The time at which the logs should start. The time range specified is inclusive of the start time.

Type: Timestamp

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "logUrl": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### logUrl

The pre-signed URL for the requested access logs.

Type: String

Length Constraints: Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetApp

Returns an existing Amplify app specified by an app ID.

## Request Syntax

```
GET /apps/appId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "app": {
    "appArn": "string",
    "appId": "string",
    "autoBranchCreationConfig": {
      "basicAuthCredentials": "string",
      "buildSpec": "string",
      "enableAutoBuild": boolean,
      "enableBasicAuth": boolean,
      "enablePerformanceMode": boolean,
      "enablePullRequestPreview": boolean,

```

```
    "environmentVariables": {
      "string" : "string"
    },
    "framework": "string",
    "pullRequestEnvironmentName": "string",
    "stage": "string"
  },
  "autoBranchCreationPatterns": [ "string" ],
  "basicAuthCredentials": "string",
  "buildSpec": "string",
  "cacheConfig": {
    "type": "string"
  },
  "computeRoleArn": "string",
  "createTime": number,
  "customHeaders": "string",
  "customRules": [
    {
      "condition": "string",
      "source": "string",
      "status": "string",
      "target": "string"
    }
  ],
  "defaultDomain": "string",
  "description": "string",
  "enableAutoBranchCreation": boolean,
  "enableBasicAuth": boolean,
  "enableBranchAutoBuild": boolean,
  "enableBranchAutoDeletion": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "iamServiceRoleArn": "string",
  "jobConfig": {
    "buildComputeType": "string"
  },
  "name": "string",
  "platform": "string",
  "productionBranch": {
    "branchName": "string",
    "lastDeployTime": number,
    "status": "string",
    "thumbnailUrl": "string"
  }
}
```

```
    },
    "repository": "string",
    "repositoryCloneMethod": "string",
    "tags": {
      "string" : "string"
    },
    "updateTime": number,
    "wafConfiguration": {
      "statusReason": "string",
      "wafStatus": "string",
      "webAclArn": "string"
    },
    },
    "webhookCreateTime": number
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### app

Represents the different branches of a repository for building, deploying, and hosting an Amplify app.

Type: [App](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetArtifactUrl

Returns the artifact info that corresponds to an artifact id.

## Request Syntax

```
GET /artifacts/artifactId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### artifactId

The unique ID for an artifact.

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "artifactId": "string",  
  "artifactUrl": "string"  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### artifactId

The unique ID for an artifact.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

### artifactUrl

The presigned URL for the artifact.

Type: String

Length Constraints: Maximum length of 1000.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetBackendEnvironment

Returns a backend environment for an Amplify app.

This API is available only to Amplify Gen 1 applications where the backend is created using Amplify Studio or the Amplify command line interface (CLI). This API isn't available to Amplify Gen 2 applications. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

## Request Syntax

```
GET /apps/appId/backendenvironments/environmentName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique id for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

### environmentName

The name for the backend environment.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "backendEnvironment": {
    "backendEnvironmentArn": "string",
    "createTime": number,
    "deploymentArtifacts": "string",
    "environmentName": "string",
    "stackName": "string",
    "updateTime": number
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### backendEnvironment

Describes the backend environment for an Amplify app.

Type: [BackendEnvironment](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetBranch

Returns a branch for an Amplify app.

## Request Syntax

```
GET /apps/appId/branches/branchName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"branch": {
  "activeJobId": "string",
  "associatedResources": [ "string" ],
  "backend": {
    "stackArn": "string"
  },
  "backendEnvironmentArn": "string",
  "basicAuthCredentials": "string",
  "branchArn": "string",
  "branchName": "string",
  "buildSpec": "string",
  "computeRoleArn": "string",
  "createTime": number,
  "customDomains": [ "string" ],
  "description": "string",
  "destinationBranch": "string",
  "displayName": "string",
  "enableAutoBuild": boolean,
  "enableBasicAuth": boolean,
  "enableNotification": boolean,
  "enablePerformanceMode": boolean,
  "enablePullRequestPreview": boolean,
  "enableSkewProtection": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "framework": "string",
  "pullRequestEnvironmentName": "string",
  "sourceBranch": "string",
  "stage": "string",
  "tags": {
    "string" : "string"
  },
  "thumbnailUrl": "string",
  "totalNumberOfJobs": "string",
  "ttl": "string",
  "updateTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## branch

The branch for an Amplify app, which maps to a third-party repository branch.

Type: [Branch](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetDomainAssociation

Returns the domain information for an Amplify app.

## Request Syntax

```
GET /apps/appId/domains/domainName HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique id for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### domainName

The name of the domain.

Length Constraints: Maximum length of 64.

Pattern: `^(((?!-)[A-Za-z0-9-]{0,62}[A-Za-z0-9])\.)+((?!-)[A-Za-z0-9-]{1,62}[A-Za-z0-9])(\.)?&`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "domainAssociation": {
    "autoSubDomainCreationPatterns": [ "string" ],
    "autoSubDomainIAMRole": "string",
    "certificate": {
      "certificateVerificationDNSRecord": "string",
      "customCertificateArn": "string",
      "type": "string"
    },
    "certificateVerificationDNSRecord": "string",
    "domainAssociationArn": "string",
    "domainName": "string",
    "domainStatus": "string",
    "enableAutoSubDomain": boolean,
    "statusReason": "string",
    "subDomains": [
      {
        "dnsRecord": "string",
        "subDomainSetting": {
          "branchName": "string",
          "prefix": "string"
        },
        "verified": boolean
      }
    ],
    "updateStatus": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### domainAssociation

Describes the structure of a domain association, which associates a custom domain with an Amplify app.

Type: [DomainAssociation](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetJob

Returns a job for a branch of an Amplify app.

## Request Syntax

```
GET /apps/appId/branches/branchName/jobs/jobId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch to use for the job.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

### jobId

The unique ID for the job.

Length Constraints: Maximum length of 255.

Pattern: `[0-9]+`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "job": {
    "steps": [
      {
        "artifactsUrl": "string",
        "context": "string",
        "endTime": number,
        "logUrl": "string",
        "screenshots": {
          "string": "string"
        },
        "startTime": number,
        "status": "string",
        "statusReason": "string",
        "stepName": "string",
        "testArtifactsUrl": "string",
        "testConfigUrl": "string"
      }
    ],
    "summary": {
      "commitId": "string",
      "commitMessage": "string",
      "commitTime": number,
      "endTime": number,
      "jobArn": "string",
      "jobId": "string",
      "jobType": "string",
      "sourceUrl": "string",
      "sourceUrlType": "string",
      "startTime": number,
      "status": "string"
    }
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### job

Describes an execution job for an Amplify app.

Type: [Job](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# GetWebhook

Returns the webhook information that corresponds to a specified webhook ID.

## Request Syntax

```
GET /webhooks/webhookId HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### webhookId

The unique ID for a webhook.

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "webhook": {
    "appId": "string",
    "branchName": "string",
    "createTime": number,
    "description": "string",
    "updateTime": number,
    "webhookArn": "string",
    "webhookId": "string",
```

```
    "webhookUrl": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### webhook

Describes the structure of a webhook.

Type: [Webhook](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListApps

Returns a list of the existing Amplify apps.

## Request Syntax

```
GET /apps?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 100.

### nextToken

A pagination token. If non-null, the pagination token is returned in a result. Pass its value in another request to retrieve more entries.

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "apps": [
    {
      "appArn": "string",
      "appId": "string",
      "autoBranchCreationConfig": {
```

```
"basicAuthCredentials": "string",
"buildSpec": "string",
"enableAutoBuild": boolean,
"enableBasicAuth": boolean,
"enablePerformanceMode": boolean,
"enablePullRequestPreview": boolean,
"environmentVariables": {
  "string" : "string"
},
"framework": "string",
"pullRequestEnvironmentName": "string",
"stage": "string"
},
"autoBranchCreationPatterns": [ "string" ],
"basicAuthCredentials": "string",
"buildSpec": "string",
"cacheConfig": {
  "type": "string"
},
"computeRoleArn": "string",
"createTime": number,
"customHeaders": "string",
"customRules": [
  {
    "condition": "string",
    "source": "string",
    "status": "string",
    "target": "string"
  }
],
"defaultDomain": "string",
"description": "string",
"enableAutoBranchCreation": boolean,
"enableBasicAuth": boolean,
"enableBranchAutoBuild": boolean,
"enableBranchAutoDeletion": boolean,
"environmentVariables": {
  "string" : "string"
},
"iamServiceRoleArn": "string",
"jobConfig": {
  "buildComputeType": "string"
},
"name": "string",
```

```
"platform": "string",
"productionBranch": {
  "branchName": "string",
  "lastDeployTime": number,
  "status": "string",
  "thumbnailUrl": "string"
},
"repository": "string",
"repositoryCloneMethod": "string",
"tags": {
  "string" : "string"
},
"updateTime": number,
"wafConfiguration": {
  "statusReason": "string",
  "wafStatus": "string",
  "webAclArn": "string"
},
"webhookCreateTime": number
}
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### apps

A list of Amplify apps.

Type: Array of [App](#) objects

### nextToken

A pagination token. Set to null to start listing apps from start. If non-null, the pagination token is returned in a result. Pass its value in here to list more projects.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### BadRequestException

A request contains unexpected data.

HTTP Status Code: 400

### InternalFailureException

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)



# ListArtifacts

Returns a list of end-to-end testing artifacts for a specified app, branch, and job.

To return the build artifacts, use the [GetJob](#) API.

For more information about Amplify testing support, see [Setting up end-to-end Cypress tests for your Amplify application](#) in the *Amplify Hosting User Guide*.

## Request Syntax

```
GET /apps/appId/branches/branchName/jobs/jobId/artifacts?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### [appId](#)

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### [branchName](#)

The name of a branch that is part of an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

### [jobId](#)

The unique ID for a job.

Length Constraints: Maximum length of 255.

Pattern: [0-9]+

Required: Yes

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 50.

### nextToken

A pagination token. Set to null to start listing artifacts from start. If a non-null pagination token is returned in a result, pass its value in here to list more artifacts.

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "artifacts": [
    {
      "artifactFileName": "string",
      "artifactId": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## artifacts

A list of artifacts.

Type: Array of [Artifact](#) objects

## nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListBackendEnvironments

Lists the backend environments for an Amplify app.

This API is available only to Amplify Gen 1 applications where the backend is created using Amplify Studio or the Amplify command line interface (CLI). This API isn't available to Amplify Gen 2 applications. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

## Request Syntax

```
GET /apps/appId/backendenvironments?  
environmentName=environmentName&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### environmentName

The name of the backend environment

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 50.

## nextToken

A pagination token. Set to null to start listing backend environments from the start. If a non-null pagination token is returned in a result, pass its value in here to list more backend environments.

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "backendEnvironments": [
    {
      "backendEnvironmentArn": "string",
      "createTime": number,
      "deploymentArtifacts": "string",
      "environmentName": "string",
      "stackName": "string",
      "updateTime": number
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### backendEnvironments

The list of backend environments for an Amplify app.

Type: Array of [BackendEnvironment](#) objects

### [nextToken](#)

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListBranches

Lists the branches of an Amplify app.

## Request Syntax

```
GET /apps/appId/branches?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 50.

### nextToken

A pagination token. Set to null to start listing branches from the start. If a non-null pagination token is returned in a result, pass its value in here to list more branches.

Length Constraints: Maximum length of 2000.

Pattern: `(?s).*`

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "branches": [
    {
      "activeJobId": "string",
      "associatedResources": [ "string" ],
      "backend": {
        "stackArn": "string"
      },
      "backendEnvironmentArn": "string",
      "basicAuthCredentials": "string",
      "branchArn": "string",
      "branchName": "string",
      "buildSpec": "string",
      "computeRoleArn": "string",
      "createTime": number,
      "customDomains": [ "string" ],
      "description": "string",
      "destinationBranch": "string",
      "displayName": "string",
      "enableAutoBuild": boolean,
      "enableBasicAuth": boolean,
      "enableNotification": boolean,
      "enablePerformanceMode": boolean,
      "enablePullRequestPreview": boolean,
      "enableSkewProtection": boolean,
      "environmentVariables": {
        "string" : "string"
      },
      "framework": "string",
      "pullRequestEnvironmentName": "string",
      "sourceBranch": "string",
      "stage": "string",
      "tags": {
        "string" : "string"
      },
      "thumbnailUrl": "string",
      "totalNumberOfJobs": "string",
      "ttl": "string",
```

```
    "updateTime": number
  }
],
"nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### branches

A list of branches for an Amplify app.

Type: Array of [Branch](#) objects

Array Members: Maximum number of 255 items.

### nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListDomainAssociations

Returns the domain associations for an Amplify app.

## Request Syntax

```
GET /apps/appId/domains?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 50.

### nextToken

A pagination token. Set to null to start listing apps from the start. If non-null, a pagination token is returned in a result. Pass its value in here to list more projects.

Length Constraints: Maximum length of 2000.

Pattern: `(?s).*`

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "domainAssociations": [
    {
      "autoSubDomainCreationPatterns": [ "string" ],
      "autoSubDomainIAMRole": "string",
      "certificate": {
        "certificateVerificationDNSRecord": "string",
        "customCertificateArn": "string",
        "type": "string"
      },
      "certificateVerificationDNSRecord": "string",
      "domainAssociationArn": "string",
      "domainName": "string",
      "domainStatus": "string",
      "enableAutoSubDomain": boolean,
      "statusReason": "string",
      "subDomains": [
        {
          "dnsRecord": "string",
          "subDomainSetting": {
            "branchName": "string",
            "prefix": "string"
          },
          "verified": boolean
        }
      ],
      "updateStatus": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## domainAssociations

A list of domain associations.

Type: Array of [DomainAssociation](#) objects

Array Members: Maximum number of 255 items.

## nextToken

A pagination token. If non-null, a pagination token is returned in a result. Pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListJobs

Lists the jobs for a branch of an Amplify app.

## Request Syntax

```
GET /apps/appId/branches/branchName/jobs?maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch to use for the request.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 50.

### nextToken

A pagination token. Set to null to start listing steps from the start. If a non-null pagination token is returned in a result, pass its value in here to list more steps.

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "jobSummaries": [
    {
      "commitId": "string",
      "commitMessage": "string",
      "commitTime": number,
      "endTime": number,
      "jobArn": "string",
      "jobId": "string",
      "jobType": "string",
      "sourceUrl": "string",
      "sourceUrlType": "string",
      "startTime": number,
      "status": "string"
    }
  ],
  "nextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### jobSummaries

The result structure for the list job result request.

Type: Array of [JobSummary](#) objects

## nextToken

A pagination token. If non-null the pagination token is returned in a result. Pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTagsForResource

Returns a list of tags for a specified Amazon Resource Name (ARN).

## Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

The Amazon Resource Name (ARN) to use to list tags.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `^arn:aws:amplify:.*`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## tags

A list of tags for the specified The Amazon Resource Name (ARN).

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-.:/]+$`

Value Length Constraints: Maximum length of 256.

Value Pattern: `^([\p{L}\p{Z}\p{N}_./=+\-@]*)$`

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **ResourceNotFoundException**

An operation failed due to a non-existent resource.

HTTP Status Code: 404

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListWebhooks

Returns a list of webhooks for an Amplify app.

## Request Syntax

```
GET /apps/appId/webhooks?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### maxResults

The maximum number of records to list in a single response.

Valid Range: Minimum value of 0. Maximum value of 50.

### nextToken

A pagination token. Set to null to start listing webhooks from the start. If non-null, the pagination token is returned in a result. Pass its value in here to list more webhooks.

Length Constraints: Maximum length of 2000.

Pattern: `(?s).*`

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "webhooks": [
    {
      "appId": "string",
      "branchName": "string",
      "createTime": number,
      "description": "string",
      "updateTime": number,
      "webhookArn": "string",
      "webhookId": "string",
      "webhookUrl": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### nextToken

A pagination token. If non-null, the pagination token is returned in a result. Pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s).\*

### webhooks

A list of webhooks.

Type: Array of [Webhook](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartDeployment

Starts a deployment for a manually deployed app. Manually deployed apps are not connected to a Git repository.

The maximum duration between the CreateDeployment call and the StartDeployment call cannot exceed 8 hours. If the duration exceeds 8 hours, the StartDeployment call and the associated Job will fail.

## Request Syntax

```
POST /apps/appId/branches/branchName/deployments/start HTTP/1.1
Content-type: application/json

{
  "jobId": "string",
  "sourceUrl": "string",
  "sourceUrlType": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

### branchName

The name of the branch to use for the deployment job.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### jobId

The job ID for this deployment that is generated by the `CreateDeployment` request.

Type: String

Length Constraints: Maximum length of 255.

Pattern: `[0-9]+`

Required: No

### sourceUrl

The source URL for the deployment that is used when calling `StartDeployment` without `CreateDeployment`. The source URL can be either an HTTP GET URL that is publicly accessible and downloads a single .zip file, or an Amazon S3 bucket and prefix.

Type: String

Length Constraints: Maximum length of 3000.

Pattern: `^(s3|https|http)://.*`

Required: No

### sourceUrlType

The type of source specified by the `sourceURL`. If the value is `ZIP`, the source is a .zip file. If the value is `BUCKET_PREFIX`, the source is an Amazon S3 bucket and prefix. If no value is specified, the default is `ZIP`.

Type: String

Valid Values: `ZIP` | `BUCKET_PREFIX`

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "jobSummary": {
    "commitId": "string",
    "commitMessage": "string",
    "commitTime": number,
    "endTime": number,
    "jobArn": "string",
    "jobId": "string",
    "jobType": "string",
    "sourceUrl": "string",
    "sourceUrlType": "string",
    "startTime": number,
    "status": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [jobSummary](#)

The summary for the job.

Type: [JobSummary](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

## InternalFailureException

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## LimitExceededException

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

## NotFoundException

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StartJob

Starts a new job for a branch of an Amplify app.

## Request Syntax

```
POST /apps/appId/branches/branchName/jobs HTTP/1.1
Content-type: application/json
```

```
{
  "commitId": "string",
  "commitMessage": "string",
  "commitTime": number,
  "jobId": "string",
  "jobReason": "string",
  "jobType": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch to use for the job.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### commitId

The commit ID from a third-party repository provider for the job.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: No

### commitMessage

The commit message from a third-party repository provider for the job.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: (?s).\*

Required: No

### commitTime

The commit date and time for the job.

Type: Timestamp

Required: No

### jobId

The unique ID for an existing job. This is required if the value of jobType is RETRY.

Type: String

Length Constraints: Maximum length of 255.

Pattern: [0-9]+

Required: No

### jobReason

A descriptive reason for starting the job.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: No

### jobType

Describes the type for the job. The job type RELEASE starts a new job with the latest change from the specified branch. This value is available only for apps that are connected to a repository.

The job type RETRY retries an existing job. If the job type value is RETRY, the jobId is also required.

Type: String

Length Constraints: Maximum length of 10.

Valid Values: RELEASE | RETRY | MANUAL | WEB\_HOOK

Required: Yes

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "jobSummary": {
    "commitId": "string",
    "commitMessage": "string",
    "commitTime": number,
    "endTime": number,
```

```
"jobArn": "string",
"jobId": "string",
"jobType": "string",
"sourceUrl": "string",
"sourceUrlType": "string",
"startTime": number,
"status": "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### jobSummary

The summary for the job.

Type: [JobSummary](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

## NotFoundException

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# StopJob

Stops a job that is in progress for a branch of an Amplify app.

## Request Syntax

```
DELETE /apps/appId/branches/branchName/jobs/jobId/stop HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

### branchName

The name of the branch to use for the stop job request.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

### jobId

The unique id for the job.

Length Constraints: Maximum length of 255.

Pattern: [0-9]+

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "jobSummary": {
    "commitId": "string",
    "commitMessage": "string",
    "commitTime": number,
    "endTime": number,
    "jobArn": "string",
    "jobId": "string",
    "jobType": "string",
    "sourceUrl": "string",
    "sourceUrlType": "string",
    "startTime": number,
    "status": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### jobSummary

The summary for the job.

Type: [JobSummary](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

## **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## **LimitExceededException**

A resource could not be created because service quotas were exceeded.

HTTP Status Code: 429

## **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

## **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Tags the resource with a tag key and value.

## Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

The Amazon Resource Name (ARN) to use to tag a resource.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `^arn:aws:amplify:.*`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### tags

The tags used to tag the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `^([\p{L}\p{Z}\p{N}_.: /+=\-\@]*)`

Required: Yes

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### BadRequestException

A request contains unexpected data.

HTTP Status Code: 400

### InternalFailureException

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### ResourceNotFoundException

An operation failed due to a non-existent resource.

HTTP Status Code: 404

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Untags a resource with a specified Amazon Resource Name (ARN).

## Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

## URI Request Parameters

The request uses the following URI parameters.

### resourceArn

The Amazon Resource Name (ARN) to use to untag a resource.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `^arn:aws:amplify:.*`

Required: Yes

### tagKeys

The tag keys to use to untag a resource.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Required: Yes

## Request Body

The request does not have a request body.

## Response Syntax

```
HTTP/1.1 200
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### BadRequestException

A request contains unexpected data.

HTTP Status Code: 400

### InternalFailureException

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### ResourceNotFoundException

An operation failed due to a non-existent resource.

HTTP Status Code: 404

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

# UpdateApp

Updates an existing Amplify app.

## Request Syntax

```
POST /apps/appId HTTP/1.1
Content-type: application/json

{
  "accessToken": "string",
  "autoBranchCreationConfig": {
    "basicAuthCredentials": "string",
    "buildSpec": "string",
    "enableAutoBuild": boolean,
    "enableBasicAuth": boolean,
    "enablePerformanceMode": boolean,
    "enablePullRequestPreview": boolean,
    "environmentVariables": {
      "string" : "string"
    },
    "framework": "string",
    "pullRequestEnvironmentName": "string",
    "stage": "string"
  },
  "autoBranchCreationPatterns": [ "string" ],
  "basicAuthCredentials": "string",
  "buildSpec": "string",
  "cacheConfig": {
    "type": "string"
  },
  "computeRoleArn": "string",
  "customHeaders": "string",
  "customRules": [
    {
      "condition": "string",
      "source": "string",
      "status": "string",
      "target": "string"
    }
  ],
  "description": "string",
  "enableAutoBranchCreation": boolean,
```

```
"enableBasicAuth": boolean,
"enableBranchAutoBuild": boolean,
"enableBranchAutoDeletion": boolean,
"environmentVariables": {
  "string" : "string"
},
"iamServiceRoleArn": "string",
"jobConfig": {
  "buildComputeType": "string"
},
"name": "string",
"oauthToken": "string",
"platform": "string",
"repository": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### accessToken

The personal access token for a GitHub repository for an Amplify app. The personal access token is used to authorize access to a GitHub repository using the Amplify GitHub App. The token is not stored.

Use `accessToken` for GitHub repositories only. To authorize access to a repository provider such as Bitbucket or CodeCommit, use `oauthToken`.

You must specify either `accessToken` or `oauthToken` when you update an app.

Existing Amplify apps deployed from a GitHub repository using OAuth continue to work with CI/CD. However, we strongly recommend that you migrate these apps to use the GitHub App. For more information, see [Migrating an existing OAuth app to the Amplify GitHub App](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: No

### **autoBranchCreationConfig**

The automated branch creation configuration for an Amplify app.

Type: [AutoBranchCreationConfig](#) object

Required: No

### **autoBranchCreationPatterns**

Describes the automated branch creation glob patterns for an Amplify app.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `(?s).+`

Required: No

### **basicAuthCredentials**

The basic authorization credentials for an Amplify app. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: `(?s).*`

Required: No

## buildSpec

The build specification (build spec) for an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: (?s).+

Required: No

## cacheConfig

The cache configuration for the Amplify app.

Type: [CacheConfig](#) object

Required: No

## computeRoleArn

The Amazon Resource Name (ARN) of the IAM role to assign to an SSR app. The SSR Compute role allows the Amplify Hosting compute service to securely access specific AWS resources based on the role's permissions. For more information about the SSR Compute role, see [Adding an SSR Compute role](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s).\*

Required: No

## customHeaders

The custom HTTP headers for an Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 25000.

Pattern: (?s).\*

Required: No

## customRules

The custom redirect and rewrite rules for an Amplify app.

Type: Array of [CustomRule](#) objects

Required: No

## description

The description for an Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s) . \*

Required: No

## enableAutoBranchCreation

Enables automated branch creation for an Amplify app.

Type: Boolean

Required: No

## enableBasicAuth

Enables basic authorization for an Amplify app.

Type: Boolean

Required: No

## enableBranchAutoBuild

Enables branch auto-building for an Amplify app.

Type: Boolean

Required: No

## enableBranchAutoDeletion

Automatically disconnects a branch in the Amplify console when you delete a branch from your Git repository.

Type: Boolean

Required: No

### environmentVariables

The environment variables for an Amplify app.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s) . \*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s) . \*

Required: No

### iamServiceRoleArn

The Amazon Resource Name (ARN) of the IAM service role for the Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### jobConfig

Describes the configuration details that apply to the jobs for an Amplify app.

Type: [JobConfig](#) object

Required: No

### name

The name for an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: No

### oauthToken

The OAuth token for a third-party source control system for an Amplify app. The OAuth token is used to create a webhook and a read-only deploy key using SSH cloning. The OAuth token is not stored.

Use `oauthToken` for repository providers other than GitHub, such as Bitbucket or CodeCommit.

To authorize access to GitHub as your repository provider, use `accessToken`.

You must specify either `oauthToken` or `accessToken` when you update an app.

Existing Amplify apps deployed from a GitHub repository using OAuth continue to work with CI/CD. However, we strongly recommend that you migrate these apps to use the GitHub App. For more information, see [Migrating an existing OAuth app to the Amplify GitHub App](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

### platform

The platform for the Amplify app. For a static app, set the platform type to `WEB`. For a dynamic server-side rendered (SSR) app, set the platform type to `WEB_COMPUTE`. For an app requiring Amplify Hosting's original SSR support only, set the platform type to `WEB_DYNAMIC`.

If you are deploying an SSG only app with Next.js version 14 or later, you must set the platform type to `WEB_COMPUTE`.

Type: String

Valid Values: `WEB` | `WEB_DYNAMIC` | `WEB_COMPUTE`

Required: No

### repository

The name of the Git repository for an Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

## Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "app": {
    "appArn": "string",
    "appId": "string",
    "autoBranchCreationConfig": {
      "basicAuthCredentials": "string",
      "buildSpec": "string",
      "enableAutoBuild": boolean,
      "enableBasicAuth": boolean,
      "enablePerformanceMode": boolean,
      "enablePullRequestPreview": boolean,
      "environmentVariables": {
        "string" : "string"
      },
      "framework": "string",
      "pullRequestEnvironmentName": "string",
      "stage": "string"
    },
    "autoBranchCreationPatterns": [ "string" ],
    "basicAuthCredentials": "string",
    "buildSpec": "string",
    "cacheConfig": {
      "type": "string"
    },
    "computeRoleArn": "string",
    "createTime": number,
    "customHeaders": "string",
    "customRules": [
      {
        "condition": "string",
```

```
        "source": "string",
        "status": "string",
        "target": "string"
    }
],
"defaultDomain": "string",
"description": "string",
"enableAutoBranchCreation": boolean,
"enableBasicAuth": boolean,
"enableBranchAutoBuild": boolean,
"enableBranchAutoDeletion": boolean,
"environmentVariables": {
    "string" : "string"
},
"iamServiceRoleArn": "string",
"jobConfig": {
    "buildComputeType": "string"
},
"name": "string",
"platform": "string",
"productionBranch": {
    "branchName": "string",
    "lastDeployTime": number,
    "status": "string",
    "thumbnailUrl": "string"
},
"repository": "string",
"repositoryCloneMethod": "string",
"tags": {
    "string" : "string"
},
"updateTime": number,
"wafConfiguration": {
    "statusReason": "string",
    "wafStatus": "string",
    "webAclArn": "string"
},
"webhookCreateTime": number
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### app

Represents the updated Amplify app.

Type: [App](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateBranch

Updates a branch for an Amplify app.

## Request Syntax

```
POST /apps/appId/branches/branchName HTTP/1.1
Content-type: application/json
```

```
{
  "backend": {
    "stackArn": "string"
  },
  "backendEnvironmentArn": "string",
  "basicAuthCredentials": "string",
  "buildSpec": "string",
  "computeRoleArn": "string",
  "description": "string",
  "displayName": "string",
  "enableAutoBuild": boolean,
  "enableBasicAuth": boolean,
  "enableNotification": boolean,
  "enablePerformanceMode": boolean,
  "enablePullRequestPreview": boolean,
  "enableSkewProtection": boolean,
  "environmentVariables": {
    "string" : "string"
  },
  "framework": "string",
  "pullRequestEnvironmentName": "string",
  "stage": "string",
  "ttl": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: `d[a-z0-9]+`

Required: Yes

### branchName

The name of the branch.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### backend

The backend for a Branch of an Amplify app. Use for a backend created from an CloudFormation stack.

This field is available to Amplify Gen 2 apps only. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

Type: [Backend](#) object

Required: No

### backendEnvironmentArn

The Amazon Resource Name (ARN) for a backend environment that is part of a Gen 1 Amplify app.

This field is available to Amplify Gen 1 apps only where the backend is created using Amplify Studio or the Amplify command line interface (CLI).

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### basicAuthCredentials

The basic authorization credentials for the branch. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s) . \*

Required: No

### buildSpec

The build specification (build spec) for the branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: (?s) . +

Required: No

### computeRoleArn

The Amazon Resource Name (ARN) of the IAM role to assign to a branch of an SSR app. The SSR Compute role allows the Amplify Hosting compute service to securely access specific AWS resources based on the role's permissions. For more information about the SSR Compute role, see [Adding an SSR Compute role](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### description

The description for the branch.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

### displayName

The display name for a branch. This is used as the default domain prefix.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: No

### enableAutoBuild

Enables auto building for the branch.

Type: Boolean

Required: No

### enableBasicAuth

Enables basic authorization for the branch.

Type: Boolean

Required: No

### enableNotification

Enables notifications for the branch.

Type: Boolean

Required: No

### [enablePerformanceMode](#)

Enables performance mode for the branch.

Performance mode optimizes for faster hosting performance by keeping content cached at the edge for a longer interval. When performance mode is enabled, hosting configuration or code changes can take up to 10 minutes to roll out.

Type: Boolean

Required: No

### [enablePullRequestPreview](#)

Enables pull request previews for this branch.

Type: Boolean

Required: No

### [enableSkewProtection](#)

Specifies whether the skew protection feature is enabled for the branch.

Deployment skew protection is available to Amplify applications to eliminate version skew issues between client and servers in web applications. When you apply skew protection to a branch, you can ensure that your clients always interact with the correct version of server-side assets, regardless of when a deployment occurs. For more information about skew protection, see [Skew protection for Amplify deployments](#) in the *Amplify User Guide*.

Type: Boolean

Required: No

### [environmentVariables](#)

The environment variables for the branch.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s) . \*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s).\*

Required: No

### framework

The framework for the branch.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: No

### pullRequestEnvironmentName

The Amplify environment name for the pull request.

Type: String

Length Constraints: Maximum length of 20.

Pattern: (?s).\*

Required: No

### stage

Describes the current stage for the branch.

Type: String

Valid Values: PRODUCTION | BETA | DEVELOPMENT | EXPERIMENTAL | PULL\_REQUEST

Required: No

### ttl

The content Time to Live (TTL) for the website in seconds.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 32.

Pattern: \d\*

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "branch": {
    "activeJobId": "string",
    "associatedResources": [ "string" ],
    "backend": {
      "stackArn": "string"
    },
    "backendEnvironmentArn": "string",
    "basicAuthCredentials": "string",
    "branchArn": "string",
    "branchName": "string",
    "buildSpec": "string",
    "computeRoleArn": "string",
    "createTime": number,
    "customDomains": [ "string" ],
    "description": "string",
    "destinationBranch": "string",
    "displayName": "string",
    "enableAutoBuild": boolean,
    "enableBasicAuth": boolean,
    "enableNotification": boolean,
    "enablePerformanceMode": boolean,
    "enablePullRequestPreview": boolean,
    "enableSkewProtection": boolean,
    "environmentVariables": {
      "string" : "string"
    },
    "framework": "string",
    "pullRequestEnvironmentName": "string",
    "sourceBranch": "string",
    "stage": "string",
    "tags": {
```

```
    "string" : "string"
  },
  "thumbnailUrl": "string",
  "totalNumberOfJobs": "string",
  "ttl": "string",
  "updateTime": number
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### branch

The branch for an Amplify app, which maps to a third-party repository branch.

Type: [Branch](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## NotFoundException

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateDomainAssociation

Creates a new domain association for an Amplify app.

## Request Syntax

```
POST /apps/appId/domains/domainName HTTP/1.1
Content-type: application/json

{
  "autoSubDomainCreationPatterns": [ "string" ],
  "autoSubDomainIAMRole": "string",
  "certificateSettings": {
    "customCertificateArn": "string",
    "type": "string"
  },
  "enableAutoSubDomain": boolean,
  "subDomainSettings": [
    {
      "branchName": "string",
      "prefix": "string"
    }
  ]
}
```

## URI Request Parameters

The request uses the following URI parameters.

### appId

The unique ID for an Amplify app.

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

### domainName

The name of the domain.

Length Constraints: Maximum length of 64.

Pattern: `^(((?!-)[A-Za-z0-9-]{0,62}[A-Za-z0-9])\.)+((?!-)[A-Za-z0-9-]{1,62}[A-Za-z0-9])(\.)?$$`

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### autoSubDomainCreationPatterns

Sets the branch patterns for automatic subdomain creation.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `(?s).+`

Required: No

### autoSubDomainIAMRole

The required AWS Identity and Access Management (IAM) service role for the Amazon Resource Name (ARN) for automatically creating subdomains.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: `^$|^arn:aws:iam:.\d{12}:role.+`

Required: No

### certificateSettings

The type of SSL/TLS certificate to use for your custom domain.

Type: [CertificateSettings](#) object

Required: No

## enableAutoSubDomain

Enables the automated creation of subdomains for branches.

Type: Boolean

Required: No

## subDomainSettings

Describes the settings for the subdomain.

Type: Array of [SubDomainSetting](#) objects

Array Members: Maximum number of 500 items.

Required: No

## Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "domainAssociation": {
    "autoSubDomainCreationPatterns": [ "string" ],
    "autoSubDomainIAMRole": "string",
    "certificate": {
      "certificateVerificationDNSRecord": "string",
      "customCertificateArn": "string",
      "type": "string"
    },
    "certificateVerificationDNSRecord": "string",
    "domainAssociationArn": "string",
    "domainName": "string",
    "domainStatus": "string",
    "enableAutoSubDomain": boolean,
    "statusReason": "string",
    "subDomains": [
      {
        "dnsRecord": "string",
        "subDomainSetting": {
          "branchName": "string",
```

```
        "prefix": "string"
      },
      "verified": boolean
    }
  ],
  "updateStatus": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### domainAssociation

Describes a domain association, which associates a custom domain with an Amplify app.

Type: [DomainAssociation](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

## NotFoundException

An entity was not found during an operation.

HTTP Status Code: 404

## UnauthorizedException

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateWebhook

Updates a webhook.

## Request Syntax

```
POST /webhooks/webhookId HTTP/1.1
Content-type: application/json
```

```
{
  "branchName": "string",
  "description": "string"
}
```

## URI Request Parameters

The request uses the following URI parameters.

### webhookId

The unique ID for a webhook.

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

## Request Body

The request accepts the following data in JSON format.

### branchName

The name for a branch that is part of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: No

### description

The description for a webhook.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: No

## Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "webhook": {
    "appId": "string",
    "branchName": "string",
    "createTime": number,
    "description": "string",
    "updateTime": number,
    "webhookArn": "string",
    "webhookId": "string",
    "webhookUrl": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### webhook

Describes a webhook that connects repository events to an Amplify app.

Type: [Webhook](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **BadRequestException**

A request contains unexpected data.

HTTP Status Code: 400

### **DependentServiceFailureException**

An operation failed because a dependent service threw an exception.

HTTP Status Code: 503

### **InternalFailureException**

The service failed to perform an operation due to an internal issue.

HTTP Status Code: 500

### **NotFoundException**

An entity was not found during an operation.

HTTP Status Code: 404

### **UnauthorizedException**

An operation failed due to a lack of access.

HTTP Status Code: 401

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The AWS Amplify API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [App](#)
- [Artifact](#)
- [AutoBranchCreationConfig](#)
- [Backend](#)
- [BackendEnvironment](#)
- [Branch](#)
- [CacheConfig](#)
- [Certificate](#)
- [CertificateSettings](#)
- [CustomRule](#)
- [DomainAssociation](#)
- [Job](#)
- [JobConfig](#)
- [JobSummary](#)
- [ProductionBranch](#)
- [Step](#)
- [SubDomain](#)
- [SubDomainSetting](#)
- [WafConfiguration](#)
- [Webhook](#)



# App

Represents the different branches of a repository for building, deploying, and hosting an Amplify app.

## Contents

### **appArn**

The Amazon Resource Name (ARN) of the Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **appId**

The unique ID of the Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: Yes

### **createTime**

A timestamp of when Amplify created the application.

Type: Timestamp

Required: Yes

### **defaultDomain**

The default domain for the Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: Yes

### **description**

The description for the Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s).\*

Required: Yes

### **enableBasicAuth**

Enables basic authorization for the Amplify app's branches.

Type: Boolean

Required: Yes

### **enableBranchAutoBuild**

Enables the auto-building of branches for the Amplify app.

Type: Boolean

Required: Yes

### **environmentVariables**

The environment variables for the Amplify app.

For a list of the environment variables that are accessible to Amplify by default, see [Amplify Environment variables](#) in the *Amplify Hosting User Guide*.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s).\*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s).\*

Required: Yes

### **name**

The name for the Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: Yes

### **platform**

The platform for the Amplify app. For a static app, set the platform type to WEB. For a dynamic server-side rendered (SSR) app, set the platform type to WEB\_COMPUTE. For an app requiring Amplify Hosting's original SSR support only, set the platform type to WEB\_DYNAMIC.

If you are deploying an SSG only app with Next.js 14 or later, you must use the platform type WEB\_COMPUTE.

Type: String

Valid Values: WEB | WEB\_DYNAMIC | WEB\_COMPUTE

Required: Yes

### **repository**

The Git repository for the Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s) . \*

Required: Yes

### **updateTime**

A timestamp of when Amplify updated the application.

Type: Timestamp

Required: Yes

### **autoBranchCreationConfig**

Describes the automated branch creation configuration for the Amplify app.

Type: [AutoBranchCreationConfig](#) object

Required: No

### **autoBranchCreationPatterns**

Describes the automated branch creation glob patterns for the Amplify app.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: (?s) . +

Required: No

### **basicAuthCredentials**

The basic authorization credentials for branches for the Amplify app. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s) . \*

Required: No

### **buildSpec**

Describes the content of the build specification (build spec) for the Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: (?s) . +

Required: No

## cacheConfig

The cache configuration for the Amplify app. If you don't specify the cache configuration type, Amplify uses the default `AMPLIFY_MANAGED` setting.

Type: [CacheConfig](#) object

Required: No

## computeRoleArn

The Amazon Resource Name (ARN) of the IAM role for an SSR app. The Compute role allows the Amplify Hosting compute service to securely access specific AWS resources based on the role's permissions. For more information about the SSR Compute role, see [Adding an SSR Compute role](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s).\*

Required: No

## customHeaders

Describes the custom HTTP headers for the Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 25000.

Pattern: (?s).\*

Required: No

## customRules

Describes the custom redirect and rewrite rules for the Amplify app.

Type: Array of [CustomRule](#) objects

Required: No

## enableAutoBranchCreation

Enables automated branch creation for the Amplify app.

Type: Boolean

Required: No

### **enableBranchAutoDeletion**

Automatically disconnect a branch in the Amplify console when you delete a branch from your Git repository.

Type: Boolean

Required: No

### **iamServiceRoleArn**

The Amazon Resource Name (ARN) of the IAM service role for the Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s).\*

Required: No

### **jobConfig**

The configuration details that apply to the jobs for an Amplify app.

Type: [JobConfig](#) object

Required: No

### **productionBranch**

Describes the information about a production branch of the Amplify app.

Type: [ProductionBranch](#) object

Required: No

### **repositoryCloneMethod**

#### **Note**

This is for internal use.

The Amplify service uses this parameter to specify the authentication protocol to use to access the Git repository for an Amplify app. Amplify specifies TOKEN for a GitHub repository, SIGV4 for an AWS CodeCommit repository, and SSH for GitLab and Bitbucket repositories.

Type: String

Valid Values: SSH | TOKEN | SIGV4

Required: No

## tags

The tag for the Amplify app.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Maximum length of 256.

Value Pattern: `^([\p{L}\p{Z}\p{N}_ . :/=+\-@]*)$`

Required: No

## wafConfiguration

Describes the Firewall configuration for the Amplify app. Firewall support enables you to protect your hosted applications with a direct integration with AWS WAF.

Type: [WafConfiguration](#) object

Required: No

## webhookCreateTime

A timestamp of when Amplify created the webhook in your Git repository.

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Artifact

Describes an artifact.

## Contents

### **artifactFileName**

The file name for the artifact.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **artifactId**

The unique ID for the artifact.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AutoBranchCreationConfig

Describes the automated branch creation configuration.

## Contents

### **basicAuthCredentials**

The basic authorization credentials for the autocreated branch. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: `(?s).*`

Required: No

### **buildSpec**

The build specification (build spec) for the autocreated branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: `(?s).+`

Required: No

### **enableAutoBuild**

Enables auto building for the autocreated branch.

Type: Boolean

Required: No

### **enableBasicAuth**

Enables basic authorization for the autocreated branch.

Type: Boolean

Required: No

### **enablePerformanceMode**

Enables performance mode for the branch.

Performance mode optimizes for faster hosting performance by keeping content cached at the edge for a longer interval. When performance mode is enabled, hosting configuration or code changes can take up to 10 minutes to roll out.

Type: Boolean

Required: No

### **enablePullRequestPreview**

Enables pull request previews for the autogenerated branch.

Type: Boolean

Required: No

### **environmentVariables**

The environment variables for the autogenerated branch.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s) . \*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s) . \*

Required: No

### **framework**

The framework for the autogenerated branch.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: No

### **pullRequestEnvironmentName**

The Amplify environment name for the pull request.

Type: String

Length Constraints: Maximum length of 20.

Pattern: (?s).\*

Required: No

### **stage**

Describes the current stage for the autogenerated branch.

Type: String

Valid Values: PRODUCTION | BETA | DEVELOPMENT | EXPERIMENTAL | PULL\_REQUEST

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Backend

Describes the backend associated with an Amplify Branch.

This property is available to Amplify Gen 2 apps only. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

## Contents

### stackArn

The Amazon Resource Name (ARN) for the CloudFormation stack.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:cloudformation:[a-z0-9-]+:\d{12}:stack/.+/.+.$`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# BackendEnvironment

Describes the backend environment associated with a `Branch` of a Gen 1 Amplify app. Amplify Gen 1 applications are created using Amplify Studio or the Amplify command line interface (CLI).

## Contents

### **backendEnvironmentArn**

The Amazon Resource Name (ARN) for a backend environment that is part of an Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `(?s).*`

Required: Yes

### **createTime**

The creation date and time for a backend environment that is part of an Amplify app.

Type: Timestamp

Required: Yes

### **environmentName**

The name for a backend environment that is part of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `(?s).+`

Required: Yes

### **updateTime**

The last updated date and time for a backend environment that is part of an Amplify app.

Type: Timestamp

Required: Yes

### **deploymentArtifacts**

The name of deployment artifacts.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: (?s) .+

Required: No

### **stackName**

The AWS CloudFormation stack name of a backend environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) .+

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Branch

The branch for an Amplify app, which maps to a third-party repository branch.

## Contents

### **activeJobId**

The ID of the active job for a branch of an Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **branchArn**

The Amazon Resource Name (ARN) for a branch that is part of an Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s) . \*

Required: Yes

### **branchName**

The name for the branch that is part of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: Yes

### **createTime**

A timestamp of when Amplify created the branch.

Type: Timestamp

Required: Yes

### **customDomains**

The custom domains for a branch of an Amplify app.

Type: Array of strings

Array Members: Maximum number of 255 items.

Length Constraints: Maximum length of 255.

Required: Yes

### **description**

The description for the branch that is part of an Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s) . \*

Required: Yes

### **displayName**

The display name for the branch. This is used as the default domain prefix.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s) . \*

Required: Yes

### **enableAutoBuild**

Enables auto-building on push for a branch of an Amplify app.

Type: Boolean

Required: Yes

**enableBasicAuth**

Enables basic authorization for a branch of an Amplify app.

Type: Boolean

Required: Yes

**enableNotification**

Enables notifications for a branch that is part of an Amplify app.

Type: Boolean

Required: Yes

**enablePullRequestPreview**

Enables pull request previews for the branch.

Type: Boolean

Required: Yes

**environmentVariables**

The environment variables specific to a branch of an Amplify app.

Type: String to string map

Key Length Constraints: Maximum length of 255.

Key Pattern: (?s).\*

Value Length Constraints: Maximum length of 5500.

Value Pattern: (?s).\*

Required: Yes

**framework**

The framework for a branch of an Amplify app.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

### **stage**

The current stage for the branch that is part of an Amplify app.

Type: String

Valid Values: PRODUCTION | BETA | DEVELOPMENT | EXPERIMENTAL | PULL\_REQUEST

Required: Yes

### **totalNumberOfJobs**

The total number of jobs that are part of an Amplify app.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **ttl**

The content Time to Live (TTL) for the website in seconds.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 32.

Pattern: \d\*

Required: Yes

### **updateTime**

A timestamp for the last updated time for a branch.

Type: Timestamp

Required: Yes

## **associatedResources**

A list of custom resources that are linked to this branch.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Required: No

## **backend**

Describes the backend associated with an Amplify Branch.

This property is available to Amplify Gen 2 apps only. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

Type: [Backend](#) object

Required: No

## **backendEnvironmentArn**

The Amazon Resource Name (ARN) for a backend environment that is part of an Amplify app.

This property is available to Amplify Gen 1 apps only. When you deploy an application with Amplify Gen 2, you provision the app's backend infrastructure using Typescript code.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s).\*

Required: No

## **basicAuthCredentials**

The basic authorization credentials for a branch of an Amplify app. You must base64-encode the authorization credentials and provide them in the format `user:password`.

Type: String

Length Constraints: Maximum length of 2000.

Pattern: (?s) . \*

Required: No

### **buildSpec**

The build specification (build spec) content for the branch of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 25000.

Pattern: (?s) . +

Required: No

### **computeRoleArn**

The Amazon Resource Name (ARN) of the IAM role for a branch of an SSR app. The Compute role allows the Amplify Hosting compute service to securely access specific AWS resources based on the role's permissions. For more information about the SSR Compute role, see [Adding an SSR Compute role](#) in the *Amplify User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: (?s) . \*

Required: No

### **destinationBranch**

The destination branch if the branch is a pull request branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: No

### **enablePerformanceMode**

Enables performance mode for the branch.

Performance mode optimizes for faster hosting performance by keeping content cached at the edge for a longer interval. When performance mode is enabled, hosting configuration or code changes can take up to 10 minutes to roll out.

Type: Boolean

Required: No

### **enableSkewProtection**

Specifies whether the skew protection feature is enabled for the branch.

Deployment skew protection is available to Amplify applications to eliminate version skew issues between client and servers in web applications. When you apply skew protection to a branch, you can ensure that your clients always interact with the correct version of server-side assets, regardless of when a deployment occurs. For more information about skew protection, see [Skew protection for Amplify deployments](#) in the *Amplify User Guide*.

Type: Boolean

Required: No

### **pullRequestEnvironmentName**

The Amplify environment name for the pull request.

Type: String

Length Constraints: Maximum length of 20.

Pattern: (?s).\*

Required: No

### **sourceBranch**

The source branch if the branch is a pull request branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: No

## tags

The tag for the branch of an Amplify app.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Maximum length of 256.

Value Pattern: `^([\p{L}\p{Z}\p{N}_ .:/=+\-@]*)$`

Required: No

## thumbnailUrl

The thumbnail URL for the branch of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CacheConfig

Describes the cache configuration for an Amplify app.

For more information about how Amplify applies an optimal cache configuration for your app based on the type of content that is being served, see [Managing cache configuration](#) in the *Amplify User guide*.

## Contents

### type

The type of cache configuration to use for an Amplify app.

The `AMPLIFY_MANAGED` cache configuration automatically applies an optimized cache configuration for your app based on its platform, routing rules, and rewrite rules.

The `AMPLIFY_MANAGED_NO_COOKIES` cache configuration type is the same as `AMPLIFY_MANAGED`, except that it excludes all cookies from the cache key. This is the default setting.

Type: String

Valid Values: `AMPLIFY_MANAGED` | `AMPLIFY_MANAGED_NO_COOKIES`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Certificate

Describes the current SSL/TLS certificate that is in use for the domain. If you are using `CreateDomainAssociation` to create a new domain association, `Certificate` describes the new certificate that you are creating.

## Contents

### type

The type of SSL/TLS certificate that you want to use.

Specify `AMPLIFY_MANAGED` to use the default certificate that Amplify provisions for you.

Specify `CUSTOM` to use your own certificate that you have already added to AWS Certificate Manager in your AWS account. Make sure you request (or import) the certificate in the US East (N. Virginia) Region (`us-east-1`). For more information about using ACM, see [Importing certificates into AWS Certificate Manager](#) in the *ACM User guide*.

Type: String

Valid Values: `AMPLIFY_MANAGED` | `CUSTOM`

Required: Yes

### certificateVerificationDNSRecord

The DNS record for certificate verification.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

### customCertificateArn

The Amazon resource name (ARN) for a custom certificate that you have already added to AWS Certificate Manager in your AWS account.

This field is required only when the certificate type is `CUSTOM`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `^arn:aws:acm:[a-z0-9-]+:\d{12}:certificate\./.+`\$

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CertificateSettings

The type of SSL/TLS certificate to use for your custom domain. If a certificate type isn't specified, Amplify uses the default `AMPLIFY_MANAGED` certificate.

## Contents

### type

The certificate type.

Specify `AMPLIFY_MANAGED` to use the default certificate that Amplify provisions for you.

Specify `CUSTOM` to use your own certificate that you have already added to AWS Certificate Manager in your AWS account. Make sure you request (or import) the certificate in the US East (N. Virginia) Region (`us-east-1`). For more information about using ACM, see [Importing certificates into AWS Certificate Manager](#) in the *ACM User guide*.

Type: String

Valid Values: `AMPLIFY_MANAGED` | `CUSTOM`

Required: Yes

### customCertificateArn

The Amazon resource name (ARN) for the custom certificate that you have already added to AWS Certificate Manager in your AWS account.

This field is required only when the certificate type is `CUSTOM`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `^arn:aws:acm:[a-z0-9-]+:\d{12}:certificate\./.+`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# CustomRule

Describes a custom rewrite or redirect rule.

## Contents

### source

The source pattern for a URL rewrite or redirect rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: (?s) . +

Required: Yes

### target

The target pattern for a URL rewrite or redirect rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: (?s) . +

Required: Yes

### condition

The condition for a URL rewrite or redirect rule, such as a country code.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: (?s) . \*

Required: No

### status

The status code for a URL rewrite or redirect rule.

200

Represents a 200 rewrite rule.

301

Represents a 301 (moved permanently) redirect rule. This and all future requests should be directed to the target URL.

302

Represents a 302 temporary redirect rule.

404

Represents a 404 redirect rule.

404-200

Represents a 404 rewrite rule.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 7.

Pattern: `.{3,7}`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# DomainAssociation

Describes the association between a custom domain and an Amplify app.

## Contents

### **domainAssociationArn**

The Amazon Resource Name (ARN) for the domain association.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **domainName**

The name of the domain.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `^(((?!-)[A-Za-z0-9-]{0,62}[A-Za-z0-9])\.)+((?!-)[A-Za-z0-9-]{1,62}[A-Za-z0-9])(\.)?$`

Required: Yes

### **domainStatus**

The current status of the domain association.

Type: String

Valid Values: PENDING\_VERIFICATION | IN\_PROGRESS | AVAILABLE | IMPORTING\_CUSTOM\_CERTIFICATE | PENDING\_DEPLOYMENT | AWAITING\_APP\_CNAME | FAILED | CREATING | REQUESTING\_CERTIFICATE | UPDATING

Required: Yes

### **enableAutoSubDomain**

Enables the automated creation of subdomains for branches.

Type: Boolean

Required: Yes

### **statusReason**

Additional information that describes why the domain association is in the current state.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **subDomains**

The subdomains for the domain association.

Type: Array of [SubDomain](#) objects

Array Members: Maximum number of 500 items.

Required: Yes

### **autoSubDomainCreationPatterns**

Sets branch patterns for automatic subdomain creation.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: (?s).+

Required: No

### **autoSubDomainIAMRole**

The required AWS Identity and Access Management (IAM) service role for the Amazon Resource Name (ARN) for automatically creating subdomains.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: ^\$|^arn:aws:iam:.\d{12}:role.+

Required: No

### **certificate**

Describes the SSL/TLS certificate for the domain association. This can be your own custom certificate or the default certificate that Amplify provisions for you.

If you are updating your domain to use a different certificate, `certificate` points to the new certificate that is being created instead of the current active certificate. Otherwise, `certificate` points to the current active certificate.

Type: [Certificate](#) object

Required: No

### **certificateVerificationDNSRecord**

The DNS record for certificate verification.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

### **updateStatus**

The status of the domain update operation that is currently in progress. The following list describes the valid update states.

#### **REQUESTING\_CERTIFICATE**

The certificate is in the process of being updated.

#### **PENDING\_VERIFICATION**

Indicates that an Amplify managed certificate is in the process of being verified. This occurs during the creation of a custom domain or when a custom domain is updated to use a managed certificate.

#### **IMPORTING\_CUSTOM\_CERTIFICATE**

Indicates that an Amplify custom certificate is in the process of being imported. This occurs during the creation of a custom domain or when a custom domain is updated to use a custom certificate.

## PENDING\_DEPLOYMENT

Indicates that the subdomain or certificate changes are being propagated.

## AWAITING\_APP\_CNAME

Amplify is waiting for CNAME records corresponding to subdomains to be propagated. If your custom domain is on Route 53, Amplify handles this for you automatically. For more information about custom domains, see [Setting up custom domains](#) in the *Amplify Hosting User Guide*.

## UPDATE\_COMPLETE

The certificate has been associated with a domain.

## UPDATE\_FAILED

The certificate has failed to be provisioned or associated, and there is no existing active certificate to roll back to.

Type: String

Valid Values: REQUESTING\_CERTIFICATE | PENDING\_VERIFICATION | IMPORTING\_CUSTOM\_CERTIFICATE | PENDING\_DEPLOYMENT | AWAITING\_APP\_CNAME | UPDATE\_COMPLETE | UPDATE\_FAILED

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Job

Describes an execution job for an Amplify app.

## Contents

### steps

The execution steps for an execution job, for an Amplify app.

Type: Array of [Step](#) objects

Required: Yes

### summary

Describes the summary for an execution job for an Amplify app.

Type: [JobSummary](#) object

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JobConfig

Describes the configuration details that apply to the jobs for an Amplify app.

Use `JobConfig` to apply configuration to jobs, such as customizing the build instance size when you create or update an Amplify app. For more information about customizable build instances, see [Custom build instances](#) in the *Amplify User Guide*.

## Contents

### `buildComputeType`

Specifies the size of the build instance. Amplify supports three instance sizes: `STANDARD_8GB`, `LARGE_16GB`, and `XLARGE_72GB`. If you don't specify a value, Amplify uses the `STANDARD_8GB` default.

The following list describes the CPU, memory, and storage capacity for each build instance type:

#### `STANDARD_8GB`

- vCPUs: 4
- Memory: 8 GiB
- Disk space: 128 GB

#### `LARGE_16GB`

- vCPUs: 8
- Memory: 16 GiB
- Disk space: 128 GB

#### `XLARGE_72GB`

- vCPUs: 36
- Memory: 72 GiB
- Disk space: 256 GB

Type: String

Valid Values: `STANDARD_8GB` | `LARGE_16GB` | `XLARGE_72GB`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# JobSummary

Describes the summary for an execution job for an Amplify app.

## Contents

### **commitId**

The commit ID from a third-party repository provider for the job.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s) . \*

Required: Yes

### **commitMessage**

The commit message from a third-party repository provider for the job.

Type: String

Length Constraints: Maximum length of 10000.

Pattern: (?s) . \*

Required: Yes

### **commitTime**

The commit date and time for the job.

Type: Timestamp

Required: Yes

### **jobArn**

The Amazon Resource Name (ARN) for the job.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **jobId**

The unique ID for the job.

Type: String

Length Constraints: Maximum length of 255.

Pattern: [0-9]+

Required: Yes

### **jobType**

The type for the job. If the value is RELEASE, the job was manually released from its source by using the `StartJob` API. This value is available only for apps that are connected to a repository.

If the value is RETRY, the job was manually retried using the `StartJob` API. If the value is WEB\_HOOK, the job was automatically triggered by webhooks. If the value is MANUAL, the job is for a manually deployed app. Manually deployed apps are not connected to a Git repository.

Type: String

Length Constraints: Maximum length of 10.

Valid Values: RELEASE | RETRY | MANUAL | WEB\_HOOK

Required: Yes

### **startTime**

The start date and time for the job.

Type: Timestamp

Required: Yes

### **status**

The current status for the job.

Type: String

Valid Values: CREATED | PENDING | PROVISIONING | RUNNING | FAILED | SUCCEED  
| CANCELLING | CANCELLED

Required: Yes

### **endTime**

The end date and time for the job.

Type: Timestamp

Required: No

### **sourceUrl**

The source URL for the files to deploy. The source URL can be either an HTTP GET URL that is publicly accessible and downloads a single .zip file, or an Amazon S3 bucket and prefix.

Type: String

Length Constraints: Maximum length of 3000.

Pattern: `^(s3|https|http)://.*`

Required: No

### **sourceUrlType**

The type of source specified by the sourceURL. If the value is ZIP, the source is a .zip file. If the value is BUCKET\_PREFIX, the source is an Amazon S3 bucket and prefix. If no value is specified, the default is ZIP.

Type: String

Valid Values: ZIP | BUCKET\_PREFIX

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ProductionBranch

Describes the information about a production branch for an Amplify app.

## Contents

### **branchName**

The branch name for the production branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) .+

Required: No

### **lastDeployTime**

The last deploy time of the production branch.

Type: Timestamp

Required: No

### **status**

The status of the production branch.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 7.

Pattern: .{3,7}

Required: No

### **thumbnailUrl**

The thumbnail URL for the production branch.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Step

Describes an execution step, for an execution job, for an Amplify app.

## Contents

### **endTime**

The end date and time of the execution step.

Type: Timestamp

Required: Yes

### **startTime**

The start date and time of the execution step.

Type: Timestamp

Required: Yes

### **status**

The status of the execution step.

Type: String

Valid Values: CREATED | PENDING | PROVISIONING | RUNNING | FAILED | SUCCEED  
| CANCELLING | CANCELLED

Required: Yes

### **stepName**

The name of the execution step.

Type: String

Length Constraints: Maximum length of 255.

Required: Yes

### **artifactsUrl**

The URL to the build artifact for the execution step.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

### **context**

The context for the current step. Includes a build image if the step is build.

Type: String

Required: No

### **logUrl**

The URL to the logs for the execution step.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

### **screenshots**

The list of screenshot URLs for the execution step, if relevant.

Type: String to string map

Key Length Constraints: Maximum length of 256.

Value Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

### **statusReason**

The reason for the current step status.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

**testArtifactsUrl**

The URL to the test artifact for the execution step.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

**testConfigUrl**

The URL to the test configuration for the execution step.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

**See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SubDomain

The subdomain for the domain association.

## Contents

### dnsRecord

The DNS record for the subdomain.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### subDomainSetting

Describes the settings for the subdomain.

Type: [SubDomainSetting](#) object

Required: Yes

### verified

The verified status of the subdomain

Type: Boolean

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SubDomainSetting

Describes the settings for the subdomain.

## Contents

### branchName

The branch name setting for the subdomain.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s).+

Required: Yes

### prefix

The prefix setting for the subdomain.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# WafConfiguration

Describes the Firewall configuration for a hosted Amplify application. Firewall support enables you to protect your web applications with a direct integration with AWS WAF. For more information about using AWS WAF protections for an Amplify application, see [Firewall support for hosted sites](#) in the *Amplify User Guide*.

## Contents

### statusReason

The reason for the current status of the Firewall configuration.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

### wafStatus

The status of the process to associate or disassociate a web ACL to an Amplify app.

Type: String

Valid Values: ASSOCIATING | ASSOCIATION\_FAILED | ASSOCIATION\_SUCCESS | DISASSOCIATING | DISASSOCIATION\_FAILED

Required: No

### webAclArn

The Amazon Resource Name (ARN) for the web ACL associated with an Amplify app.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 512.

Pattern: `^arn:aws:wafv2:.*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Webhook

Describes a webhook that connects repository events to an Amplify app.

## Contents

### **branchName**

The name for a branch that is part of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (?s) . +

Required: Yes

### **createTime**

A timestamp of when Amplify created the webhook in your Git repository.

Type: Timestamp

Required: Yes

### **description**

The description for a webhook.

Type: String

Length Constraints: Maximum length of 1000.

Pattern: (?s) . \*

Required: Yes

### **updateTime**

A timestamp of when Amplify updated the webhook in your Git repository.

Type: Timestamp

Required: Yes

### **webhookArn**

The Amazon Resource Name (ARN) for the webhook.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **webhookId**

The ID of the webhook.

Type: String

Length Constraints: Maximum length of 255.

Pattern: (?s).\*

Required: Yes

### **webhookUrl**

The URL of the webhook.

Type: String

Length Constraints: Maximum length of 1000.

Required: Yes

### **appId**

The unique ID of an Amplify app.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 20.

Pattern: d[a-z0-9]+

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

## X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

## Required: Conditional

# Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

## **AccessDeniedException**

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

## **ExpiredTokenException**

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

## **IncompleteSignature**

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

## **InternalFailure**

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## **MalformedHttpRequestException**

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

**NotAuthorized**

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

**OptInRequired**

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

**RequestAbortedException**

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

**RequestEntityTooLargeException**

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

**RequestTimeoutException**

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

**ServiceUnavailable**

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

**ThrottlingException**

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

**UnknownOperationException**

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

**UnrecognizedClientException**

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

**ValidationError**

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400