



Observability Admin API Reference

Amazon CloudWatch



API Version 2018-05-10

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon CloudWatch: Observability Admin API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateCentralizationRuleForOrganization	4
Request Syntax	4
URI Request Parameters	5
Request Body	5
Response Syntax	6
Response Elements	6
Errors	6
See Also	8
CreateS3TableIntegration	10
Request Syntax	10
URI Request Parameters	10
Request Body	10
Response Syntax	11
Response Elements	11
Errors	12
See Also	14
CreateTelemetryPipeline	15
Request Syntax	15
URI Request Parameters	15
Request Body	15
Response Syntax	16
Response Elements	16
Errors	17
Examples	19
See Also	20
CreateTelemetryRule	21
Request Syntax	21
URI Request Parameters	23
Request Body	23
Response Syntax	24
Response Elements	24
Errors	24

See Also	26
CreateTelemetryRuleForOrganization	28
Request Syntax	28
URI Request Parameters	30
Request Body	30
Response Syntax	31
Response Elements	31
Errors	31
See Also	33
DeleteCentralizationRuleForOrganization	35
Request Syntax	35
URI Request Parameters	35
Request Body	35
Response Syntax	35
Response Elements	35
Errors	36
See Also	37
DeleteS3TableIntegration	38
Request Syntax	38
URI Request Parameters	38
Request Body	38
Response Syntax	38
Response Elements	39
Errors	39
See Also	40
DeleteTelemetryPipeline	42
Request Syntax	42
URI Request Parameters	42
Request Body	42
Response Syntax	42
Response Elements	42
Errors	43
See Also	44
DeleteTelemetryRule	46
Request Syntax	46
URI Request Parameters	46

Request Body	46
Response Syntax	46
Response Elements	46
Errors	47
See Also	48
DeleteTelemetryRuleForOrganization	49
Request Syntax	49
URI Request Parameters	49
Request Body	49
Response Syntax	49
Response Elements	49
Errors	50
See Also	51
GetCentralizationRuleForOrganization	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	53
Errors	55
See Also	56
GetS3TableIntegration	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	58
Response Elements	59
Errors	60
See Also	61
GetTelemetryEnrichmentStatus	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	63
Response Elements	63
Errors	64

See Also	65
GetTelemetryEvaluationStatus	66
Request Syntax	66
URI Request Parameters	66
Request Body	66
Response Syntax	66
Response Elements	66
Errors	67
See Also	68
GetTelemetryEvaluationStatusForOrganization	69
Request Syntax	69
URI Request Parameters	69
Request Body	69
Response Syntax	69
Response Elements	69
Errors	70
See Also	71
GetTelemetryPipeline	72
Request Syntax	72
URI Request Parameters	72
Request Body	72
Response Syntax	72
Response Elements	73
Errors	73
See Also	75
GetTelemetryRule	76
Request Syntax	76
URI Request Parameters	76
Request Body	76
Response Syntax	76
Response Elements	78
Errors	79
See Also	81
GetTelemetryRuleForOrganization	82
Request Syntax	82
URI Request Parameters	82

Request Body	82
Response Syntax	82
Response Elements	84
Errors	85
See Also	87
ListCentralizationRulesForOrganization	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	89
Response Elements	90
Errors	90
See Also	91
ListResourceTelemetry	92
Request Syntax	92
URI Request Parameters	92
Request Body	92
Response Syntax	94
Response Elements	95
Errors	95
See Also	96
ListResourceTelemetryForOrganization	98
Request Syntax	98
URI Request Parameters	98
Request Body	98
Response Syntax	100
Response Elements	101
Errors	101
See Also	102
ListS3TableIntegrations	104
Request Syntax	104
URI Request Parameters	104
Request Body	104
Response Syntax	105
Response Elements	105
Errors	105

See Also	106
ListTagsForResource	108
Request Syntax	108
URI Request Parameters	108
Request Body	108
Response Syntax	108
Response Elements	109
Errors	109
See Also	110
ListTelemetryPipelines	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	113
Response Elements	113
Errors	114
See Also	115
ListTelemetryRules	116
Request Syntax	116
URI Request Parameters	116
Request Body	116
Response Syntax	117
Response Elements	117
Errors	118
See Also	119
ListTelemetryRulesForOrganization	120
Request Syntax	120
URI Request Parameters	120
Request Body	120
Response Syntax	121
Response Elements	122
Errors	122
See Also	123
StartTelemetryEnrichment	125
Request Syntax	125
URI Request Parameters	125

Request Body	125
Response Syntax	125
Response Elements	125
Errors	126
See Also	127
StartTelemetryEvaluation	128
Request Syntax	128
URI Request Parameters	128
Request Body	128
Response Syntax	128
Response Elements	128
Errors	128
See Also	129
StartTelemetryEvaluationForOrganization	131
Request Syntax	131
URI Request Parameters	131
Request Body	131
Response Syntax	131
Response Elements	131
Errors	131
See Also	132
StopTelemetryEnrichment	134
Request Syntax	134
URI Request Parameters	134
Request Body	134
Response Syntax	134
Response Elements	134
Errors	135
See Also	136
StopTelemetryEvaluation	137
Request Syntax	137
URI Request Parameters	137
Request Body	137
Response Syntax	137
Response Elements	137
Errors	137

See Also	138
StopTelemetryEvaluationForOrganization	140
Request Syntax	140
URI Request Parameters	140
Request Body	140
Response Syntax	140
Response Elements	140
Errors	140
See Also	141
TagResource	143
Request Syntax	143
URI Request Parameters	143
Request Body	143
Response Syntax	144
Response Elements	144
Errors	144
See Also	146
TestTelemetryPipeline	147
Request Syntax	147
URI Request Parameters	147
Request Body	147
Response Syntax	148
Response Elements	148
Errors	148
Examples	150
See Also	151
UntagResource	153
Request Syntax	153
URI Request Parameters	153
Request Body	153
Response Syntax	154
Response Elements	154
Errors	154
See Also	155
UpdateCentralizationRuleForOrganization	157
Request Syntax	157

URI Request Parameters	158
Request Body	158
Response Syntax	158
Response Elements	158
Errors	159
See Also	161
UpdateTelemetryPipeline	162
Request Syntax	163
URI Request Parameters	163
Request Body	163
Response Syntax	164
Response Elements	164
Errors	164
See Also	166
UpdateTelemetryRule	167
Request Syntax	167
URI Request Parameters	169
Request Body	169
Response Syntax	169
Response Elements	169
Errors	170
See Also	172
UpdateTelemetryRuleForOrganization	173
Request Syntax	173
URI Request Parameters	175
Request Body	175
Response Syntax	175
Response Elements	175
Errors	176
See Also	178
ValidateTelemetryPipelineConfiguration	179
Request Syntax	179
URI Request Parameters	179
Request Body	179
Response Syntax	179
Response Elements	180

Errors	180
See Also	181
Data Types	182
ActionCondition	184
Contents	184
See Also	184
AdvancedEventSelector	185
Contents	185
See Also	185
AdvancedFieldSelector	186
Contents	186
See Also	187
CentralizationRule	188
Contents	188
See Also	188
CentralizationRuleDestination	189
Contents	189
See Also	189
CentralizationRuleSource	191
Contents	191
See Also	191
CentralizationRuleSummary	193
Contents	193
See Also	195
CloudtrailParameters	196
Contents	196
See Also	196
Condition	197
Contents	197
See Also	197
ConfigurationSummary	198
Contents	198
See Also	199
DataSource	200
Contents	200
See Also	200

DestinationLogsConfiguration	201
Contents	201
See Also	201
ELBLoadBalancerLoggingParameters	202
Contents	202
See Also	202
Encryption	203
Contents	203
See Also	203
FieldToMatch	204
Contents	204
See Also	204
Filter	206
Contents	206
See Also	206
IntegrationSummary	208
Contents	208
See Also	208
LabelNameCondition	209
Contents	209
See Also	209
LogDeliveryParameters	210
Contents	210
See Also	210
LoggingFilter	211
Contents	211
See Also	211
LogGroupNameConfiguration	212
Contents	212
See Also	212
LogsBackupConfiguration	214
Contents	214
See Also	214
LogsEncryptionConfiguration	215
Contents	215
See Also	216

PipelineOutput	217
Contents	217
See Also	217
PipelineOutputError	218
Contents	218
See Also	218
Record	219
Contents	219
See Also	219
SingleHeader	220
Contents	220
See Also	220
Source	221
Contents	221
See Also	221
SourceLogsConfiguration	222
Contents	222
See Also	223
TelemetryConfiguration	224
Contents	224
See Also	225
TelemetryDestinationConfiguration	227
Contents	227
See Also	228
TelemetryPipeline	229
Contents	229
See Also	230
TelemetryPipelineConfiguration	232
Contents	232
See Also	232
TelemetryPipelineStatusReason	234
Contents	234
See Also	234
TelemetryPipelineSummary	235
Contents	235
See Also	236

TelemetryRule	237
Contents	237
See Also	238
TelemetryRuleSummary	239
Contents	239
See Also	240
ValidationError	242
Contents	242
See Also	242
VPCFlowLogParameters	243
Contents	243
See Also	243
WAFLoggingParameters	244
Contents	244
See Also	244
Common Parameters	245
Common Error Types	248

Welcome

You can use Amazon CloudWatch Observability Admin to discover and understand the state of telemetry configuration in CloudWatch for your AWS Organization or account. This simplifies the process of auditing your telemetry collection configurations across multiple resource types within your AWS Organization or account. By providing a consolidated view, it allows you to easily review and manage telemetry settings, helping you ensure proper monitoring and data collection across your AWS environment. For more information, see [Auditing CloudWatch telemetry configurations](#) in the CloudWatch User Guide.

For information on the permissions you need to use this API, see [Identity and access management for Amazon CloudWatch](#) in the CloudWatch User Guide.

This document was last published on April 5, 2026.

Actions

The following actions are supported:

- [CreateCentralizationRuleForOrganization](#)
- [CreateS3TableIntegration](#)
- [CreateTelemetryPipeline](#)
- [CreateTelemetryRule](#)
- [CreateTelemetryRuleForOrganization](#)
- [DeleteCentralizationRuleForOrganization](#)
- [DeleteS3TableIntegration](#)
- [DeleteTelemetryPipeline](#)
- [DeleteTelemetryRule](#)
- [DeleteTelemetryRuleForOrganization](#)
- [GetCentralizationRuleForOrganization](#)
- [GetS3TableIntegration](#)
- [GetTelemetryEnrichmentStatus](#)
- [GetTelemetryEvaluationStatus](#)
- [GetTelemetryEvaluationStatusForOrganization](#)
- [GetTelemetryPipeline](#)
- [GetTelemetryRule](#)
- [GetTelemetryRuleForOrganization](#)
- [ListCentralizationRulesForOrganization](#)
- [ListResourceTelemetry](#)
- [ListResourceTelemetryForOrganization](#)
- [ListS3TableIntegrations](#)
- [ListTagsForResource](#)
- [ListTelemetryPipelines](#)
- [ListTelemetryRules](#)
- [ListTelemetryRulesForOrganization](#)
- [StartTelemetryEnrichment](#)

- [StartTelemetryEvaluation](#)
- [StartTelemetryEvaluationForOrganization](#)
- [StopTelemetryEnrichment](#)
- [StopTelemetryEvaluation](#)
- [StopTelemetryEvaluationForOrganization](#)
- [TagResource](#)
- [TestTelemetryPipeline](#)
- [UntagResource](#)
- [UpdateCentralizationRuleForOrganization](#)
- [UpdateTelemetryPipeline](#)
- [UpdateTelemetryRule](#)
- [UpdateTelemetryRuleForOrganization](#)
- [ValidateTelemetryPipelineConfiguration](#)

CreateCentralizationRuleForOrganization

Creates a centralization rule that applies across an AWS Organization. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /CreateCentralizationRuleForOrganization HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "Rule": {
    "Destination": {
      "Account": "string",
      "DestinationLogsConfiguration": {
        "BackupConfiguration": {
          "KmsKeyArn": "string",
          "Region": "string"
        },
        "LogGroupNameConfiguration": {
          "LogGroupNamePattern": "string"
        },
        "LogsEncryptionConfiguration": {
          "EncryptionConflictResolutionStrategy": "string",
          "EncryptionStrategy": "string",
          "KmsKeyArn": "string"
        }
      },
      "Region": "string"
    },
    "Source": {
      "Regions": [ "string" ],
      "Scope": "string",
      "SourceLogsConfiguration": {
        "DataSourceSelectionCriteria": "string",
        "EncryptedLogGroupStrategy": "string",
        "LogGroupSelectionCriteria": "string"
      }
    },
    "RuleName": "string",
    "Tags": {
      "string" : "string"
    }
  }
}
```

```
}  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Rule

The configuration details for the organization-wide centralization rule, including the source configuration and the destination configuration to centralize telemetry data across the organization.

Type: [CentralizationRule](#) object

Required: Yes

RuleName

A unique name for the organization-wide centralization rule being created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

Required: Yes

Tags

The key-value pairs to associate with the organization telemetry rule resource for categorization and management purposes.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`[\p{L}\p{Z}\p{N}_.:/=+\-@]*`)

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RuleArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RuleArn

The Amazon Resource Name (ARN) of the created organization centralization rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the

required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateS3TableIntegration

Creates an integration between CloudWatch and S3 Tables for analytics. This integration enables querying CloudWatch telemetry data using analytics engines like Amazon Athena, Amazon Redshift, and Apache Spark.

Request Syntax

```
POST /CreateS3TableIntegration HTTP/1.1
Content-type: application/json
```

```
{
  "Encryption": {
    "KmsKeyArn": "string",
    "SseAlgorithm": "string"
  },
  "RoleArn": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Encryption

The encryption configuration for the S3 Table integration, including the encryption algorithm and KMS key settings.

Type: [Encryption](#) object

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the IAM role that grants permissions for the S3 Table integration to access necessary resources.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Required: Yes

Tags

The key-value pairs to associate with the S3 Table integration resource for categorization and management purposes.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+@-]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+@-]*)`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The Amazon Resource Name (ARN) of the created S3 Table integration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTelemetryPipeline

Creates a telemetry pipeline for processing and transforming telemetry data. The pipeline defines how data flows from sources through processors to destinations, enabling data transformation and delivering capabilities.

Request Syntax

```
POST /CreateTelemetryPipeline HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "Body": "string"
  },
  "Name": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Configuration

The configuration that defines how the telemetry pipeline processes data, including sources, processors, and destinations. For more information about pipeline components, see the [Amazon CloudWatch User Guide](#)

Type: [TelemetryPipelineConfiguration](#) object

Required: Yes

Name

The name of the telemetry pipeline to create. The name must be unique within your account.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 28.

Pattern: `.*[a-z][a-z0-9\-\-]+.*`

Required: Yes

Tags

The key-value pairs to associate with the telemetry pipeline resource for categorization and management purposes.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Arn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The Amazon Resource Name (ARN) of the created telemetry pipeline.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

Examples

Using CloudWatch as a pipeline source

The following is an example of a Body property value for the Configuration object.

```
pipeline:
  source:
    cloudwatch_logs:
      log_event_metadata:
        data_source_name: "my_data_source"
        data_source_type: "default"
      aws:
        sts_role_arn: "arn:aws:iam::123456789012:role/MyPipelineAccessRole"
  processor:
    - parse_json: {}
  sink:
    - cloudwatch_logs:
        log_group: "@original"
```

Using Amazon S3 as a pipeline source

The following is an example of a Body property value for the Configuration object.

```
pipeline:
  source:
    s3:
      sqs:
        visibility_timeout: "PT60S"
        visibility_duplication_protection: true
        maximum_messages: 10
        queue_url: "https://sqs.us-east-1.amazonaws.com/123456789012/my-sqs-queue"
      notification_type: "sqs"
  codec:
    ndjson: {}
  aws:
```

```
    region: "us-east-1"
    sts_role_arn: "arn:aws:iam::123456789012:role/MyAccessRole"
    data_source_name: "crowdstrike_falcon"
processor:
  - ocsf:
      version: "1.5"
      mapping_version: "1.5.0"
      schema:
        crowdstrike_falcon:
sink:
  - cloudwatch_logs:
      log_group: "my-log-group"
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTelemetryRule

Creates a telemetry rule that defines how telemetry should be configured for AWS resources in your account. The rule specifies which resources should have telemetry enabled and how that telemetry data should be collected based on resource type, telemetry type, and selection criteria.

Request Syntax

```
POST /CreateTelemetryRule HTTP/1.1
Content-type: application/json

{
  "Rule": {
    "DestinationConfiguration": {
      "CloudtrailParameters": {
        "AdvancedEventSelectors": [
          {
            "FieldSelectors": [
              {
                "EndsWith": [ "string" ],
                "Equals": [ "string" ],
                "Field": "string",
                "NotEndsWith": [ "string" ],
                "NotEquals": [ "string" ],
                "NotStartsWith": [ "string" ],
                "StartsWith": [ "string" ]
              }
            ],
            "Name": "string"
          }
        ]
      },
      "DestinationPattern": "string",
      "DestinationType": "string",
      "ELBLoadBalancerLoggingParameters": {
        "FieldDelimiter": "string",
        "OutputFormat": "string"
      },
      "LogDeliveryParameters": {
        "LogTypes": [ "string" ]
      },
      "RetentionInDays": number,
    }
  }
}
```

```
"VPCFlowLogParameters": {
  "LogFormat": "string",
  "MaxAggregationInterval": number,
  "TrafficType": "string"
},
"WAFLoggingParameters": {
  "LoggingFilter": {
    "DefaultBehavior": "string",
    "Filters": [
      {
        "Behavior": "string",
        "Conditions": [
          {
            "ActionCondition": {
              "Action": "string"
            },
            "LabelNameCondition": {
              "LabelName": "string"
            }
          }
        ],
        "Requirement": "string"
      }
    ]
  },
  "LogType": "string",
  "RedactedFields": [
    {
      "Method": "string",
      "QueryString": "string",
      "SingleHeader": {
        "Name": "string"
      },
      "UriPath": "string"
    }
  ]
},
"ResourceType": "string",
"Scope": "string",
"SelectionCriteria": "string",
"TelemetrySourceTypes": [ "string" ],
"TelemetryType": "string"
},
```

```
"RuleName": "string",
"Tags": {
  "string" : "string"
}
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Rule

The configuration details for the telemetry rule, including the resource type, telemetry type, destination configuration, and selection criteria for which resources the rule applies to.

Type: [TelemetryRule](#) object

Required: Yes

RuleName

A unique name for the telemetry rule being created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

Required: Yes

Tags

The key-value pairs to associate with the telemetry rule resource for categorization and management purposes.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RuleArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[RuleArn](#)

The Amazon Resource Name (ARN) of the created telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([\a-z0-9\\-]+)?:([\a-zA-Z0-9\\-]+):([\a-z0-9\\-]+)?:([0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTelemetryRuleForOrganization

Creates a telemetry rule that applies across an AWS Organization. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /CreateTelemetryRuleForOrganization HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "Rule": {
    "DestinationConfiguration": {
      "CloudtrailParameters": {
        "AdvancedEventSelectors": [
          {
            "FieldSelectors": [
              {
                "EndsWith": [ "string" ],
                "Equals": [ "string" ],
                "Field": "string",
                "NotEndsWith": [ "string" ],
                "NotEquals": [ "string" ],
                "NotStartsWith": [ "string" ],
                "StartsWith": [ "string" ]
              }
            ],
            "Name": "string"
          }
        ]
      },
      "DestinationPattern": "string",
      "DestinationType": "string",
      "ELBLoadBalancerLoggingParameters": {
        "FieldDelimiter": "string",
        "OutputFormat": "string"
      },
      "LogDeliveryParameters": {
        "LogTypes": [ "string" ]
      },
      "RetentionInDays": number,
      "VPCFlowLogParameters": {
        "LogFormat": "string",
```

```
    "MaxAggregationInterval": number,
    "TrafficType": "string"
  },
  "WAFLoggingParameters": {
    "LoggingFilter": {
      "DefaultBehavior": "string",
      "Filters": [
        {
          "Behavior": "string",
          "Conditions": [
            {
              "ActionCondition": {
                "Action": "string"
              },
              "LabelNameCondition": {
                "LabelName": "string"
              }
            }
          ],
          "Requirement": "string"
        }
      ]
    },
    "LogType": "string",
    "RedactedFields": [
      {
        "Method": "string",
        "QueryString": "string",
        "SingleHeader": {
          "Name": "string"
        },
        "UriPath": "string"
      }
    ]
  },
  "ResourceType": "string",
  "Scope": "string",
  "SelectionCriteria": "string",
  "TelemetrySourceTypes": [ "string" ],
  "TelemetryType": "string"
},
"RuleName": "string",
"Tags": {
```

```
    "string" : "string"  
  }  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Rule

The configuration details for the organization-wide telemetry rule, including the resource type, telemetry type, destination configuration, and selection criteria for which resources the rule applies to across the organization.

Type: [TelemetryRule](#) object

Required: Yes

RuleName

A unique name for the organization-wide telemetry rule being created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

Required: Yes

Tags

The key-value pairs to associate with the organization telemetry rule resource for categorization and management purposes.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RuleArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RuleArn

The Amazon Resource Name (ARN) of the created organization telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([\a-z0-9\\-]+)?:([\a-zA-Z0-9\\-]+):([\a-z0-9\\-]+)?:([\0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteCentralizationRuleForOrganization

Deletes an organization-wide centralization rule. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /DeleteCentralizationRuleForOrganization HTTP/1.1
Content-type: application/json

{
  "RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

RuleIdentifier

The identifier (name or ARN) of the organization centralization rule to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteS3TableIntegration

Deletes an S3 Table integration and its associated data. This operation removes the connection between CloudWatch Observability Admin and S3 Tables.

Request Syntax

```
POST /DeleteS3TableIntegration HTTP/1.1
Content-type: application/json
```

```
{
  "Arn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Arn

The Amazon Resource Name (ARN) of the S3 Table integration to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Required: Yes

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

InvalidStateException

The requested operation cannot be completed on the specified resource in the current state.

HTTP Status Code: 400

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTelemetryPipeline

Deletes a telemetry pipeline and its associated resources. This operation stops data processing and removes the pipeline configuration.

Request Syntax

```
POST /DeleteTelemetryPipeline HTTP/1.1
Content-type: application/json

{
  "PipelineIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

PipelineIdentifier

The ARN of the telemetry pipeline to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTelemetryRule

Deletes a telemetry rule from your account. Any telemetry configurations previously created by the rule will remain but no new resources will be configured by this rule.

Request Syntax

```
POST /DeleteTelemetryRule HTTP/1.1
Content-type: application/json

{
  "RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

RuleIdentifier

The identifier (name or ARN) of the telemetry rule to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTelemetryRuleForOrganization

Deletes an organization-wide telemetry rule. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /DeleteTelemetryRuleForOrganization HTTP/1.1
Content-type: application/json

{
  "RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

RuleIdentifier

The identifier (name or ARN) of the organization telemetry rule to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetCentralizationRuleForOrganization

Retrieves the details of a specific organization centralization rule. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /GetCentralizationRuleForOrganization HTTP/1.1
Content-type: application/json
```

```
{
  "RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[RuleIdentifier](#)

The identifier (name or ARN) of the organization centralization rule to retrieve.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "CentralizationRule": {
```

```

    "Destination": {
      "Account": "string",
      "DestinationLogsConfiguration": {
        "BackupConfiguration": {
          "KmsKeyArn": "string",
          "Region": "string"
        },
        "LogGroupNameConfiguration": {
          "LogGroupNamePattern": "string"
        },
        "LogsEncryptionConfiguration": {
          "EncryptionConflictResolutionStrategy": "string",
          "EncryptionStrategy": "string",
          "KmsKeyArn": "string"
        }
      },
      "Region": "string"
    },
    "Source": {
      "Regions": [ "string" ],
      "Scope": "string",
      "SourceLogsConfiguration": {
        "DataSourceSelectionCriteria": "string",
        "EncryptedLogGroupStrategy": "string",
        "LogGroupSelectionCriteria": "string"
      }
    }
  },
  "CreatedRegion": "string",
  "CreatedTimeStamp": number,
  "CreatorAccountId": "string",
  "FailureReason": "string",
  "LastUpdateTimeStamp": number,
  "RuleArn": "string",
  "RuleHealth": "string",
  "RuleName": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CentralizationRule

The configuration details for the organization centralization rule.

Type: [CentralizationRule](#) object

CreatedRegion

The AWS region where the organization centralization rule was created.

Type: String

Length Constraints: Minimum length of 1.

CreatedTimeStamp

The timestamp when the organization centralization rule was created.

Type: Long

CreatorAccountId

The AWS Account that created the organization centralization rule.

Type: String

FailureReason

The reason why an organization centralization rule is marked UNHEALTHY.

Type: String

Valid Values: TRUSTED_ACCESS_NOT_ENABLED |
DESTINATION_ACCOUNT_NOT_IN_ORGANIZATION | INTERNAL_SERVER_ERROR

LastUpdateTimeStamp

The timestamp when the organization centralization rule was last updated.

Type: Long

RuleArn

The Amazon Resource Name (ARN) of the organization centralization rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

RuleHealth

The health status of the organization centralization rule.

Type: String

Valid Values: Healthy | Unhealthy | Provisioning

RuleName

The name of the organization centralization rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetS3TableIntegration

Retrieves information about a specific S3 Table integration, including its configuration, status, and metadata.

Request Syntax

```
POST /GetS3TableIntegration HTTP/1.1
Content-type: application/json

{
  "Arn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[Arn](#)

The Amazon Resource Name (ARN) of the S3 Table integration to retrieve.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Arn": "string",
  "CreatedTimeStamp": number,
  "DestinationTableBucketArn": "string",
  "Encryption": {
    "KmsKeyArn": "string",
    "SseAlgorithm": "string"
  },
  "RoleArn": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The Amazon Resource Name (ARN) of the S3 Table integration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

CreatedTimeStamp

The timestamp when the S3 Table integration was created.

Type: Long

DestinationTableBucketArn

The Amazon Resource Name (ARN) of the S3 bucket used as the destination for the table data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Encryption

The encryption configuration for the S3 Table integration.

Type: [Encryption](#) object

RoleArn

The Amazon Resource Name (ARN) of the IAM role used by the S3 Table integration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-])?:([a-zA-Z0-9\-\-]):([a-z0-9\-\-])?:([0-9]{12})?:(.+)`

Status

The current status of the S3 Table integration.

Type: String

Valid Values: ACTIVE | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTelemetryEnrichmentStatus

Returns the current status of the resource tags for telemetry feature, which enhances telemetry data with additional resource metadata from AWS Resource Explorer.

Request Syntax

```
POST /GetTelemetryEnrichmentStatus HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AwsResourceExplorerManagedViewArn": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[AwsResourceExplorerManagedViewArn](#)

The Amazon Resource Name (ARN) of the AWS Resource Explorer managed view used for resource tags for telemetry, if the feature is enabled.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws([a-z0-9\-]+)?:resource-explorer-2:([a-z0-9\-]+)?:([0-9]{12})?:managed-view/(.+)`

Status

The current status of the resource tags for telemetry feature (Running, Stopped, or Impaired).

Type: String

Valid Values: Running | Stopped | Impaired

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTelemetryEvaluationStatus

Returns the current onboarding status of the telemetry config feature, including the status of the feature and reason the feature failed to start or stop.

Request Syntax

```
POST /GetTelemetryEvaluationStatus HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "FailureReason": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[FailureReason](#)

Describes the reason for the failure status. The field will only be populated if Status is FAILED_START or FAILED_STOP.

Type: String

Status

The onboarding status of the telemetry config feature.

Type: String

Valid Values: NOT_STARTED | STARTING | FAILED_START | RUNNING | STOPPING | FAILED_STOP | STOPPED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTelemetryEvaluationStatusForOrganization

This returns the onboarding status of the telemetry configuration feature for the organization. It can only be called by a Management Account of an AWS Organization or an assigned Delegated Admin Account of Amazon CloudWatch telemetry config.

Request Syntax

```
POST /GetTelemetryEvaluationStatusForOrganization HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "FailureReason": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[FailureReason](#)

This field describes the reason for the failure status. The field will only be populated if `Status` is `FAILED_START` or `FAILED_STOP`.

Type: String

Status

The onboarding status of the telemetry config feature for the organization.

Type: String

Valid Values: NOT_STARTED | STARTING | FAILED_START | RUNNING | STOPPING | FAILED_STOP | STOPPED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTelemetryPipeline

Retrieves information about a specific telemetry pipeline, including its configuration, status, and metadata.

Request Syntax

```
POST /GetTelemetryPipeline HTTP/1.1
Content-type: application/json

{
  "PipelineIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

PipelineIdentifier

The identifier (name or ARN) of the telemetry pipeline to retrieve.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Pipeline": {
    "Arn": "string",
    "Configuration": {
```

```
    "Body": "string"
  },
  "CreatedTimeStamp": number,
  "LastUpdateTimeStamp": number,
  "Name": "string",
  "Status": "string",
  "StatusReason": {
    "Description": "string"
  },
  "Tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Pipeline

The complete telemetry pipeline resource information, including configuration, status, and metadata.

Type: [TelemetryPipeline](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTelemetryRule

Retrieves the details of a specific telemetry rule in your account.

Request Syntax

```
POST /GetTelemetryRule HTTP/1.1
Content-type: application/json

{
  "RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

RuleIdentifier

The identifier (name or ARN) of the telemetry rule to retrieve.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreatedTimeStamp": number,
  "LastUpdateTimeStamp": number,
  "RuleArn": "string",
  "RuleName": "string",
  "TelemetryRule": {
```

```
"DestinationConfiguration": {
  "CloudtrailParameters": {
    "AdvancedEventSelectors": [
      {
        "FieldSelectors": [
          {
            "EndsWith": [ "string" ],
            "Equals": [ "string" ],
            "Field": "string",
            "NotEndsWith": [ "string" ],
            "NotEquals": [ "string" ],
            "NotStartsWith": [ "string" ],
            "StartsWith": [ "string" ]
          }
        ],
        "Name": "string"
      }
    ]
  },
  "DestinationPattern": "string",
  "DestinationType": "string",
  "ELBLoadBalancerLoggingParameters": {
    "FieldDelimiter": "string",
    "OutputFormat": "string"
  },
  "LogDeliveryParameters": {
    "LogTypes": [ "string" ]
  },
  "RetentionInDays": number,
  "VPCFlowLogParameters": {
    "LogFormat": "string",
    "MaxAggregationInterval": number,
    "TrafficType": "string"
  },
  "WAFLoggingParameters": {
    "LoggingFilter": {
      "DefaultBehavior": "string",
      "Filters": [
        {
          "Behavior": "string",
          "Conditions": [
            {
              "ActionCondition": {
                "Action": "string"
              }
            }
          ]
        }
      ]
    }
  }
}
```

```

        },
        "LabelNameCondition": {
            "LabelName": "string"
        }
    },
    ],
    "Requirement": "string"
}
]
},
"LogType": "string",
"RedactedFields": [
    {
        "Method": "string",
        "QueryString": "string",
        "SingleHeader": {
            "Name": "string"
        },
        "UriPath": "string"
    }
]
}
},
"ResourceType": "string",
"Scope": "string",
"SelectionCriteria": "string",
"TelemetrySourceTypes": [ "string" ],
"TelemetryType": "string"
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedTimeStamp

The timestamp when the telemetry rule was created.

Type: Long

LastUpdateTimeStamp

The timestamp when the telemetry rule was last updated.

Type: Long

RuleArn

The Amazon Resource Name (ARN) of the telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

RuleName

The name of the telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

TelemetryRule

The configuration details of the telemetry rule.

Type: [TelemetryRule](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTelemetryRuleForOrganization

Retrieves the details of a specific organization telemetry rule. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /GetTelemetryRuleForOrganization HTTP/1.1
Content-type: application/json

{
  "RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

RuleIdentifier

The identifier (name or ARN) of the organization telemetry rule to retrieve.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreatedTimeStamp": number,
  "LastUpdateTimeStamp": number,
  "RuleArn": "string",
```

```

"RuleName": "string",
"TelemetryRule": {
  "DestinationConfiguration": {
    "CloudtrailParameters": {
      "AdvancedEventSelectors": [
        {
          "FieldSelectors": [
            {
              "EndsWith": [ "string" ],
              "Equals": [ "string" ],
              "Field": "string",
              "NotEndsWith": [ "string" ],
              "NotEquals": [ "string" ],
              "NotStartsWith": [ "string" ],
              "StartsWith": [ "string" ]
            }
          ],
          "Name": "string"
        }
      ]
    },
    "DestinationPattern": "string",
    "DestinationType": "string",
    "ELBLoadBalancerLoggingParameters": {
      "FieldDelimiter": "string",
      "OutputFormat": "string"
    },
    "LogDeliveryParameters": {
      "LogTypes": [ "string" ]
    },
    "RetentionInDays": number,
    "VPCFlowLogParameters": {
      "LogFormat": "string",
      "MaxAggregationInterval": number,
      "TrafficType": "string"
    },
    "WAFLoggingParameters": {
      "LoggingFilter": {
        "DefaultBehavior": "string",
        "Filters": [
          {
            "Behavior": "string",
            "Conditions": [
              {

```

```

        "ActionCondition": {
            "Action": "string"
        },
        "LabelNameCondition": {
            "LabelName": "string"
        }
    ],
    "Requirement": "string"
}
]
},
"LogType": "string",
"RedactedFields": [
    {
        "Method": "string",
        "QueryString": "string",
        "SingleHeader": {
            "Name": "string"
        },
        "UriPath": "string"
    }
]
}
},
"ResourceType": "string",
"Scope": "string",
"SelectionCriteria": "string",
"TelemetrySourceTypes": [ "string" ],
"TelemetryType": "string"
}
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedTimeStamp

The timestamp when the organization telemetry rule was created.

Type: Long

LastUpdateTimeStamp

The timestamp when the organization telemetry rule was last updated.

Type: Long

RuleArn

The Amazon Resource Name (ARN) of the organization telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

RuleName

The name of the organization telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

TelemetryRule

The configuration details of the organization telemetry rule.

Type: [TelemetryRule](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListCentralizationRulesForOrganization

Lists all centralization rules in your organization. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /ListCentralizationRulesForOrganization HTTP/1.1
Content-type: application/json
```

```
{
  "AllRegions": boolean,
  "MaxResults": number,
  "NextToken": "string",
  "RuleNamePrefix": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AllRegions

A flag determining whether to return organization centralization rules from all regions or only the current region.

Type: Boolean

Required: No

MaxResults

The maximum number of organization centralization rules to return in a single call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The token for the next set of results. A previous call generates this token.

Type: String

Required: No

RuleNamePrefix

A string to filter organization centralization rules whose names begin with the specified prefix.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CentralizationRuleSummaries": [
    {
      "CreatedRegion": "string",
      "CreatedTimeStamp": number,
      "CreatorAccountId": "string",
      "DestinationAccountId": "string",
      "DestinationRegion": "string",
      "FailureReason": "string",
      "LastUpdateTimeStamp": number,
      "RuleArn": "string",
      "RuleHealth": "string",
      "RuleName": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CentralizationRuleSummaries

A list of centralization rule summaries.

Type: Array of [CentralizationRuleSummary](#) objects

NextToken

A token to resume pagination of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListResourceTelemetry

Returns a list of telemetry configurations for AWS resources supported by telemetry config. For more information, see [Auditing CloudWatch telemetry configurations](#).

Request Syntax

```
POST /ListResourceTelemetry HTTP/1.1
Content-type: application/json

{
  "MaxResults": number,
  "NextToken": "string",
  "ResourceIdentifierPrefix": "string",
  "ResourceTags": {
    "string" : "string"
  },
  "ResourceTypes": [ "string" ],
  "TelemetryConfigurationState": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

MaxResults

A number field used to limit the number of results within the returned list.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

NextToken

The token for the next set of items to return. A previous call generates this token.

Type: String

Required: No

ResourceIdentifierPrefix

A string used to filter resources which have a `ResourceIdentifier` starting with the `ResourceIdentifierPrefix`.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 768.

Required: No

ResourceTags

A key-value pair to filter resources based on tags associated with the resource. For more information about tags, see [What are tags?](#)

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`[\p{L}\p{Z}\p{N}_ . : / = + \ - @] *`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`[\p{L}\p{Z}\p{N}_ . : / = + \ - @] *`)

Required: No

ResourceTypes

A list of resource types used to filter resources supported by telemetry config. If this parameter is provided, the resources will be returned in the same order used in the request.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 9 items.

Valid Values: AWS::EC2::Instance | AWS::EC2::VPC |
AWS::Lambda::Function | AWS::CloudTrail | AWS::EKS::Cluster |
AWS::WAFv2::WebACL | AWS::ElasticLoadBalancingV2::LoadBalancer |
AWS::Route53Resolver::ResolverEndpoint | AWS::BedrockAgentCore::Runtime
| AWS::BedrockAgentCore::Browser |
AWS::BedrockAgentCore::CodeInterpreter

Required: No

TelemetryConfigurationState

A key-value pair to filter resources based on the telemetry type and the state of the telemetry configuration. The key is the telemetry type and the value is the state.

Type: String to string map

Valid Keys: Logs | Metrics | Traces

Valid Values: Enabled | Disabled | NotApplicable

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "TelemetryConfigurations": [
    {
      "AccountIdentifier": "string",
      "LastUpdateTimeStamp": number,
      "ResourceIdentifier": "string",
      "ResourceTags": {
        "string" : "string"
      },
      "ResourceType": "string",
      "TelemetryConfigurationState": {
        "string" : "string"
      },
      "TelemetrySourceType": "string"
    }
  ]
}
```

```
}  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The token for the next set of items to return. A previous call generates this token.

Type: String

TelemetryConfigurations

A list of telemetry configurations for AWS resources supported by telemetry config in the caller's account.

Type: Array of [TelemetryConfiguration](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListResourceTelemetryForOrganization

Returns a list of telemetry configurations for AWS resources supported by telemetry config in the organization.

Request Syntax

```
POST /ListResourceTelemetryForOrganization HTTP/1.1
Content-type: application/json
```

```
{
  "AccountIdentifiers": [ "string" ],
  "MaxResults": number,
  "NextToken": "string",
  "ResourceIdentifierPrefix": "string",
  "ResourceTags": {
    "string" : "string"
  },
  "ResourceTypes": [ "string" ],
  "TelemetryConfigurationState": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

AccountIdentifiers

A list of AWS accounts used to filter the resources to those associated with the specified accounts.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: No

MaxResults

A number field used to limit the number of results within the returned list.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 50.

Required: No

NextToken

The token for the next set of items to return. A previous call provides this token.

Type: String

Required: No

ResourceIdentifierPrefix

A string used to filter resources in the organization which have a `ResourceIdentifier` starting with the `ResourceIdentifierPrefix`.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 768.

Required: No

ResourceTags

A key-value pair to filter resources in the organization based on tags associated with the resource. For more information about tags, see [What are tags?](#)

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`[\\p{L}\\p{Z}\\p{N}_.:/=+\\-@]*`)

Required: No

ResourceTypes

A list of resource types used to filter resources in the organization. If this parameter is provided, the resources will be returned in the same order used in the request.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 9 items.

Valid Values: `AWS::EC2::Instance` | `AWS::EC2::VPC` |
`AWS::Lambda::Function` | `AWS::CloudTrail` | `AWS::EKS::Cluster` |
`AWS::WAFv2::WebACL` | `AWS::ElasticLoadBalancingV2::LoadBalancer` |
`AWS::Route53Resolver::ResolverEndpoint` | `AWS::BedrockAgentCore::Runtime`
| `AWS::BedrockAgentCore::Browser` |
`AWS::BedrockAgentCore::CodeInterpreter`

Required: No

TelemetryConfigurationState

A key-value pair to filter resources in the organization based on the telemetry type and the state of the telemetry configuration. The key is the telemetry type and the value is the state.

Type: String to string map

Valid Keys: `Logs` | `Metrics` | `Traces`

Valid Values: `Enabled` | `Disabled` | `NotApplicable`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "TelemetryConfigurations": [
```

```
{
  "AccountIdentifier": "string",
  "LastUpdateTimeStamp": number,
  "ResourceIdentifier": "string",
  "ResourceTags": {
    "string" : "string"
  },
  "ResourceType": "string",
  "TelemetryConfigurationState": {
    "string" : "string"
  },
  "TelemetrySourceType": "string"
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

The token for the next set of items to return. A previous call provides this token.

Type: String

TelemetryConfigurations

A list of telemetry configurations for AWS resources supported by telemetry config in the organization.

Type: Array of [TelemetryConfiguration](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the

required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListS3TableIntegrations

Lists all S3 Table integrations in your account. We recommend using pagination to ensure that the operation returns quickly and successfully.

Request Syntax

```
POST /ListS3TableIntegrations HTTP/1.1
Content-type: application/json
```

```
{
  "MaxResults": number,
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of S3 Table integrations to return in a single call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The token for the next set of results. A previous call generates this token.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "IntegrationSummaries": [
    {
      "Arn": "string",
      "Status": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[IntegrationSummaries](#)

A list of S3 Table integration summaries containing key information about each integration.

Type: Array of [IntegrationSummary](#) objects

[NextToken](#)

A token to resume pagination of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the

required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all tags attached to the specified resource. Supports telemetry rule resources and telemetry pipeline resources.

Request Syntax

```
POST /ListTagsForResource HTTP/1.1
Content-type: application/json

{
  "ResourceARN": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[ResourceARN](#)

The Amazon Resource Name (ARN) of the telemetry rule resource whose tags you want to list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

The list of tags associated with the telemetry rule resource.

Type: String to string map

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTelemetryPipelines

Returns a list of telemetry pipelines in your account. Returns up to 100 results. If more than 100 telemetry pipelines exist, include the NextToken value from the response to retrieve the next set of results.

Request Syntax

```
POST /ListTelemetryPipelines HTTP/1.1
Content-type: application/json

{
  "MaxResults": number,
  "NextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of telemetry pipelines to return in a single call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The token for the next set of results. A previous call generates this token.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "PipelineSummaries": [
    {
      "Arn": "string",
      "ConfigurationSummary": {
        "DataSources": [
          {
            "Name": "string",
            "Type": "string"
          }
        ],
        "ProcessorCount": number,
        "Processors": [ "string" ],
        "Sinks": [ "string" ],
        "Sources": [
          {
            "Type": "string"
          }
        ]
      },
      "CreatedTimeStamp": number,
      "LastUpdateTimeStamp": number,
      "Name": "string",
      "Status": "string",
      "Tags": {
        "string" : "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A token to resume pagination of results.

Type: String

PipelineSummaries

A list of telemetry pipeline summaries containing key information about each pipeline.

Type: Array of [TelemetryPipelineSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTelemetryRules

Lists all telemetry rules in your account. You can filter the results by specifying a rule name prefix.

Request Syntax

```
POST /ListTelemetryRules HTTP/1.1
Content-type: application/json
```

```
{
  "MaxResults": number,
  "NextToken": "string",
  "RuleNamePrefix": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of telemetry rules to return in a single call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The token for the next set of results. A previous call generates this token.

Type: String

Required: No

RuleNamePrefix

A string to filter telemetry rules whose names begin with the specified prefix.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "TelemetryRuleSummaries": [
    {
      "CreatedTimeStamp": number,
      "LastUpdateTimeStamp": number,
      "ResourceType": "string",
      "RuleArn": "string",
      "RuleName": "string",
      "TelemetrySourceTypes": [ "string" ],
      "TelemetryType": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A token to resume pagination of results.

Type: String

TelemetryRuleSummaries

A list of telemetry rule summaries.

Type: Array of [TelemetryRuleSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTelemetryRulesForOrganization

Lists all telemetry rules in your organization. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /ListTelemetryRulesForOrganization HTTP/1.1
Content-type: application/json
```

```
{
  "MaxResults": number,
  "NextToken": "string",
  "RuleNamePrefix": "string",
  "SourceAccountIds": [ "string" ],
  "SourceOrganizationUnitIds": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

MaxResults

The maximum number of organization telemetry rules to return in a single call.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

NextToken

The token for the next set of results. A previous call generates this token.

Type: String

Required: No

RuleNamePrefix

A string to filter organization telemetry rules whose names begin with the specified prefix.

Type: String

Required: No

SourceAccountIds

The list of account IDs to filter organization telemetry rules by their source accounts.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: No

SourceOrganizationUnitIds

The list of organizational unit IDs to filter organization telemetry rules by their source organizational units.

Type: Array of strings

Array Members: Minimum number of 1 item.

Pattern: ou-[0-9a-z]{4,32}-[a-z0-9]{8,32}

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "TelemetryRuleSummaries": [
    {
```

```
    "CreatedTimeStamp": number,
    "LastUpdateTimeStamp": number,
    "ResourceType": "string",
    "RuleArn": "string",
    "RuleName": "string",
    "TelemetrySourceTypes": [ "string" ],
    "TelemetryType": "string"
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A token to resume pagination of results.

Type: String

TelemetryRuleSummaries

A list of organization telemetry rule summaries.

Type: Array of [TelemetryRuleSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTelemetryEnrichment

Enables the resource tags for telemetry feature for your account, which enhances telemetry data with additional resource metadata from AWS Resource Explorer to provide richer context for monitoring and observability.

Request Syntax

```
POST /StartTelemetryEnrichment HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "AwsResourceExplorerManagedViewArn": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

AwsResourceExplorerManagedViewArn

The Amazon Resource Name (ARN) of the AWS Resource Explorer managed view created for resource tags for telemetry.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws([a-z0-9\-\-]+)?:resource-explorer-2:([a-z0-9\-\-]+)?:([0-9]{12})?:managed-view/(.+)`

Status

The status of the resource tags for telemetry feature after the start operation (Running, Stopped, or Impaired).

Type: String

Valid Values: Running | Stopped | Impaired

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTelemetryEvaluation

This action begins onboarding the caller AWS account to the telemetry config feature.

Request Syntax

```
POST /StartTelemetryEvaluation HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartTelemetryEvaluationForOrganization

This actions begins onboarding the organization and all member accounts to the telemetry config feature.

Request Syntax

```
POST /StartTelemetryEvaluationForOrganization HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopTelemetryEnrichment

Disables the resource tags for telemetry feature for your account, stopping the enhancement of telemetry data with additional resource metadata.

Request Syntax

```
POST /StopTelemetryEnrichment HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

Status

The status of the resource tags for telemetry feature after the stop operation (Running, Stopped, or Impaired).

Type: String

Valid Values: Running | Stopped | Impaired

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopTelemetryEvaluation

This action begins offboarding the caller AWS account from the telemetry config feature.

Request Syntax

```
POST /StopTelemetryEvaluation HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopTelemetryEvaluationForOrganization

This action offboards the Organization of the caller AWS account from the telemetry config feature.

Request Syntax

```
POST /StopTelemetryEvaluationForOrganization HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds or updates tags for a resource. Supports telemetry rule resources and telemetry pipeline resources.

Request Syntax

```
POST /TagResource HTTP/1.1
Content-type: application/json
```

```
{
  "ResourceARN": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ResourceARN

The Amazon Resource Name (ARN) of the telemetry rule resource to tag.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Required: Yes

Tags

The key-value pairs to add or update for the telemetry rule resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @]*)`)

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TestTelemetryPipeline

Tests a pipeline configuration with sample records to validate data processing before deployment. This operation helps ensure your pipeline configuration works as expected.

Request Syntax

```
POST /TestTelemetryPipeline HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "Body": "string"
  },
  "Records": [
    {
      "Data": "string",
      "Type": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Configuration

The pipeline configuration to test with the provided sample records.

Type: [TelemetryPipelineConfiguration](#) object

Required: Yes

Records

The sample records to process through the pipeline configuration for testing purposes.

Type: Array of [Record](#) objects

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Results": [
    {
      "Error": {
        "Message": "string"
      },
      "Record": {
        "Data": "string",
        "Type": "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Results](#)

The results of processing the test records through the pipeline configuration, including any outputs or errors.

Type: Array of [PipelineOutput](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

Examples

Example

When calling `TestTelemetryPipeline`, the `Body` of the `Configuration` object should only contain a pipeline with the processor definitions. For example:

```
pipeline:
  processor:
    - lowercase_string:
      with_keys:
        - method
    - uppercase_string:
      with_keys:
        - level
```

Example

The `Records` value should contain the sample input data you want to process. For example:

```
"Records": [
  {
    "Data": "{ \"method\": \"get\", \"level\": \"INFO\" }",
    "Type": "JSON"
  }
]
```

Example

The response will contain the result of applying the processor configuration to the input. For the previously shown inputs, the output is:

```
{
  "Results": [
    {
      "Record": {
        "Data": "{ \"method\": \"GET\", \"level\": \"info\" }"
        "Type" : "JSON"
      }
    }
  ]
}
```

```
}
```

Example

Here's another example. Given the following processor configuration:

```
pipeline:
  processor:
    - csv: {}
```

Example

and this input:

```
"Records": [
  {
    "Data": "red,green",
    "Type": "STRING"
  }
]
```

Example

the output is:

```
{
  "Results": [
    {
      "Record": {
        "Data": "{ \"column_1\": \"red\", \"column_2\": \"green\" }"
        "Type" : "JSON"
      }
    }
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes tags from a resource. Supports telemetry rule resources and telemetry pipeline resources.

Request Syntax

```
POST /UntagResource HTTP/1.1
Content-type: application/json

{
  "ResourceARN": "string",
  "TagKeys": [ "string" ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ResourceARN

The Amazon Resource Name (ARN) of the telemetry rule resource to remove tags from.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)?`

Required: Yes

TagKeys

The list of tag keys to remove from the telemetry rule resource.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @]*)`)

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateCentralizationRuleForOrganization

Updates an existing centralization rule that applies across an AWS Organization. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /UpdateCentralizationRuleForOrganization HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "Rule": {
    "Destination": {
      "Account": "string",
      "DestinationLogsConfiguration": {
        "BackupConfiguration": {
          "KmsKeyArn": "string",
          "Region": "string"
        },
        "LogGroupNameConfiguration": {
          "LogGroupNamePattern": "string"
        },
        "LogsEncryptionConfiguration": {
          "EncryptionConflictResolutionStrategy": "string",
          "EncryptionStrategy": "string",
          "KmsKeyArn": "string"
        }
      },
      "Region": "string"
    },
    "Source": {
      "Regions": [ "string" ],
      "Scope": "string",
      "SourceLogsConfiguration": {
        "DataSourceSelectionCriteria": "string",
        "EncryptedLogGroupStrategy": "string",
        "LogGroupSelectionCriteria": "string"
      }
    },
    "RuleIdentifier": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Rule

The configuration details for the organization-wide centralization rule, including the source configuration and the destination configuration to centralize telemetry data across the organization.

Type: [CentralizationRule](#) object

Required: Yes

RuleIdentifier

The identifier (name or ARN) of the organization centralization rule to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RuleArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RuleArn

The Amazon Resource Name (ARN) of the updated organization centralization rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTelemetryPipeline

Updates the configuration of an existing telemetry pipeline.

Note

The following attributes cannot be updated after pipeline creation:

- **Pipeline name** - The pipeline name is immutable
- **Pipeline ARN** - The ARN is automatically generated and cannot be changed
- **Source type** - Once a pipeline is created with a specific source type (such as S3, CloudWatch Logs, GitHub, or third-party sources), it cannot be changed to a different source type

Processors can be added, removed, or modified. However, some processors are not supported for third-party pipelines and cannot be added through updates.

Source-Specific Update Rules

CloudWatch Logs Sources (Vended and Custom)

Updatable: `sts_role_arn`

Fixed: `data_source_name`, `data_source_type`, `sink` (must remain `@original`)

S3 Sources (CrowdStrike, Zscaler, SentinelOne, Custom)

Updatable: All SQS configuration parameters, `sts_role_arn`, codec settings, compression type, bucket ownership settings, `sink log group`

Fixed: `notification_type`, `aws.region`

GitHub Audit Logs

Updatable: All AWS Secrets Manager attributes, `scope` (can switch between ORGANIZATION/ENTERPRISE), `organization` or `enterprise` name, `range`, authentication credentials (PAT or GitHub App)

Microsoft Sources (Entra ID, Office365, Windows)

Updatable: All AWS Secrets Manager attributes, `tenant_id`, `workspace_id` (Windows only), OAuth2 credentials (`client_id`, `client_secret`)

Okta Sources (SSO, Auth0)

Updatable: All AWS Secrets Manager attributes, `domain`, `range`, OAuth2 credentials (`client_id`, `client_secret`)

Palo Alto Networks

Updatable: All AWS Secrets Manager attributes, `hostname`, basic authentication credentials (`username`, `password`)

ServiceNow CMDB

Updatable: All AWS Secrets Manager attributes, `instance_url`, `range`, OAuth2 credentials (`client_id`, `client_secret`)

Wiz CNAPP

Updatable: All AWS Secrets Manager attributes, `region`, `range`, OAuth2 credentials (`client_id`, `client_secret`)

Request Syntax

```
POST /UpdateTelemetryPipeline HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "Body": "string"
  },
  "PipelineIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Configuration

The new configuration for the telemetry pipeline, including updated sources, processors, and destinations.

Type: [TelemetryPipelineConfiguration](#) object

Required: Yes

PipelineIdentifier

The ARN of the telemetry pipeline to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerErrorException

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTelemetryRule

Updates an existing telemetry rule in your account. If multiple users attempt to modify the same telemetry rule simultaneously, a `ConflictException` is returned to provide specific error information for concurrent modification scenarios.

Request Syntax

```
POST /UpdateTelemetryRule HTTP/1.1
Content-type: application/json

{
  "Rule": {
    "DestinationConfiguration": {
      "CloudtrailParameters": {
        "AdvancedEventSelectors": [
          {
            "FieldSelectors": [
              {
                "EndsWith": [ "string" ],
                "Equals": [ "string" ],
                "Field": "string",
                "NotEndsWith": [ "string" ],
                "NotEquals": [ "string" ],
                "NotStartsWith": [ "string" ],
                "StartsWith": [ "string" ]
              }
            ],
            "Name": "string"
          }
        ],
        "DestinationPattern": "string",
        "DestinationType": "string",
        "ELBLoadBalancerLoggingParameters": {
          "FieldDelimiter": "string",
          "OutputFormat": "string"
        },
        "LogDeliveryParameters": {
          "LogTypes": [ "string" ]
        },
        "RetentionInDays": number,

```

```
"VPCFlowLogParameters": {
  "LogFormat": "string",
  "MaxAggregationInterval": number,
  "TrafficType": "string"
},
"WAFLoggingParameters": {
  "LoggingFilter": {
    "DefaultBehavior": "string",
    "Filters": [
      {
        "Behavior": "string",
        "Conditions": [
          {
            "ActionCondition": {
              "Action": "string"
            },
            "LabelNameCondition": {
              "LabelName": "string"
            }
          }
        ],
        "Requirement": "string"
      }
    ]
  },
  "LogType": "string",
  "RedactedFields": [
    {
      "Method": "string",
      "QueryString": "string",
      "SingleHeader": {
        "Name": "string"
      },
      "UriPath": "string"
    }
  ]
},
"ResourceType": "string",
"Scope": "string",
"SelectionCriteria": "string",
"TelemetrySourceTypes": [ "string" ],
"TelemetryType": "string"
},
```

```
"RuleIdentifier": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Rule

The new configuration details for the telemetry rule.

Type: [TelemetryRule](#) object

Required: Yes

RuleIdentifier

The identifier (name or ARN) of the telemetry rule to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RuleArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RuleArn

The Amazon Resource Name (ARN) of the updated telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

ConflictException

The requested operation conflicts with the current state of the specified resource or with another request.

ResourceId

The identifier of the resource which is in conflict with the requested operation.

ResourceType

The type of the resource which is in conflict with the requested operation.

HTTP Status Code: 409

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTelemetryRuleForOrganization

Updates an existing telemetry rule that applies across an AWS Organization. This operation can only be called by the organization's management account or a delegated administrator account.

Request Syntax

```
POST /UpdateTelemetryRuleForOrganization HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "Rule": {
    "DestinationConfiguration": {
      "CloudtrailParameters": {
        "AdvancedEventSelectors": [
          {
            "FieldSelectors": [
              {
                "EndsWith": [ "string" ],
                "Equals": [ "string" ],
                "Field": "string",
                "NotEndsWith": [ "string" ],
                "NotEquals": [ "string" ],
                "NotStartsWith": [ "string" ],
                "StartsWith": [ "string" ]
              }
            ],
            "Name": "string"
          }
        ]
      },
      "DestinationPattern": "string",
      "DestinationType": "string",
      "ELBLoadBalancerLoggingParameters": {
        "FieldDelimiter": "string",
        "OutputFormat": "string"
      },
      "LogDeliveryParameters": {
        "LogTypes": [ "string" ]
      },
      "RetentionInDays": number,
      "VPCFlowLogParameters": {
        "LogFormat": "string",
```

```
    "MaxAggregationInterval": number,
    "TrafficType": "string"
  },
  "WAFLoggingParameters": {
    "LoggingFilter": {
      "DefaultBehavior": "string",
      "Filters": [
        {
          "Behavior": "string",
          "Conditions": [
            {
              "ActionCondition": {
                "Action": "string"
              },
              "LabelNameCondition": {
                "LabelName": "string"
              }
            }
          ],
          "Requirement": "string"
        }
      ]
    },
    "LogType": "string",
    "RedactedFields": [
      {
        "Method": "string",
        "QueryString": "string",
        "SingleHeader": {
          "Name": "string"
        },
        "UriPath": "string"
      }
    ]
  },
  "ResourceType": "string",
  "Scope": "string",
  "SelectionCriteria": "string",
  "TelemetrySourceTypes": [ "string" ],
  "TelemetryType": "string"
},
"RuleIdentifier": "string"
```

```
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Rule

The new configuration details for the organization telemetry rule, including resource type, telemetry type, and destination configuration.

Type: [TelemetryRule](#) object

Required: Yes

RuleIdentifier

The identifier (name or ARN) of the organization telemetry rule to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RuleArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RuleArn

The Amazon Resource Name (ARN) of the updated organization telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

ResourceNotFoundException

The specified resource (such as a telemetry rule) could not be found.

ResourceId

The identifier of the resource which could not be found.

ResourceType

The type of the resource which could not be found.

HTTP Status Code: 404

ServiceQuotaExceededException

The requested operation would exceed the allowed quota for the specified resource type.

amznErrorType

The name of the exception.

QuotaCode

The code for the exceeded service quota.

ResourceId

The identifier of the resource which exceeds the service quota.

ResourceType

The type of the resource which exceeds the service quota.

ServiceCode

The code for the service of the exceeded quota.

HTTP Status Code: 402

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ValidateTelemetryPipelineConfiguration

Validates a pipeline configuration without creating the pipeline. This operation checks the configuration for syntax errors and compatibility issues.

Request Syntax

```
POST /ValidateTelemetryPipelineConfiguration HTTP/1.1
Content-type: application/json

{
  "Configuration": {
    "Body": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Configuration

The pipeline configuration to validate for syntax and compatibility.

Type: [TelemetryPipelineConfiguration](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Errors": [
    {
```

```
    "FieldMap": {
      "string" : "string"
    },
    "Message": "string",
    "Reason": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Errors

A list of validation errors found in the pipeline configuration, if any.

Type: Array of [ValidationError](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Indicates you don't have permissions to perform the requested operation. The user or role that is making the request must have at least one IAM permissions policy attached that grants the required permissions. For more information, see [Access management for AWS resources](#) in the IAM user guide.

amznErrorType

The name of the exception.

HTTP Status Code: 400

InternalServerError

Indicates the request has failed to process because of an unknown server error, exception, or failure.

amznErrorType

The name of the exception.

retryAfterSeconds

The number of seconds to wait before retrying the request.

HTTP Status Code: 500

TooManyRequestsException

The request throughput limit was exceeded.

HTTP Status Code: 429

ValidationException

Indicates input validation failed. Check your request parameters and retry the request.

Errors

The errors in the input which caused the exception.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The CloudWatch Observability Admin Service API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ActionCondition](#)
- [AdvancedEventSelector](#)
- [AdvancedFieldSelector](#)
- [CentralizationRule](#)
- [CentralizationRuleDestination](#)
- [CentralizationRuleSource](#)
- [CentralizationRuleSummary](#)
- [CloudtrailParameters](#)
- [Condition](#)
- [ConfigurationSummary](#)
- [DataSource](#)
- [DestinationLogsConfiguration](#)
- [ELBLoadBalancerLoggingParameters](#)
- [Encryption](#)
- [FieldToMatch](#)
- [Filter](#)
- [IntegrationSummary](#)
- [LabelNameCondition](#)
- [LogDeliveryParameters](#)
- [LoggingFilter](#)

- [LogGroupNameConfiguration](#)
- [LogsBackupConfiguration](#)
- [LogsEncryptionConfiguration](#)
- [PipelineOutput](#)
- [PipelineOutputError](#)
- [Record](#)
- [SingleHeader](#)
- [Source](#)
- [SourceLogsConfiguration](#)
- [TelemetryConfiguration](#)
- [TelemetryDestinationConfiguration](#)
- [TelemetryPipeline](#)
- [TelemetryPipelineConfiguration](#)
- [TelemetryPipelineStatusReason](#)
- [TelemetryPipelineSummary](#)
- [TelemetryRule](#)
- [TelemetryRuleSummary](#)
- [ValidationError](#)
- [VPCFlowLogParameters](#)
- [WAFLoggingParameters](#)

ActionCondition

Condition that matches based on the specific WAF action taken on the request.

Contents

Action

The WAF action to match against (ALLOW, BLOCK, COUNT, CAPTCHA, CHALLENGE, EXCLUDED_AS_COUNT).

Type: String

Valid Values: ALLOW | BLOCK | COUNT | CAPTCHA | CHALLENGE | EXCLUDED_AS_COUNT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AdvancedEventSelector

Advanced event selectors let you create fine-grained selectors for management, data, and network activity events.

Contents

FieldSelectors

Contains all selector statements in an advanced event selector.

Type: Array of [AdvancedFieldSelector](#) objects

Required: Yes

Name

An optional, descriptive name for an advanced event selector, such as "Log data events for only two S3 buckets".

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AdvancedFieldSelector

Defines criteria for selecting resources based on field values.

Contents

Field

The name of the field to use for selection.

Type: String

Required: Yes

EndsWith

Matches if the field value ends with the specified value.

Type: Array of strings

Required: No

Equals

Matches if the field value equals the specified value.

Type: Array of strings

Required: No

NotEndsWith

Matches if the field value does not end with the specified value.

Type: Array of strings

Required: No

NotEquals

Matches if the field value does not equal the specified value.

Type: Array of strings

Required: No

NotStartsWith

Matches if the field value does not start with the specified value.

Type: Array of strings

Required: No

StartsWith

Matches if the field value starts with the specified value.

Type: Array of strings

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CentralizationRule

Defines how telemetry data should be centralized across an AWS Organization, including source and destination configurations.

Contents

Destination

Configuration determining where the telemetry data should be centralized, backed up, as well as encryption configuration for the primary and backup destinations.

Type: [CentralizationRuleDestination](#) object

Required: Yes

Source

Configuration determining the source of the telemetry data to be centralized.

Type: [CentralizationRuleSource](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CentralizationRuleDestination

Configuration specifying the primary destination for centralized telemetry data.

Contents

Region

The primary destination region to which telemetry data should be centralized.

Type: String

Length Constraints: Minimum length of 1.

Required: Yes

Account

The destination account (within the organization) to which the telemetry data should be centralized.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: No

DestinationLogsConfiguration

Log specific configuration for centralization destination log groups.

Type: [DestinationLogsConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CentralizationRuleSource

Configuration specifying the source of telemetry data to be centralized.

Contents

Regions

The list of source regions from which telemetry data should be centralized.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Required: Yes

Scope

The organizational scope from which telemetry data should be centralized, specified using organization id, accounts or organizational unit ids.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

SourceLogsConfiguration

Log specific configuration for centralization source log groups.

Type: [SourceLogsConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CentralizationRuleSummary

A summary of a centralization rule's key properties and status.

Contents

CreatedRegion

The AWS region where the organization centralization rule was created.

Type: String

Length Constraints: Minimum length of 1.

Required: No

CreatedTimeStamp

The timestamp when the organization centralization rule was created.

Type: Long

Required: No

CreatorAccountId

The AWS Account that created the organization centralization rule.

Type: String

Required: No

DestinationAccountId

The primary destination account of the organization centralization rule.

Type: String

Required: No

DestinationRegion

The primary destination region of the organization centralization rule.

Type: String

Length Constraints: Minimum length of 1.

Required: No

FailureReason

The reason why an organization centralization rule is marked UNHEALTHY.

Type: String

Valid Values: TRUSTED_ACCESS_NOT_ENABLED |
DESTINATION_ACCOUNT_NOT_IN_ORGANIZATION | INTERNAL_SERVER_ERROR

Required: No

LastUpdateTimeStamp

The timestamp when the organization centralization rule was last updated.

Type: Long

Required: No

RuleArn

The Amazon Resource Name (ARN) of the organization centralization rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Required: No

RuleHealth

The health status of the organization centralization rule.

Type: String

Valid Values: Healthy | Unhealthy | Provisioning

Required: No

RuleName

The name of the organization centralization rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudtrailParameters

Parameters specific to AWS CloudTrail telemetry configuration.

Contents

AdvancedEventSelectors

The advanced event selectors to use for filtering AWS CloudTrail events.

Type: Array of [AdvancedEventSelector](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Condition

A single condition that can match based on WAF rule action or label name.

Contents

ActionCondition

Matches log records based on the WAF rule action taken (ALLOW, BLOCK, COUNT, etc.).

Type: [ActionCondition](#) object

Required: No

LabelNameCondition

Matches log records based on WAF rule labels applied to the request.

Type: [LabelNameCondition](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConfigurationSummary

Provides a summary of pipeline configuration components including sources, processors, and destinations.

Contents

DataSources

The list of data sources that provide telemetry data to the pipeline.

Type: Array of [DataSource](#) objects

Required: No

ProcessorCount

The total number of processors configured in the pipeline.

Type: Integer

Required: No

Processors

The list of processors configured in the pipeline for data transformation.

Type: Array of strings

Required: No

Sinks

The list of destinations where processed data is sent.

Type: Array of strings

Required: No

Sources

The list of data sources configured in the pipeline.

Type: Array of [Source](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataSource

Information about a data source associated with the telemetry pipeline. For CloudWatch Logs sources, this includes both a name and type extracted from the log event metadata. For third-party sources (such as S3), this includes only a name, with the type field left empty.

Contents

Name

The name of the data source. For CloudWatch Logs sources, this corresponds to the `data_source_name` from the log event metadata. For third-party sources, this is either the configured `data_source_name` or defaults to the plugin name if not specified.

Type: String

Required: No

Type

The type of the data source. For CloudWatch Logs sources, this corresponds to the `data_source_type` from the log event metadata. For third-party sources, this field is empty.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DestinationLogsConfiguration

Configuration for centralization destination log groups, including encryption and backup settings.

Contents

BackupConfiguration

Configuration defining the backup region and an optional KMS key for the backup destination.

Type: [LogsBackupConfiguration](#) object

Required: No

LogGroupNameConfiguration

Configuration that specifies a naming pattern for destination log groups created during centralization. The pattern supports static text and dynamic variables that are replaced with source attributes when log groups are created.

Type: [LogGroupNameConfiguration](#) object

Required: No

LogsEncryptionConfiguration

The encryption configuration for centralization destination log groups.

Type: [LogsEncryptionConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ELBLoadBalancerLoggingParameters

Configuration parameters for ELB load balancer logging, including output format and field delimiter settings.

Contents

FieldDelimiter

The delimiter character used to separate fields in ELB access log entries when using plain text format.

Type: String

Required: No

OutputFormat

The format for ELB access log entries (plain text or JSON format).

Type: String

Valid Values: `plain` | `json`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Encryption

Defines the encryption configuration for S3 Table integrations, including the encryption algorithm and KMS key settings.

Contents

SseAlgorithm

The server-side encryption algorithm used for encrypting data in the S3 Table integration.

Type: String

Valid Values: `aws:kms` | `AES256`

Required: Yes

KmsKeyArn

The Amazon Resource Name (ARN) of the KMS key used for encryption when using customer-managed keys.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FieldToMatch

Specifies a field in the request to redact from WAF logs, such as headers, query parameters, or body content.

Contents

Method

Redacts the HTTP method from WAF logs.

Type: String

Required: No

QueryString

Redacts the entire query string from WAF logs.

Type: String

Required: No

SingleHeader

Redacts a specific header field by name from WAF logs.

Type: [SingleHeader](#) object

Required: No

UriPath

Redacts the URI path from WAF logs.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Filter

A single filter condition that specifies behavior, requirement, and matching conditions for WAF log records.

Contents

Behavior

The action to take for log records matching this filter (KEEP or DROP).

Type: String

Valid Values: KEEP | DROP

Required: No

Conditions

The list of conditions that determine if a log record matches this filter.

Type: Array of [Condition](#) objects

Array Members: Minimum number of 1 item.

Required: No

Requirement

Whether the log record must meet all conditions (MEETS_ALL) or any condition (MEETS_ANY) to match this filter.

Type: String

Valid Values: MEETS_ALL | MEETS_ANY

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IntegrationSummary

Contains summary information about an S3 Table integration for listing operations.

Contents

Arn

The Amazon Resource Name (ARN) of the S3 Table integration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-]+)?:([a-zA-Z0-9\-]+):([a-z0-9\-]+)?:([0-9]{12})?:(.+)`

Required: No

Status

The current status of the S3 Table integration.

Type: String

Valid Values: ACTIVE | DELETING

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LabelNameCondition

Condition that matches based on WAF rule labels, with label names limited to 1024 characters.

Contents

LabelName

The label name to match, supporting alphanumeric characters, underscores, hyphens, and colons.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[0-9A-Za-z_\-:]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogDeliveryParameters

Configuration parameters for Amazon Bedrock AgentCore logging, including logType settings.

Contents

LogTypes

The type of log that the source is sending.

Type: Array of strings

Valid Values: APPLICATION_LOGS | USAGE_LOGS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LoggingFilter

Configuration that determines which WAF log records to keep or drop based on specified conditions.

Contents

DefaultBehavior

The default action (KEEP or DROP) for log records that don't match any filter conditions.

Type: String

Valid Values: KEEP | DROP

Required: No

Filters

A list of filter conditions that determine log record handling behavior.

Type: Array of [Filter](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogGroupNameConfiguration

Configuration that specifies a naming pattern for destination log groups created during centralization. The pattern supports static text and dynamic variables that are replaced with source attributes when log groups are created.

Contents

LogGroupNamePattern

The pattern used to generate destination log group names during centralization. The pattern can contain static text and dynamic variables that are replaced with source attributes. If a variable cannot be resolved, it inherits the value from its parent variable in the hierarchy. The pattern must be between 1 and 512 characters.

Supported variables:

- **`${source.logGroup}`** — The original log group name from the source account.
- **`${source.accountId}`** — The AWS account ID where the log originated.
- **`${source.region}`** — The AWS Region where the log originated.
- **`${source.org.id}`** — The AWS Organization ID of the source account.
- **`${source.org.ouId}`** — The organizational unit ID of the source account.
- **`${source.org.rootId}`** — The organization Root ID.
- **`${source.org.path}`** — The organizational path from account to root.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Pattern: `(?:[\\._\\-/#A-Za-z0-9]+|\\$\\{[A-Za-z]+(?:\\. [A-Za-z]+){1,2}\\})+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogsBackupConfiguration

Configuration for backing up centralized log data to a secondary region.

Contents

Region

Logs specific backup destination region within the primary destination account to which log data should be centralized.

Type: String

Length Constraints: Minimum length of 1.

Required: Yes

KmsKeyArn

KMS Key ARN belonging to the primary destination account and backup region, to encrypt newly created central log groups in the backup destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-]+)?:([a-zA-Z0-9\-]+):([a-z0-9\-]+)?:([0-9]{12})?:(.+)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LogsEncryptionConfiguration

Configuration for encrypting centralized log groups. This configuration is only applied to destination log groups for which the corresponding source log groups are encrypted using Customer Managed KMS Keys.

Contents

EncryptionStrategy

Configuration that determines the encryption strategy of the destination log groups. CUSTOMER_MANAGED uses the configured KmsKeyArn to encrypt newly created destination log groups.

Type: String

Valid Values: CUSTOMER_MANAGED | AWS_OWNED

Required: Yes

EncryptionConflictResolutionStrategy

Conflict resolution strategy for centralization if the encryption strategy is set to CUSTOMER_MANAGED and the destination log group is encrypted with an AWS_OWNED KMS Key. ALLOW lets centralization go through while SKIP prevents centralization into the destination log group.

Type: String

Valid Values: ALLOW | SKIP

Required: No

KmsKeyArn

KMS Key ARN belonging to the primary destination account and region, to encrypt newly created central log groups in the primary destination.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PipelineOutput

Contains the output from pipeline test operations, including processed records and any errors encountered.

Contents

Error

Any error that occurred during the pipeline test operation for this record.

Type: [PipelineOutputError](#) object

Required: No

Record

The processed record output from the pipeline test operation.

Type: [Record](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PipelineOutputError

Contains detailed error information from pipeline test operations, providing structured error responses for better debugging and troubleshooting capabilities.

Contents

Message

The detailed error message describing what went wrong during the pipeline test operation for this record.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Record

Represents a test record structure used for pipeline testing operations to validate data processing.

Contents

Data

The data content of the test record used for pipeline validation.

Type: String

Required: No

Type

The type of the test record, indicating the format or category of the data.

Type: String

Valid Values: STRING | JSON

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SingleHeader

Structure containing a name field limited to 64 characters for header or query parameter identification.

Contents

Name

The name value, limited to 64 characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Source

A list of source plugin types used in the pipeline configuration (such as `c1oudwatch_logs` or `s3`). Currently supports a single source per pipeline, but is structured as a list to accommodate multiple pipelines in the configuration.

Contents

Type

The plugin name of the source, such as `c1oudwatch_logs` or `s3`.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceLogsConfiguration

Configuration for selecting and handling source log groups for centralization.

Contents

EncryptedLogGroupStrategy

A strategy determining whether to centralize source log groups that are encrypted with customer managed KMS keys (CMK). ALLOW will consider CMK encrypted source log groups for centralization while SKIP will skip CMK encrypted source log groups from centralization.

Type: String

Valid Values: ALLOW | SKIP

Required: Yes

DataSourceSelectionCriteria

The selection criteria that specifies which data sources to centralize. The selection criteria uses the same filter expression format as `LogGroupSelectionCriteria`, but operates on `DataSourceName` and `DataSourceType` operands. When both `LogGroupSelectionCriteria` and `DataSourceSelectionCriteria` are specified, a log event must match both criteria to be centralized.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

LogGroupSelectionCriteria

The selection criteria that specifies which source log groups to centralize. The selection criteria uses the same format as OAM link filters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryConfiguration

A model representing the state of a resource within an account according to telemetry config.

Contents

AccountIdentifier

The account ID which contains the resource managed in telemetry configuration. An example of a valid account ID is 012345678901.

Type: String

Length Constraints: Fixed length of 12.

Pattern: [0-9]{12}

Required: No

LastUpdateTimeStamp

The timestamp of the last change to the telemetry configuration for the resource. For example, 1728679196318.

Type: Long

Required: No

ResourceIdentifier

The identifier of the resource, for example for Amazon VPC, it would be vpc-1a2b3c4d5e6f1a2b3.

Type: String

Required: No

ResourceTags

Tags associated with the resource, for example { Name: "ExampleInstance", Environment: "Development" }.

Type: String to string map

Required: No

ResourceType

The type of resource, for example `AWS::EC2::Instance`, or `AWS::EKS::Cluster`, etc.

Type: String

Valid Values: `AWS::EC2::Instance` | `AWS::EC2::VPC` | `AWS::Lambda::Function` | `AWS::CloudTrail` | `AWS::EKS::Cluster` | `AWS::WAFv2::WebACL` | `AWS::ElasticLoadBalancingV2::LoadBalancer` | `AWS::Route53Resolver::ResolverEndpoint` | `AWS::BedrockAgentCore::Runtime` | `AWS::BedrockAgentCore::Browser` | `AWS::BedrockAgentCore::CodeInterpreter`

Required: No

TelemetryConfigurationState

The configuration state for the resource, for example `{ Logs: NotApplicable; Metrics: Enabled; Traces: NotApplicable; }`.

Type: String to string map

Valid Keys: `Logs` | `Metrics` | `Traces`

Valid Values: `Enabled` | `Disabled` | `NotApplicable`

Required: No

TelemetrySourceType

Specifies the type of telemetry source for a resource, such as EKS cluster logs.

Type: String

Valid Values: `VPC_FLOW_LOGS` | `ROUTE53_RESOLVER_QUERY_LOGS` | `EKS_AUDIT_LOGS` | `EKS_AUTHENTICATOR_LOGS` | `EKS_CONTROLLER_MANAGER_LOGS` | `EKS_SCHEDULER_LOGS` | `EKS_API_LOGS`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryDestinationConfiguration

Configuration specifying where and how telemetry data should be delivered for AWS resources.

Contents

CloudtrailParameters

Configuration parameters specific to AWS CloudTrail when CloudTrail is the source type.

Type: [CloudtrailParameters](#) object

Required: No

DestinationPattern

The pattern used to generate the destination path or name, supporting macros like <resourceId> and <accountId>.

Type: String

Required: No

DestinationType

The type of destination for the telemetry data (e.g., "Amazon CloudWatch Logs", "S3").

Type: String

Valid Values: cloud-watch-logs

Required: No

ELBLoadBalancerLoggingParameters

Configuration parameters specific to ELB load balancer logging when ELB is the resource type.

Type: [ELBLoadBalancerLoggingParameters](#) object

Required: No

LogDeliveryParameters

Configuration parameters specific to Amazon Bedrock AgentCore logging when Amazon Bedrock AgentCore is the resource type.

Type: [LogDeliveryParameters](#) object

Required: No

RetentionInDays

The number of days to retain the telemetry data in the destination.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 3653.

Required: No

VPCFlowLogParameters

Configuration parameters specific to VPC Flow Logs when VPC is the resource type.

Type: [VPCFlowLogParameters](#) object

Required: No

WAFLoggingParameters

Configuration parameters specific to WAF logging when WAF is the resource type.

Type: [WAFLoggingParameters](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryPipeline

Represents a complete telemetry pipeline resource with configuration, status, and metadata for data processing and transformation.

Contents

Arn

The Amazon Resource Name (ARN) of the telemetry pipeline.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-]+)?:([a-zA-Z0-9\-]+):([a-z0-9\-]+)?:([0-9]{12})?:(.+)`

Required: No

Configuration

The configuration that defines how the telemetry pipeline processes data.

Type: [TelemetryPipelineConfiguration](#) object

Required: No

CreatedTimeStamp

The timestamp when the telemetry pipeline was created.

Type: Long

Required: No

LastUpdateTimeStamp

The timestamp when the telemetry pipeline was last updated.

Type: Long

Required: No

Name

The name of the telemetry pipeline.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 28.

Pattern: `.*[a-z][a-z0-9\-\-]+.*`

Required: No

Status

The current status of the telemetry pipeline.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATE_FAILED | UPDATE_FAILED

Required: No

StatusReason

Additional information about the pipeline status, including reasons for failure states.

Type: [TelemetryPipelineStatusReason](#) object

Required: No

Tags

The key-value pairs associated with the telemetry pipeline resource.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryPipelineConfiguration

Defines the configuration for a pipeline, including how data flows from sources through processors to destinations. The configuration is specified in YAML format and must include a valid pipeline definition with required source and sink components. This pipeline enables end-to-end telemetry data collection, transformation, and delivery while supporting optional processing steps and extensions for enhanced functionality.

The primary pipeline configuration section are:

- **Source:** Defines where log data originates from (S3 buckets, CloudWatch Logs, third-party APIs). Each pipeline must have exactly one source.
- **Processors (optional):** Transform, parse, and enrich log data as it flows through the pipeline. Processors are applied sequentially in the order they are defined.
- **Sink:** Defines the destination where processed log data is sent. Each pipeline must have exactly one sink.
- **Extensions (optional):** Provide additional functionality such as AWS Secrets Manager integration for credential management.

For more details on each configuration section see [CloudWatch pipelines User Guide](#). Additional comprehensive configuration examples can be found in the [CreateTelemetryPipeline API docs](#).

Contents

Body

The pipeline configuration body that defines the data processing rules and transformations.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 24000.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryPipelineStatusReason

Provides detailed information about the status of a telemetry pipeline, including reasons for specific states.

Contents

Description

A description of the pipeline status reason, providing additional context about the current state.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryPipelineSummary

Contains summary information about a telemetry pipeline for listing operations.

Contents

Arn

The Amazon Resource Name (ARN) of the telemetry pipeline.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Required: No

ConfigurationSummary

A summary of the pipeline configuration components.

Type: [ConfigurationSummary](#) object

Required: No

CreatedTimeStamp

The timestamp when the telemetry pipeline was created.

Type: Long

Required: No

LastUpdateTimeStamp

The timestamp when the telemetry pipeline was last updated.

Type: Long

Required: No

Name

The name of the telemetry pipeline.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 28.

Pattern: `.*[a-z][a-z0-9\-\-]+.*`

Required: No

Status

The current status of the telemetry pipeline.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATE_FAILED | UPDATE_FAILED

Required: No

Tags

The key-value pairs associated with the telemetry pipeline resource.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryRule

Defines how telemetry should be configured for specific AWS resources.

Contents

TelemetryType

The type of telemetry to collect (Logs, Metrics, or Traces).

Type: String

Valid Values: Logs | Metrics | Traces

Required: Yes

DestinationConfiguration

Configuration specifying where and how the telemetry data should be delivered.

Type: [TelemetryDestinationConfiguration](#) object

Required: No

ResourceType

The type of AWS resource to configure telemetry for (e.g., "AWS::EC2::VPC", "AWS::EKS::Cluster", "AWS::WAFv2::WebACL").

Type: String

Valid Values: AWS::EC2::Instance | AWS::EC2::VPC |
AWS::Lambda::Function | AWS::CloudTrail | AWS::EKS::Cluster |
AWS::WAFv2::WebACL | AWS::ElasticLoadBalancingV2::LoadBalancer |
AWS::Route53Resolver::ResolverEndpoint | AWS::BedrockAgentCore::Runtime
| AWS::BedrockAgentCore::Browser |
AWS::BedrockAgentCore::CodeInterpreter

Required: No

Scope

The organizational scope to which the rule applies, specified using accounts or organizational units.

Type: String

Required: No

SelectionCriteria

Criteria for selecting which resources the rule applies to, such as resource tags.

Type: String

Required: No

TelemetrySourceTypes

The specific telemetry source types to configure for the resource, such as VPC_FLOW_LOGS or EKS_AUDIT_LOGS. TelemetrySourceTypes must be correlated with the specific resource type.

Type: Array of strings

Valid Values: VPC_FLOW_LOGS | ROUTE53_RESOLVER_QUERY_LOGS | EKS_AUDIT_LOGS
| EKS_AUTHENTICATOR_LOGS | EKS_CONTROLLER_MANAGER_LOGS |
EKS_SCHEDULER_LOGS | EKS_API_LOGS

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TelemetryRuleSummary

A summary of a telemetry rule's key properties.

Contents

CreatedTimeStamp

The timestamp when the telemetry rule was created.

Type: Long

Required: No

LastUpdateTimeStamp

The timestamp when the telemetry rule was last modified.

Type: Long

Required: No

ResourceType

The type of AWS resource the rule applies to.

Type: String

Valid Values: `AWS::EC2::Instance` | `AWS::EC2::VPC` | `AWS::Lambda::Function` | `AWS::CloudTrail` | `AWS::EKS::Cluster` | `AWS::WAFv2::WebACL` | `AWS::ElasticLoadBalancingV2::LoadBalancer` | `AWS::Route53Resolver::ResolverEndpoint` | `AWS::BedrockAgentCore::Runtime` | `AWS::BedrockAgentCore::Browser` | `AWS::BedrockAgentCore::CodeInterpreter`

Required: No

RuleArn

The Amazon Resource Name (ARN) of the telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1011.

Pattern: `arn:aws([a-z0-9\-\-]+)?:([a-zA-Z0-9\-\-]+):([a-z0-9\-\-]+)?:([0-9]{12})?:(.+)`

Required: No

RuleName

The name of the telemetry rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z-_.#/+]`

Required: No

TelemetrySourceTypes

The types of telemetry sources configured for this rule, such as VPC Flow Logs or EKS audit logs. `TelemetrySourceTypes` must be correlated with the specific resource type.

Type: Array of strings

Valid Values: `VPC_FLOW_LOGS` | `ROUTE53_RESOLVER_QUERY_LOGS` | `EKS_AUDIT_LOGS` | `EKS_AUTHENTICATOR_LOGS` | `EKS_CONTROLLER_MANAGER_LOGS` | `EKS_SCHEDULER_LOGS` | `EKS_API_LOGS`

Required: No

TelemetryType

The type of telemetry (Logs, Metrics, or Traces) the rule configures.

Type: String

Valid Values: `Logs` | `Metrics` | `Traces`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationError

Represents a detailed validation error with message, reason, and field mapping for comprehensive error reporting.

Contents

FieldMap

A mapping of field names to specific validation issues within the configuration.

Type: String to string map

Required: No

Message

The error message describing the validation issue.

Type: String

Required: No

Reason

The reason code or category for the validation error.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VPCFlowLogParameters

Configuration parameters specific to VPC Flow Logs.

Contents

LogFormat

The format in which VPC Flow Log entries should be logged.

Type: String

Required: No

MaxAggregationInterval

The maximum interval in seconds between the capture of flow log records.

Type: Integer

Required: No

TrafficType

The type of traffic to log (ACCEPT, REJECT, or ALL).

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WAFLoggingParameters

Configuration parameters for WAF logging, including redacted fields and logging filters.

Contents

LoggingFilter

A filter configuration that determines which WAF log records to include or exclude.

Type: [LoggingFilter](#) object

Required: No

LogType

The type of WAF logs to collect (currently supports WAF_LOGS).

Type: String

Valid Values: WAF_LOGS

Required: No

RedactedFields

The fields to redact from WAF logs to protect sensitive information.

Type: Array of [FieldToMatch](#) objects

Array Members: Minimum number of 0 items. Maximum number of 100 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400