



API Reference

AWS Glue DataBrew



API Version 2017-07-25

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Glue DataBrew: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
BatchDeleteRecipeVersion	4
Request Syntax	4
URI Request Parameters	4
Request Body	5
Response Syntax	5
Response Elements	6
Errors	6
See Also	7
CreateDataset	8
Request Syntax	8
URI Request Parameters	10
Request Body	10
Response Syntax	11
Response Elements	11
Errors	12
See Also	12
CreateProfileJob	14
Request Syntax	14
URI Request Parameters	16
Request Body	16
Response Syntax	19
Response Elements	19
Errors	19
See Also	20
CreateProject	22
Request Syntax	22
URI Request Parameters	22
Request Body	22
Response Syntax	24
Response Elements	24
Errors	24
See Also	25

CreateRecipe	26
Request Syntax	26
URI Request Parameters	26
Request Body	26
Response Syntax	28
Response Elements	28
Errors	28
See Also	29
CreateRecipeJob	30
Request Syntax	30
URI Request Parameters	32
Request Body	32
Response Syntax	35
Response Elements	35
Errors	36
See Also	36
CreateRuleset	38
Request Syntax	38
URI Request Parameters	38
Request Body	39
Response Syntax	40
Response Elements	40
Errors	40
See Also	41
CreateSchedule	42
Request Syntax	42
URI Request Parameters	42
Request Body	42
Response Syntax	43
Response Elements	43
Errors	44
See Also	44
DeleteDataset	46
Request Syntax	46
URI Request Parameters	46
Request Body	46

Response Syntax	46
Response Elements	46
Errors	47
See Also	47
DeleteJob	49
Request Syntax	49
URI Request Parameters	49
Request Body	49
Response Syntax	49
Response Elements	49
Errors	50
See Also	50
DeleteProject	52
Request Syntax	52
URI Request Parameters	52
Request Body	52
Response Syntax	52
Response Elements	52
Errors	53
See Also	53
DeleteRecipeVersion	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	56
Errors	56
See Also	57
DeleteRuleset	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	58
Response Elements	58
Errors	59
See Also	59

DeleteSchedule	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	61
Errors	62
See Also	62
DescribeDataset	64
Request Syntax	64
URI Request Parameters	64
Request Body	64
Response Syntax	64
Response Elements	66
Errors	68
See Also	69
DescribeJob	70
Request Syntax	70
URI Request Parameters	70
Request Body	70
Response Syntax	70
Response Elements	73
Errors	78
See Also	78
DescribeJobRun	80
Request Syntax	80
URI Request Parameters	80
Request Body	80
Response Syntax	80
Response Elements	83
Errors	87
See Also	87
DescribeProject	88
Request Syntax	88
URI Request Parameters	88
Request Body	88

Response Syntax	88
Response Elements	89
Errors	91
See Also	92
DescribeRecipe	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	94
Errors	96
See Also	97
DescribeRuleset	98
Request Syntax	98
URI Request Parameters	98
Request Body	98
Response Syntax	98
Response Elements	99
Errors	101
See Also	101
DescribeSchedule	103
Request Syntax	103
URI Request Parameters	103
Request Body	103
Response Syntax	103
Response Elements	104
Errors	105
See Also	106
ListDatasets	107
Request Syntax	107
URI Request Parameters	107
Request Body	107
Response Syntax	107
Response Elements	110
Errors	110
See Also	110

ListJobRuns	112
Request Syntax	112
URI Request Parameters	112
Request Body	112
Response Syntax	112
Response Elements	115
Errors	115
See Also	115
ListJobs	117
Request Syntax	117
URI Request Parameters	117
Request Body	118
Response Syntax	118
Response Elements	120
Errors	120
See Also	121
ListProjects	122
Request Syntax	122
URI Request Parameters	122
Request Body	122
Response Syntax	122
Response Elements	123
Errors	123
See Also	124
ListRecipes	125
Request Syntax	125
URI Request Parameters	125
Request Body	125
Response Syntax	125
Response Elements	126
Errors	127
See Also	127
ListRecipeVersions	129
Request Syntax	129
URI Request Parameters	129
Request Body	129

Response Syntax	129
Response Elements	130
Errors	131
See Also	131
ListRulesets	133
Request Syntax	133
URI Request Parameters	133
Request Body	133
Response Syntax	133
Response Elements	134
Errors	135
See Also	135
ListSchedules	136
Request Syntax	136
URI Request Parameters	136
Request Body	136
Response Syntax	136
Response Elements	137
Errors	137
See Also	138
ListTagsForResource	139
Request Syntax	139
URI Request Parameters	139
Request Body	139
Response Syntax	139
Response Elements	139
Errors	140
See Also	140
PublishRecipe	142
Request Syntax	142
URI Request Parameters	142
Request Body	142
Response Syntax	143
Response Elements	143
Errors	143
See Also	144

SendProjectSessionAction	145
Request Syntax	145
URI Request Parameters	145
Request Body	146
Response Syntax	147
Response Elements	147
Errors	148
See Also	148
StartJobRun	150
Request Syntax	150
URI Request Parameters	150
Request Body	150
Response Syntax	150
Response Elements	150
Errors	151
See Also	151
StartProjectSession	153
Request Syntax	153
URI Request Parameters	153
Request Body	153
Response Syntax	153
Response Elements	154
Errors	154
See Also	155
StopJobRun	156
Request Syntax	156
URI Request Parameters	156
Request Body	156
Response Syntax	156
Response Elements	157
Errors	157
See Also	157
TagResource	159
Request Syntax	159
URI Request Parameters	159
Request Body	159

Response Syntax	160
Response Elements	160
Errors	160
See Also	160
UntagResource	162
Request Syntax	162
URI Request Parameters	162
Request Body	162
Response Syntax	162
Response Elements	163
Errors	163
See Also	163
UpdateDataset	165
Request Syntax	165
URI Request Parameters	167
Request Body	167
Response Syntax	168
Response Elements	168
Errors	168
See Also	169
UpdateProfileJob	170
Request Syntax	170
URI Request Parameters	171
Request Body	172
Response Syntax	174
Response Elements	175
Errors	175
See Also	175
UpdateProject	177
Request Syntax	177
URI Request Parameters	177
Request Body	177
Response Syntax	178
Response Elements	178
Errors	178
See Also	179

UpdateRecipe	180
Request Syntax	180
URI Request Parameters	180
Request Body	181
Response Syntax	181
Response Elements	181
Errors	182
See Also	182
UpdateRecipeJob	183
Request Syntax	183
URI Request Parameters	184
Request Body	185
Response Syntax	187
Response Elements	187
Errors	187
See Also	188
UpdateRuleset	189
Request Syntax	189
URI Request Parameters	189
Request Body	190
Response Syntax	190
Response Elements	190
Errors	191
See Also	191
UpdateSchedule	193
Request Syntax	193
URI Request Parameters	193
Request Body	193
Response Syntax	194
Response Elements	194
Errors	194
See Also	195
Data Types	196
AllowedStatistics	198
Contents	198
See Also	198

ColumnSelector	199
Contents	199
See Also	199
ColumnStatisticsConfiguration	201
Contents	201
See Also	201
ConditionExpression	203
Contents	203
See Also	204
CsvOptions	205
Contents	205
See Also	205
CsvOutputOptions	206
Contents	206
See Also	206
DatabaseInputDefinition	207
Contents	207
See Also	208
DatabaseOutput	209
Contents	209
See Also	210
DatabaseTableOutputOptions	211
Contents	211
See Also	211
DataCatalogInputDefinition	212
Contents	212
See Also	213
DataCatalogOutput	214
Contents	214
See Also	215
Dataset	216
Contents	216
See Also	218
DatasetParameter	220
Contents	220
See Also	221

DatetimeOptions	222
Contents	222
See Also	223
EntityDetectorConfiguration	224
Contents	224
See Also	225
ExcelOptions	226
Contents	226
See Also	227
FilesLimit	228
Contents	228
See Also	229
FilterExpression	230
Contents	230
See Also	231
FormatOptions	232
Contents	232
See Also	232
Input	234
Contents	234
See Also	235
Job	236
Contents	236
See Also	241
JobRun	242
Contents	242
See Also	245
JobSample	247
Contents	247
See Also	248
JsonOptions	249
Contents	249
See Also	249
Metadata	250
Contents	250
See Also	250

Output	251
Contents	251
See Also	252
OutputFormatOptions	254
Contents	254
See Also	254
PathOptions	255
Contents	255
See Also	256
ProfileConfiguration	257
Contents	257
See Also	258
Project	259
Contents	259
See Also	262
Recipe	263
Contents	263
See Also	266
RecipeAction	267
Contents	267
See Also	267
RecipeReference	269
Contents	269
See Also	269
RecipeStep	270
Contents	270
See Also	270
RecipeVersionErrorDetail	272
Contents	272
See Also	272
Rule	274
Contents	274
See Also	276
RulesetItem	277
Contents	277
See Also	279

S3Location	280
Contents	280
See Also	281
S3TableOutputOptions	282
Contents	282
See Also	282
Sample	283
Contents	283
See Also	283
Schedule	284
Contents	284
See Also	286
StatisticOverride	287
Contents	287
See Also	287
StatisticsConfiguration	289
Contents	289
See Also	289
Threshold	291
Contents	291
See Also	292
ValidationConfiguration	293
Contents	293
See Also	293
ViewFrame	295
Contents	295
See Also	296
Common Parameters	297
Common Error Types	300

Welcome

AWS Glue DataBrew is a visual, cloud-scale data-preparation service. DataBrew simplifies data preparation tasks, targeting data issues that are hard to spot and time-consuming to fix. DataBrew empowers users of all technical levels to visualize the data and perform one-click data transformations, with no coding required.

This document was last published on June 22, 2026.

Actions

The following actions are supported:

- [BatchDeleteRecipeVersion](#)
- [CreateDataset](#)
- [CreateProfileJob](#)
- [CreateProject](#)
- [CreateRecipe](#)
- [CreateRecipeJob](#)
- [CreateRuleset](#)
- [CreateSchedule](#)
- [DeleteDataset](#)
- [DeleteJob](#)
- [DeleteProject](#)
- [DeleteRecipeVersion](#)
- [DeleteRuleset](#)
- [DeleteSchedule](#)
- [DescribeDataset](#)
- [DescribeJob](#)
- [DescribeJobRun](#)
- [DescribeProject](#)
- [DescribeRecipe](#)
- [DescribeRuleset](#)
- [DescribeSchedule](#)
- [ListDatasets](#)
- [ListJobRuns](#)
- [ListJobs](#)
- [ListProjects](#)
- [ListRecipes](#)
- [ListRecipeVersions](#)

- [ListRulesets](#)
- [ListSchedules](#)
- [ListTagsForResource](#)
- [PublishRecipe](#)
- [SendProjectSessionAction](#)
- [StartJobRun](#)
- [StartProjectSession](#)
- [StopJobRun](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateDataset](#)
- [UpdateProfileJob](#)
- [UpdateProject](#)
- [UpdateRecipe](#)
- [UpdateRecipeJob](#)
- [UpdateRuleset](#)
- [UpdateSchedule](#)

BatchDeleteRecipeVersion

Deletes one or more versions of a recipe at a time.

The entire request will be rejected if:

- The recipe does not exist.
- There is an invalid version identifier in the list of versions.
- The version list is empty.
- The version list size exceeds 50.
- The version list contains duplicate entries.

The request will complete successfully, but with partial failures, if:

- A version does not exist.
- A version is being used by a job.
- You specify LATEST_WORKING, but it's being used by a project.
- The version fails to be deleted.

The LATEST_WORKING version will only be deleted if the recipe has no other versions. If you try to delete LATEST_WORKING while other versions exist (or if they can't be deleted), then LATEST_WORKING will be listed as partial failure in the response.

Request Syntax

```
POST /recipes/name/batchDeleteRecipeVersion HTTP/1.1
Content-type: application/json

{
  "RecipeVersions": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the recipe whose versions are to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

RecipeVersions

An array of version identifiers, for the recipe versions to be deleted. You can specify numeric versions (X.Y) or LATEST_WORKING. LATEST_PUBLISHED is not supported.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Errors": [
    {
      "ErrorCode": "string",
      "ErrorMessage": "string",
      "RecipeVersion": "string"
    }
  ],
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the recipe that was modified.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

Errors, if any, that occurred while attempting to delete the recipe versions.

Type: Array of [RecipeVersionErrorDetail](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateDataset

Creates a new DataBrew dataset.

Request Syntax

```
POST /datasets HTTP/1.1
Content-type: application/json

{
  "Format": "string",
  "FormatOptions": {
    "Csv": {
      "Delimiter": "string",
      "HeaderRow": boolean
    },
    "Excel": {
      "HeaderRow": boolean,
      "SheetIndexes": [ number ],
      "SheetNames": [ "string" ]
    },
    "Json": {
      "MultiLine": boolean
    }
  },
  "Input": {
    "DatabaseInputDefinition": {
      "DatabaseTableName": "string",
      "GlueConnectionName": "string",
      "QueryString": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "DataCatalogInputDefinition": {
      "CatalogId": "string",
      "DatabaseName": "string",
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",

```

```
        "Key": "string"
    }
},
"Metadata": {
    "SourceArn": "string"
},
"S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
}
},
"Name": "string",
"PathOptions": {
    "FilesLimit": {
        "MaxFiles": number,
        "Order": "string",
        "OrderedBy": "string"
    },
    "LastModifiedDateCondition": {
        "Expression": "string",
        "ValuesMap": {
            "string" : "string"
        }
    },
    "Parameters": {
        "string" : {
            "CreateColumn": boolean,
            "DatetimeOptions": {
                "Format": "string",
                "LocaleCode": "string",
                "TimezoneOffset": "string"
            },
            "Filter": {
                "Expression": "string",
                "ValuesMap": {
                    "string" : "string"
                }
            },
            "Name": "string",
            "Type": "string"
        }
    }
},
}
```

```
"Tags": {  
  "string" : "string"  
}  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

Required: Yes

Name

The name of the dataset to be created. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Format

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

Required: No

FormatOptions

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Type: [FormatOptions](#) object

Required: No

PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

Required: No

Tags

Metadata tags to apply to this dataset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the dataset that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateProfileJob

Creates a new job to analyze a dataset and create its data profile.

Request Syntax

```
POST /profileJobs HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "ColumnStatisticsConfigurations": [
      {
        "Selectors": [
          {
            "Name": "string",
            "Regex": "string"
          }
        ],
        "Statistics": {
          "IncludedStatistics": [ "string" ],
          "Overrides": [
            {
              "Parameters": {
                "string": "string"
              },
              "Statistic": "string"
            }
          ]
        }
      }
    ],
    "DatasetStatisticsConfiguration": {
      "IncludedStatistics": [ "string" ],
      "Overrides": [
        {
          "Parameters": {
            "string": "string"
          },
          "Statistic": "string"
        }
      ]
    }
  },
}
```

```
  "EntityDetectorConfiguration": {
    "AllowedStatistics": [
      {
        "Statistics": [ "string" ]
      }
    ],
    "EntityTypes": [ "string" ]
  },
  "ProfileColumns": [
    {
      "Name": "string",
      "Regex": "string"
    }
  ]
},
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"OutputLocation": {
  "Bucket": "string",
  "BucketOwner": "string",
  "Key": "string"
},
"RoleArn": "string",
"Tags": {
  "string" : "string"
},
"Timeout": number,
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

DatasetName

The name of the dataset that this job is to act upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Name

The name of the job to be created. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

OutputLocation

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Type: [S3Location](#) object

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Configuration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

Required: No

EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - SSE-KMS - Server-side encryption with AWS KMS-managed keys.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

JobSample

Sample configuration for profile jobs only. Determines the number of rows on which the profile job will be executed. If a JobSample value is not provided, the default value will be used. The default value is CUSTOM_ROWS for the mode parameter and 20000 for the size parameter.

Type: [JobSample](#) object

Required: No

LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

MaxCapacity

The maximum number of nodes that DataBrew can use when the job processes data.

Type: Integer

Required: No

MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Tags

Metadata tags to apply to this job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the job that was created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateProject

Creates a new DataBrew project.

Request Syntax

```
POST /projects HTTP/1.1
Content-type: application/json

{
  "DatasetName": "string",
  "Name": "string",
  "RecipeName": "string",
  "RoleArn": "string",
  "Sample": {
    "Size": number,
    "Type": "string"
  },
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

DatasetName

The name of an existing dataset to associate this project with.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Name

A unique name for the new project. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

RecipeName

The name of an existing recipe to associate with the project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed for this request.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Type: [Sample](#) object

Required: No

Tags

Metadata tags to apply to this project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the project that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRecipe

Creates a new DataBrew recipe.

Request Syntax

```
POST /recipes HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Name": "string",
  "Steps": [
    {
      "Action": {
        "Operation": "string",
        "Parameters": {
          "string": "string"
        }
      },
      "ConditionExpressions": [
        {
          "Condition": "string",
          "TargetColumn": "string",
          "Value": "string"
        }
      ]
    }
  ],
  "Tags": {
    "string": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Name

A unique name for the recipe. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Steps

An array containing the steps to be performed by the recipe. Each recipe step consists of one recipe action and (optionally) an array of condition expressions.

Type: Array of [RecipeStep](#) objects

Required: Yes

Description

A description for the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

Tags

Metadata tags to apply to this recipe.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the recipe that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRecipeJob

Creates a new job to transform input data, using steps defined in an existing AWS Glue DataBrew recipe

Request Syntax

```
POST /recipeJobs HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "DatabaseOutputMode": "string",
      "GlueConnectionName": "string"
    }
  ],
  "DataCatalogOutputs": [
    {
      "CatalogId": "string",
      "DatabaseName": "string",
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "Overwrite": boolean,
      "S3Options": {
        "Location": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      }
    }
  ]
}
```

```

    }
  },
  "TableName": "string"
}
],
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"ProjectName": "string",
"RecipeReference": {
  "Name": "string",
  "RecipeVersion": "string"
},
"RoleArn": "string",
"Tags": {
  "string" : "string"
},
"Timeout": number
}

```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Name

A unique name for the job. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write to.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DatasetName

The name of the dataset that this job processes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

MaxCapacity

The maximum number of nodes that DataBrew can consume when the job processes data.

Type: Integer

Required: No

MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Outputs

One or more artifacts that represent the output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

ProjectName

Either the name of an existing project, or a combination of a recipe and a dataset to associate with the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

RecipeReference

Represents the name and version of a DataBrew recipe.

Type: [RecipeReference](#) object

Required: No

Tags

Metadata tags to apply to this job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the job that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRuleset

Creates a new ruleset that can be used in a profile job to validate the data quality of a dataset.

Request Syntax

```
POST /rulesets HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Name": "string",
  "Rules": [
    {
      "CheckExpression": "string",
      "ColumnSelectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Disabled": boolean,
      "Name": "string",
      "SubstitutionMap": {
        "string" : "string"
      },
      "Threshold": {
        "Type": "string",
        "Unit": "string",
        "Value": number
      }
    }
  ],
  "Tags": {
    "string" : "string"
  },
  "TargetArn": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Name

The name of the ruleset to be created. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Rules

A list of rules that are defined with the ruleset. A rule includes one or more checks to be validated on a DataBrew dataset.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

TargetArn

The Amazon Resource Name (ARN) of a resource (dataset) that the ruleset is associated with.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

Tags

Metadata tags to apply to the ruleset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The unique name of the created ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateSchedule

Creates a new schedule for one or more DataBrew jobs. Jobs can be run at a specific date and time, or at regular intervals.

Request Syntax

```
POST /schedules HTTP/1.1
Content-type: application/json

{
  "CronExpression": "string",
  "JobNames": [ "string" ],
  "Name": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

CronExpression

The date or dates and time or times when the jobs are to be run. For more information, see [Cron expressions](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

Name

A unique name for the schedule. Valid characters are alphanumeric (A-Z, a-z, 0-9), hyphen (-), period (.), and space.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

JobNames

The name or names of one or more jobs to be run.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

Tags

Metadata tags to apply to this schedule.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the schedule that was created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDataset

Deletes a dataset from DataBrew.

Request Syntax

```
DELETE /datasets/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the dataset to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the dataset that you deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteJob

Deletes the specified DataBrew job.

Request Syntax

```
DELETE /jobs/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the job that you deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteProject

Deletes an existing DataBrew project.

Request Syntax

```
DELETE /projects/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the project to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the project that you deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRecipeVersion

Deletes a single version of a DataBrew recipe.

Request Syntax

```
DELETE /recipes/name/recipeVersion/recipeVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the recipe.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

recipeVersion

The version of the recipe to be deleted. You can specify a numeric versions (X.Y) or LATEST_WORKING. LATEST_PUBLISHED is not supported.

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string",
```

```
"RecipeVersion": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the recipe that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

RecipeVersion

The version of the recipe that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRuleset

Deletes a ruleset.

Request Syntax

```
DELETE /rulesets/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the ruleset to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the deleted ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteSchedule

Deletes the specified DataBrew schedule.

Request Syntax

```
DELETE /schedules/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the schedule to be deleted.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the schedule that was deleted.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DescribeDataset

Returns the definition of a specific DataBrew dataset.

Request Syntax

```
GET /datasets/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the dataset to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "Format": "string",
  "FormatOptions": {
    "Csv": {
      "Delimiter": "string",
      "HeaderRow": boolean
    },
    "Excel": {
      "HeaderRow": boolean,
      "SheetIndexes": [ number ],

```

```
    "SheetNames": [ "string" ]
  },
  "Json": {
    "MultiLine": boolean
  }
},
"Input": {
  "DatabaseInputDefinition": {
    "DatabaseTableName": "string",
    "GlueConnectionName": "string",
    "QueryString": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "DataCatalogInputDefinition": {
    "CatalogId": "string",
    "DatabaseName": "string",
    "TableName": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "Metadata": {
    "SourceArn": "string"
  },
  "S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
  }
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
"Name": "string",
"PathOptions": {
  "FilesLimit": {
    "MaxFiles": number,
    "Order": "string",
    "OrderedBy": "string"
  }
}
```

```

    },
    "LastModifiedDateCondition": {
      "Expression": "string",
      "ValuesMap": {
        "string" : "string"
      }
    },
    "Parameters": {
      "string" : {
        "CreateColumn": boolean,
        "DatetimeOptions": {
          "Format": "string",
          "LocaleCode": "string",
          "TimezoneOffset": "string"
        },
        "Filter": {
          "Expression": "string",
          "ValuesMap": {
            "string" : "string"
          }
        },
        "Name": "string",
        "Type": "string"
      }
    }
  },
  "ResourceArn": "string",
  "Source": "string",
  "Tags": {
    "string" : "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

[Name](#)

The name of the dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[CreateDate](#)

The date and time that the dataset was created.

Type: Timestamp

[CreatedBy](#)

The identifier (user name) of the user who created the dataset.

Type: String

[Format](#)

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

[FormatOptions](#)

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Type: [FormatOptions](#) object

[LastModifiedBy](#)

The identifier (user name) of the user who last modified the dataset.

Type: String

[LastModifiedDate](#)

The date and time that the dataset was last modified.

Type: Timestamp

PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

ResourceArn

The Amazon Resource Name (ARN) of the dataset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Source

The location of the data for this dataset, Amazon S3 or the AWS Glue Data Catalog.

Type: String

Valid Values: S3 | DATA-CATALOG | DATABASE

Tags

Metadata tags associated with this dataset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeJob

Returns the definition of a specific DataBrew job.

Request Syntax

```
GET /jobs/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job to be described.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      }
    }
  ]
}
```

```
    },
    "DatabaseOutputMode": "string",
    "GlueConnectionName": "string"
  }
],
"DataCatalogOutputs": [
  {
    "CatalogId": "string",
    "DatabaseName": "string",
    "DatabaseOptions": {
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "Overwrite": boolean,
    "S3Options": {
      "Location": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "TableName": "string"
  }
],
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
```

```

    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"ProfileConfiguration": {
  "ColumnStatisticsConfigurations": [
    {
      "Selectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Statistics": {
        "IncludedStatistics": [ "string" ],
        "Overrides": [
          {
            "Parameters": {
              "string": "string"
            },
            "Statistic": "string"
          }
        ]
      }
    }
  ]
}
],
"DatasetStatisticsConfiguration": {
  "IncludedStatistics": [ "string" ],
  "Overrides": [
    {
      "Parameters": {
        "string": "string"
      }
    }
  ]
}

```

```

    },
    "Statistic": "string"
  }
]
},
"EntityDetectorConfiguration": {
  "AllowedStatistics": [
    {
      "Statistics": [ "string" ]
    }
  ],
  "EntityTypes": [ "string" ]
},
"ProfileColumns": [
  {
    "Name": "string",
    "Regex": "string"
  }
]
},
"ProjectName": "string",
"RecipeReference": {
  "Name": "string",
  "RecipeVersion": "string"
},
"ResourceArn": "string",
"RoleArn": "string",
"Tags": {
  "string" : "string"
},
"Timeout": number,
"Type": "string",
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

CreateDate

The date and time that the job was created.

Type: Timestamp

CreatedBy

The identifier (user name) of the user associated with the creation of the job.

Type: String

DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

DatasetName

The dataset that the job acts upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

JobSample

Sample configuration for profile jobs only. Determines the number of rows on which the profile job will be executed.

Type: [JobSample](#) object

LastModifiedBy

The identifier (user name) of the user who last modified the job.

Type: String

LastModifiedDate

The date and time that the job was last modified.

Type: Timestamp

LogSubscription

Indicates whether Amazon CloudWatch logging is enabled for this job.

Type: String

Valid Values: ENABLE | DISABLE

MaxCapacity

The maximum number of compute nodes that DataBrew can consume when the job processes data.

Type: Integer

MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Outputs

One or more artifacts that represent the output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

ProfileConfiguration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

ProjectName

The DataBrew project associated with this job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

RecipeReference

Represents the name and version of a DataBrew recipe.

Type: [RecipeReference](#) object

ResourceArn

The Amazon Resource Name (ARN) of the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

RoleArn

The ARN of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Tags

Metadata tags associated with this job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Type

The job type, which must be one of the following:

- PROFILE - The job analyzes the dataset to determine its size, data types, data distribution, and more.
- RECIPE - The job applies one or more transformations to a dataset.

Type: String

Valid Values: PROFILE | RECIPE

ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DescribeJobRun

Represents one run of a DataBrew job.

Request Syntax

```
GET /jobs/name/jobRun/runId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job being processed during this run.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

runId

The unique identifier of the job run.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Attempt": number,
  "CompletedOn": number,
  "DatabaseOutputs": [
    {
```

```

    "DatabaseOptions": {
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "DatabaseOutputMode": "string",
    "GlueConnectionName": "string"
  }
],
"DataCatalogOutputs": [
  {
    "CatalogId": "string",
    "DatabaseName": "string",
    "DatabaseOptions": {
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "Overwrite": boolean,
    "S3Options": {
      "Location": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "TableName": "string"
  }
],
"DatasetName": "string",
"ErrorMessage": "string",
"ExecutionTime": number,
"JobName": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogGroupName": "string",

```

```

"LogSubscription": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"ProfileConfiguration": {
  "ColumnStatisticsConfigurations": [
    {
      "Selectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Statistics": {
        "IncludedStatistics": [ "string" ],
        "Overrides": [
          {
            "Parameters": {
              "string": "string"
            },
            "Statistic": "string"
          }
        ]
      }
    }
  ]
},
"DatasetStatisticsConfiguration": {
  "IncludedStatistics": [ "string" ],

```

```

    "Overrides": [
      {
        "Parameters": {
          "string": "string"
        },
        "Statistic": "string"
      }
    ],
    "EntityDetectorConfiguration": {
      "AllowedStatistics": [
        {
          "Statistics": [ "string" ]
        }
      ],
      "EntityTypes": [ "string" ]
    },
    "ProfileColumns": [
      {
        "Name": "string",
        "Regex": "string"
      }
    ],
    "RecipeReference": {
      "Name": "string",
      "RecipeVersion": "string"
    },
    "RunId": "string",
    "StartedBy": "string",
    "StartedOn": number,
    "State": "string",
    "ValidationConfigurations": [
      {
        "RulesetArn": "string",
        "ValidationMode": "string"
      }
    ]
  }

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobName

The name of the job being processed during this run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Attempt

The number of times that DataBrew has attempted to run the job.

Type: Integer

CompletedOn

The date and time when the job completed processing.

Type: Timestamp

DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

DatasetName

The name of the dataset for the job to process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

ErrorMessage

A message indicating an error (if any) that was encountered when the job ran.

Type: String

ExecutionTime

The amount of time, in seconds, during which the job run consumed resources.

Type: Integer

JobSample

Sample configuration for profile jobs only. Determines the number of rows on which the profile job will be executed. If a JobSample value is not provided, the default value will be used. The default value is CUSTOM_ROWS for the mode parameter and 20000 for the size parameter.

Type: [JobSample](#) object

LogGroupName

The name of an Amazon CloudWatch log group, where the job writes diagnostic messages when it runs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

LogSubscription

The current status of Amazon CloudWatch logging for the job run.

Type: String

Valid Values: ENABLE | DISABLE

Outputs

One or more output artifacts from a job run.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

ProfileConfiguration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

RecipeReference

Represents the name and version of a DataBrew recipe.

Type: [RecipeReference](#) object

RunId

The unique identifier of the job run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

StartedBy

The Amazon Resource Name (ARN) of the user who started the job run.

Type: String

StartedOn

The date and time when the job run began.

Type: Timestamp

State

The current state of the job run entity itself.

Type: String

Valid Values: STARTING | RUNNING | STOPPING | STOPPED | SUCCEEDED | FAILED | TIMEOUT

ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeProject

Returns the definition of a specific DataBrew project.

Request Syntax

```
GET /projects/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the project to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "CreateDate": number,  
  "CreatedBy": "string",  
  "DatasetName": "string",  
  "LastModifiedBy": "string",  
  "LastModifiedDate": number,  
  "Name": "string",  
  "OpenDate": number,  
  "OpenedBy": "string",  
  "RecipeName": "string",  
  "ResourceArn": "string",
```

```
"RoleArn": "string",
"Sample": {
  "Size": number,
  "Type": "string"
},
"SessionStatus": "string",
"Tags": {
  "string" : "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

CreateDate

The date and time that the project was created.

Type: Timestamp

CreatedBy

The identifier (user name) of the user who created the project.

Type: String

DatasetName

The dataset associated with the project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

LastModifiedBy

The identifier (user name) of the user who last modified the project.

Type: String

LastModifiedDate

The date and time that the project was last modified.

Type: Timestamp

OpenDate

The date and time when the project was opened.

Type: Timestamp

OpenedBy

The identifier (user name) of the user that opened the project for use.

Type: String

RecipeName

The recipe associated with this job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

ResourceArn

The Amazon Resource Name (ARN) of the project.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

RoleArn

The ARN of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Type: [Sample](#) object

SessionStatus

Describes the current state of the session:

- PROVISIONING - allocating resources for the session.
- INITIALIZING - getting the session ready for first use.
- ASSIGNED - the session is ready for use.

Type: String

Valid Values: ASSIGNED | FAILED | INITIALIZING | PROVISIONING | READY | RECYCLING | ROTATING | TERMINATED | TERMINATING | UPDATING

Tags

Metadata tags associated with this project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRecipe

Returns the definition of a specific DataBrew recipe corresponding to a particular version.

Request Syntax

```
GET /recipes/name?recipeVersion=RecipeVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the recipe to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

RecipeVersion

The recipe version identifier. If this parameter isn't specified, then the latest published version is returned.

Length Constraints: Minimum length of 1. Maximum length of 16.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "Description": "string",
```

```
"LastModifiedBy": "string",
"LastModifiedDate": number,
"Name": "string",
"ProjectName": "string",
"PublishedBy": "string",
"PublishedDate": number,
"RecipeVersion": "string",
"ResourceArn": "string",
"Steps": [
  {
    "Action": {
      "Operation": "string",
      "Parameters": {
        "string": "string"
      }
    },
    "ConditionExpressions": [
      {
        "Condition": "string",
        "TargetColumn": "string",
        "Value": "string"
      }
    ]
  }
],
"Tags": {
  "string": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

CreateDate

The date and time that the recipe was created.

Type: Timestamp

CreatedBy

The identifier (user name) of the user who created the recipe.

Type: String

Description

The description of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

LastModifiedBy

The identifier (user name) of the user who last modified the recipe.

Type: String

LastModifiedDate

The date and time that the recipe was last modified.

Type: Timestamp

ProjectName

The name of the project associated with this recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

PublishedBy

The identifier (user name) of the user who last published the recipe.

Type: String

PublishedDate

The date and time when the recipe was last published.

Type: Timestamp

RecipeVersion

The recipe version identifier.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

ResourceArn

The ARN of the recipe.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Steps

One or more steps to be performed by the recipe. Each step consists of an action, and the conditions under which the action should succeed.

Type: Array of [RecipeStep](#) objects

Tags

Metadata tags associated with this project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRuleset

Retrieves detailed information about the ruleset.

Request Syntax

```
GET /rulesets/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the ruleset to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "Description": "string",
  "LastModifiedBy": "string",
  "LastModifiedDate": number,
  "Name": "string",
  "ResourceArn": "string",
  "Rules": [
    {
      "CheckExpression": "string",
```

```
    "ColumnSelectors": [
      {
        "Name": "string",
        "Regex": "string"
      }
    ],
    "Disabled": boolean,
    "Name": "string",
    "SubstitutionMap": {
      "string" : "string"
    },
    "Threshold": {
      "Type": "string",
      "Unit": "string",
      "Value": number
    }
  }
],
"Tags": {
  "string" : "string"
},
"TargetArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

CreateDate

The date and time that the ruleset was created.

Type: Timestamp

CreatedBy

The Amazon Resource Name (ARN) of the user who created the ruleset.

Type: String

Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the ruleset.

Type: String

LastModifiedDate

The modification date and time of the ruleset.

Type: Timestamp

ResourceArn

The Amazon Resource Name (ARN) for the ruleset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Rules

A list of rules that are defined with the ruleset. A rule includes one or more checks to be validated on a DataBrew dataset.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 1 item.

Tags

Metadata tags that have been applied to the ruleset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

TargetArn

The Amazon Resource Name (ARN) of a resource (dataset) that the ruleset is associated with.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeSchedule

Returns the definition of a specific DataBrew schedule.

Request Syntax

```
GET /schedules/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the schedule to be described.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "CreateDate": number,
  "CreatedBy": "string",
  "CronExpression": "string",
  "JobNames": [ "string" ],
  "LastModifiedBy": "string",
  "LastModifiedDate": number,
  "Name": "string",
  "ResourceArn": "string",
  "Tags": {
    "string" : "string"
  }
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the schedule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

CreateDate

The date and time that the schedule was created.

Type: Timestamp

CreatedBy

The identifier (user name) of the user who created the schedule.

Type: String

CronExpression

The date or dates and time or times when the jobs are to be run for the schedule. For more information, see [Cron expressions](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

JobNames

The name or names of one or more jobs to be run by using the schedule.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

LastModifiedBy

The identifier (user name) of the user who last modified the schedule.

Type: String

LastModifiedDate

The date and time that the schedule was last modified.

Type: Timestamp

ResourceArn

The Amazon Resource Name (ARN) of the schedule.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Tags

Metadata tags associated with this schedule.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDatasets

Lists all of the DataBrew datasets.

Request Syntax

```
GET /datasets?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Datasets": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
      "Format": "string",
      "FormatOptions": {
        "Csv": {
```

```
    "Delimiter": "string",
    "HeaderRow": boolean
  },
  "Excel": {
    "HeaderRow": boolean,
    "SheetIndexes": [ number ],
    "SheetNames": [ "string" ]
  },
  "Json": {
    "MultiLine": boolean
  }
},
"Input": {
  "DatabaseInputDefinition": {
    "DatabaseTableName": "string",
    "GlueConnectionName": "string",
    "QueryString": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "DataCatalogInputDefinition": {
    "CatalogId": "string",
    "DatabaseName": "string",
    "TableName": "string",
    "TempDirectory": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    }
  },
  "Metadata": {
    "SourceArn": "string"
  },
  "S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
  }
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
```

```
"Name": "string",
"PathOptions": {
  "FilesLimit": {
    "MaxFiles": number,
    "Order": "string",
    "OrderedBy": "string"
  },
  "LastModifiedDateCondition": {
    "Expression": "string",
    "ValuesMap": {
      "string" : "string"
    }
  },
  "Parameters": {
    "string" : {
      "CreateColumn": boolean,
      "DatetimeOptions": {
        "Format": "string",
        "LocaleCode": "string",
        "TimezoneOffset": "string"
      },
      "Filter": {
        "Expression": "string",
        "ValuesMap": {
          "string" : "string"
        }
      },
      "Name": "string",
      "Type": "string"
    }
  }
},
"ResourceArn": "string",
"Source": "string",
"Tags": {
  "string" : "string"
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Datasets

A list of datasets that are defined.

Type: Array of [Dataset](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListJobRuns

Lists all of the previous runs of a particular DataBrew job.

Request Syntax

```
GET /jobs/name/jobRuns?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

name

The name of the job.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "JobRuns": [
```

```
{
  "Attempt": number,
  "CompletedOn": number,
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "DatabaseOutputMode": "string",
      "GlueConnectionName": "string"
    }
  ],
  "DataCatalogOutputs": [
    {
      "CatalogId": "string",
      "DatabaseName": "string",
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "Overwrite": boolean,
      "S3Options": {
        "Location": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "TableName": "string"
    }
  ],
  "DatasetName": "string",
  "ErrorMessage": "string",
  "ExecutionTime": number,
  "JobName": "string",
```

```
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogGroupName": "string",
"LogSubscription": "string",
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
    "Location": {
      "Bucket": "string",
      "BucketOwner": "string",
      "Key": "string"
    },
    "MaxOutputFiles": number,
    "Overwrite": boolean,
    "PartitionColumns": [ "string" ]
  }
],
"RecipeReference": {
  "Name": "string",
  "RecipeVersion": "string"
},
"RunId": "string",
"StartedBy": "string",
"StartedOn": number,
"State": "string",
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
},
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobRuns

A list of job runs that have occurred for the specified job.

Type: Array of [JobRun](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListJobs

Lists all of the DataBrew jobs that are defined.

Request Syntax

```
GET /jobs?  
datasetName=DatasetName&maxResults=MaxResults&nextToken=NextToken&projectName=ProjectName  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DatasetName

The name of a dataset. Using this parameter indicates to return only those jobs that act on the specified dataset.

Length Constraints: Minimum length of 1. Maximum length of 255.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

NextToken

A token generated by DataBrew that specifies where to continue pagination if a previous request was truncated. To get the next set of pages, pass in the NextToken value from the response object of the previous page call.

Length Constraints: Minimum length of 1. Maximum length of 2000.

ProjectName

The name of a project. Using this parameter indicates to return only those jobs that are associated with the specified project.

Length Constraints: Minimum length of 1. Maximum length of 255.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Jobs": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
      "DatabaseOutputs": [
        {
          "DatabaseOptions": {
            "TableName": "string",
            "TempDirectory": {
              "Bucket": "string",
              "BucketOwner": "string",
              "Key": "string"
            }
          },
          "DatabaseOutputMode": "string",
          "GlueConnectionName": "string"
        }
      ],
      "DataCatalogOutputs": [
        {
          "CatalogId": "string",
          "DatabaseName": "string",
          "DatabaseOptions": {
            "TableName": "string",
            "TempDirectory": {
              "Bucket": "string",
              "BucketOwner": "string",
              "Key": "string"
            }
          },
          "Overwrite": boolean,
          "S3Options": {
```

```
        "Location": {
            "Bucket": "string",
            "BucketOwner": "string",
            "Key": "string"
        }
    },
    "TableName": "string"
}
],
"DatasetName": "string",
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
    "Mode": "string",
    "Size": number
},
"LastModifiedBy": "string",
"LastModifiedDate": number,
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Name": "string",
"Outputs": [
    {
        "CompressionFormat": "string",
        "Format": "string",
        "FormatOptions": {
            "Csv": {
                "Delimiter": "string"
            }
        },
        "Location": {
            "Bucket": "string",
            "BucketOwner": "string",
            "Key": "string"
        },
        "MaxOutputFiles": number,
        "Overwrite": boolean,
        "PartitionColumns": [ "string" ]
    }
],
"ProjectName": "string",
"RecipeReference": {
    "Name": "string",
```

```
    "RecipeVersion": "string"
  },
  "ResourceArn": "string",
  "RoleArn": "string",
  "Tags": {
    "string" : "string"
  },
  "Timeout": number,
  "Type": "string",
  "ValidationConfigurations": [
    {
      "RulesetArn": "string",
      "ValidationMode": "string"
    }
  ]
}
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Jobs

A list of jobs that are defined.

Type: Array of [Job](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListProjects

Lists all of the DataBrew projects that are defined.

Request Syntax

```
GET /projects?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "Projects": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
```

```
"DatasetName": "string",
"LastModifiedBy": "string",
"LastModifiedDate": number,
"Name": "string",
"OpenDate": number,
"OpenedBy": "string",
"RecipeName": "string",
"ResourceArn": "string",
"RoleArn": "string",
"Sample": {
  "Size": number,
  "Type": "string"
},
"Tags": {
  "string" : "string"
}
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Projects

A list of projects that are defined .

Type: Array of [Project](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRecipes

Lists all of the DataBrew recipes that are defined.

Request Syntax

```
GET /recipes?maxResults=MaxResults&nextToken=NextToken&recipeVersion=RecipeVersion  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

RecipeVersion

Return only those recipes with a version identifier of LATEST_WORKING or LATEST_PUBLISHED. If RecipeVersion is omitted, ListRecipes returns all of the LATEST_PUBLISHED recipe versions.

Valid values: LATEST_WORKING | LATEST_PUBLISHED

Length Constraints: Minimum length of 1. Maximum length of 16.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "NextToken": "string",
  "Recipes": [
    {
      "CreateDate": number,
      "CreatedBy": "string",
      "Description": "string",
      "LastModifiedBy": "string",
      "LastModifiedDate": number,
      "Name": "string",
      "ProjectName": "string",
      "PublishedBy": "string",
      "PublishedDate": number,
      "RecipeVersion": "string",
      "ResourceArn": "string",
      "Steps": [
        {
          "Action": {
            "Operation": "string",
            "Parameters": {
              "string": "string"
            }
          },
          "ConditionExpressions": [
            {
              "Condition": "string",
              "TargetColumn": "string",
              "Value": "string"
            }
          ]
        }
      ],
      "Tags": {
        "string": "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Recipes

A list of recipes that are defined.

Type: Array of [Recipe](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRecipeVersions

Lists the versions of a particular DataBrew recipe, except for LATEST_WORKING.

Request Syntax

```
GET /recipeVersions?maxResults=MaxResults&name=Name&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

Name

The name of the recipe for which to return version information.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"NextToken": "string",
"Recipes": [
  {
    "CreateDate": number,
    "CreatedBy": "string",
    "Description": "string",
    "LastModifiedBy": "string",
    "LastModifiedDate": number,
    "Name": "string",
    "ProjectName": "string",
    "PublishedBy": "string",
    "PublishedDate": number,
    "RecipeVersion": "string",
    "ResourceArn": "string",
    "Steps": [
      {
        "Action": {
          "Operation": "string",
          "Parameters": {
            "string" : "string"
          }
        },
        "ConditionExpressions": [
          {
            "Condition": "string",
            "TargetColumn": "string",
            "Value": "string"
          }
        ]
      }
    ],
    "Tags": {
      "string" : "string"
    }
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Recipes

A list of versions for the specified recipe.

Type: Array of [Recipe](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

ListRulesets

List all rulesets available in the current account or rulesets associated with a specific resource (dataset).

Request Syntax

```
GET /rulesets?maxResults=MaxResults&nextToken=NextToken&targetArn=TargetArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

NextToken

A token generated by DataBrew that specifies where to continue pagination if a previous request was truncated. To get the next set of pages, pass in the NextToken value from the response object of the previous page call.

Length Constraints: Minimum length of 1. Maximum length of 2000.

TargetArn

The Amazon Resource Name (ARN) of a resource (dataset). Using this parameter indicates to return only those rulesets that are associated with the specified resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "NextToken": "string",
  "Rulesets": [
    {
      "AccountId": "string",
      "CreateDate": number,
      "CreatedBy": "string",
      "Description": "string",
      "LastModifiedBy": "string",
      "LastModifiedDate": number,
      "Name": "string",
      "ResourceArn": "string",
      "RuleCount": number,
      "Tags": {
        "string" : "string"
      },
      "TargetArn": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Rulesets

A list of RulesetItem. RulesetItem contains meta data of a ruleset.

Type: Array of [RulesetItem](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListSchedules

Lists the DataBrew schedules that are defined.

Request Syntax

```
GET /schedules?jobName=JobName&maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobName

The name of the job that these schedules apply to.

Length Constraints: Minimum length of 1. Maximum length of 240.

MaxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 1. Maximum value of 100.

NextToken

The token returned by a previous call to retrieve the next set of results.

Length Constraints: Minimum length of 1. Maximum length of 2000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"NextToken": "string",
"Schedules": [
  {
    "AccountId": "string",
    "CreateDate": number,
    "CreatedBy": "string",
    "CronExpression": "string",
    "JobNames": [ "string" ],
    "LastModifiedBy": "string",
    "LastModifiedDate": number,
    "Name": "string",
    "ResourceArn": "string",
    "Tags": {
      "string" : "string"
    }
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Schedules

A list of schedules that are defined.

Type: Array of [Schedule](#) objects

NextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists all the tags for a DataBrew resource.

Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[ResourceArn](#)

The Amazon Resource Name (ARN) string that uniquely identifies the DataBrew resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

A list of tags associated with the DataBrew resource.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PublishRecipe

Publishes a new version of a DataBrew recipe.

Request Syntax

```
POST /recipes/name/publishRecipe HTTP/1.1
Content-type: application/json

{
  "Description": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the recipe to be published.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Description

A description of the recipe to be published, for this version of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the recipe that you published.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

SendProjectSessionAction

Performs a recipe step within an interactive DataBrew session that's currently open.

Request Syntax

```
PUT /projects/name/sendProjectSessionAction HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "ClientSessionId": "string",
  "Preview": boolean,
  "RecipeStep": {
    "Action": {
      "Operation": "string",
      "Parameters": {
        "string" : "string"
      }
    }
  },
  "ConditionExpressions": [
    {
      "Condition": "string",
      "TargetColumn": "string",
      "Value": "string"
    }
  ]
},
"StepIndex": number,
"ViewFrame": {
  "Analytics": "string",
  "ColumnRange": number,
  "HiddenColumns": [ "string" ],
  "RowRange": number,
  "StartColumnIndex": number,
  "StartRowIndex": number
}
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the project to apply the action to.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

ClientSessionId

A unique identifier for an interactive session that's currently open and ready for work. The action will be performed on this session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*$`

Required: No

Preview

If true, the result of the recipe step will be returned, but not applied.

Type: Boolean

Required: No

RecipeStep

Represents a single step from a DataBrew recipe to be performed.

Type: [RecipeStep](#) object

Required: No

StepIndex

The index from which to preview a step. This index is used to preview the result of steps that have already been applied, so that the resulting view frame is from earlier in the view frame stack.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

ViewFrame

Represents the data being transformed during an action.

Type: [ViewFrame](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ActionId": number,
  "Name": "string",
  "Result": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the project that was affected by the action.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

ActionId

A unique identifier for the action that was performed.

Type: Integer

Result

A message indicating the result of performing the action.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartJobRun

Runs a DataBrew job.

Request Syntax

```
POST /jobs/name/startJobRun HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job to be run.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RunId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RunId

A system-generated identifier for this particular job run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartProjectSession

Creates an interactive session, enabling you to manipulate data in a DataBrew project.

Request Syntax

```
PUT /projects/name/startProjectSession HTTP/1.1
Content-type: application/json

{
  "AssumeControl": boolean
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the project to act upon.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

AssumeControl

A value that, if true, enables you to take control of a session, even if a different client is currently accessing the project.

Type: Boolean

Required: No

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "ClientSessionId": "string",
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the project to be acted upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

ClientSessionId

A system-generated identifier for the session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

Updating or deleting a resource can cause an inconsistent state.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopJobRun

Stops a particular run of a job.

Request Syntax

```
POST /jobs/name/jobRun/runId/stopJobRun HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job to be stopped.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

runId

The ID of the job run to be stopped.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "RunId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

RunId

The ID of the job run that you stopped.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds metadata tags to a DataBrew resource, such as a dataset, project, recipe, job, or schedule.

Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

The DataBrew resource to which tags should be added. The value for this parameter is an Amazon Resource Name (ARN). For DataBrew, you can tag a dataset, a job, a project, or a recipe.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Tags

One or more tags to be assigned to the resource.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes metadata tags from a DataBrew resource.

Request Syntax

```
DELETE /tags/ResourceArn?tagKeys=TagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

A DataBrew resource from which you want to remove a tag or tags. The value for this parameter is an Amazon Resource Name (ARN).

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

TagKeys

The tag keys (names) of one or more tags to be removed.

Array Members: Minimum number of 1 item. Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal service failure occurred.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

UpdateDataset

Modifies the definition of an existing DataBrew dataset.

Request Syntax

```
PUT /datasets/name HTTP/1.1
Content-type: application/json

{
  "Format": "string",
  "FormatOptions": {
    "Csv": {
      "Delimiter": "string",
      "HeaderRow": boolean
    },
    "Excel": {
      "HeaderRow": boolean,
      "SheetIndexes": [ number ],
      "SheetNames": [ "string" ]
    },
    "Json": {
      "MultiLine": boolean
    }
  },
  "Input": {
    "DatabaseInputDefinition": {
      "DatabaseTableName": "string",
      "GlueConnectionName": "string",
      "QueryString": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",
        "Key": "string"
      }
    },
    "DataCatalogInputDefinition": {
      "CatalogId": "string",
      "DatabaseName": "string",
      "TableName": "string",
      "TempDirectory": {
        "Bucket": "string",
        "BucketOwner": "string",

```

```
        "Key": "string"
    }
},
"Metadata": {
    "SourceArn": "string"
},
"S3InputDefinition": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
}
},
"PathOptions": {
    "FilesLimit": {
        "MaxFiles": number,
        "Order": "string",
        "OrderedBy": "string"
    },
    "LastModifiedDateCondition": {
        "Expression": "string",
        "ValuesMap": {
            "string" : "string"
        }
    }
},
"Parameters": {
    "string" : {
        "CreateColumn": boolean,
        "DatetimeOptions": {
            "Format": "string",
            "LocaleCode": "string",
            "TimezoneOffset": "string"
        },
        "Filter": {
            "Expression": "string",
            "ValuesMap": {
                "string" : "string"
            }
        }
    },
    "Name": "string",
    "Type": "string"
}
}
```

```
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the dataset to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

Required: Yes

Format

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

Required: No

FormatOptions

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Type: [FormatOptions](#) object

Required: No

PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the dataset that you updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateProfileJob

Modifies the definition of an existing profile job.

Request Syntax

```
PUT /profileJobs/name HTTP/1.1
Content-type: application/json
```

```
{
  "Configuration": {
    "ColumnStatisticsConfigurations": [
      {
        "Selectors": [
          {
            "Name": "string",
            "Regex": "string"
          }
        ],
        "Statistics": {
          "IncludedStatistics": [ "string" ],
          "Overrides": [
            {
              "Parameters": {
                "string": "string"
              },
              "Statistic": "string"
            }
          ]
        }
      }
    ],
    "DatasetStatisticsConfiguration": {
      "IncludedStatistics": [ "string" ],
      "Overrides": [
        {
          "Parameters": {
            "string": "string"
          },
          "Statistic": "string"
        }
      ]
    }
  },
}
```

```
  "EntityDetectorConfiguration": {
    "AllowedStatistics": [
      {
        "Statistics": [ "string" ]
      }
    ],
    "EntityTypes": [ "string" ]
  },
  "ProfileColumns": [
    {
      "Name": "string",
      "Regex": "string"
    }
  ]
},
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"JobSample": {
  "Mode": "string",
  "Size": number
},
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"OutputLocation": {
  "Bucket": "string",
  "BucketOwner": "string",
  "Key": "string"
},
"RoleArn": "string",
"Timeout": number,
"ValidationConfigurations": [
  {
    "RulesetArn": "string",
    "ValidationMode": "string"
  }
]
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job to be updated.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

Request Body

The request accepts the following data in JSON format.

OutputLocation

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Type: [S3Location](#) object

Required: Yes

RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Configuration

Configuration for profile jobs. Used to select columns, do evaluations, and override default parameters of evaluations. When configuration is null, the profile job will run with default settings.

Type: [ProfileConfiguration](#) object

Required: No

EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

JobSample

Sample configuration for Profile Jobs only. Determines the number of rows on which the Profile job will be executed. If a JobSample value is not provided for profile jobs, the default value will be used. The default value is CUSTOM_ROWS for the mode parameter and 20000 for the size parameter.

Type: [JobSample](#) object

Required: No

LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

MaxCapacity

The maximum number of compute nodes that DataBrew can use when the job processes data.

Type: Integer

Required: No

MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the job that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateProject

Modifies the definition of an existing DataBrew project.

Request Syntax

```
PUT /projects/name HTTP/1.1
Content-type: application/json

{
  "RoleArn": "string",
  "Sample": {
    "Size": number,
    "Type": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the project to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

RoleArn

The Amazon Resource Name (ARN) of the IAM role to be assumed for this request.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Type: [Sample](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "LastModifiedDate": number,
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Name](#)

The name of the project that you updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[LastModifiedDate](#)

The date and time that the project was last modified.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateRecipe

Modifies the definition of the LATEST_WORKING version of a DataBrew recipe.

Request Syntax

```
PUT /recipes/name HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Steps": [
    {
      "Action": {
        "Operation": "string",
        "Parameters": {
          "string": "string"
        }
      },
      "ConditionExpressions": [
        {
          "Condition": "string",
          "TargetColumn": "string",
          "Value": "string"
        }
      ]
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the recipe to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Description

A description of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

Steps

One or more steps to be performed by the recipe. Each step consists of an action, and the conditions under which the action should succeed.

Type: Array of [RecipeStep](#) objects

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the recipe that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateRecipeJob

Modifies the definition of an existing DataBrew recipe job.

Request Syntax

```
PUT /recipeJobs/name HTTP/1.1
Content-type: application/json

{
  "DatabaseOutputs": [
    {
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "DatabaseOutputMode": "string",
      "GlueConnectionName": "string"
    }
  ],
  "DataCatalogOutputs": [
    {
      "CatalogId": "string",
      "DatabaseName": "string",
      "DatabaseOptions": {
        "TableName": "string",
        "TempDirectory": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      },
      "Overwrite": boolean,
      "S3Options": {
        "Location": {
          "Bucket": "string",
          "BucketOwner": "string",
          "Key": "string"
        }
      }
    }
  ]
}
```

```
    },
    "TableName": "string"
  }
],
"EncryptionKeyArn": "string",
"EncryptionMode": "string",
"LogSubscription": "string",
"MaxCapacity": number,
"MaxRetries": number,
"Outputs": [
  {
    "CompressionFormat": "string",
    "Format": "string",
    "FormatOptions": {
      "Csv": {
        "Delimiter": "string"
      }
    },
  },
  "Location": {
    "Bucket": "string",
    "BucketOwner": "string",
    "Key": "string"
  },
  "MaxOutputFiles": number,
  "Overwrite": boolean,
  "PartitionColumns": [ "string" ]
}
],
"RoleArn": "string",
"Timeout": number
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the job to update.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

Request Body

The request accepts the following data in JSON format.

RoleArn

The Amazon Resource Name (ARN) of the AWS Identity and Access Management (IAM) role to be assumed when DataBrew runs the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

LogSubscription

Enables or disables Amazon CloudWatch logging for the job. If logging is enabled, CloudWatch writes one log stream for each job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

MaxCapacity

The maximum number of nodes that DataBrew can consume when the job processes data.

Type: Integer

Required: No

MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Outputs

One or more artifacts that represent the output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the job that you updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

Access to the specified resource was denied.

HTTP Status Code: 403

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateRuleset

Updates specified ruleset.

Request Syntax

```
PUT /rulesets/name HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Rules": [
    {
      "CheckExpression": "string",
      "ColumnSelectors": [
        {
          "Name": "string",
          "Regex": "string"
        }
      ],
      "Disabled": boolean,
      "Name": "string",
      "SubstitutionMap": {
        "string" : "string"
      },
      "Threshold": {
        "Type": "string",
        "Unit": "string",
        "Value": number
      }
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the ruleset to be updated.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

Rules

A list of rules that are defined with the ruleset. A rule includes one or more checks to be validated on a DataBrew dataset.

Type: Array of [Rule](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the updated ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

UpdateSchedule

Modifies the definition of an existing DataBrew schedule.

Request Syntax

```
PUT /schedules/name HTTP/1.1
Content-type: application/json

{
  "CronExpression": "string",
  "JobNames": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the schedule to update.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Request Body

The request accepts the following data in JSON format.

CronExpression

The date or dates and time or times when the jobs are to be run. For more information, see [Cron expressions](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: Yes

JobNames

The name or names of one or more jobs to be run for this schedule.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Name

The name of the schedule that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ServiceQuotaExceededException

A service quota is exceeded.

HTTP Status Code: 402

ValidationException

The input parameters for this request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Glue DataBrew API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AllowedStatistics](#)
- [ColumnSelector](#)
- [ColumnStatisticsConfiguration](#)
- [ConditionExpression](#)
- [CsvOptions](#)
- [CsvOutputOptions](#)
- [DatabaseInputDefinition](#)
- [DatabaseOutput](#)
- [DatabaseTableOutputOptions](#)
- [DataCatalogInputDefinition](#)
- [DataCatalogOutput](#)
- [Dataset](#)
- [DatasetParameter](#)
- [DatetimeOptions](#)
- [EntityDetectorConfiguration](#)
- [ExcelOptions](#)
- [FilesLimit](#)
- [FilterExpression](#)
- [FormatOptions](#)
- [Input](#)

- [Job](#)
- [JobRun](#)
- [JobSample](#)
- [JsonOptions](#)
- [Metadata](#)
- [Output](#)
- [OutputFormatOptions](#)
- [PathOptions](#)
- [ProfileConfiguration](#)
- [Project](#)
- [Recipe](#)
- [RecipeAction](#)
- [RecipeReference](#)
- [RecipeStep](#)
- [RecipeVersionErrorDetail](#)
- [Rule](#)
- [RulesetItem](#)
- [S3Location](#)
- [S3TableOutputOptions](#)
- [Sample](#)
- [Schedule](#)
- [StatisticOverride](#)
- [StatisticsConfiguration](#)
- [Threshold](#)
- [ValidationConfiguration](#)
- [ViewFrame](#)

AllowedStatistics

Configuration of statistics that are allowed to be run on columns that contain detected entities. When undefined, no statistics will be computed on columns that contain detected entities.

Contents

Note

In the following list, the required parameters are described first.

Statistics

One or more column statistics to allow for columns that contain detected entities.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ColumnSelector

Selector of a column from a dataset for profile job configuration. One selector includes either a column name or a regular expression.

Contents

Note

In the following list, the required parameters are described first.

Name

The name of a column from a dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Regex

A regular expression for selecting a column from a dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ColumnStatisticsConfiguration

Configuration for column evaluations for a profile job. ColumnStatisticsConfiguration can be used to select evaluations and override parameters of evaluations for particular columns.

Contents

Note

In the following list, the required parameters are described first.

Statistics

Configuration for evaluations. Statistics can be used to select evaluations and override parameters of evaluations.

Type: [StatisticsConfiguration](#) object

Required: Yes

Selectors

List of column selectors. Selectors can be used to select columns from the dataset. When selectors are undefined, configuration will be applied to all supported columns.

Type: Array of [ColumnSelector](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConditionExpression

Represents an individual condition that evaluates to true or false.

Conditions are used with recipe actions. The action is only performed for column values where the condition evaluates to true.

If a recipe requires more than one condition, then the recipe must specify multiple `ConditionExpression` elements. Each condition is applied to the rows in a dataset first, before the recipe action is performed.

Contents

Note

In the following list, the required parameters are described first.

Condition

A specific condition to apply to a recipe action. For more information, see [Recipe structure](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_]+$`

Required: Yes

TargetColumn

A column to apply this condition to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: Yes

Value

A value that the condition must evaluate to for the condition to succeed.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CsvOptions

Represents a set of options that define how DataBrew will read a comma-separated value (CSV) file when creating a dataset from that file.

Contents

Note

In the following list, the required parameters are described first.

Delimiter

A single character that specifies the delimiter being used in the CSV file.

Type: String

Length Constraints: Fixed length of 1.

Required: No

HeaderRow

A variable that specifies whether the first row in the file is parsed as the header. If this value is false, column names are auto-generated.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CsvOutputOptions

Represents a set of options that define how DataBrew will write a comma-separated value (CSV) file.

Contents

Note

In the following list, the required parameters are described first.

Delimiter

A single character that specifies the delimiter used to create CSV job output.

Type: String

Length Constraints: Fixed length of 1.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatabaseInputDefinition

Connection information for dataset input files stored in a database.

Contents

Note

In the following list, the required parameters are described first.

GlueConnectionName

The AWS Glue Connection that stores the connection information for the target database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

DatabaseTableName

The table within the target database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

QueryString

Custom SQL to run against the provided AWS Glue connection. This SQL will be used as the input for DataBrew projects and jobs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 10000.

Required: No

TempDirectory

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Type: [S3Location](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatabaseOutput

Represents a JDBC database output object which defines the output destination for a DataBrew recipe job to write into.

Contents

Note

In the following list, the required parameters are described first.

DatabaseOptions

Represents options that specify how and where DataBrew writes the database output generated by recipe jobs.

Type: [DatabaseTableOutputOptions](#) object

Required: Yes

GlueConnectionName

The AWS Glue connection that stores the connection information for the target database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

DatabaseOutputMode

The output mode to write into the database. Currently supported option: NEW_TABLE.

Type: String

Valid Values: NEW_TABLE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatabaseTableOutputOptions

Represents options that specify how and where DataBrew writes the database output generated by recipe jobs.

Contents

Note

In the following list, the required parameters are described first.

TableName

A prefix for the name of a table DataBrew will create in the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

TempDirectory

Represents an Amazon S3 location (bucket name and object key) where DataBrew can store intermediate results.

Type: [S3Location](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataCatalogInputDefinition

Represents how metadata stored in the AWS Glue Data Catalog is defined in a DataBrew dataset.

Contents

Note

In the following list, the required parameters are described first.

DatabaseName

The name of a database in the Data Catalog.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

TableName

The name of a database table in the Data Catalog. This table corresponds to a DataBrew dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

CatalogId

The unique identifier of the AWS account that holds the Data Catalog that stores the data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

TempDirectory

Represents an Amazon location where DataBrew can store intermediate results.

Type: [S3Location](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DataCatalogOutput

Represents options that specify how and where in the AWS Glue Data Catalog DataBrew writes the output generated by recipe jobs.

Contents

Note

In the following list, the required parameters are described first.

DatabaseName

The name of a database in the Data Catalog.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

TableName

The name of a table in the Data Catalog.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

CatalogId

The unique identifier of the AWS account that holds the Data Catalog that stores the data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

DatabaseOptions

Represents options that specify how and where DataBrew writes the database output generated by recipe jobs.

Type: [DatabaseTableOutputOptions](#) object

Required: No

Overwrite

A value that, if true, means that any data in the location specified for output is overwritten with new output. Not supported with DatabaseOptions.

Type: Boolean

Required: No

S3Options

Represents options that specify how and where DataBrew writes the Amazon S3 output generated by recipe jobs.

Type: [S3TableOutputOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Dataset

Represents a dataset that can be processed by DataBrew.

Contents

Note

In the following list, the required parameters are described first.

Input

Information on how DataBrew can find the dataset, in either the AWS Glue Data Catalog or Amazon S3.

Type: [Input](#) object

Required: Yes

Name

The unique name of the dataset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

AccountId

The ID of the AWS account that owns the dataset.

Type: String

Length Constraints: Maximum length of 255.

Required: No

CreateDate

The date and time that the dataset was created.

Type: Timestamp

Required: No

CreatedBy

The Amazon Resource Name (ARN) of the user who created the dataset.

Type: String

Required: No

Format

The file format of a dataset that is created from an Amazon S3 file or folder.

Type: String

Valid Values: CSV | JSON | PARQUET | EXCEL | ORC

Required: No

FormatOptions

A set of options that define how DataBrew interprets the data in the dataset.

Type: [FormatOptions](#) object

Required: No

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the dataset.

Type: String

Required: No

LastModifiedDate

The last modification date and time of the dataset.

Type: Timestamp

Required: No

PathOptions

A set of options that defines how DataBrew interprets an Amazon S3 path of the dataset.

Type: [PathOptions](#) object

Required: No

ResourceArn

The unique Amazon Resource Name (ARN) for the dataset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Source

The location of the data for the dataset, either Amazon S3 or the AWS Glue Data Catalog.

Type: String

Valid Values: S3 | DATA-CATALOG | DATABASE

Required: No

Tags

Metadata tags that have been applied to the dataset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatasetParameter

Represents a dataset parameter that defines type and conditions for a parameter in the Amazon S3 path of the dataset.

Contents

Note

In the following list, the required parameters are described first.

Name

The name of the parameter that is used in the dataset's Amazon S3 path.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

Type

The type of the dataset parameter, can be one of a 'String', 'Number' or 'Datetime'.

Type: String

Valid Values: `Datetime` | `Number` | `String`

Required: Yes

CreateColumn

Optional boolean value that defines whether the captured value of this parameter should be used to create a new column in a dataset.

Type: Boolean

Required: No

DatetimeOptions

Additional parameter options such as a format and a timezone. Required for datetime parameters.

Type: [DatetimeOptions](#) object

Required: No

Filter

The optional filter expression structure to apply additional matching criteria to the parameter.

Type: [FilterExpression](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DatetimeOptions

Represents additional options for correct interpretation of datetime parameters used in the Amazon S3 path of a dataset.

Contents

Note

In the following list, the required parameters are described first.

Format

Required option, that defines the datetime format used for a date parameter in the Amazon S3 path. Should use only supported datetime specifiers and separation characters, all literal a-z or A-Z characters should be escaped with single quotes. E.g. "MM.dd.yyyy-'at'-HH:mm".

Type: String

Length Constraints: Minimum length of 2. Maximum length of 100.

Required: Yes

LocaleCode

Optional value for a non-US locale code, needed for correct interpretation of some date formats.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 100.

Pattern: `^[A-Za-z0-9_\.\#@\-]+`

Required: No

TimezoneOffset

Optional value for a timezone offset of the datetime parameter value in the Amazon S3 path. Shouldn't be used if Format for this parameter includes timezone fields. If no offset specified, UTC is assumed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 6.

Pattern: `^(Z|[-+](\d|\d{2}|\d{2}:?\d{2}))$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EntityDetectorConfiguration

Configuration of entity detection for a profile job. When undefined, entity detection is disabled.

Contents

Note

In the following list, the required parameters are described first.

EntityTypes

Entity types to detect. Can be any of the following:

- USA_SSN
- EMAIL
- USA_ITIN
- USA_PASSPORT_NUMBER
- PHONE_NUMBER
- USA_DRIVING_LICENSE
- BANK_ACCOUNT
- CREDIT_CARD
- IP_ADDRESS
- MAC_ADDRESS
- USA_DEA_NUMBER
- USA_HCPCS_CODE
- USA_NATIONAL_PROVIDER_IDENTIFIER
- USA_NATIONAL_DRUG_CODE
- USA_HEALTH_INSURANCE_CLAIM_NUMBER
- USA_MEDICARE_BENEFICIARY_IDENTIFIER
- USA_CPT_CODE
- PERSON_NAME
- DATE

The Entity type group USA_ALL is also supported, and includes all of the above entity types except PERSON_NAME and DATE.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_][A-Z\d_]*$`

Required: Yes

AllowedStatistics

Configuration of statistics that are allowed to be run on columns that contain detected entities. When undefined, no statistics will be computed on columns that contain detected entities.

Type: Array of [AllowedStatistics](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExcelOptions

Represents a set of options that define how DataBrew will interpret a Microsoft Excel file when creating a dataset from that file.

Contents

Note

In the following list, the required parameters are described first.

HeaderRow

A variable that specifies whether the first row in the file is parsed as the header. If this value is false, column names are auto-generated.

Type: Boolean

Required: No

SheetIndexes

One or more sheet numbers in the Excel file that will be included in the dataset.

Type: Array of integers

Array Members: Fixed number of 1 item.

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

SheetNames

One or more named sheets in the Excel file that will be included in the dataset.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 31.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FilesLimit

Represents a limit imposed on number of Amazon S3 files that should be selected for a dataset from a connected Amazon S3 path.

Contents

Note

In the following list, the required parameters are described first.

MaxFiles

The number of Amazon S3 files to select.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

Order

A criteria to use for Amazon S3 files sorting before their selection. By default uses DESCENDING order, i.e. most recent files are selected first. Another possible value is ASCENDING.

Type: String

Valid Values: DESCENDING | ASCENDING

Required: No

OrderedBy

A criteria to use for Amazon S3 files sorting before their selection. By default uses LAST_MODIFIED_DATE as a sorting criteria. Currently it's the only allowed value.

Type: String

Valid Values: LAST_MODIFIED_DATE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FilterExpression

Represents a structure for defining parameter conditions. Supported conditions are described here: [Supported conditions for dynamic datasets](#) in the *AWS Glue DataBrew Developer Guide*.

Contents

Note

In the following list, the required parameters are described first.

Expression

The expression which includes condition names followed by substitution variables, possibly grouped and combined with other conditions. For example, "(starts_with :prefix1 or starts_with :prefix2) and (ends_with :suffix1 or ends_with :suffix2)". Substitution variables should start with ':' symbol.

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Pattern: `^[<>0-9A-Za-z_.,:)(!=]+$`

Required: Yes

ValuesMap

The map of substitution variable names to their values used in this filter expression.

Type: String to string map

Key Length Constraints: Minimum length of 2. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9_]+$`

Value Length Constraints: Maximum length of 1024.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FormatOptions

Represents a set of options that define the structure of either comma-separated value (CSV), Excel, or JSON input.

Contents

Note

In the following list, the required parameters are described first.

Csv

Options that define how CSV input is to be interpreted by DataBrew.

Type: [CsvOptions](#) object

Required: No

Excel

Options that define how Excel input is to be interpreted by DataBrew.

Type: [ExcelOptions](#) object

Required: No

Json

Options that define how JSON input is to be interpreted by DataBrew.

Type: [JsonOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Input

Represents information on how DataBrew can find data, in either the AWS Glue Data Catalog or Amazon S3.

Contents

Note

In the following list, the required parameters are described first.

DatabaseInputDefinition

Connection information for dataset input files stored in a database.

Type: [DatabaseInputDefinition](#) object

Required: No

DataCatalogInputDefinition

The AWS Glue Data Catalog parameters for the data.

Type: [DataCatalogInputDefinition](#) object

Required: No

Metadata

Contains additional resource information needed for specific datasets.

Type: [Metadata](#) object

Required: No

S3InputDefinition

The Amazon S3 location where the data is stored.

Type: [S3Location](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Job

Represents all of the attributes of a DataBrew job.

Contents

Note

In the following list, the required parameters are described first.

Name

The unique name of the job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: Yes

AccountId

The ID of the AWS account that owns the job.

Type: String

Length Constraints: Maximum length of 255.

Required: No

CreateDate

The date and time that the job was created.

Type: Timestamp

Required: No

CreatedBy

The Amazon Resource Name (ARN) of the user who created the job.

Type: String

Required: No

DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DatasetName

A dataset that the job is to process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

EncryptionKeyArn

The Amazon Resource Name (ARN) of an encryption key that is used to protect the job output. For more information, see [Encrypting data written by DataBrew jobs](#)

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

EncryptionMode

The encryption mode for the job, which can be one of the following:

- SSE-KMS - Server-side encryption with keys managed by AWS KMS.
- SSE-S3 - Server-side encryption with keys managed by Amazon S3.

Type: String

Valid Values: SSE-KMS | SSE-S3

Required: No

JobSample

A sample configuration for profile jobs only, which determines the number of rows on which the profile job is run. If a JobSample value isn't provided, the default value is used. The default value is CUSTOM_ROWS for the mode parameter and 20,000 for the size parameter.

Type: [JobSample](#) object

Required: No

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the job.

Type: String

Required: No

LastModifiedDate

The modification date and time of the job.

Type: Timestamp

Required: No

LogSubscription

The current status of Amazon CloudWatch logging for the job.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

MaxCapacity

The maximum number of nodes that can be consumed when the job processes data.

Type: Integer

Required: No

MaxRetries

The maximum number of times to retry the job after a job run fails.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Outputs

One or more artifacts that represent output from running the job.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

ProjectName

The name of the project that the job is associated with.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

RecipeReference

A set of steps that the job runs.

Type: [RecipeReference](#) object

Required: No

ResourceArn

The unique Amazon Resource Name (ARN) for the job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

RoleArn

The Amazon Resource Name (ARN) of the role to be assumed for this job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Tags

Metadata tags that have been applied to the job.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

Timeout

The job's timeout in minutes. A job that attempts to run longer than this timeout period ends with a status of TIMEOUT.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Type

The job type of the job, which must be one of the following:

- PROFILE - A job to analyze a dataset, to determine its size, data types, data distribution, and more.
- RECIPE - A job to apply one or more transformations to a dataset.

Type: String

Valid Values: PROFILE | RECIPE

Required: No

ValidationConfigurations

List of validation configurations that are applied to the profile job.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobRun

Represents one run of a DataBrew job.

Contents

Note

In the following list, the required parameters are described first.

Attempt

The number of times that DataBrew has attempted to run the job.

Type: Integer

Required: No

CompletedOn

The date and time when the job completed processing.

Type: Timestamp

Required: No

DatabaseOutputs

Represents a list of JDBC database output objects which defines the output destination for a DataBrew recipe job to write into.

Type: Array of [DatabaseOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DataCatalogOutputs

One or more artifacts that represent the AWS Glue Data Catalog output from running the job.

Type: Array of [DataCatalogOutput](#) objects

Array Members: Minimum number of 1 item.

Required: No

DatasetName

The name of the dataset for the job to process.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

ErrorMessage

A message indicating an error (if any) that was encountered when the job ran.

Type: String

Required: No

ExecutionTime

The amount of time, in seconds, during which a job run consumed resources.

Type: Integer

Required: No

JobName

The name of the job being processed during this run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

JobSample

A sample configuration for profile jobs only, which determines the number of rows on which the profile job is run. If a `JobSample` value isn't provided, the default is used. The default value is `CUSTOM_ROWS` for the mode parameter and 20,000 for the size parameter.

Type: [JobSample](#) object

Required: No

LogGroupName

The name of an Amazon CloudWatch log group, where the job writes diagnostic messages when it runs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

LogSubscription

The current status of Amazon CloudWatch logging for the job run.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

Outputs

One or more output artifacts from a job run.

Type: Array of [Output](#) objects

Array Members: Minimum number of 1 item.

Required: No

RecipeReference

The set of steps processed by the job.

Type: [RecipeReference](#) object

Required: No

RunId

The unique identifier of the job run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

StartedBy

The Amazon Resource Name (ARN) of the user who initiated the job run.

Type: String

Required: No

StartedOn

The date and time when the job run began.

Type: Timestamp

Required: No

State

The current state of the job run entity itself.

Type: String

Valid Values: STARTING | RUNNING | STOPPING | STOPPED | SUCCEEDED | FAILED | TIMEOUT

Required: No

ValidationConfigurations

List of validation configurations that are applied to the profile job run.

Type: Array of [ValidationConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobSample

A sample configuration for profile jobs only, which determines the number of rows on which the profile job is run. If a `JobSample` value isn't provided, the default is used. The default value is `CUSTOM_ROWS` for the mode parameter and 20,000 for the size parameter.

Contents

Note

In the following list, the required parameters are described first.

Mode

A value that determines whether the profile job is run on the entire dataset or a specified number of rows. This value must be one of the following:

- `FULL_DATASET` - The profile job is run on the entire dataset.
- `CUSTOM_ROWS` - The profile job is run on the number of rows specified in the `Size` parameter.

Type: String

Valid Values: `FULL_DATASET` | `CUSTOM_ROWS`

Required: No

Size

The `Size` parameter is only required when the mode is `CUSTOM_ROWS`. The profile job is run on the specified number of rows. The maximum value for size is `Long.MAX_VALUE`.

`Long.MAX_VALUE` = 9223372036854775807

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JsonOptions

Represents the JSON-specific options that define how input is to be interpreted by AWS Glue DataBrew.

Contents

Note

In the following list, the required parameters are described first.

MultiLine

A value that specifies whether JSON input contains embedded new line characters.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Metadata

Contains additional resource information needed for specific datasets.

Contents

Note

In the following list, the required parameters are described first.

SourceArn

The Amazon Resource Name (ARN) associated with the dataset. Currently, DataBrew only supports ARNs from Amazon AppFlow.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Output

Represents options that specify how and where in Amazon S3 DataBrew writes the output generated by recipe jobs or profile jobs.

Contents

Note

In the following list, the required parameters are described first.

Location

The location in Amazon S3 where the job writes its output.

Type: [S3Location](#) object

Required: Yes

CompressionFormat

The compression algorithm used to compress the output text of the job.

Type: String

Valid Values: GZIP | LZ4 | SNAPPY | BZIP2 | DEFLATE | LZ0 | BROTLI | ZSTD | ZLIB

Required: No

Format

The data format of the output of the job.

Type: String

Valid Values: CSV | JSON | PARQUET | GLUEPARQUET | AVRO | ORC | XML | TABLEAUHYPER

Required: No

FormatOptions

Represents options that define how DataBrew formats job output files.

Type: [OutputFormatOptions](#) object

Required: No

MaxOutputFiles

Maximum number of files to be generated by the job and written to the output folder. For output partitioned by column(s), the MaxOutputFiles value is the maximum number of files per partition.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 999.

Required: No

Overwrite

A value that, if true, means that any data in the location specified for output is overwritten with new output.

Type: Boolean

Required: No

PartitionColumns

The names of one or more partition columns for the output of the job.

Type: Array of strings

Array Members: Maximum number of 200 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutputFormatOptions

Represents a set of options that define the structure of comma-separated (CSV) job output.

Contents

Note

In the following list, the required parameters are described first.

Csv

Represents a set of options that define the structure of comma-separated value (CSV) job output.

Type: [CsvOutputOptions](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PathOptions

Represents a set of options that define how DataBrew selects files for a given Amazon S3 path in a dataset.

Contents

Note

In the following list, the required parameters are described first.

FilesLimit

If provided, this structure imposes a limit on a number of files that should be selected.

Type: [FilesLimit](#) object

Required: No

LastModifiedDateCondition

If provided, this structure defines a date range for matching Amazon S3 objects based on their LastModifiedDate attribute in Amazon S3.

Type: [FilterExpression](#) object

Required: No

Parameters

A structure that maps names of parameters used in the Amazon S3 path of a dataset to their definitions.

Type: String to [DatasetParameter](#) object map

Map Entries: Maximum number of 10 items.

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ProfileConfiguration

Configuration for profile jobs. Configuration can be used to select columns, do evaluations, and override default parameters of evaluations. When configuration is undefined, the profile job will apply default settings to all supported columns.

Contents

Note

In the following list, the required parameters are described first.

ColumnStatisticsConfigurations

List of configurations for column evaluations. ColumnStatisticsConfigurations are used to select evaluations and override parameters of evaluations for particular columns. When ColumnStatisticsConfigurations is undefined, the profile job will profile all supported columns and run all supported evaluations.

Type: Array of [ColumnStatisticsConfiguration](#) objects

Array Members: Minimum number of 1 item.

Required: No

DatasetStatisticsConfiguration

Configuration for inter-column evaluations. Configuration can be used to select evaluations and override parameters of evaluations. When configuration is undefined, the profile job will run all supported inter-column evaluations.

Type: [StatisticsConfiguration](#) object

Required: No

EntityDetectorConfiguration

Configuration of entity detection for a profile job. When undefined, entity detection is disabled.

Type: [EntityDetectorConfiguration](#) object

Required: No

ProfileColumns

List of column selectors. ProfileColumns can be used to select columns from the dataset. When ProfileColumns is undefined, the profile job will profile all supported columns.

Type: Array of [ColumnSelector](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Project

Represents all of the attributes of a DataBrew project.

Contents

Note

In the following list, the required parameters are described first.

Name

The unique name of a project.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

RecipeName

The name of a recipe that will be developed during a project session.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

AccountId

The ID of the AWS account that owns the project.

Type: String

Length Constraints: Maximum length of 255.

Required: No

CreateDate

The date and time that the project was created.

Type: Timestamp

Required: No

CreatedBy

The Amazon Resource Name (ARN) of the user who crated the project.

Type: String

Required: No

DatasetName

The dataset that the project is to act upon.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the project.

Type: String

Required: No

LastModifiedDate

The last modification date and time for the project.

Type: Timestamp

Required: No

OpenDate

The date and time when the project was opened.

Type: Timestamp

Required: No

OpenedBy

The Amazon Resource Name (ARN) of the user that opened the project for use.

Type: String

Required: No

ResourceArn

The Amazon Resource Name (ARN) for the project.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

RoleArn

The Amazon Resource Name (ARN) of the role that will be assumed for this project.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Sample

The sample size and sampling type to apply to the data. If this parameter isn't specified, then the sample consists of the first 500 rows from the dataset.

Type: [Sample](#) object

Required: No

Tags

Metadata tags that have been applied to the project.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Recipe

Represents one or more actions to be performed on a DataBrew dataset.

Contents

Note

In the following list, the required parameters are described first.

Name

The unique name for the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

CreateDate

The date and time that the recipe was created.

Type: Timestamp

Required: No

CreatedBy

The Amazon Resource Name (ARN) of the user who created the recipe.

Type: String

Required: No

Description

The description of the recipe.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the recipe.

Type: String

Required: No

LastModifiedDate

The last modification date and time of the recipe.

Type: Timestamp

Required: No

ProjectName

The name of the project that the recipe is associated with.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

PublishedBy

The Amazon Resource Name (ARN) of the user who published the recipe.

Type: String

Required: No

PublishedDate

The date and time when the recipe was published.

Type: Timestamp

Required: No

RecipeVersion

The identifier for the version for the recipe. Must be one of the following:

- Numeric version (X.Y) - X and Y stand for major and minor version numbers. The maximum length of each is 6 digits, and neither can be negative values. Both X and Y are required, and "0.0" isn't a valid version.
- LATEST_WORKING - the most recent valid version being developed in a DataBrew project.
- LATEST_PUBLISHED - the most recent published version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: No

ResourceArn

The Amazon Resource Name (ARN) for the recipe.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Steps

A list of steps that are defined by the recipe.

Type: Array of [RecipeStep](#) objects

Required: No

Tags

Metadata tags that have been applied to the recipe.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecipeAction

Represents a transformation and associated parameters that are used to apply a change to a DataBrew dataset. For more information, see [Recipe actions reference](#).

Contents

Note

In the following list, the required parameters are described first.

Operation

The name of a valid DataBrew transformation to be performed on the data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_]+`

Required: Yes

Parameters

Contextual parameters for the transformation.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9]+`

Value Length Constraints: Minimum length of 1. Maximum length of 32768.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecipeReference

Represents the name and version of a DataBrew recipe.

Contents

Note

In the following list, the required parameters are described first.

Name

The name of the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

RecipeVersion

The identifier for the version for the recipe.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RecipeStep

Represents a single step from a DataBrew recipe to be performed.

Contents

Note

In the following list, the required parameters are described first.

Action

The particular action to be performed in the recipe step.

Type: [RecipeAction](#) object

Required: Yes

ConditionExpressions

One or more conditions that must be met for the recipe step to succeed.

Note

All of the conditions in the array must be met. In other words, all of the conditions must be combined using a logical AND operation.

Type: Array of [ConditionExpression](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

RecipeVersionErrorDetail

Represents any errors encountered when attempting to delete multiple recipe versions.

Contents

Note

In the following list, the required parameters are described first.

ErrorCode

The HTTP status code for the error.

Type: String

Pattern: `^[1-5][0-9][0-9]$`

Required: No

ErrorMessage

The text of the error message.

Type: String

Required: No

RecipeVersion

The identifier for the recipe version associated with this error.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Rule

Represents a single data quality requirement that should be validated in the scope of this dataset.

Contents

Note

In the following list, the required parameters are described first.

CheckExpression

The expression which includes column references, condition names followed by variable references, possibly grouped and combined with other conditions. For example, (`:col1 starts_with :prefix1` or `:col1 starts_with :prefix2`) and (`:col1 ends_with :suffix1` or `:col1 ends_with :suffix2`). Column and value references are substitution variables that should start with the ':' symbol. Depending on the context, substitution variables' values can be either an actual value or a column name. These values are defined in the SubstitutionMap. If a CheckExpression starts with a column reference, then ColumnSelectors in the rule should be null. If ColumnSelectors has been defined, then there should be no column reference in the left side of a condition, for example, `is_between :val1` and `:val2`.

For more information, see [Available checks](#)

Type: String

Length Constraints: Minimum length of 4. Maximum length of 1024.

Pattern: `^[<>@-9A-Za-z_.,:)(!=]+$`

Required: Yes

Name

The name of the rule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Required: Yes

ColumnSelectors

List of column selectors. Selectors can be used to select columns using a name or regular expression from the dataset. Rule will be applied to selected columns.

Type: Array of [ColumnSelector](#) objects

Array Members: Minimum number of 1 item.

Required: No

Disabled

A value that specifies whether the rule is disabled. Once a rule is disabled, a profile job will not validate it during a job run. Default value is false.

Type: Boolean

Required: No

SubstitutionMap

The map of substitution variable names to their values used in a check expression. Variable names should start with a ':' (colon). Variable values can either be actual values or column names. To differentiate between the two, column names should be enclosed in backticks, for example, ":col1": "`Column A`".

Type: String to string map

Key Length Constraints: Minimum length of 2. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9_]+$`

Value Length Constraints: Maximum length of 1024.

Required: No

Threshold

The threshold used with a non-aggregate check expression. Non-aggregate check expressions will be applied to each row in a specific column, and the threshold will be used to determine whether the validation succeeds.

Type: [Threshold](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RulesetItem

Contains metadata about the ruleset.

Contents

Note

In the following list, the required parameters are described first.

Name

The name of the ruleset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

TargetArn

The Amazon Resource Name (ARN) of a resource (dataset) that the ruleset is associated with.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

AccountId

The ID of the AWS account that owns the ruleset.

Type: String

Length Constraints: Maximum length of 255.

Required: No

CreateDate

The date and time that the ruleset was created.

Type: Timestamp

Required: No

CreatedBy

The Amazon Resource Name (ARN) of the user who created the ruleset.

Type: String

Required: No

Description

The description of the ruleset.

Type: String

Length Constraints: Maximum length of 1024.

Required: No

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the ruleset.

Type: String

Required: No

LastModifiedDate

The modification date and time of the ruleset.

Type: Timestamp

Required: No

ResourceArn

The Amazon Resource Name (ARN) for the ruleset.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

RuleCount

The number of rules that are defined in the ruleset.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

Tags

Metadata tags that have been applied to the ruleset.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Location

Represents an Amazon S3 location (bucket name, bucket owner, and object key) where DataBrew can read input data, or write output from a job.

Contents

Note

In the following list, the required parameters are described first.

Bucket

The Amazon S3 bucket name.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Required: Yes

BucketOwner

The AWS account ID of the bucket owner.

Type: String

Length Constraints: Fixed length of 12.

Pattern: `^[0-9]{12}$`

Required: No

Key

The unique name of the object in the bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1280.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3TableOutputOptions

Represents options that specify how and where DataBrew writes the Amazon S3 output generated by recipe jobs.

Contents

Note

In the following list, the required parameters are described first.

Location

Represents an Amazon S3 location (bucket name and object key) where DataBrew can write output from a job.

Type: [S3Location](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Sample

Represents the sample size and sampling type for DataBrew to use for interactive data analysis.

Contents

Note

In the following list, the required parameters are described first.

Type

The way in which DataBrew obtains rows from a dataset.

Type: String

Valid Values: FIRST_N | LAST_N | RANDOM

Required: Yes

Size

The number of rows in the sample.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 5000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Schedule

Represents one or more dates and times when a job is to run.

Contents

Note

In the following list, the required parameters are described first.

Name

The name of the schedule.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: Yes

AccountId

The ID of the AWS account that owns the schedule.

Type: String

Length Constraints: Maximum length of 255.

Required: No

CreateDate

The date and time that the schedule was created.

Type: Timestamp

Required: No

CreatedBy

The Amazon Resource Name (ARN) of the user who created the schedule.

Type: String

Required: No

CronExpression

The dates and times when the job is to run. For more information, see [Working with cron expressions for recipe jobs](#) in the *AWS Glue DataBrew Developer Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 512.

Required: No

JobNames

A list of jobs to be run, according to the schedule.

Type: Array of strings

Array Members: Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 240.

Required: No

LastModifiedBy

The Amazon Resource Name (ARN) of the user who last modified the schedule.

Type: String

Required: No

LastModifiedDate

The date and time when the schedule was last modified.

Type: Timestamp

Required: No

ResourceArn

The Amazon Resource Name (ARN) of the schedule.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: No

Tags

Metadata tags that have been applied to the schedule.

Type: String to string map

Map Entries: Maximum number of 200 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Value Length Constraints: Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StatisticOverride

Override of a particular evaluation for a profile job.

Contents

Note

In the following list, the required parameters are described first.

Parameters

A map that includes overrides of an evaluation's parameters.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^[A-Za-z0-9]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 32768.

Required: Yes

Statistic

The name of an evaluation

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_]+$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StatisticsConfiguration

Configuration of evaluations for a profile job. This configuration can be used to select evaluations and override the parameters of selected evaluations.

Contents

Note

In the following list, the required parameters are described first.

IncludedStatistics

List of included evaluations. When the list is undefined, all supported evaluations will be included.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^[A-Z_]+`

Required: No

Overrides

List of overrides for evaluations.

Type: Array of [StatisticOverride](#) objects

Array Members: Minimum number of 1 item.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Threshold

The threshold used with a non-aggregate check expression. The non-aggregate check expression will be applied to each row in a specific column. Then the threshold will be used to determine whether the validation succeeds.

Contents

Note

In the following list, the required parameters are described first.

Value

The value of a threshold.

Type: Double

Valid Range: Minimum value of 0.

Required: Yes

Type

The type of a threshold. Used for comparison of an actual count of rows that satisfy the rule to the threshold value.

Type: String

Valid Values: GREATER_THAN_OR_EQUAL | LESS_THAN_OR_EQUAL | GREATER_THAN | LESS_THAN

Required: No

Unit

Unit of threshold value. Can be either a COUNT or PERCENTAGE of the full sample size used for validation.

Type: String

Valid Values: COUNT | PERCENTAGE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationConfiguration

Configuration for data quality validation. Used to select the Rulesets and Validation Mode to be used in the profile job. When ValidationConfiguration is null, the profile job will run without data quality validation.

Contents

Note

In the following list, the required parameters are described first.

RulesetArn

The Amazon Resource Name (ARN) for the ruleset to be validated in the profile job. The TargetArn of the selected ruleset should be the same as the Amazon Resource Name (ARN) of the dataset that is associated with the profile job.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Required: Yes

ValidationMode

Mode of data quality validation. Default mode is "CHECK_ALL" which verifies all rules defined in the selected ruleset.

Type: String

Valid Values: CHECK_ALL

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ViewFrame

Represents the data being transformed during an action.

Contents

Note

In the following list, the required parameters are described first.

StartColumnIndex

The starting index for the range of columns to return in the view frame.

Type: Integer

Valid Range: Minimum value of 0.

Required: Yes

Analytics

Controls if analytics computation is enabled or disabled. Enabled by default.

Type: String

Valid Values: ENABLE | DISABLE

Required: No

ColumnRange

The number of columns to include in the view frame, beginning with the StartColumnIndex value and ignoring any columns in the HiddenColumns list.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 20.

Required: No

HiddenColumns

A list of columns to hide in the view frame.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

RowRange

The number of rows to include in the view frame, beginning with the `StartRowIndex` value.

Type: Integer

Required: No

StartRowIndex

The starting index for the range of rows to return in the view frame.

Type: Integer

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400