



Management API Reference

Amazon FinSpace



Amazon FinSpace: Management API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

.....	vii
.....	viii
What is Amazon FinSpace	1
Amazon FinSpace end of support	2
Amazon FinSpace Dataset Browser	2
Amazon FinSpace Managed kdb Insights	2
API Operations by Topic	4
Dataset browser environment operations	4
Managed kdb environment operations	4
Managed kdb database operations	5
Managed kdb volumes operations	5
Managed kdb scaling groups operations	5
Managed kdb cluster operations	6
Tagging operations	6
API Reference Index	7
Actions	7
CreateEnvironment	10
CreateKxChangeset	16
CreateKxCluster	23
CreateKxDatabase	41
CreateKxDataview	47
CreateKxEnvironment	57
CreateKxScalingGroup	63
CreateKxUser	70
CreateKxVolume	75
DeleteEnvironment	84
DeleteKxCluster	87
DeleteKxClusterNode	90
DeleteKxDatabase	93
DeleteKxDataview	96
DeleteKxEnvironment	99
DeleteKxScalingGroup	102
DeleteKxUser	105
DeleteKxVolume	108

GetEnvironment	111
GetKxChangeset	114
GetKxCluster	119
GetKxConnectionString	129
GetKxDatabase	132
GetKxDataview	137
GetKxEnvironment	144
GetKxScalingGroup	151
GetKxUser	157
GetKxVolume	161
ListEnvironments	167
ListKxChangesets	171
ListKxClusterNodes	175
ListKxClusters	179
ListKxDatabases	184
ListKxDataviews	187
ListKxEnvironments	191
ListKxScalingGroups	195
ListKxUsers	199
ListKxVolumes	203
ListTagsForResource	207
TagResource	210
UntagResource	213
UpdateEnvironment	216
UpdateKxClusterCodeConfiguration	221
UpdateKxClusterDatabases	226
UpdateKxDatabase	231
UpdateKxDataview	236
UpdateKxEnvironment	244
UpdateKxEnvironmentNetwork	252
UpdateKxUser	260
UpdateKxVolume	265
Data Types	272
AutoScalingConfiguration	274
CapacityConfiguration	277
ChangeRequest	279

CodeConfiguration	281
CustomDNSServer	283
Environment	285
ErrorInfo	289
FederationParameters	291
IcmpTypeCode	294
KxAttachedCluster	295
KxCacheStorageConfiguration	297
KxChangesetListEntry	299
KxCluster	301
KxClusterCodeDeploymentConfiguration	306
KxCommandLineArgument	308
KxDatabaseCacheConfiguration	310
KxDatabaseConfiguration	312
KxDatabaseListEntry	314
KxDataviewActiveVersion	316
KxDataviewConfiguration	318
KxDataviewListEntry	320
KxDataviewSegmentConfiguration	325
KxDeploymentConfiguration	327
KxEnvironment	329
KxNAS1Configuration	334
KxNode	336
KxSavedownStorageConfiguration	338
KxScalingGroup	340
KxScalingGroupConfiguration	343
KxUser	345
KxVolume	347
NetworkACLEntry	350
PortRange	352
SuperuserParameters	353
TickerplantLogConfiguration	355
TransitGatewayConfiguration	356
Volume	358
VpcConfiguration	360
Common Error Types	361

Common Parameters 364

AWS Glossary 367

End of support notice: On October 7, 2026, AWS will end support for Amazon FinSpace. After October 7, 2026, you will no longer be able to access the FinSpace console or FinSpace resources. For more information, see [Amazon FinSpace end of support](#).

After careful consideration, we decided to end support for Amazon FinSpace, effective October 7, 2026. Amazon FinSpace will no longer accept new customers beginning October 7, 2025. As an existing customer with an Amazon FinSpace environment created before October 7, 2025, you can continue to use the service as normal. After October 7, 2026, you will no longer be able to use Amazon FinSpace. For more information, see [Amazon FinSpace end of support](#).

What is Amazon FinSpace

Amazon FinSpace is a data management and analytics service for the financial services industry (FSI). It reduces the time to find and prepare all types of financial data to be ready for analysis from months to minutes.

FinSpace is a fully managed data management and analytics service that makes it easy to store, catalog, and prepare financial industry data at scale. FinSpace provides a Managed kdb Insights analytics engine powered by the industry recognized kdb analytics engine. It also features the Dataset browser that you can use to collect data and catalog it by relevant business concepts such as asset class, risk classification, or geographic region.

This API Reference provides descriptions, syntax, and usage examples for each of the operations and data types for use of FinSpace. You can use the API operations to programmatically expand and manage your FinSpace deployments.

You can also use one of the AWS SDKs to access an API operation that's tailored to the programming language or platform that you're using. For more information, see [AWS SDKs](#).

Amazon FinSpace end of support

After careful consideration, we decided to end support for Amazon FinSpace, effective October 7, 2026. Amazon FinSpace will no longer accept new customers beginning October 7, 2025. As an existing customer with an Amazon FinSpace environment created before October 7, 2025, you can continue to use the service as normal, including creating new resources and onboarding new accounts. Additionally, AWS will continue to provide critical security and availability updates to Amazon FinSpace during this period. After October 7, 2026, you will no longer be able to access the Amazon FinSpace Dataset Browser or Amazon FinSpace Managed kdb Insights features.

This topic provides instructions and best practices to transition your usage of Amazon FinSpace Dataset Browser and Amazon FinSpace Managed kdb Insights to other options on AWS.

Amazon FinSpace Dataset Browser

Existing Dataset Browser customers can now use for their business data catalog needs, for Apache Spark for their data processing, and SageMaker AI Studio for their notebooks. If you are currently using Dataset Browser and need help with migration, contact [AWS Support](#) for assistance with migration options. For other question related to Dataset Browser end of life, you can review the [FAQ](#) or reach out to [AWS Support](#) to assist with your transition.

Amazon FinSpace Managed kdb Insights

To migrate your kdb Insights application to self-managed on AWS, you need to first extract the database contents and the application code to an Amazon S3 location on AWS. Then you will need to setup kdb on AWS, using your choice of compute and storage options. Finally, you will import the contents of your kdb database files.

1. Export Database Contents

To extract your data from Amazon FinSpace, you can leverage python, along with kdb's pyKX feature, to connect to your Amazon FinSpace HDBs and then extract database table contents, store in CSV format, and then import into your new self-managed kdb Insights environment.

Please see this re:Post article for details: [Extract and Save Data from FinSpace with Managed kdb Insights](#).

2. Setup new kdb application on AWS

AWS continues to provide a broadest set of infrastructure resources to build and operate your kdb applications. There are many different architectures and services you can leverage to meet your cost, performance, and integration needs. In addition, we have a broad number of technical people with kdb experience who can help you. For assistance with making these architecture decisions, please reach out to your AWS technical account team and they can work with you.

API Operations by Topic

Use this section to locate API operations by topic.

Topics

- [Dataset browser environment operations](#)
- [Managed kdb environment operations](#)
- [Managed kdb database operations](#)
- [Managed kdb volumes operations](#)
- [Managed kdb scaling groups operations](#)
- [Managed kdb cluster operations](#)
- [Tagging operations](#)

Dataset browser environment operations

The API operations in this section control FinSpace environment.

- [CreateEnvironment](#)
- [ListEnvironments](#)
- [GetEnvironment](#)
- [DeleteEnvironment](#)
- [UpdateEnvironment](#)

Managed kdb environment operations

The API operations in this section control Managed kdb environment.

- [CreateKxEnvironment](#)
- [UpdateKxEnvironment](#)
- [DeleteKxEnvironment](#)
- [GetKxEnvironment](#)
- [ListKxEnvironments](#)
- [UpdateKxEnvironmentNetwork](#)

Managed kdb database operations

The API operations in this section control Managed kdb database.

- [CreateKxDatabase](#)
- [UpdateKxDatabase](#)
- [DeleteKxDatabase](#)
- [GetKxDatabase](#)
- [ListKxDatabases](#)
- [CreateKxChangeset](#)
- [GetKxChangeset](#)
- [ListKxChangesets](#)
- [CreateKxDataview](#)
- [DeleteKxDataview](#)
- [GetKxDataview](#)
- [ListKxDataviews](#)
- [UpdateKxDataview](#)

Managed kdb volumes operations

The API operations in this section control Managed kdb volumes.

- [CreateKxVolume](#)
- [DeleteKxVolume](#)
- [GetKxVolume](#)
- [ListKxVolumes](#)
- [UpdateKxVolume](#)

Managed kdb scaling groups operations

The API operations in this section control Managed kdb scaling groups.

- [CreateKxScalingGroup](#)

- [DeleteKxScalingGroup](#)
- [GetKxScalingGroup](#)
- [ListKxScalingGroups](#)

Managed kdb cluster operations

The API operations in this section control Managed kdb cluster.

- [CreateKxCluster](#)
- [DeleteKxCluster](#)
- [GetKxCluster](#)
- [ListKxClusters](#)
- [ListKxClusterNodes](#)
- [DeleteKxClusterNode](#)
- [UpdateKxClusterCodeConfiguration](#)
- [UpdateKxClusterDatabases](#)
- [CreateKxUser](#)
- [DeleteKxUser](#)
- [GetKxUser](#)
- [ListKxUsers](#)
- [UpdateKxUser](#)

Tagging operations

The API operations in this section control tagging in FinSpace.

- [TagResource](#)
- [UntagResource](#)
- [ListTagsForResource](#)

API Reference Index

This section contains the API Reference documentation.

Topics

- [Actions](#)
- [Data Types](#)
- [Common Error Types](#)
- [Common Parameters](#)

Actions

The following actions are supported:

- [CreateEnvironment](#)
- [CreateKxChangeset](#)
- [CreateKxCluster](#)
- [CreateKxDatabase](#)
- [CreateKxDataview](#)
- [CreateKxEnvironment](#)
- [CreateKxScalingGroup](#)
- [CreateKxUser](#)
- [CreateKxVolume](#)
- [DeleteEnvironment](#)
- [DeleteKxCluster](#)
- [DeleteKxClusterNode](#)
- [DeleteKxDatabase](#)
- [DeleteKxDataview](#)
- [DeleteKxEnvironment](#)
- [DeleteKxScalingGroup](#)
- [DeleteKxUser](#)
- [DeleteKxVolume](#)

- [GetEnvironment](#)
- [GetKxChangeset](#)
- [GetKxCluster](#)
- [GetKxConnectionString](#)
- [GetKxDatabase](#)
- [GetKxDataview](#)
- [GetKxEnvironment](#)
- [GetKxScalingGroup](#)
- [GetKxUser](#)
- [GetKxVolume](#)
- [ListEnvironments](#)
- [ListKxChangesets](#)
- [ListKxClusterNodes](#)
- [ListKxClusters](#)
- [ListKxDatabases](#)
- [ListKxDataviews](#)
- [ListKxEnvironments](#)
- [ListKxScalingGroups](#)
- [ListKxUsers](#)
- [ListKxVolumes](#)
- [ListTagsForResource](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateEnvironment](#)
- [UpdateKxClusterCodeConfiguration](#)
- [UpdateKxClusterDatabases](#)
- [UpdateKxDatabase](#)
- [UpdateKxDataview](#)
- [UpdateKxEnvironment](#)
- [UpdateKxEnvironmentNetwork](#)

- [UpdateKxUser](#)
- [UpdateKxVolume](#)

CreateEnvironment

Create a new FinSpace environment.

Request Syntax

```
POST /environment HTTP/1.1
Content-type: application/json

{
  "dataBundles": [ "string" ],
  "description": "string",
  "federationMode": "string",
  "federationParameters": {
    "applicationCallbackURL": "string",
    "attributeMap": {
      "string" : "string"
    },
    "federationProviderName": "string",
    "federationURN": "string",
    "samlMetadataDocument": "string",
    "samlMetadataURL": "string"
  },
  "kmsKeyId": "string",
  "name": "string",
  "superuserParameters": {
    "emailAddress": "string",
    "firstName": "string",
    "lastName": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

name

The name of the FinSpace environment to be created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: Yes

dataBundles

The list of Amazon Resource Names (ARN) of the data bundles to install. Currently supported data bundle ARNs:

- `arn:aws:finpace:${Region}::data-bundle/capital-markets-sample` - Contains sample Capital Markets datasets, categories and controlled vocabularies.
- `arn:aws:finpace:${Region}::data-bundle/taq` (default) - Contains trades and quotes data in addition to sample Capital Markets data.

Type: Array of strings

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d*:data-bundle/[0-9A-Za-z_-]{1,128}$`

Required: No

description

The description of the FinSpace environment to be created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

federationMode

Authentication mode for the environment.

- **FEDERATED** - Users access FinSpace through Single Sign On (SSO) via your Identity provider.
- **LOCAL** - Users access FinSpace via email and password managed within the FinSpace environment.

Type: String

Valid Values: FEDERATED | LOCAL

Required: No

federationParameters

Configuration information when authentication mode is FEDERATED.

Type: [FederationParameters](#) object

Required: No

kmsKeyId

The KMS key id to encrypt your data in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\|]*$`

Required: No

superuserParameters

Configuration information for the superuser.

Type: [SuperuserParameters](#) object

Required: No

tags

Add tags to your FinSpace environment.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: $^(?!aws:)[a-zA-Z+-. _:/]+$

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: $^[a-zA-Z0-9+-. _:@]+$

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environmentArn": "string",
  "environmentId": "string",
  "environmentUrl": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environmentArn

The Amazon Resource Name (ARN) of the FinSpace environment that you created.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: $^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$

environmentId

The unique identifier for FinSpace environment that you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

environmentUrl

The sign-in URL for the web application of the FinSpace environment you created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^https?:\/\/[-a-zA-Z0-9+&@#/%?=\~_|\!:\.,;]*[-a-zA-Z0-9+&@#/%=\~_|\]`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ServiceQuotaExceededException

You have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxChangeset

Creates a changeset for a kdb database. A changeset allows you to add and delete existing files by using an ordered list of change requests.

Request Syntax

```
POST /kx/environments/environmentId/databases/databaseName/changesets HTTP/1.1
Content-type: application/json
```

```
{
  "changeRequests": [
    {
      "changeType": "string",
      "dbPath": "string",
      "s3Path": "string"
    }
  ],
  "clientToken": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the kdb database.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier of the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

changeRequests

A list of change request objects that are run in order. A change request object consists of `changeType`, `s3Path`, and `dbPath`. A `changeType` can have the following values:

- **PUT** – Adds or updates files in a database.
- **DELETE** – Deletes files in a database.

All the change requests require a mandatory `dbPath` attribute that defines the path within the database directory. All database paths must start with a leading `/` and end with a trailing `/`. The `s3Path` attribute defines the `s3` source file path and is required for a **PUT** change type. The `s3Path` must end with a trailing `/` if it is a directory and must end without a trailing `/` if it is a file.

Here are few examples of how you can use the change request object:

1. This request adds a single `sym` file at database root location.

```
{ "changeType": "PUT", "s3Path":"s3://bucket/db/sym", "dbPath":"/"}
```

2. This request adds files in the given `s3Path` under the `2020.01.02` partition of the database.

```
{ "changeType": "PUT", "s3Path":"s3://bucket/db/2020.01.02/",
  "dbPath":"/2020.01.02/"}
```

3. This request adds files in the given `s3Path` under the `taq` table partition of the database.

```
[ { "changeType": "PUT", "s3Path":"s3://bucket/db/2020.01.02/taq/",
  "dbPath":"/2020.01.02/taq/"}
```

4. This request deletes the `2020.01.02` partition of the database.

```
[{ "changeType": "DELETE", "dbPath": "/2020.01.02/" } ]
```

5. The **DELETE** request allows you to delete the existing files under the `2020.01.02` partition of the database, and the **PUT** request adds a new `taq` table under it.

```
[ {"changeType": "DELETE", "dbPath":"/2020.01.02/"},
  {"changeType": "PUT", "s3Path":"s3://bucket/db/2020.01.02/taq/",
  "dbPath":"/2020.01.02/taq/"}
```

Type: Array of [ChangeRequest](#) objects

Array Members: Minimum number of 1 item. Maximum number of 32 items.

Required: Yes

[clientToken](#)

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "changeRequests": [
    {
      "changeType": "string",
      "dbPath": "string",
      "s3Path": "string"
    }
  ],
  "changesetId": "string",
  "createdTimestamp": number,
  "databaseName": "string",
  "environmentId": "string",
  "errorInfo": {
    "errorMessage": "string",
    "errorType": "string"
  },
  "lastModifiedTimestamp": number,
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

changeRequests

A list of change requests.

Type: Array of [ChangeRequest](#) objects

Array Members: Minimum number of 1 item. Maximum number of 32 items.

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

createdTimestamp

The timestamp at which the changeset was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databaseName

The name of the kdb database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: .*\\S.*

errorInfo

The details of the error that you receive when creating a changeset. It consists of the type of error and the error message.

Type: [ErrorInfo](#) object

lastModifiedTimestamp

The timestamp at which the changeset was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

status

Status of the changeset creation process.

- Pending – Changeset creation is pending.
- Processing – Changeset creation is running.
- Failed – Changeset creation has failed.
- Complete – Changeset creation has succeeded.

Type: String

Valid Values: PENDING | PROCESSING | FAILED | COMPLETED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxCluster

Creates a new kdb cluster.

Request Syntax

```
POST /kx/environments/environmentId/clusters HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "autoScalingConfiguration": {
    "autoScalingMetric": "string",
    "maxNodeCount": number,
    "metricTarget": number,
    "minNodeCount": number,
    "scaleInCooldownSeconds": number,
    "scaleOutCooldownSeconds": number
  },
  "availabilityZoneId": "string",
  "azMode": "string",
  "cacheStorageConfigurations": [
    {
      "size": number,
      "type": "string"
    }
  ],
  "capacityConfiguration": {
    "nodeCount": number,
    "nodeType": "string"
  },
  "clientToken": "string",
  "clusterDescription": "string",
  "clusterName": "string",
  "clusterType": "string",
  "code": {
    "s3Bucket": "string",
    "s3Key": "string",
    "s3ObjectVersion": "string"
  },
  "commandLineArguments": [
    {
      "key": "string",
      "value": "string"
    }
  ]
}
```

```

    }
  ],
  "databases": [
    {
      "cacheConfigurations": [
        {
          "cacheType": "string",
          "dataviewName": "string",
          "dbPaths": [ "string" ]
        }
      ],
      "changesetId": "string",
      "databaseName": "string",
      "dataviewConfiguration": {
        "changesetId": "string",
        "dataviewName": "string",
        "dataviewVersionId": "string",
        "segmentConfigurations": [
          {
            "dbPaths": [ "string" ],
            "onDemand": boolean,
            "volumeName": "string"
          }
        ]
      },
      "dataviewName": "string"
    }
  ],
  "executionRole": "string",
  "initializationScript": "string",
  "releaseLabel": "string",
  "savedownStorageConfiguration": {
    "size": number,
    "type": "string",
    "volumeName": "string"
  },
  "scalingGroupConfiguration": {
    "cpu": number,
    "memoryLimit": number,
    "memoryReservation": number,
    "nodeCount": number,
    "scalingGroupName": "string"
  },
  "tags": {

```

```
    "string" : "string"
  },
  "tickerplantLogConfiguration": {
    "tickerplantLogVolumes": [ "string" ]
  },
  "vpcConfiguration": {
    "ipAddressType": "string",
    "securityGroupIds": [ "string" ],
    "subnetIds": [ "string" ],
    "vpcId": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

azMode

The number of availability zones you want to assign per cluster. This can be one of the following

- SINGLE – Assigns one availability zone per cluster.
- MULTI – Assigns all the availability zones per cluster.

Type: String

Valid Values: SINGLE | MULTI

Required: Yes

clusterName

A unique name for the cluster that you want to create.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

clusterType

Specifies the type of KDB database that is being created. The following types are available:

- **HDB** – A Historical Database. The data is only accessible with read-only permissions from one of the FinSpace managed kdb databases mounted to the cluster.
- **RDB** – A Realtime Database. This type of database captures all the data from a ticker plant and stores it in memory until the end of day, after which it writes all of its data to a disk and reloads the HDB. This cluster type requires local storage for temporary storage of data during the savedown process. If you specify this field in your request, you must provide the `savedownStorageConfiguration` parameter.
- **GATEWAY** – A gateway cluster allows you to access data across processes in kdb systems. It allows you to create your own routing logic using the initialization scripts and custom code. This type of cluster does not require a writable local storage.
- **GP** – A general purpose cluster allows you to quickly iterate on code during development by granting greater access to system commands and enabling a fast reload of custom code. This cluster type can optionally mount databases including cache and savedown storage. For this cluster type, the node count is fixed at 1. It does not support autoscaling and supports only SINGLE AZ mode.
- **Tickerplant** – A tickerplant cluster allows you to subscribe to feed handlers based on IAM permissions. It can publish to RDBs, other Tickerplants, and real-time subscribers (RTS). Tickerplants can persist messages to log, which is readable by any RDB environment. It supports only single-node that is only one kdb process.

Type: String

Valid Values: HDB | RDB | GATEWAY | GP | TICKERPLANT

Required: Yes

releaseLabel

The version of FinSpace managed kdb to run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Pattern: `^[a-zA-Z0-9._-]+$`

Required: Yes

vpcConfiguration

Configuration details about the network where the Privatelink endpoint of the cluster resides.

Type: [VpcConfiguration](#) object

Required: Yes

autoScalingConfiguration

The configuration based on which FinSpace will scale in or scale out nodes in your cluster.

Type: [AutoScalingConfiguration](#) object

Required: No

availabilityZoneId

The availability zone identifiers for the requested regions.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

cacheStorageConfigurations

The configurations for a read only cache storage associated with a cluster. This cache will be stored as an FSx Lustre that reads from the S3 store.

Type: Array of [KxCacheStorageConfiguration](#) objects

Required: No

[capacityConfiguration](#)

A structure for the metadata of a cluster. It includes information like the CPUs needed, memory of instances, and number of instances.

Type: [CapacityConfiguration](#) object

Required: No

[clientToken](#)

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

[clusterDescription](#)

A description of the cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Required: No

[code](#)

The details of the custom code that you want to use inside a cluster when analyzing a data. It consists of the S3 source bucket, location, S3 object version, and the relative path from where the custom code is loaded into the cluster.

Type: [CodeConfiguration](#) object

Required: No

commandLineArguments

Defines the key-value pairs to make them available inside the cluster. Duplicate keys are not allowed. To send a list of values for the same command line argument (key), use a space delimited list of values for the key.

Type: Array of [KxCommandLineArgument](#) objects

Required: No

databases

A list of databases that will be available for querying.

Type: Array of [KxDatabaseConfiguration](#) objects

Required: No

executionRole

An IAM role that defines a set of permissions associated with a cluster. These permissions are assumed when a cluster attempts to access another cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^arn:aws[a-z0-9-]*:iam::\d{12}:role\[/\w-\./@+=,]{1,1017}$`

Required: No

initializationScript

Specifies a Q program that will be run at launch of a cluster. It is a relative path within `.zip` file that contains the custom code, which will be loaded on the cluster. It must include the file name itself. For example, `somedir/init.q`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9_\-\.\V\\]+`

Required: No

savedownStorageConfiguration

The size and type of the temporary storage that is used to hold data during the savedown process. This parameter is required when you choose `clusterType` as RDB. All the data written to this storage space is lost when the cluster node is restarted.

Type: [KxSavedownStorageConfiguration](#) object

Required: No

scalingGroupConfiguration

The structure that stores the configuration details of a scaling group.

Type: [KxScalingGroupConfiguration](#) object

Required: No

tags

A list of key-value pairs to label the cluster. You can add up to 50 tags to a cluster.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: No

tickerplantLogConfiguration

A configuration to store Tickerplant logs. It consists of a list of volumes that will be mounted to your cluster. For the cluster type `Tickerplant`, the location of the TP volume on the cluster will be available by using the global variable `.aws.tp_log_path`.

Type: [TickerplantLogConfiguration](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "autoScalingConfiguration": {
    "autoScalingMetric": "string",
    "maxNodeCount": number,
    "metricTarget": number,
    "minNodeCount": number,
    "scaleInCooldownSeconds": number,
    "scaleOutCooldownSeconds": number
  },
  "availabilityZoneId": "string",
  "azMode": "string",
  "cacheStorageConfigurations": [
    {
      "size": number,
      "type": "string"
    }
  ],
  "capacityConfiguration": {
    "nodeCount": number,
    "nodeType": "string"
  },
  "clusterDescription": "string",
  "clusterName": "string",
  "clusterType": "string",
  "code": {
    "s3Bucket": "string",
    "s3Key": "string",
    "s3ObjectVersion": "string"
  },
  "commandLineArguments": [
    {
      "key": "string",
      "value": "string"
    }
  ],
  "createdTimestamp": number,
  "databases": [
    {
```

```

    "cacheConfigurations": [
      {
        "cacheType": "string",
        "dataviewName": "string",
        "dbPaths": [ "string" ]
      }
    ],
    "changesetId": "string",
    "databaseName": "string",
    "dataviewConfiguration": {
      "changesetId": "string",
      "dataviewName": "string",
      "dataviewVersionId": "string",
      "segmentConfigurations": [
        {
          "dbPaths": [ "string" ],
          "onDemand": boolean,
          "volumeName": "string"
        }
      ]
    },
    "dataviewName": "string"
  }
],
"environmentId": "string",
"executionRole": "string",
"initializationScript": "string",
"lastModifiedTimestamp": number,
"releaseLabel": "string",
"savedownStorageConfiguration": {
  "size": number,
  "type": "string",
  "volumeName": "string"
},
"scalingGroupConfiguration": {
  "cpu": number,
  "memoryLimit": number,
  "memoryReservation": number,
  "nodeCount": number,
  "scalingGroupName": "string"
},
"status": "string",
"statusReason": "string",
"tickerplantLogConfiguration": {

```

```

    "tickerplantLogVolumes": [ "string" ]
  },
  "volumes": [
    {
      "volumeName": "string",
      "volumeType": "string"
    }
  ],
  "vpcConfiguration": {
    "ipAddressType": "string",
    "securityGroupIds": [ "string" ],
    "subnetIds": [ "string" ],
    "vpcId": "string"
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

autoScalingConfiguration

The configuration based on which FinSpace will scale in or scale out nodes in your cluster.

Type: [AutoScalingConfiguration](#) object

availabilityZoneId

The availability zone identifiers for the requested regions.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per cluster. This can be one of the following

- SINGLE – Assigns one availability zone per cluster.
- MULTI – Assigns all the availability zones per cluster.

Type: String

Valid Values: SINGLE | MULTI

cacheStorageConfigurations

The configurations for a read only cache storage associated with a cluster. This cache will be stored as an FSx Lustre that reads from the S3 store.

Type: Array of [KxCacheStorageConfiguration](#) objects

capacityConfiguration

A structure for the metadata of a cluster. It includes information like the CPUs needed, memory of instances, and number of instances.

Type: [CapacityConfiguration](#) object

clusterDescription

A description of the cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

clusterName

A unique name for the cluster.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

clusterType

Specifies the type of KDB database that is being created. The following types are available:

- HDB – A Historical Database. The data is only accessible with read-only permissions from one of the FinSpace managed kdb databases mounted to the cluster.
- RDB – A Realtime Database. This type of database captures all the data from a ticker plant and stores it in memory until the end of day, after which it writes all of its data to a disk

and reloads the HDB. This cluster type requires local storage for temporary storage of data during the savedown process. If you specify this field in your request, you must provide the `savedownStorageConfiguration` parameter.

- **GATEWAY** – A gateway cluster allows you to access data across processes in kdb systems. It allows you to create your own routing logic using the initialization scripts and custom code. This type of cluster does not require a writable local storage.
- **GP** – A general purpose cluster allows you to quickly iterate on code during development by granting greater access to system commands and enabling a fast reload of custom code. This cluster type can optionally mount databases including cache and savedown storage. For this cluster type, the node count is fixed at 1. It does not support autoscaling and supports only **SINGLE AZ** mode.
- **Tickerplant** – A tickerplant cluster allows you to subscribe to feed handlers based on IAM permissions. It can publish to RDBs, other Tickerplants, and real-time subscribers (RTS). Tickerplants can persist messages to log, which is readable by any RDB environment. It supports only single-node that is only one kdb process.

Type: String

Valid Values: HDB | RDB | GATEWAY | GP | TICKERPLANT

code

The details of the custom code that you want to use inside a cluster when analyzing a data. It consists of the S3 source bucket, location, S3 object version, and the relative path from where the custom code is loaded into the cluster.

Type: [CodeConfiguration](#) object

commandLineArguments

Defines the key-value pairs to make them available inside the cluster. Duplicate keys are not allowed. To send a list of values for the same command line argument (key), use a space delimited list of values for the key.

Type: Array of [KxCommandLineArgument](#) objects

createdTimestamp

The timestamp at which the cluster was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databases

A list of databases that will be available for querying.

Type: Array of [KxDatabaseConfiguration](#) objects

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

executionRole

An IAM role that defines a set of permissions associated with a cluster. These permissions are assumed when a cluster attempts to access another cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^arn:aws[a-z0-9]*:iam::\d{12}:role\[\\w-\\.@+=,]{1,1017}$`

initializationScript

Specifies a Q program that will be run at launch of a cluster. It is a relative path within *.zip* file that contains the custom code, which will be loaded on the cluster. It must include the file name itself. For example, `somedir/init.q`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9_\\-\\.\\\/]+$`

lastModifiedTimestamp

The last time that the cluster was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

releaseLabel

A version of the FinSpace managed kdb to run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Pattern: `^[a-zA-Z0-9._-]+$`

savedownStorageConfiguration

The size and type of the temporary storage that is used to hold data during the savedown process. This parameter is required when you choose `clusterType` as RDB. All the data written to this storage space is lost when the cluster node is restarted.

Type: [KxSavedownStorageConfiguration](#) object

scalingGroupConfiguration

The structure that stores the configuration details of a scaling group.

Type: [KxScalingGroupConfiguration](#) object

status

The status of cluster creation.

- PENDING – The cluster is pending creation.
- CREATING – The cluster creation process is in progress.
- CREATE_FAILED – The cluster creation process has failed.
- RUNNING – The cluster creation process is running.
- UPDATING – The cluster is in the process of being updated.
- DELETING – The cluster is in the process of being deleted.
- DELETED – The cluster has been deleted.
- DELETE_FAILED – The cluster failed to delete.

Type: String

Valid Values: PENDING | CREATING | CREATE_FAILED | RUNNING | UPDATING | DELETING | DELETED | DELETE_FAILED

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

tickerplantLogConfiguration

A configuration to store the Tickerplant logs. It consists of a list of volumes that will be mounted to your cluster. For the cluster type `Tickerplant`, the location of the TP volume on the cluster will be available by using the global variable `.aws.tp_log_path`.

Type: [TickerplantLogConfiguration](#) object

volumes

A list of volumes mounted on the cluster.

Type: Array of [Volume](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

vpcConfiguration

Configuration details about the network where the Privatelink endpoint of the cluster resides.

Type: [VpcConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxDatabase

Creates a new kdb database in the environment.

Request Syntax

```
POST /kx/environments/environmentId/databases HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "databaseName": "string",
  "description": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

databaseName

The name of the kdb database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

description

A description of the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

tags

A list of key-value pairs to label the kdb database. You can add up to 50 tags to your kdb database

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._:/$]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "createdTimestamp": number,
  "databaseArn": "string",
  "databaseName": "string",
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[createdTimestamp](#)

The timestamp at which the database is created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

[databaseArn](#)

The ARN identifier of the database.

Type: String

[databaseName](#)

The name of the kdb database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

description

A description of the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

lastModifiedTimestamp

The last time that the database was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceAlreadyExistsException

The specified resource group already exists.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxDataview

Creates a snapshot of kdb database with tiered storage capabilities and a pre-warmed cache, ready for mounting on kdb clusters. Dataviews are only available for clusters running on a scaling group. They are not supported on dedicated clusters.

Request Syntax

```
POST /kx/environments/environmentId/databases/databaseName/dataviews HTTP/1.1
Content-type: application/json
```

```
{
  "autoUpdate": boolean,
  "availabilityZoneId": "string",
  "azMode": "string",
  "changesetId": "string",
  "clientToken": "string",
  "dataviewName": "string",
  "description": "string",
  "readWrite": boolean,
  "segmentConfigurations": [
    {
      "dbPaths": [ "string" ],
      "onDemand": boolean,
      "volumeName": "string"
    }
  ],
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the database where you want to create a dataview.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment, where you want to create the dataview.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

dataviewName

A unique identifier for the dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

autoUpdate

The option to specify whether you want to apply all the future additions and corrections automatically to the dataview, when you ingest new changesets. The default value is false.

Type: Boolean

Required: No

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

changesetId

A unique identifier of the changeset that you want to use to ingest data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

description

A description of the dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

readWrite

The option to specify whether you want to make the dataview writable to perform database maintenance. The following are some considerations related to writable dataviews.

- You cannot create partial writable dataviews. When you create writeable dataviews you must provide the entire database path.
- You cannot perform updates on a writeable dataview. Hence, `autoUpdate` must be set as **False** if `readWrite` is **True** for a dataview.
- You must also use a unique volume for creating a writeable dataview. So, if you choose a volume that is already in use by another dataview, the dataview creation fails.
- Once you create a dataview as writeable, you cannot change it to read-only. So, you cannot update the `readWrite` parameter later.

Type: Boolean

Required: No

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

tags

A list of key-value pairs to label the dataview. You can add up to 50 tags to a dataview.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "autoUpdate": boolean,
  "availabilityZoneId": "string",
  "azMode": "string",
  "changesetId": "string",
  "createdTimestamp": number,
  "databaseName": "string",
  "dataviewName": "string",
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number,
  "readWrite": boolean,
  "segmentConfigurations": [
    {
      "dbPaths": [ "string" ],
      "onDemand": boolean,
      "volumeName": "string"
    }
  ],
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

autoUpdate

The option to select whether you want to apply all the future additions and corrections automatically to the dataview when you ingest new changesets. The default value is false.

Type: Boolean

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

createdTimestamp

The timestamp at which the dataview was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databaseName

The name of the database where you want to create a dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

dataviewName

A unique identifier for the dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

description

A description of the dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment, where you want to create the dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

lastModifiedTimestamp

The last time that the dataview was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

readWrite

Returns True if the dataview is created as writeable and False otherwise.

Type: Boolean

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

status

The status of dataview creation.

- CREATING – The dataview creation is in progress.
- UPDATING – The dataview is in the process of being updated.
- ACTIVE – The dataview is active.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | FAILED | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceAlreadyExistsException

The specified resource group already exists.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxEnvironment

Creates a managed kdb environment for the account.

Request Syntax

```
POST /kx/environments HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "description": "string",
  "kmsKeyId": "string",
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

kmsKeyId

The KMS key ID to encrypt your data in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^arn:aws:kms:.*:\d+.*$`

Required: Yes

name

The name of the kdb environment that you want to create.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

description

A description for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

tags

A list of key-value pairs to label the kdb environment. You can add up to 50 tags to your kdb environment.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-._: /]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTimestamp": number,
  "description": "string",
  "environmentArn": "string",
  "environmentId": "string",
  "kmsKeyId": "string",
  "name": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTimestamp

The timestamp at which the kdb environment was created in FinSpace.

Type: Timestamp

description

A description for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentArn

The ARN identifier of the environment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

kmsKeyId

The KMS key ID to encrypt your data in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\|/]*$`

name

The name of the kdb environment.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

status

The status of the kdb environment.

Type: String

Valid Values: CREATE_REQUESTED | CREATING | CREATED | DELETE_REQUESTED | DELETING | DELETED | FAILED_CREATION | RETRY_DELETION | FAILED_DELETION

| UPDATE_NETWORK_REQUESTED | UPDATING_NETWORK | FAILED_UPDATING_NETWORK
| SUSPENDED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ServiceQuotaExceededException

You have exceeded your service quota. To perform the requested action, remove some of the relevant resources, or use Service Quotas to request a service quota increase.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxScalingGroup

Creates a new scaling group.

Request Syntax

```
POST /kx/environments/environmentId/scalingGroups HTTP/1.1
Content-type: application/json
```

```
{
  "availabilityZoneId": "string",
  "clientToken": "string",
  "hostType": "string",
  "scalingGroupName": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment, where you want to create the scaling group.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: Yes

hostType

The memory and CPU capabilities of the scaling group host on which FinSpace Managed kdb clusters will be placed.

You can add one of the following values:

- `kx.sg.large` – The host type with a configuration of 16 GiB memory and 2 vCPUs.
- `kx.sg.xlarge` – The host type with a configuration of 32 GiB memory and 4 vCPUs.
- `kx.sg.2xlarge` – The host type with a configuration of 64 GiB memory and 8 vCPUs.
- `kx.sg.4xlarge` – The host type with a configuration of 108 GiB memory and 16 vCPUs.
- `kx.sg.8xlarge` – The host type with a configuration of 216 GiB memory and 32 vCPUs.
- `kx.sg.16xlarge` – The host type with a configuration of 432 GiB memory and 64 vCPUs.
- `kx.sg.32xlarge` – The host type with a configuration of 864 GiB memory and 128 vCPUs.
- `kx.sg1.16xlarge` – The host type with a configuration of 1949 GiB memory and 64 vCPUs.
- `kx.sg1.24xlarge` – The host type with a configuration of 2948 GiB memory and 96 vCPUs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-zA-Z0-9._]+$`

Required: Yes

scalingGroupName

A unique identifier for the kdb scaling group.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

tags

A list of key-value pairs to label the scaling group. You can add up to 50 tags to a scaling group.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "availabilityZoneId": "string",
  "createdTimestamp": number,
  "environmentId": "string",
  "hostType": "string",
  "lastModifiedTimestamp": number,
  "scalingGroupName": "string",
  "status": "string"
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

createdTimestamp

The timestamp at which the scaling group was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

environmentId

A unique identifier for the kdb environment, where you create the scaling group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

hostType

The memory and CPU capabilities of the scaling group host on which FinSpace Managed kdb clusters will be placed.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-zA-Z0-9._]+`

lastModifiedTimestamp

The last time that the scaling group was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

scalingGroupName

A unique identifier for the kdb scaling group.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

status

The status of scaling group.

- **CREATING** – The scaling group creation is in progress.
- **CREATE_FAILED** – The scaling group creation has failed.
- **ACTIVE** – The scaling group is active.
- **UPDATING** – The scaling group is in the process of being updated.
- **UPDATE_FAILED** – The update action failed.
- **DELETING** – The scaling group is in the process of being deleted.
- **DELETE_FAILED** – The system failed to delete the scaling group.
- **DELETED** – The scaling group is successfully deleted.

Type: String

Valid Values: **CREATING** | **CREATE_FAILED** | **ACTIVE** | **DELETING** | **DELETED** | **DELETE_FAILED**

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxUser

Creates a user in FinSpace kdb environment with an associated IAM role.

Request Syntax

```
POST /kx/environments/environmentId/users HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "iamRole": "string",
  "tags": {
    "string" : "string"
  },
  "userName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment where you want to create a user.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

iamRole

The IAM role ARN that will be associated with the user.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws[a-z\-\]*:iam::\d{12}:role/?[a-zA-Z_0-9+=,.\@-_/\]+$`

Required: Yes

userName

A unique identifier for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

tags

A list of key-value pairs to label the user. You can add up to 50 tags to a user.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+ -=._:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+ -=._:@]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environmentId": "string",
  "iamRole": "string",
  "userArn": "string",
  "userName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

iamRole

The IAM role ARN that will be associated with the user.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws[a-z\-*:iam::\d{12}:role/?[a-zA-Z_0-9+=,.\@-_/\]]+$`

userArn

The Amazon Resource Name (ARN) that identifies the user. For more information about ARNs and how to use ARNs in policies, see [IAM Identifiers](#) in the *IAM User Guide*.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}/kxUser/[0-9A-Za-z_-]{1,128}$`

userName

A unique identifier for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceAlreadyExistsException

The specified resource group already exists.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateKxVolume

Creates a new volume with a specific amount of throughput and storage capacity.

Request Syntax

```
POST /kx/environments/environmentId/kxvolumes HTTP/1.1
Content-type: application/json
```

```
{
  "availabilityZoneIds": [ "string" ],
  "azMode": "string",
  "clientToken": "string",
  "description": "string",
  "nas1Configuration": {
    "size": number,
    "type": "string"
  },
  "tags": {
    "string" : "string"
  },
  "volumeName": "string",
  "volumeType": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment, whose clusters can attach to the volume.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

availabilityZoneIds

The identifier of the availability zones.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

Required: Yes

volumeName

A unique identifier for the volume.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type. When you select NAS_1 volume type, you must also provide `nas1Configuration`.

Type: String

Valid Values: NAS_1

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

description

A description of the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

nas1Configuration

Specifies the configuration for the Network attached storage (NAS_1) file system volume. This parameter is required when you choose `volumeType` as `NAS_1`.

Type: [KxNAS1Configuration](#) object

Required: No

tags

A list of key-value pairs to label the volume. You can add up to 50 tags to a volume.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "availabilityZoneIds": [ "string" ],
  "azMode": "string",
  "createdTimestamp": number,
  "description": "string",
  "environmentId": "string",
  "nas1Configuration": {
    "size": number,
    "type": "string"
  },
  "status": "string",
  "statusReason": "string",
  "volumeArn": "string",
  "volumeName": "string",
  "volumeType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

availabilityZoneIds

The identifier of the availability zones.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

createdTimestamp

The timestamp at which the volume was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

description

A description of the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment, whose clusters can attach to the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

nas1Configuration

Specifies the configuration for the Network attached storage (NAS_1) file system volume.

Type: [KxNAS1Configuration](#) object

status

The status of volume creation.

- CREATING – The volume creation is in progress.
- CREATE_FAILED – The volume creation has failed.
- ACTIVE – The volume is active.
- UPDATING – The volume is in the process of being updated.
- UPDATE_FAILED – The update action failed.
- UPDATED – The volume is successfully updated.
- DELETING – The volume is in the process of being deleted.
- DELETE_FAILED – The system failed to delete the volume.
- DELETED – The volume is successfully deleted.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATED | UPDATE_FAILED | DELETING | DELETED | DELETE_FAILED

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

volumeArn

The ARN identifier of the volume.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}(/kxSharedVolume/[a-zA-Z0-9_-]{1,255})?$`

volumeName

A unique identifier for the volume.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type.

Type: String

Valid Values: NAS_1

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceAlreadyExistsException

The specified resource group already exists.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteEnvironment

Delete an FinSpace environment.

Request Syntax

```
DELETE /environment/environmentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

The identifier for the FinSpace environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxCluster

Deletes a kdb cluster.

Request Syntax

```
DELETE /kx/environments/environmentId/clusters/clusterName?clientToken=clientToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

clusterName

The name of the cluster that you want to delete.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxClusterNode

Deletes the specified nodes from a cluster.

Request Syntax

```
DELETE /kx/environments/environmentId/clusters/clusterName/nodes/nodeId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clusterName

The name of the cluster, for which you want to delete the nodes.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

nodeId

A unique identifier for the node that you want to delete.

Length Constraints: Minimum length of 1. Maximum length of 40.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxDatabase

Deletes the specified database and all of its associated data. This action is irreversible. You must copy any data out of the database before deleting it if the data is to be retained.

Request Syntax

```
DELETE /kx/environments/environmentId/databases/databaseName?clientToken=clientToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

databaseName

The name of the kdb database that you want to delete.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxDataview

Deletes the specified dataview. Before deleting a dataview, make sure that it is not in use by any cluster.

Request Syntax

```
DELETE /kx/environments/environmentId/databases/databaseName/dataviews/dataviewName?  
clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

databaseName

The name of the database whose dataview you want to delete.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

dataviewName

The name of the dataview that you want to delete.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment, from where you want to delete the dataview.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxEnvironment

Deletes the kdb environment. This action is irreversible. Deleting a kdb environment will remove all the associated data and any services running in it.

Request Syntax

```
DELETE /kx/environments/environmentId?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxScalingGroup

Deletes the specified scaling group. This action is irreversible. You cannot delete a scaling group until all the clusters running on it have been deleted.

Request Syntax

```
DELETE /kx/environments/environmentId/scalingGroups/scalingGroupName?  
clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

environmentId

A unique identifier for the kdb environment, from where you want to delete the dataview.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

scalingGroupName

A unique identifier for the kdb scaling group.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxUser

Deletes a user in the specified kdb environment.

Request Syntax

```
DELETE /kx/environments/environmentId/users/userName?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

userName

A unique identifier for the user that you want to delete.

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteKxVolume

Deletes a volume. You can only delete a volume if it's not attached to a cluster or a dataview. When a volume is deleted, any data on the volume is lost. This action is irreversible.

Request Syntax

```
DELETE /kx/environments/environmentId/kxvolumes/volumeName?clientToken=clientToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

environmentId

A unique identifier for the kdb environment, whose clusters can attach to the volume.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

volumeName

The name of the volume that you want to delete.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEnvironment

Returns the FinSpace environment object.

Request Syntax

```
GET /environment/environmentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

The identifier of the FinSpace environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environment": {
    "awsAccountId": "string",
    "dedicatedServiceAccountId": "string",
    "description": "string",
    "environmentArn": "string",
    "environmentId": "string",
    "environmentUrl": "string",
    "federationMode": "string",
    "federationParameters": {
```

```
    "applicationCallbackURL": "string",
    "attributeMap": {
      "string": "string"
    },
    "federationProviderName": "string",
    "federationURN": "string",
    "samlMetadataDocument": "string",
    "samlMetadataURL": "string"
  },
  "kmsKeyId": "string",
  "name": "string",
  "sageMakerStudioDomainUrl": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environment

The name of the FinSpace environment.

Type: [Environment](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxChangeset

Returns information about a kdb changeset.

Request Syntax

```
GET /kx/environments/environmentId/databases/databaseName/changesets/changesetId
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

changesetId

A unique identifier of the changeset for which you want to retrieve data.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: Yes

databaseName

The name of the kdb database.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "activeFromTimestamp": number,
  "changeRequests": [
    {
      "changeType": "string",
      "dbPath": "string",
      "s3Path": "string"
    }
  ],
  "changesetId": "string",
  "createdTimestamp": number,
  "databaseName": "string",
  "environmentId": "string",
  "errorInfo": {
    "errorMessage": "string",
    "errorType": "string"
  },
  "lastModifiedTimestamp": number,
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

activeFromTimestamp

Beginning time from which the changeset is active. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

changeRequests

A list of change request objects that are run in order.

Type: Array of [ChangeRequest](#) objects

Array Members: Minimum number of 1 item. Maximum number of 32 items.

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

createdTimestamp

The timestamp at which the changeset was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databaseName

The name of the kdb database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

errorInfo

Provides details in the event of a failed flow, including the error type and the related error message.

Type: [ErrorInfo](#) object

lastModifiedTimestamp

The timestamp at which the changeset was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

status

Status of the changeset creation process.

- Pending – Changeset creation is pending.
- Processing – Changeset creation is running.
- Failed – Changeset creation has failed.
- Complete – Changeset creation has succeeded.

Type: String

Valid Values: PENDING | PROCESSING | FAILED | COMPLETED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxCluster

Retrieves information about a kdb cluster.

Request Syntax

```
GET /kx/environments/environmentId/clusters/clusterName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clusterName

The name of the cluster that you want to retrieve.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "autoScalingConfiguration": {
    "autoScalingMetric": "string",
```

```

    "maxNodeCount": number,
    "metricTarget": number,
    "minNodeCount": number,
    "scaleInCooldownSeconds": number,
    "scaleOutCooldownSeconds": number
  },
  "availabilityZoneId": "string",
  "azMode": "string",
  "cacheStorageConfigurations": [
    {
      "size": number,
      "type": "string"
    }
  ],
  "capacityConfiguration": {
    "nodeCount": number,
    "nodeType": "string"
  },
  "clusterDescription": "string",
  "clusterName": "string",
  "clusterType": "string",
  "code": {
    "s3Bucket": "string",
    "s3Key": "string",
    "s3ObjectVersion": "string"
  },
  "commandLineArguments": [
    {
      "key": "string",
      "value": "string"
    }
  ],
  "createdTimestamp": number,
  "databases": [
    {
      "cacheConfigurations": [
        {
          "cacheType": "string",
          "dataviewName": "string",
          "dbPaths": [ "string" ]
        }
      ],
      "changesetId": "string",
      "databaseName": "string",

```

```

    "dataviewConfiguration": {
      "changesetId": "string",
      "dataviewName": "string",
      "dataviewVersionId": "string",
      "segmentConfigurations": [
        {
          "dbPaths": [ "string" ],
          "onDemand": boolean,
          "volumeName": "string"
        }
      ]
    },
    "dataviewName": "string"
  }
],
"executionRole": "string",
"initializationScript": "string",
"lastModifiedTimestamp": number,
"releaseLabel": "string",
"savedownStorageConfiguration": {
  "size": number,
  "type": "string",
  "volumeName": "string"
},
"scalingGroupConfiguration": {
  "cpu": number,
  "memoryLimit": number,
  "memoryReservation": number,
  "nodeCount": number,
  "scalingGroupName": "string"
},
"status": "string",
"statusReason": "string",
"tickerplantLogConfiguration": {
  "tickerplantLogVolumes": [ "string" ]
},
"volumes": [
  {
    "volumeName": "string",
    "volumeType": "string"
  }
],
"vpcConfiguration": {
  "ipAddressType": "string",

```

```
    "securityGroupIds": [ "string" ],
    "subnetIds": [ "string" ],
    "vpcId": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

autoScalingConfiguration

The configuration based on which FinSpace will scale in or scale out nodes in your cluster.

Type: [AutoScalingConfiguration](#) object

availabilityZoneId

The availability zone identifiers for the requested regions.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per cluster. This can be one of the following

- SINGLE – Assigns one availability zone per cluster.
- MULTI – Assigns all the availability zones per cluster.

Type: String

Valid Values: SINGLE | MULTI

cacheStorageConfigurations

The configurations for a read only cache storage associated with a cluster. This cache will be stored as an FSx Lustre that reads from the S3 store.

Type: Array of [KxCacheStorageConfiguration](#) objects

capacityConfiguration

A structure for the metadata of a cluster. It includes information like the CPUs needed, memory of instances, and number of instances.

Type: [CapacityConfiguration](#) object

clusterDescription

A description of the cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

clusterName

A unique name for the cluster.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

clusterType

Specifies the type of KDB database that is being created. The following types are available:

- HDB – A Historical Database. The data is only accessible with read-only permissions from one of the FinSpace managed kdb databases mounted to the cluster.
- RDB – A Realtime Database. This type of database captures all the data from a ticker plant and stores it in memory until the end of day, after which it writes all of its data to a disk and reloads the HDB. This cluster type requires local storage for temporary storage of data during the savedown process. If you specify this field in your request, you must provide the `savdownStorageConfiguration` parameter.
- GATEWAY – A gateway cluster allows you to access data across processes in kdb systems. It allows you to create your own routing logic using the initialization scripts and custom code. This type of cluster does not require a writable local storage.
- GP – A general purpose cluster allows you to quickly iterate on code during development by granting greater access to system commands and enabling a fast reload of custom code. This

cluster type can optionally mount databases including cache and savedown storage. For this cluster type, the node count is fixed at 1. It does not support autoscaling and supports only SINGLE AZ mode.

- Tickerplant – A tickerplant cluster allows you to subscribe to feed handlers based on IAM permissions. It can publish to RDBs, other Tickerplants, and real-time subscribers (RTS). Tickerplants can persist messages to log, which is readable by any RDB environment. It supports only single-node that is only one kdb process.

Type: String

Valid Values: HDB | RDB | GATEWAY | GP | TICKERPLANT

code

The details of the custom code that you want to use inside a cluster when analyzing a data. It consists of the S3 source bucket, location, S3 object version, and the relative path from where the custom code is loaded into the cluster.

Type: [CodeConfiguration](#) object

commandLineArguments

Defines key-value pairs to make them available inside the cluster.

Type: Array of [KxCommandLineArgument](#) objects

createdTimestamp

The timestamp at which the cluster was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databases

A list of databases mounted on the cluster.

Type: Array of [KxDATABASEConfiguration](#) objects

executionRole

An IAM role that defines a set of permissions associated with a cluster. These permissions are assumed when a cluster attempts to access another cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^arn:aws[a-z0-9]*:iam::\d{12}:role\/[\w-\/.@+=,]{1,1017}$`

initializationScript

Specifies a Q program that will be run at launch of a cluster. It is a relative path within `.zip` file that contains the custom code, which will be loaded on the cluster. It must include the file name itself. For example, `somedir/init.q`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9_\-\.\\/\]+`

lastModifiedTimestamp

The last time that the cluster was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

releaseLabel

The version of FinSpace managed kdb to run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Pattern: `^[a-zA-Z0-9._-]+$`

savedownStorageConfiguration

The size and type of the temporary storage that is used to hold data during the savedown process. This parameter is required when you choose `clusterType` as RDB. All the data written to this storage space is lost when the cluster node is restarted.

Type: [KxSavedownStorageConfiguration](#) object

scalingGroupConfiguration

The structure that stores the capacity configuration details of a scaling group.

Type: [KxScalingGroupConfiguration](#) object

status

The status of cluster creation.

- PENDING – The cluster is pending creation.
- CREATING – The cluster creation process is in progress.
- CREATE_FAILED – The cluster creation process has failed.
- RUNNING – The cluster creation process is running.
- UPDATING – The cluster is in the process of being updated.
- DELETING – The cluster is in the process of being deleted.
- DELETED – The cluster has been deleted.
- DELETE_FAILED – The cluster failed to delete.

Type: String

Valid Values: PENDING | CREATING | CREATE_FAILED | RUNNING | UPDATING | DELETING | DELETED | DELETE_FAILED

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

tickerplantLogConfiguration

A configuration to store the Tickerplant logs. It consists of a list of volumes that will be mounted to your cluster. For the cluster type `Tickerplant`, the location of the TP volume on the cluster will be available by using the global variable `.aws.tp_log_path`.

Type: [TickerplantLogConfiguration](#) object

volumes

A list of volumes attached to the cluster.

Type: Array of [Volume](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

vpcConfiguration

Configuration details about the network where the Privatelink endpoint of the cluster resides.

Type: [VpcConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxConnectionString

Retrieves a connection string for a user to connect to a kdb cluster. You must call this API using the same role that you have defined while creating a user.

Request Syntax

```
GET /kx/environments/environmentId/connectionString?  
clusterName=clusterName&userArn=userArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clusterName

A name of the kdb cluster.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

userArn

The Amazon Resource Name (ARN) that identifies the user. For more information about ARNs and how to use ARNs in policies, see [IAM Identifiers](#) in the *IAM User Guide*.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}/kxUser/[0-9A-Za-z_-]{1,128}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "signedConnectionString": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[signedConnectionString](#)

The signed connection string that you can use to connect to clusters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `^(?:|:tcps:\|\|)[a-zA-Z0-9-\._]+\d+:[a-zA-Z0-9-\._]+\S+$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxDatabase

Returns database information for the specified environment ID.

Request Syntax

```
GET /kx/environments/environmentId/databases/databaseName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the kdb database.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"createdTimestamp": number,
"databaseArn": "string",
"databaseName": "string",
"description": "string",
"environmentId": "string",
"lastCompletedChangesetId": "string",
"lastModifiedTimestamp": number,
"numBytes": number,
"numChangesets": number,
"numFiles": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

createdTimestamp

The timestamp at which the database is created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databaseArn

The ARN identifier of the database.

Type: String

databaseName

The name of the kdb database for which the information is retrieved.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

description

A description of the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

lastCompletedChangesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

lastModifiedTimestamp

The last time that the database was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

numBytes

The total number of bytes in the database.

Type: Long

numChangesets

The total number of changesets in the database.

Type: Integer

numFiles

The total number of files in the database.

Type: Integer

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxDataview

Retrieves details of the dataview.

Request Syntax

```
GET /kx/environments/environmentId/databases/databaseName/dataviews/dataviewName
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the database where you created the dataview.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

dataviewName

A unique identifier for the dataview.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment, from where you want to retrieve the dataview details.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "activeVersions": [
    {
      "attachedClusters": [ "string" ],
      "changesetId": "string",
      "createdTimestamp": number,
      "segmentConfigurations": [
        {
          "dbPaths": [ "string" ],
          "onDemand": boolean,
          "volumeName": "string"
        }
      ],
      "versionId": "string"
    }
  ],
  "autoUpdate": boolean,
  "availabilityZoneId": "string",
  "azMode": "string",
  "changesetId": "string",
  "createdTimestamp": number,
  "databaseName": "string",
  "dataviewName": "string",
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number,
  "readWrite": boolean,
  "segmentConfigurations": [
    {
      "dbPaths": [ "string" ],
      "onDemand": boolean,
      "volumeName": "string"
    }
  ]
}
```

```
    }  
  ],  
  "status": "string",  
  "statusReason": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

activeVersions

The current active changeset versions of the database on the given dataview.

Type: Array of [KxDataviewActiveVersion](#) objects

autoUpdate

The option to specify whether you want to apply all the future additions and corrections automatically to the dataview when new changesets are ingested. The default value is false.

Type: Boolean

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

changesetId

A unique identifier of the changeset that you want to use to ingest data.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

createdTimestamp

The timestamp at which the dataview was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databaseName

The name of the database where you created the dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

dataviewName

A unique identifier for the dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

description

A description of the dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment, from where you want to retrieve the dataview details.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

lastModifiedTimestamp

The last time that the dataview was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

readWrite

Returns True if the dataview is created as writeable and False otherwise.

Type: Boolean

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

status

The status of dataview creation.

- CREATING – The dataview creation is in progress.
- UPDATING – The dataview is in the process of being updated.
- ACTIVE – The dataview is active.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | FAILED | DELETING

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxEnvironment

Retrieves all the information for the specified kdb environment.

Request Syntax

```
GET /kx/environments/environmentId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "availabilityZoneIds": [ "string" ],
  "awsAccountId": "string",
  "certificateAuthorityArn": "string",
  "creationTimestamp": number,
  "customDNSConfiguration": [
    {
      "customDNSServerIP": "string",
      "customDNSServerName": "string"
    }
  ],
}
```

```

"dedicatedServiceAccountId": "string",
"description": "string",
"dnsStatus": "string",
"environmentArn": "string",
"environmentId": "string",
"errorMessage": "string",
"kmsKeyId": "string",
"name": "string",
"status": "string",
"tgwStatus": "string",
"transitGatewayConfiguration": {
  "attachmentNetworkAclConfiguration": [
    {
      "cidrBlock": "string",
      "icmpTypeCode": {
        "code": number,
        "type": number
      },
      "portRange": {
        "from": number,
        "to": number
      },
      "protocol": "string",
      "ruleAction": "string",
      "ruleNumber": number
    }
  ],
  "routableCIDRSpace": "string",
  "transitGatewayID": "string"
},
"updateTimestamp": number
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

availabilityZoneIds

The identifier of the availability zones where subnets for the environment are created.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

[awsAccountId](#)

The unique identifier of the AWS account that is used to create the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

[certificateAuthorityArn](#)

The Amazon Resource Name (ARN) of the certificate authority of the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

[creationTimestamp](#)

The timestamp at which the kdb environment was created in FinSpace.

Type: Timestamp

[customDNSConfiguration](#)

A list of DNS server name and server IP. This is used to set up Route-53 outbound resolvers.

Type: Array of [CustomDNSServer](#) objects

[dedicatedServiceAccountId](#)

A unique identifier for the AWS environment infrastructure account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

[description](#)

A description for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

dnsStatus

The status of DNS configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

environmentArn

The ARN identifier of the environment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

errorMessage

Specifies the error message that appears if a flow fails.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

kmsKeyId

The KMS key ID to encrypt your data in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\ \\/]*$`

name

The name of the kdb environment.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

status

The status of the kdb environment.

Type: String

Valid Values: CREATE_REQUESTED | CREATING | CREATED | DELETE_REQUESTED | DELETING | DELETED | FAILED_CREATION | RETRY_DELETION | FAILED_DELETION | UPDATE_NETWORK_REQUESTED | UPDATING_NETWORK | FAILED_UPDATING_NETWORK | SUSPENDED

tgwStatus

The status of the network configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

transitGatewayConfiguration

The structure of the transit gateway and network configuration that is used to connect the kdb environment to an internal network.

Type: [TransitGatewayConfiguration](#) object

[updateTimestamp](#)

The timestamp at which the kdb environment was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxScalingGroup

Retrieves details of a scaling group.

Request Syntax

```
GET /kx/environments/environmentId/scalingGroups/scalingGroupName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

scalingGroupName

A unique identifier for the kdb scaling group.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```

    "availabilityZoneId": "string",
    "clusters": [ "string" ],
    "createdTimestamp": number,
    "hostType": "string",
    "lastModifiedTimestamp": number,
    "scalingGroupArn": "string",
    "scalingGroupName": "string",
    "status": "string",
    "statusReason": "string"
  }

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

clusters

The list of Managed kdb clusters that are currently active in the given scaling group.

Type: Array of strings

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

createdTimestamp

The timestamp at which the scaling group was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

hostType

The memory and CPU capabilities of the scaling group host on which FinSpace Managed kdb clusters will be placed.

It can have one of the following values:

- `kx.sg.large` – The host type with a configuration of 16 GiB memory and 2 vCPUs.
- `kx.sg.xlarge` – The host type with a configuration of 32 GiB memory and 4 vCPUs.
- `kx.sg.2xlarge` – The host type with a configuration of 64 GiB memory and 8 vCPUs.
- `kx.sg.4xlarge` – The host type with a configuration of 108 GiB memory and 16 vCPUs.
- `kx.sg.8xlarge` – The host type with a configuration of 216 GiB memory and 32 vCPUs.
- `kx.sg.16xlarge` – The host type with a configuration of 432 GiB memory and 64 vCPUs.
- `kx.sg.32xlarge` – The host type with a configuration of 864 GiB memory and 128 vCPUs.
- `kx.sg1.16xlarge` – The host type with a configuration of 1949 GiB memory and 64 vCPUs.
- `kx.sg1.24xlarge` – The host type with a configuration of 2948 GiB memory and 96 vCPUs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-zA-Z0-9._]+`

lastModifiedTimestamp

The last time that the scaling group was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

scalingGroupArn

The ARN identifier for the scaling group.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:.*:.*:.*:.*:.*`

scalingGroupName

A unique identifier for the kdb scaling group.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

status

The status of scaling group.

- **CREATING** – The scaling group creation is in progress.
- **CREATE_FAILED** – The scaling group creation has failed.
- **ACTIVE** – The scaling group is active.
- **UPDATING** – The scaling group is in the process of being updated.
- **UPDATE_FAILED** – The update action failed.
- **DELETING** – The scaling group is in the process of being deleted.
- **DELETE_FAILED** – The system failed to delete the scaling group.
- **DELETED** – The scaling group is successfully deleted.

Type: String

Valid Values: **CREATING** | **CREATE_FAILED** | **ACTIVE** | **DELETING** | **DELETED** | **DELETE_FAILED**

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxUser

Retrieves information about the specified kdb user.

Request Syntax

```
GET /kx/environments/environmentId/users/userName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

userName

A unique identifier for the user.

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environmentId": "string",
```

```
"iamRole": "string",  
"userArn": "string",  
"userName": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

iamRole

The IAM role ARN that is associated with the user.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws[a-z\-*]:iam::\d{12}:role/?[a-zA-Z_0-9+=,.\@\-_/\]+$`

userArn

The Amazon Resource Name (ARN) that identifies the user. For more information about ARNs and how to use ARNs in policies, see [IAM Identifiers](#) in the *IAM User Guide*.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finSpace:[A-Za-z0-9_/.-]{0,63}:\d+:\d+kxEnvironment/[0-9A-Za-z_-]{1,128}/kxUser/[0-9A-Za-z_-]{1,128}$`

userName

A unique identifier for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetKxVolume

Retrieves the information about the volume.

Request Syntax

```
GET /kx/environments/environmentId/kxvolumes/volumeName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment, whose clusters can attach to the volume.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

volumeName

A unique identifier for the volume.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```

{
  "attachedClusters": [
    {
      "clusterName": "string",
      "clusterStatus": "string",
      "clusterType": "string"
    }
  ],
  "availabilityZoneIds": [ "string" ],
  "azMode": "string",
  "createdTimestamp": number,
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number,
  "nas1Configuration": {
    "size": number,
    "type": "string"
  },
  "status": "string",
  "statusReason": "string",
  "volumeArn": "string",
  "volumeName": "string",
  "volumeType": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

attachedClusters

A list of cluster identifiers that a volume is attached to.

Type: Array of [KxAttachedCluster](#) objects

availabilityZoneIds

The identifier of the availability zones.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

createdTimestamp

The timestamp at which the volume was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

description

A description of the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment, whose clusters can attach to the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

lastModifiedTimestamp

The last time that the volume was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

nas1Configuration

Specifies the configuration for the Network attached storage (NAS_1) file system volume.

Type: [KxNAS1Configuration](#) object

status

The status of volume creation.

- CREATING – The volume creation is in progress.
- CREATE_FAILED – The volume creation has failed.
- ACTIVE – The volume is active.
- UPDATING – The volume is in the process of being updated.
- UPDATE_FAILED – The update action failed.
- UPDATED – The volume is successfully updated.
- DELETING – The volume is in the process of being deleted.
- DELETE_FAILED – The system failed to delete the volume.
- DELETED – The volume is successfully deleted.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATED | UPDATE_FAILED | DELETING | DELETED | DELETE_FAILED

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

volumeArn

The ARN identifier of the volume.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finSpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}(/kxSharedVolume/[a-zA-Z0-9_-]{1,255})?&`

volumeName

A unique identifier for the volume.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*[a-zA-Z0-9]&`

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type.

Type: String

Valid Values: NAS_1

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEnvironments

A list of all of your FinSpace environments.

Request Syntax

```
GET /environment?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token generated by FinSpace that specifies where to continue pagination if a previous request was truncated. To get the next set of pages, pass in the `nextToken` value from the response object of the previous page call.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environments": [
    {
      "awsAccountId": "string",
```

```

    "dedicatedServiceAccountId": "string",
    "description": "string",
    "environmentArn": "string",
    "environmentId": "string",
    "environmentUrl": "string",
    "federationMode": "string",
    "federationParameters": {
      "applicationCallbackURL": "string",
      "attributeMap": {
        "string": "string"
      },
      "federationProviderName": "string",
      "federationURN": "string",
      "samlMetadataDocument": "string",
      "samlMetadataURL": "string"
    },
    "kmsKeyId": "string",
    "name": "string",
    "sageMakerStudioDomainUrl": "string",
    "status": "string"
  }
],
"nextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environments

A list of all of your FinSpace environments.

Type: Array of [Environment](#) objects

nextToken

A token that you can use in a subsequent call to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxChangesets

Returns a list of all the changesets for a database.

Request Syntax

```
GET /kx/environments/environmentId/databases/databaseName/changesets?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the kdb database.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "kxChangesets": [
    {
      "activeFromTimestamp": number,
      "changesetId": "string",
      "createdTimestamp": number,
      "lastModifiedTimestamp": number,
      "status": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

kxChangesets

A list of changesets for a database.

Type: Array of [KxChangesetListEntry](#) objects

nextToken

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxClusterNodes

Lists all the nodes in a kdb cluster.

Request Syntax

```
GET /kx/environments/environmentId/clusters/clusterName/nodes?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clusterName

A unique name for the cluster.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "nodes": [
    {
      "availabilityZoneId": "string",
      "launchTime": number,
      "nodeId": "string",
      "status": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

nodes

A list of nodes associated with the cluster.

Type: Array of [KxNode](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxClusters

Returns a list of clusters.

Request Syntax

```
GET /kx/environments/environmentId/clusters?  
clusterType=clusterType&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clusterType

Specifies the type of KDB database that is being created. The following types are available:

- HDB – A Historical Database. The data is only accessible with read-only permissions from one of the FinSpace managed kdb databases mounted to the cluster.
- RDB – A Realtime Database. This type of database captures all the data from a ticker plant and stores it in memory until the end of day, after which it writes all of its data to a disk and reloads the HDB. This cluster type requires local storage for temporary storage of data during the savedown process. If you specify this field in your request, you must provide the `savedownStorageConfiguration` parameter.
- GATEWAY – A gateway cluster allows you to access data across processes in kdb systems. It allows you to create your own routing logic using the initialization scripts and custom code. This type of cluster does not require a writable local storage.
- GP – A general purpose cluster allows you to quickly iterate on code during development by granting greater access to system commands and enabling a fast reload of custom code. This cluster type can optionally mount databases including cache and savedown storage. For this cluster type, the node count is fixed at 1. It does not support autoscaling and supports only SINGLE AZ mode.
- Tickerplant – A tickerplant cluster allows you to subscribe to feed handlers based on IAM permissions. It can publish to RDBs, other Tickerplants, and real-time subscribers (RTS). Tickerplants can persist messages to log, which is readable by any RDB environment. It supports only single-node that is only one kdb process.

Valid Values: HDB | RDB | GATEWAY | GP | TICKERPLANT

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "kxClusterSummaries": [
    {
      "availabilityZoneId": "string",
      "azMode": "string",
      "clusterDescription": "string",
      "clusterName": "string",
      "clusterType": "string",
      "createdTimestamp": number,
      "executionRole": "string",
      "initializationScript": "string",
```

```
    "lastModifiedTimestamp": number,
    "releaseLabel": "string",
    "status": "string",
    "statusReason": "string",
    "volumes": [
      {
        "volumeName": "string",
        "volumeType": "string"
      }
    ]
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[KxClusterSummaries](#)

Lists the cluster details.

Type: Array of [KxCluster](#) objects

[nextToken](#)

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxDatabases

Returns a list of all the databases in the kdb environment.

Request Syntax

```
GET /kx/environments/environmentId/databases?maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "kxDatabases": [
    {
      "createdTimestamp": number,
      "databaseName": "string",
      "lastModifiedTimestamp": number
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

kxDatabases

A list of databases in the kdb environment.

Type: Array of [KxDatabaseListEntry](#) objects

nextToken

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxDataviews

Returns a list of all the dataviews in the database.

Request Syntax

```
GET /kx/environments/environmentId/databases/databaseName/dataviews?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the database where the dataviews were created.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment, for which you want to retrieve a list of dataviews.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "kxDataviews": [
    {
      "activeVersions": [
        {
          "attachedClusters": [ "string" ],
          "changesetId": "string",
          "createdTimestamp": number,
          "segmentConfigurations": [
            {
              "dbPaths": [ "string" ],
              "onDemand": boolean,
              "volumeName": "string"
            }
          ],
          "versionId": "string"
        }
      ],
      "autoUpdate": boolean,
      "availabilityZoneId": "string",
      "azMode": "string",
      "changesetId": "string",
      "createdTimestamp": number,
      "databaseName": "string",
      "dataviewName": "string",
      "description": "string",
      "environmentId": "string",
      "lastModifiedTimestamp": number,
      "readWrite": boolean,
      "segmentConfigurations": [
        {
          "dbPaths": [ "string" ],
```

```
        "onDemand": boolean,
        "volumeName": "string"
    }
],
"status": "string",
"statusReason": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[kxDataviews](#)

The list of kdb dataviews that are currently active for the given database.

Type: Array of [KxDataviewListEntry](#) objects

[nextToken](#)

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxEnvironments

Returns a list of kdb environments created in an account.

Request Syntax

```
GET /kx/environments?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return in this request.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environments": [
    {
      "availabilityZoneIds": [ "string" ],
      "awsAccountId": "string",
      "certificateAuthorityArn": "string",
      "creationTimestamp": number,
      "customDNSConfiguration": [
        {
          "customDNSServerIP": "string",
```

```

        "customDNSServerName": "string"
    }
],
"dedicatedServiceAccountId": "string",
"description": "string",
"dnsStatus": "string",
"environmentArn": "string",
"environmentId": "string",
"errorMessage": "string",
"kmsKeyId": "string",
"name": "string",
"status": "string",
"tgwStatus": "string",
"transitGatewayConfiguration": {
    "attachmentNetworkAclConfiguration": [
        {
            "cidrBlock": "string",
            "icmpTypeCode": {
                "code": number,
                "type": number
            },
            "portRange": {
                "from": number,
                "to": number
            },
            "protocol": "string",
            "ruleAction": "string",
            "ruleNumber": number
        }
    ],
    "routableCIDRSpace": "string",
    "transitGatewayID": "string"
},
"updateTimestamp": number
}
],
"nextToken": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environments

A list of environments in an account.

Type: Array of [KxEnvironment](#) objects

nextToken

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxScalingGroups

Returns a list of scaling groups in a kdb environment.

Request Syntax

```
GET /kx/environments/environmentId/scalingGroups?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment, for which you want to retrieve a list of scaling groups.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "scalingGroups": [
    {
      "availabilityZoneId": "string",
      "clusters": [ "string" ],
      "createdTimestamp": number,
      "hostType": "string",
      "lastModifiedTimestamp": number,
      "scalingGroupName": "string",
      "status": "string",
      "statusReason": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

scalingGroups

A list of scaling groups available in a kdb environment.

Type: Array of [KxScalingGroup](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxUsers

Lists all the users in a kdb environment.

Request Syntax

```
GET /kx/environments/environmentId/users?maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "nextToken": "string",
  "users": [
    {
      "createTimestamp": number,
      "iamRole": "string",
      "updateTimestamp": number,
      "userArn": "string",
      "userName": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

users

A list of users in a kdb environment.

Type: Array of [KxUser](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListKxVolumes

Lists all the volumes in a kdb environment.

Request Syntax

```
GET /kx/environments/environmentId/kxvolumes?  
maxResults=maxResults&nextToken=nextToken&volumeType=volumeType HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment, whose clusters can attach to the volume.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

maxResults

The maximum number of results to return in this request.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

A token that indicates where a results page should begin.

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `.*`

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type.

Valid Values: NAS_1

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "kxVolumeSummaries": [
    {
      "availabilityZoneIds": [ "string" ],
      "azMode": "string",
      "createdTimestamp": number,
      "description": "string",
      "lastModifiedTimestamp": number,
      "status": "string",
      "statusReason": "string",
      "volumeName": "string",
      "volumeType": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[kxVolumeSummaries](#)

A summary of volumes.

Type: Array of [KxVolume](#) objects

[nextToken](#)

A token that indicates where a results page should begin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

A list of all tags for a resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:(environment|kxEnvironment)/[0-9A-Za-z_-]{1,128}/((kxCluster|kxUser|kxVolume|kxScalingGroup)/[a-zA-Z0-9_-]{1,255}|/(kxDatabase/[a-zA-Z0-9_-]{1,255}/kxDataview/[a-zA-Z0-9_-]{1,255}))?)?$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

A list of all tags for a resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidRequestException

The request is invalid. Something is wrong with the input to the request.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Adds metadata tags to a FinSpace resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) for the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:(environment|kxEnvironment)/[0-9A-Za-z_-]{1,128}/((kxCluster|kxUser|kxVolume|kxScalingGroup)/[a-zA-Z0-9_-]{1,255}|/(kxDatabase/[a-zA-Z0-9_-]{1,255}/kxDataview/[a-zA-Z0-9_-]{1,255}))?)?$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

One or more tags to be assigned to the resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `^[a-zA-Z0-9+-. _:@]+$`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidRequestException

The request is invalid. Something is wrong with the input to the request.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes metadata tags from a FinSpace resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

A FinSpace resource from which you want to remove a tag or tags. The value for this parameter is an Amazon Resource Name (ARN).

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finspace:[A-Za-z0-9_/.-]{0,63}:\d+:(environment|kxEnvironment)/[0-9A-Za-z_-]{1,128}(/(kxCluster|kxUser|kxVolume|kxScalingGroup)/[a-zA-Z0-9_-]{1,255}|/(kxDatabase/[a-zA-Z0-9_-]{1,255}(/kxDataview/[a-zA-Z0-9_-]{1,255}))?)?$`

Required: Yes

tagKeys

The tag keys (names) of one or more tags to be removed.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^(?!aws:)[a-zA-Z+-. _:/]+$`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidRequestException

The request is invalid. Something is wrong with the input to the request.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateEnvironment

Update your FinSpace environment.

Request Syntax

```
PUT /environment/environmentId HTTP/1.1
Content-type: application/json

{
  "description": "string",
  "federationMode": "string",
  "federationParameters": {
    "applicationCallbackURL": "string",
    "attributeMap": {
      "string" : "string"
    },
    "federationProviderName": "string",
    "federationURN": "string",
    "samlMetadataDocument": "string",
    "samlMetadataURL": "string"
  },
  "name": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

The identifier of the FinSpace environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

federationMode

Authentication mode for the environment.

- **FEDERATED** - Users access FinSpace through Single Sign On (SSO) via your Identity provider.
- **LOCAL** - Users access FinSpace via email and password managed within the FinSpace environment.

Type: String

Valid Values: **FEDERATED** | **LOCAL**

Required: No

federationParameters

Configuration information when authentication mode is **FEDERATED**.

Type: [FederationParameters](#) object

Required: No

name

The name of the environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environment": {
    "awsAccountId": "string",
    "dedicatedServiceAccountId": "string",
    "description": "string",
    "environmentArn": "string",
    "environmentId": "string",
    "environmentUrl": "string",
    "federationMode": "string",
    "federationParameters": {
      "applicationCallbackURL": "string",
      "attributeMap": {
        "string" : "string"
      },
      "federationProviderName": "string",
      "federationURN": "string",
      "samlMetadataDocument": "string",
      "samlMetadataURL": "string"
    },
    "kmsKeyId": "string",
    "name": "string",
    "sageMakerStudioDomainUrl": "string",
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environment

Returns the FinSpace environment object.

Type: [Environment](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxClusterCodeConfiguration

Allows you to update code configuration on a running cluster. By using this API you can update the code, the initialization script path, and the command line arguments for a specific cluster. The configuration that you want to update will override any existing configurations on the cluster.

Request Syntax

```
PUT /kx/environments/environmentId/clusters/clusterName/configuration/code HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "code": {
    "s3Bucket": "string",
    "s3Key": "string",
    "s3ObjectVersion": "string"
  },
  "commandLineArguments": [
    {
      "key": "string",
      "value": "string"
    }
  ],
  "deploymentConfiguration": {
    "deploymentStrategy": "string"
  },
  "initializationScript": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

clusterName

The name of the cluster.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier of the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

code

The structure of the customer code available within the running cluster.

Type: [CodeConfiguration](#) object

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

commandLineArguments

Specifies the key-value pairs to make them available inside the cluster.

You cannot update this parameter for a NO_RESTART deployment.

Type: Array of [KxCommandLineArgument](#) objects

Required: No

deploymentConfiguration

The configuration that allows you to choose how you want to update the code on a cluster.

Type: [KxClusterCodeDeploymentConfiguration](#) object

Required: No

initializationScript

Specifies a Q program that will be run at launch of a cluster. It is a relative path within *.zip* file that contains the custom code, which will be loaded on the cluster. It must include the file name itself. For example, `somedir/init.q`.

You cannot update this parameter for a `NO_RESTART` deployment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9_\-\.\\/\]+$`

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxClusterDatabases

Updates the databases mounted on a kdb cluster, which includes the `changesetId` and all the `dbPaths` to be cached. This API does not allow you to change a database name or add a database if you created a cluster without one.

Using this API you can point a cluster to a different changeset and modify a list of partitions being cached.

Request Syntax

```
PUT /kx/environments/environmentId/clusters/clusterName/configuration/databases
HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "databases": [
    {
      "cacheConfigurations": [
        {
          "cacheType": "string",
          "dataviewName": "string",
          "dbPaths": [ "string" ]
        }
      ],
      "changesetId": "string",
      "databaseName": "string",
      "dataviewConfiguration": {
        "changesetId": "string",
        "dataviewName": "string",
        "dataviewVersionId": "string",
        "segmentConfigurations": [
          {
            "dbPaths": [ "string" ],
            "onDemand": boolean,
            "volumeName": "string"
          }
        ]
      },
      "dataviewName": "string"
    }
  ],
}
```

```
"deploymentConfiguration": {  
  "deploymentStrategy": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

clusterName

A unique name for the cluster that you want to modify.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: Yes

environmentId

The unique identifier of a kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

databases

The structure of databases mounted on the cluster.

Type: Array of [KxDatabaseConfiguration](#) objects

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

deploymentConfiguration

The configuration that allows you to choose how you want to update the databases on a cluster.

Type: [KxDeploymentConfiguration](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxDatabase

Updates information for the given kdb database.

Request Syntax

```
PUT /kx/environments/environmentId/databases/databaseName HTTP/1.1  
Content-type: application/json
```

```
{  
  "clientToken": "string",  
  "description": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the kdb database.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_]*[a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

description

A description of the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "databaseName": "string",
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

databaseName

The name of the kdb database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

description

A description of the database.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

lastModifiedTimestamp

The last time that the database was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxDataview

Updates the specified dataview. The dataviews get automatically updated when any new changesets are ingested. Each update of the dataview creates a new version, including changeset details and cache configurations

Request Syntax

```
PUT /kx/environments/environmentId/databases/databaseName/dataviews/dataviewName
HTTP/1.1
Content-type: application/json

{
  "changesetId": "string",
  "clientToken": "string",
  "description": "string",
  "segmentConfigurations": [
    {
      "dbPaths": [ "string" ],
      "onDemand": boolean,
      "volumeName": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

databaseName

The name of the database.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

dataviewName

The name of the dataview that you want to update.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

environmentId

A unique identifier for the kdb environment, where you want to update the dataview.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: Yes

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

description

The description for a dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "activeVersions": [
    {
      "attachedClusters": [ "string" ],
      "changesetId": "string",
      "createdTimestamp": number,
      "segmentConfigurations": [
        {
          "dbPaths": [ "string" ],
          "onDemand": boolean,
          "volumeName": "string"
        }
      ],
      "versionId": "string"
    }
  ]
}
```

```

    }
  ],
  "autoUpdate": boolean,
  "availabilityZoneId": "string",
  "azMode": "string",
  "changesetId": "string",
  "createdTimestamp": number,
  "databaseName": "string",
  "dataviewName": "string",
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number,
  "readWrite": boolean,
  "segmentConfigurations": [
    {
      "dbPaths": [ "string" ],
      "onDemand": boolean,
      "volumeName": "string"
    }
  ],
  "status": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

activeVersions

The current active changeset versions of the database on the given dataview.

Type: Array of [KxDataviewActiveVersion](#) objects

autoUpdate

The option to specify whether you want to apply all the future additions and corrections automatically to the dataview when new changesets are ingested. The default value is false.

Type: Boolean

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

createdTimestamp

The timestamp at which the dataview was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

databaseName

The name of the database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

dataviewName

The name of the database under which the dataview was created.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

description

A description of the dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment, where you want to update the dataview.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

lastModifiedTimestamp

The last time that the dataview was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

readWrite

Returns True if the dataview is created as writeable and False otherwise.

Type: Boolean

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

status

The status of dataview creation.

- CREATING – The dataview creation is in progress.
- UPDATING – The dataview is in the process of being updated.
- ACTIVE – The dataview is active.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | FAILED | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceAlreadyExistsException

The specified resource group already exists.

HTTP Status Code: 409

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxEnvironment

Updates information for the given kdb environment.

Request Syntax

```
PUT /kx/environments/environmentId HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "description": "string",
  "name": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

description

A description of the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

name

The name of the kdb environment.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "availabilityZoneIds": [ "string" ],
  "awsAccountId": "string",
  "creationTimestamp": number,
  "customDNSConfiguration": [
    {
      "customDNSServerIP": "string",
      "customDNSServerName": "string"
    }
  ],
  "dedicatedServiceAccountId": "string",
  "description": "string",
```

```

"dnStatus": "string",
"environmentArn": "string",
"environmentId": "string",
"errorMessage": "string",
"kmsKeyId": "string",
"name": "string",
"status": "string",
"tgwStatus": "string",
"transitGatewayConfiguration": {
  "attachmentNetworkAclConfiguration": [
    {
      "cidrBlock": "string",
      "icmpTypeCode": {
        "code": number,
        "type": number
      },
      "portRange": {
        "from": number,
        "to": number
      },
      "protocol": "string",
      "ruleAction": "string",
      "ruleNumber": number
    }
  ],
  "routableCIDRSpace": "string",
  "transitGatewayID": "string"
},
"updateTimestamp": number
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

availabilityZoneIds

The identifier of the availability zones where subnets for the environment are created.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

awsAccountId

The unique identifier of the AWS account that is used to create the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

creationTimestamp

The timestamp at which the kdb environment was created in FinSpace.

Type: Timestamp

customDNSConfiguration

A list of DNS server name and server IP. This is used to set up Route-53 outbound resolvers.

Type: Array of [CustomDNSServer](#) objects

dedicatedServiceAccountId

A unique identifier for the AWS environment infrastructure account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

description

The description of the environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

dnsStatus

The status of DNS configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

environmentArn

The ARN identifier of the environment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

errorMessage

Specifies the error message that appears if a flow fails.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

kmsKeyId

The KMS key ID to encrypt your data in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z-0-9-:\|/]*$`

name

The name of the kdb environment.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

status

The status of the kdb environment.

Type: String

Valid Values: CREATE_REQUESTED | CREATING | CREATED | DELETE_REQUESTED | DELETING | DELETED | FAILED_CREATION | RETRY_DELETION | FAILED_DELETION | UPDATE_NETWORK_REQUESTED | UPDATING_NETWORK | FAILED_UPDATING_NETWORK | SUSPENDED

tgwStatus

The status of the network configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

transitGatewayConfiguration

The structure of the transit gateway and network configuration that is used to connect the kdb environment to an internal network.

Type: [TransitGatewayConfiguration](#) object

updateTimestamp

The timestamp at which the kdb environment was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxEnvironmentNetwork

Updates environment network to connect to your internal network by using a transit gateway. This API supports request to create a transit gateway attachment from FinSpace VPC to your transit gateway ID and create a custom Route-53 outbound resolvers.

Once you send a request to update a network, you cannot change it again. Network update might require termination of any clusters that are running in the existing network.

Request Syntax

```
PUT /kx/environments/environmentId/network HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "customDNSConfiguration": [
    {
      "customDNSServerIP": "string",
      "customDNSServerName": "string"
    }
  ],
  "transitGatewayConfiguration": {
    "attachmentNetworkAclConfiguration": [
      {
        "cidrBlock": "string",
        "icmpTypeCode": {
          "code": number,
          "type": number
        },
        "portRange": {
          "from": number,
          "to": number
        },
        "protocol": "string",
        "ruleAction": "string",
        "ruleNumber": number
      }
    ],
    "routableCIDRSpace": "string",
    "transitGatewayID": "string"
  }
}
```

```
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

customDNSConfiguration

A list of DNS server name and server IP. This is used to set up Route-53 outbound resolvers.

Type: Array of [CustomDNSServer](#) objects

Required: No

transitGatewayConfiguration

Specifies the transit gateway and network configuration to connect the kdb environment to an internal network.

Type: [TransitGatewayConfiguration](#) object

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "availabilityZoneIds": [ "string" ],
  "awsAccountId": "string",
  "creationTimestamp": number,
  "customDNSConfiguration": [
    {
      "customDNSServerIP": "string",
      "customDNSServerName": "string"
    }
  ],
  "dedicatedServiceAccountId": "string",
  "description": "string",
  "dnsStatus": "string",
  "environmentArn": "string",
  "environmentId": "string",
  "errorMessage": "string",
  "kmsKeyId": "string",
  "name": "string",
  "status": "string",
  "tgwStatus": "string",
  "transitGatewayConfiguration": {
    "attachmentNetworkAclConfiguration": [
      {
        "cidrBlock": "string",
        "icmpTypeCode": {
          "code": number,
          "type": number
        },
        "portRange": {
          "from": number,
          "to": number
        },
        "protocol": "string",
        "ruleAction": "string",
```

```
        "ruleNumber": number
      }
    ],
    "routableCIDRSpace": "string",
    "transitGatewayID": "string"
  },
  "updateTimestamp": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

availabilityZoneIds

The identifier of the availability zones where subnets for the environment are created.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

awsAccountId

The unique identifier of the AWS account that is used to create the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

creationTimestamp

The timestamp at which the kdb environment was created in FinSpace.

Type: Timestamp

customDNSConfiguration

A list of DNS server name and server IP. This is used to set up Route-53 outbound resolvers.

Type: Array of [CustomDNSServer](#) objects

dedicatedServiceAccountId

A unique identifier for the AWS environment infrastructure account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

description

The description of the environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

dnsStatus

The status of DNS configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

environmentArn

The ARN identifier of the environment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$`

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

errorMessage

Specifies the error message that appears if a flow fails.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

kmsKeyId

The KMS key ID to encrypt your data in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\|/]*$`

name

The name of the kdb environment.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

status

The status of the kdb environment.

Type: String

Valid Values: CREATE_REQUESTED | CREATING | CREATED | DELETE_REQUESTED | DELETING | DELETED | FAILED_CREATION | RETRY_DELETION | FAILED_DELETION | UPDATE_NETWORK_REQUESTED | UPDATING_NETWORK | FAILED_UPDATING_NETWORK | SUSPENDED

tgwStatus

The status of the network configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

transitGatewayConfiguration

The structure of the transit gateway and network configuration that is used to connect the kdb environment to an internal network.

Type: [TransitGatewayConfiguration](#) object

updateTimestamp

The timestamp at which the kdb environment was updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxUser

Updates the user details. You can only update the IAM role associated with a user.

Request Syntax

```
PUT /kx/environments/environmentId/users/userName HTTP/1.1  
Content-type: application/json
```

```
{  
  "clientToken": "string",  
  "iamRole": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment.

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: Yes

userName

A unique identifier for the user.

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

iamRole

The IAM role ARN that is associated with the user.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws[a-z\-*:iam::\d{12}:role/?[a-zA-Z_0-9+=,.\@-_/\]]+$`

Required: Yes

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `.*\S.*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "environmentId": "string",
  "iamRole": "string",
  "userArn": "string",
  "userName": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

iamRole

The IAM role ARN that is associated with the user.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws[a-z\-*]:iam:~\d{12}:role/?[a-zA-Z_0-9+=,.\@-_/\]+$`

userArn

The Amazon Resource Name (ARN) that identifies the user. For more information about ARNs and how to use ARNs in policies, see [IAM Identifiers](#) in the *IAM User Guide*.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finSpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}/kxUser/[0-9A-Za-z_-]{1,128}$`

userName

A unique identifier for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerErrorException

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateKxVolume

Updates the throughput or capacity of a volume. During the update process, the filesystem might be unavailable for a few minutes. You can retry any operations after the update is complete.

Request Syntax

```
PATCH /kx/environments/environmentId/kxvolumes/volumeName HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "description": "string",
  "nas1Configuration": {
    "size": number,
    "type": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

environmentId

A unique identifier for the kdb environment where you created the storage volume.

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

Required: Yes

volumeName

A unique identifier for the volume.

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A token that ensures idempotency. This token expires in 10 minutes.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

description

A description of the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

nas1Configuration

Specifies the configuration for the Network attached storage (NAS_1) file system volume.

Type: [KxNAS1Configuration](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "attachedClusters": [
```

```

    {
      "clusterName": "string",
      "clusterStatus": "string",
      "clusterType": "string"
    }
  ],
  "availabilityZoneIds": [ "string" ],
  "azMode": "string",
  "createdTimestamp": number,
  "description": "string",
  "environmentId": "string",
  "lastModifiedTimestamp": number,
  "nas1Configuration": {
    "size": number,
    "type": "string"
  },
  "status": "string",
  "statusReason": "string",
  "volumeArn": "string",
  "volumeName": "string",
  "volumeType": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

attachedClusters

Specifies the clusters that a volume is attached to.

Type: Array of [KxAttachedCluster](#) objects

availabilityZoneIds

The identifier of the availability zones.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

createdTimestamp

The timestamp at which the volume was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

description

The description for the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

environmentId

A unique identifier for the kdb environment where you want to update the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-z0-9]+$`

lastModifiedTimestamp

The last time that the volume was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

nas1Configuration

Specifies the configuration for the Network attached storage (NAS_1) file system volume.

Type: [KxNAS1Configuration](#) object

status

The status of the volume.

- CREATING – The volume creation is in progress.
- CREATE_FAILED – The volume creation has failed.
- ACTIVE – The volume is active.
- UPDATING – The volume is in the process of being updated.
- UPDATE_FAILED – The update action failed.
- UPDATED – The volume is successfully updated.
- DELETING – The volume is in the process of being deleted.
- DELETE_FAILED – The system failed to delete the volume.
- DELETED – The volume is successfully deleted.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | UPDATING | UPDATED | UPDATE_FAILED | DELETING | DELETED | DELETE_FAILED

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

volumeArn

The ARN identifier of the volume.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finSpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}(/kxSharedVolume/[a-zA-Z0-9_-]{1,255})?&`

volumeName

A unique identifier for the volume that you want to update.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9_-]*[a-zA-Z0-9]&`

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type.

Type: String

Valid Values: NAS_1

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

There was a conflict with this action, and it could not be completed.

reason

The reason for the conflict exception.

HTTP Status Code: 409

InternalServerError

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

LimitExceededException

A service limit or quota is exceeded.

HTTP Status Code: 400

ResourceNotFoundException

One or more resources can't be found.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The following data types are supported:

- [AutoScalingConfiguration](#)
- [CapacityConfiguration](#)
- [ChangeRequest](#)
- [CodeConfiguration](#)
- [CustomDNSServer](#)
- [Environment](#)
- [ErrorInfo](#)
- [FederationParameters](#)
- [IcmpTypeCode](#)
- [KxAttachedCluster](#)
- [KxCacheStorageConfiguration](#)
- [KxChangesetListEntry](#)
- [KxCluster](#)
- [KxClusterCodeDeploymentConfiguration](#)
- [KxCommandLineArgument](#)
- [KxDatabaseCacheConfiguration](#)
- [KxDatabaseConfiguration](#)
- [KxDatabaseListEntry](#)
- [KxDataviewActiveVersion](#)
- [KxDataviewConfiguration](#)
- [KxDataviewListEntry](#)
- [KxDataviewSegmentConfiguration](#)
- [KxDeploymentConfiguration](#)
- [KxEnvironment](#)
- [KxNAS1Configuration](#)
- [KxNode](#)
- [KxSavedownStorageConfiguration](#)

- [KxScalingGroup](#)
- [KxScalingGroupConfiguration](#)
- [KxUser](#)
- [KxVolume](#)
- [NetworkACLEntry](#)
- [PortRange](#)
- [SuperuserParameters](#)
- [TickerplantLogConfiguration](#)
- [TransitGatewayConfiguration](#)
- [Volume](#)
- [VpcConfiguration](#)

AutoScalingConfiguration

The configuration based on which FinSpace will scale in or scale out nodes in your cluster.

Contents

Note

In the following list, the required parameters are described first.

autoScalingMetric

The metric your cluster will track in order to scale in and out. For example, CPU_UTILIZATION_PERCENTAGE is the average CPU usage across all the nodes in a cluster.

Type: String

Valid Values: CPU_UTILIZATION_PERCENTAGE

Required: No

maxNodeCount

The highest number of nodes to scale. This value cannot be greater than 5.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

metricTarget

The desired value of the chosen autoScalingMetric. When the metric drops below this value, the cluster will scale in. When the metric goes above this value, the cluster will scale out. You can set the target value between 1 and 100 percent.

Type: Double

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

minNodeCount

The lowest number of nodes to scale. This value must be at least 1 and less than the `maxNodeCount`. If the nodes in a cluster belong to multiple availability zones, then `minNodeCount` must be at least 3.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

scaleInCooldownSeconds

The duration in seconds that FinSpace will wait after a scale in event before initiating another scaling event.

Type: Double

Valid Range: Minimum value of 0. Maximum value of 100000.

Required: No

scaleOutCooldownSeconds

The duration in seconds that FinSpace will wait after a scale out event before initiating another scaling event.

Type: Double

Valid Range: Minimum value of 0. Maximum value of 100000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CapacityConfiguration

A structure for the metadata of a cluster. It includes information like the CPUs needed, memory of instances, and number of instances.

Contents

Note

In the following list, the required parameters are described first.

nodeCount

The number of instances running in a cluster.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

nodeType

The type that determines the hardware of the host computer used for your cluster instance. Each node type offers different memory and storage capabilities. Choose a node type based on the requirements of the application or software that you plan to run on your instance.

You can only specify one of the following values:

- `kx.s.large` – The node type with a configuration of 12 GiB memory and 2 vCPUs.
- `kx.s.xlarge` – The node type with a configuration of 27 GiB memory and 4 vCPUs.
- `kx.s.2xlarge` – The node type with a configuration of 54 GiB memory and 8 vCPUs.
- `kx.s.4xlarge` – The node type with a configuration of 108 GiB memory and 16 vCPUs.
- `kx.s.8xlarge` – The node type with a configuration of 216 GiB memory and 32 vCPUs.
- `kx.s.16xlarge` – The node type with a configuration of 432 GiB memory and 64 vCPUs.
- `kx.s.32xlarge` – The node type with a configuration of 864 GiB memory and 128 vCPUs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-zA-Z0-9._]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ChangeRequest

A list of change request objects.

Contents

Note

In the following list, the required parameters are described first.

changeType

Defines the type of change request. A changeType can have the following values:

- PUT – Adds or updates files in a database.
- DELETE – Deletes files in a database.

Type: String

Valid Values: PUT | DELETE

Required: Yes

dbPath

Defines the path within the database directory.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1025.

Pattern: `^(*)*[\\|\\?*]([\\^\\|]+\\|){0,2}[\\^\\|]*$`

Required: Yes

s3Path

Defines the S3 path of the source file that is required to add or update files in a database.

Type: String

Length Constraints: Minimum length of 9. Maximum length of 1093.

Pattern: `^s3:\V\V[a-z0-9][a-z0-9- .]{1,61}[a-z0-9]\V([\^V]+\V)*[\^V]*$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CodeConfiguration

The structure of the customer code available within the running cluster.

Contents

Note

In the following list, the required parameters are described first.

s3Bucket

A unique name for the S3 bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 255.

Pattern: `^[a-z0-9][a-z0-9\.\-]*[a-z0-9]$`

Required: No

s3Key

The full S3 path (excluding bucket) to the .zip file. This file contains the code that is loaded onto the cluster when it's started.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^[a-zA-Z0-9\!\@\-_\.*\'\(\)]+$`

Required: No

s3ObjectVersion

The version of an S3 object.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CustomDNSServer

A list of DNS server name and server IP. This is used to set up Route-53 outbound resolvers.

Contents

Note

In the following list, the required parameters are described first.

customDNSServerIP

The IP address of the DNS server.

Type: String

Pattern: `^(?:(:25[0-5]|2[0-4][0-9]|[01]?[0-9][0-9]?)\.)}{3}(?:25[0-5]|2[0-4][0-9]|[01]?[0-9][0-9]?)$`

Required: Yes

customDNSServerName

The name of the DNS server.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 255.

Pattern: `^([a-zA-Z0-9]|[a-zA-Z0-9][a-zA-Z0-9\-\-]{0,61}[a-zA-Z0-9])(\.[a-zA-Z0-9]|[a-zA-Z0-9][a-zA-Z0-9\-\-]{0,61}[a-zA-Z0-9])*$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Environment

Represents an FinSpace environment.

Contents

Note

In the following list, the required parameters are described first.

awsAccountId

The ID of the AWS account in which the FinSpace environment is created.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: No

dedicatedServiceAccountId

The AWS account ID of the dedicated service account associated with your FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: No

description

The description of the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

environmentArn

The Amazon Resource Name (ARN) of your FinSpace environment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$`

Required: No

environmentId

The identifier of the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: No

environmentUrl

The sign-in URL for the web application of your FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^https?:\/\/[-a-zA-Z0-9+&@#/%?~_!|:,.;]*[-a-zA-Z0-9+&@#/%=~_!|]`

Required: No

federationMode

The authentication mode for the environment.

Type: String

Valid Values: FEDERATED | LOCAL

Required: No

federationParameters

Configuration information when authentication mode is FEDERATED.

Type: [FederationParameters](#) object

Required: No

kmsKeyId

The KMS key id used to encrypt in the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\ \\/]*$`

Required: No

name

The name of the FinSpace environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: No

sageMakerStudioDomainUrl

The URL of the integrated FinSpace notebook environment in your web application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\ \/.]*$`

Required: No

status

The current status of creation of the FinSpace environment.

Type: String

Valid Values: CREATE_REQUESTED | CREATING | CREATED | DELETE_REQUESTED | DELETING | DELETED | FAILED_CREATION | RETRY_DELETION | FAILED_DELETION | UPDATE_NETWORK_REQUESTED | UPDATING_NETWORK | FAILED_UPDATING_NETWORK | SUSPENDED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ErrorInfo

Provides details in the event of a failed flow, including the error type and the related error message.

Contents

Note

In the following list, the required parameters are described first.

errorMessage

Specifies the error message that appears if a flow fails.

Type: String

Length Constraints: Maximum length of 1000.

Required: No

errorType

Specifies the type of error.

Type: String

Valid Values: The inputs to this request are invalid. | Service limits have been exceeded. | Missing required permission to perform this request. | One or more inputs to this request were not found. | The system temporarily lacks sufficient resources to process the request. | An internal error has occurred. | Cancelled | A user recoverable error has occurred

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

FederationParameters

Configuration information when authentication mode is FEDERATED.

Contents

Note

In the following list, the required parameters are described first.

applicationCallbackURL

The redirect or sign-in URL that should be entered into the SAML 2.0 compliant identity provider configuration (IdP).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^https?:\/\/[-a-zA-Z0-9+&@#/%?=\~_|\!:\.,;]*[-a-zA-Z0-9+&@#/%=\~_|\]`

Required: No

attributeMap

SAML attribute name and value. The name must always be Email and the value should be set to the attribute definition in which user email is set. For example, name would be Email and value `http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress`. Please check your SAML 2.0 compliant identity provider (IdP) documentation for details.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 32.

Key Pattern: `.*`

Value Length Constraints: Minimum length of 1. Maximum length of 1000.

Value Pattern: `.*`

Required: No

federationProviderName

Name of the identity provider (IdP).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `[^_\\p{Z}][\\p{L}\\p{M}\\p{S}\\p{N}\\p{P}][^_\\p{Z}]+`

Required: No

federationURN

The Uniform Resource Name (URN). Also referred as Service Provider URN or Audience URI or Service Provider Entity ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[A-Za-z0-9._\\-:\\/#!+]+$`

Required: No

samlMetadataDocument

SAML 2.0 Metadata document from identity provider (IdP).

Type: String

Length Constraints: Minimum length of 1000. Maximum length of 10000000.

Pattern: `.*`

Required: No

samlMetadataURL

Provide the metadata URL from your SAML 2.0 compliant identity provider (IdP).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^https?://[a-zA-Z0-9+&@#/%?~_!|:,.;]*[a-zA-Z0-9+&@#/%?~_!|]`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IcmpTypeCode

Defines the ICMP protocol that consists of the ICMP type and code.

Contents

Note

In the following list, the required parameters are described first.

code

The ICMP code. A value of *-1* means all codes for the specified ICMP type.

Type: Integer

Required: Yes

type

The ICMP type. A value of *-1* means all types.

Type: Integer

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxAttachedCluster

The structure containing the metadata of the attached clusters.

Contents

Note

In the following list, the required parameters are described first.

clusterName

A unique name for the attached cluster.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: No

clusterStatus

The status of the attached cluster.

- PENDING – The cluster is pending creation.
- CREATING – The cluster creation process is in progress.
- CREATE_FAILED – The cluster creation process has failed.
- RUNNING – The cluster creation process is running.
- UPDATING – The cluster is in the process of being updated.
- DELETING – The cluster is in the process of being deleted.
- DELETED – The cluster has been deleted.
- DELETE_FAILED – The cluster failed to delete.

Type: String

Valid Values: PENDING | CREATING | CREATE_FAILED | RUNNING | UPDATING | DELETING | DELETED | DELETE_FAILED

Required: No

clusterType

Specifies the type of cluster. The volume for TP and RDB cluster types will be used for TP logs.

Type: String

Valid Values: HDB | RDB | GATEWAY | GP | TICKERPLANT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxCacheStorageConfiguration

The configuration for read only disk cache associated with a cluster.

Contents

Note

In the following list, the required parameters are described first.

size

The size of cache in Gigabytes.

Type: Integer

Required: Yes

type

The type of cache storage. The valid values are:

- `CACHE_1000` – This type provides at least 1000 MB/s disk access throughput.
- `CACHE_250` – This type provides at least 250 MB/s disk access throughput.
- `CACHE_12` – This type provides at least 12 MB/s disk access throughput.

For cache type `CACHE_1000` and `CACHE_250` you can select cache size as 1200 GB or increments of 2400 GB. For cache type `CACHE_12` you can select the cache size in increments of 6000 GB.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 10.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxChangesetListEntry

Details of changeset.

Contents

Note

In the following list, the required parameters are described first.

activeFromTimestamp

Beginning time from which the changeset is active. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

createdTimestamp

The timestamp at which the changeset was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

lastModifiedTimestamp

The timestamp at which the changeset was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

status

Status of the changeset.

- Pending – Changeset creation is pending.
- Processing – Changeset creation is running.
- Failed – Changeset creation has failed.
- Complete – Changeset creation has succeeded.

Type: String

Valid Values: PENDING | PROCESSING | FAILED | COMPLETED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxCluster

The details of a kdb cluster.

Contents

Note

In the following list, the required parameters are described first.

availabilityZoneId

The availability zone identifiers for the requested regions.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

azMode

The number of availability zones assigned per cluster. This can be one of the following:

- SINGLE – Assigns one availability zone per cluster.
- MULTI – Assigns all the availability zones per cluster.

Type: String

Valid Values: SINGLE | MULTI

Required: No

clusterDescription

A description of the cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Required: No

clusterName

A unique name for the cluster.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

clusterType

Specifies the type of KDB database that is being created. The following types are available:

- **HDB** – A Historical Database. The data is only accessible with read-only permissions from one of the FinSpace managed kdb databases mounted to the cluster.
- **RDB** – A Realtime Database. This type of database captures all the data from a ticker plant and stores it in memory until the end of day, after which it writes all of its data to a disk and reloads the HDB. This cluster type requires local storage for temporary storage of data during the savedown process. If you specify this field in your request, you must provide the `savedownStorageConfiguration` parameter.
- **GATEWAY** – A gateway cluster allows you to access data across processes in kdb systems. It allows you to create your own routing logic using the initialization scripts and custom code. This type of cluster does not require a writable local storage.
- **GP** – A general purpose cluster allows you to quickly iterate on code during development by granting greater access to system commands and enabling a fast reload of custom code. This cluster type can optionally mount databases including cache and savedown storage. For this cluster type, the node count is fixed at 1. It does not support autoscaling and supports only **SINGLE AZ** mode.
- **Tickerplant** – A tickerplant cluster allows you to subscribe to feed handlers based on IAM permissions. It can publish to RDBs, other Tickerplants, and real-time subscribers (RTS). Tickerplants can persist messages to log, which is readable by any RDB environment. It supports only single-node that is only one kdb process.

Type: String

Valid Values: HDB | RDB | GATEWAY | GP | TICKERPLANT

Required: No

createdTimestamp

The timestamp at which the cluster was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

executionRole

An IAM role that defines a set of permissions associated with a cluster. These permissions are assumed when a cluster attempts to access another cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^arn:aws[a-z0-9-]*:iam::\d{12}:role\[/\w-\./@+=,]{1,1017}$`

Required: No

initializationScript

Specifies a Q program that will be run at launch of a cluster. It is a relative path within `.zip` file that contains the custom code, which will be loaded on the cluster. It must include the file name itself. For example, `somedir/init.q`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `^[a-zA-Z0-9_\-\.\//\+]+$`

Required: No

lastModifiedTimestamp

The last time that the cluster was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

releaseLabel

A version of the FinSpace managed kdb to run.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 16.

Pattern: `^[a-zA-Z0-9._-]+$`

Required: No

status

The status of a cluster.

- PENDING – The cluster is pending creation.
- CREATING – The cluster creation process is in progress.
- CREATE_FAILED – The cluster creation process has failed.
- RUNNING – The cluster creation process is running.
- UPDATING – The cluster is in the process of being updated.
- DELETING – The cluster is in the process of being deleted.
- DELETED – The cluster has been deleted.
- DELETE_FAILED – The cluster failed to delete.

Type: String

Valid Values: PENDING | CREATING | CREATE_FAILED | RUNNING | UPDATING | DELETING | DELETED | DELETE_FAILED

Required: No

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Required: No

volumes

A list of volumes attached to the cluster.

Type: Array of [Volume](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxClusterCodeDeploymentConfiguration

The configuration that allows you to choose how you want to update code on a cluster. Depending on the option you choose, you can reduce the time it takes to update the cluster.

Contents

Note

In the following list, the required parameters are described first.

deploymentStrategy

The type of deployment that you want on a cluster.

- **ROLLING** – This options updates the cluster by stopping the exiting q process and starting a new q process with updated configuration.
- **NO_RESTART** – This option updates the cluster without stopping the running q process. It is only available for GP type cluster. This option is quicker as it reduces the turn around time to update configuration on a cluster.

With this deployment mode, you cannot update the `initializationScript` and `commandLineArguments` parameters.

- **FORCE** – This option updates the cluster by immediately stopping all the running processes before starting up new ones with the updated configuration.

Type: String

Valid Values: NO_RESTART | ROLLING | FORCE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxCommandLineArgument

Defines the key-value pairs to make them available inside the cluster. Duplicate keys are not allowed. To send a list of values for the same command line argument (key), use a space delimited list of values for the key.

Contents

Note

In the following list, the required parameters are described first.

key

The name of the key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^(?![Aa][Ww][Ss])(s|([a-zA-Z][a-zA-Z0-9_]+))|(AWS_ZIP_DEFAULT)`

Required: No

value

The value of the key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^[a-zA-Z0-9_:. /, ;]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDatabaseCacheConfiguration

The structure of database cache configuration that is used for mapping database paths to cache types in clusters.

Contents

Note

In the following list, the required parameters are described first.

cacheType

The type of disk cache. This parameter is used to map the database path to cache storage. The valid values are:

- `CACHE_1000` – This type provides at least 1000 MB/s disk access throughput.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 10.

Required: Yes

dbPaths

Specifies the portions of database that will be loaded into the cache for access.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 1025.

Pattern: `^(*)*[\\|\\?*]([\\^\\|]+\\|){0,2}[\\^\\|]*$`

Required: Yes

dataviewName

The name of the dataview to be used for caching historical data on disk.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDatabaseConfiguration

The configuration of data that is available for querying from this database.

Contents

Note

In the following list, the required parameters are described first.

databaseName

The name of the kdb database. When this parameter is specified in the structure, S3 with the whole database is included by default.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

cacheConfigurations

Configuration details for the disk cache used to increase performance reading from a kdb database mounted to the cluster.

Type: Array of [KxDatabaseCacheConfiguration](#) objects

Required: No

changesetId

A unique identifier of the changeset that is associated with the cluster.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

dataviewConfiguration

The configuration of the dataview to be used with specified cluster.

Type: [KxDataviewConfiguration](#) object

Required: No

dataviewName

The name of the dataview to be used for caching historical data on disk.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDatabaseListEntry

Details about a FinSpace managed kdb database

Contents

Note

In the following list, the required parameters are described first.

createdTimestamp

The timestamp at which the database was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

databaseName

The name of the kdb database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

lastModifiedTimestamp

The last time that the database was modified. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDataviewActiveVersion

The active version of the dataview that is currently in use by this cluster.

Contents

Note

In the following list, the required parameters are described first.

attachedClusters

The list of clusters that are currently using this dataview.

Type: Array of strings

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

createdTimestamp

The timestamp at which the dataview version was active. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

versionId

A unique identifier of the active version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDataviewConfiguration

The structure that stores the configuration details of a dataview.

Contents

Note

In the following list, the required parameters are described first.

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

dataviewName

The unique identifier of the dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: No

dataviewVersionId

The version of the dataview corresponding to a given changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Required: No

segmentConfigurations

The db path and volume configuration for the segmented database.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDataviewListEntry

A collection of kdb dataview entries.

Contents

Note

In the following list, the required parameters are described first.

activeVersions

The active changeset versions for the given dataview entry.

Type: Array of [KxDataviewActiveVersion](#) objects

Required: No

autoUpdate

The option to specify whether you want to apply all the future additions and corrections automatically to the dataview when you ingest new changesets. The default value is false.

Type: Boolean

Required: No

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

Required: No

changesetId

A unique identifier for the changeset.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]+$`

Required: No

createdTimestamp

The timestamp at which the dataview list entry was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

databaseName

A unique identifier of the database.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

dataviewName

A unique identifier of the dataview.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

description

A description for the dataview list entry.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `.*\S.*`

Required: No

lastModifiedTimestamp

The last time that the dataview list was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

readWrite

Returns True if the dataview is created as writeable and False otherwise.

Type: Boolean

Required: No

segmentConfigurations

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Type: Array of [KxDataviewSegmentConfiguration](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

status

The status of a given dataview entry.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | FAILED | DELETING

Required: No

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

KxDataviewSegmentConfiguration

The configuration that contains the database path of the data that you want to place on each selected volume. Each segment must have a unique database path for each volume. If you do not explicitly specify any database path for a volume, they are accessible from the cluster through the default S3/object store segment.

Contents

Note

In the following list, the required parameters are described first.

dbPaths

The database path of the data that you want to place on each selected volume for the segment. Each segment must have a unique database path for each volume.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 30 items.

Length Constraints: Minimum length of 1. Maximum length of 1025.

Pattern: `^(*)*[\\|\\|?*]([\\^\\|]+\\|){0,2}[\\^\\|]*$`

Required: Yes

volumeName

The name of the volume where you want to add data.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: Yes

onDemand

Enables on-demand caching on the selected database path when a particular file or a column of the database is accessed. When on demand caching is **True**, dataviews perform minimal loading of files on the filesystem as needed. When it is set to **False**, everything is cached. The default value is **False**.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxDeploymentConfiguration

The configuration that allows you to choose how you want to update the databases on a cluster. Depending on the option you choose, you can reduce the time it takes to update the cluster.

Contents

Note

In the following list, the required parameters are described first.

deploymentStrategy

The type of deployment that you want on a cluster.

- **ROLLING** – This options updates the cluster by stopping the exiting q process and starting a new q process with updated configuration.
- **NO_RESTART** – This option updates the cluster without stopping the running q process. It is only available for HDB type cluster. This option is quicker as it reduces the turn around time to update configuration on a cluster.

With this deployment mode, you cannot update the `initializationScript` and `commandLineArguments` parameters.

Type: String

Valid Values: NO_RESTART | ROLLING

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxEnvironment

The details of a kdb environment.

Contents

Note

In the following list, the required parameters are described first.

availabilityZoneIds

The identifier of the availability zones where subnets for the environment are created.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

awsAccountId

The unique identifier of the AWS account in which you create the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: No

certificateAuthorityArn

The Amazon Resource Name (ARN) of the certificate authority:

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

creationTimestamp

The timestamp at which the kdb environment was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

customDNSConfiguration

A list of DNS server name and server IP. This is used to set up Route-53 outbound resolvers.

Type: Array of [CustomDNSServer](#) objects

Required: No

dedicatedServiceAccountId

A unique identifier for the AWS environment infrastructure account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: No

description

A description of the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

dnsStatus

The status of DNS configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

Required: No

environmentArn

The Amazon Resource Name (ARN) of your kdb environment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:environment/[0-9A-Za-z_-]{1,128}$`

Required: No

environmentId

A unique identifier for the kdb environment.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 26.

Pattern: `^[a-zA-Z0-9]{1,26}$`

Required: No

errorMessage

Specifies the error message that appears if a flow fails.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

kmsKeyId

The unique identifier of the KMS key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9-:\|]*$`

Required: No

name

The name of the kdb environment.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

status

The status of the environment creation.

- **CREATE_REQUESTED** – Environment creation has been requested.
- **CREATING** – Environment is in the process of being created.
- **FAILED_CREATION** – Environment creation has failed.
- **CREATED** – Environment is successfully created and is currently active.
- **DELETE_REQUESTED** – Environment deletion has been requested.
- **DELETING** – Environment is in the process of being deleted.
- **RETRY_DELETION** – Initial environment deletion failed, system is reattempting delete.
- **DELETED** – Environment has been deleted.
- **FAILED_DELETION** – Environment deletion has failed.

Type: String

Valid Values: **CREATE_REQUESTED** | **CREATING** | **CREATED** | **DELETE_REQUESTED** | **DELETING** | **DELETED** | **FAILED_CREATION** | **RETRY_DELETION** | **FAILED_DELETION** | **UPDATE_NETWORK_REQUESTED** | **UPDATING_NETWORK** | **FAILED_UPDATING_NETWORK** | **SUSPENDED**

Required: No

tgwStatus

The status of the network configuration.

Type: String

Valid Values: NONE | UPDATE_REQUESTED | UPDATING | FAILED_UPDATE | SUCCESSFULLY_UPDATED

Required: No

transitGatewayConfiguration

Specifies the transit gateway and network configuration to connect the kdb environment to an internal network.

Type: [TransitGatewayConfiguration](#) object

Required: No

updateTimestamp

The timestamp at which the kdb environment was modified in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxNAS1Configuration

The structure containing the size and type of the network attached storage (NAS_1) file system volume.

Contents

Note

In the following list, the required parameters are described first.

size

The size of the network attached storage. For storage type `SSD_1000` and `SSD_250` you can select the minimum size as 1200 GB or increments of 2400 GB. For storage type `HDD_12` you can select the minimum size as 6000 GB or increments of 6000 GB.

Type: Integer

Valid Range: Minimum value of 1200.

Required: No

type

The type of the network attached storage.

Type: String

Valid Values: `SSD_1000` | `SSD_250` | `HDD_12`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

KxNode

A structure that stores metadata for a kdb node.

Contents

Note

In the following list, the required parameters are described first.

availabilityZoneId

The identifier of the availability zones where subnets for the environment are created.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

launchTime

The time when a particular node is started. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

nodeId

A unique identifier for the node.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 40.

Required: No

status

Specifies the status of the cluster nodes.

- **RUNNING** – The node is actively serving.
- **PROVISIONING** – The node is being prepared.

Type: String

Valid Values: **RUNNING** | **PROVISIONING**

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxSavedownStorageConfiguration

The size and type of temporary storage that is used to hold data during the savedown process. All the data written to this storage space is lost when the cluster node is restarted.

Contents

Note

In the following list, the required parameters are described first.

size

The size of temporary storage in gibibytes.

Type: Integer

Valid Range: Minimum value of 10. Maximum value of 16000.

Required: No

type

The type of writeable storage space for temporarily storing your savedown data. The valid values are:

- SDS01 – This type represents 3000 IOPS and io2 ebs volume type.

Type: String

Valid Values: SDS01

Required: No

volumeName

The name of the kdb volume that you want to use as writeable save-down storage for clusters.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxScalingGroup

A structure for storing metadata of scaling group.

Contents

Note

In the following list, the required parameters are described first.

availabilityZoneId

The identifier of the availability zones.

Type: String

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

clusters

The list of clusters currently active in a given scaling group.

Type: Array of strings

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

createdTimestamp

The timestamp at which the scaling group was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

hostType

The memory and CPU capabilities of the scaling group host on which FinSpace Managed kdb clusters will be placed.

You can add one of the following values:

- `kx.sg.large` – The host type with a configuration of 16 GiB memory and 2 vCPUs.
- `kx.sg.xlarge` – The host type with a configuration of 32 GiB memory and 4 vCPUs.
- `kx.sg.2xlarge` – The host type with a configuration of 64 GiB memory and 8 vCPUs.
- `kx.sg.4xlarge` – The host type with a configuration of 108 GiB memory and 16 vCPUs.
- `kx.sg.8xlarge` – The host type with a configuration of 216 GiB memory and 32 vCPUs.
- `kx.sg.16xlarge` – The host type with a configuration of 432 GiB memory and 64 vCPUs.
- `kx.sg.32xlarge` – The host type with a configuration of 864 GiB memory and 128 vCPUs.
- `kx.sg1.16xlarge` – The host type with a configuration of 1949 GiB memory and 64 vCPUs.
- `kx.sg1.24xlarge` – The host type with a configuration of 2948 GiB memory and 96 vCPUs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Pattern: `^[a-zA-Z0-9._]+`

Required: No

lastModifiedTimestamp

The last time that the scaling group was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

scalingGroupName

A unique identifier for the kdb scaling group.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

status

The status of scaling groups.

Type: String

Valid Values: CREATING | CREATE_FAILED | ACTIVE | DELETING | DELETED | DELETE_FAILED

Required: No

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxScalingGroupConfiguration

The structure that stores the capacity configuration details of a scaling group.

Contents

Note

In the following list, the required parameters are described first.

memoryReservation

A reservation of the minimum amount of memory that should be available on the scaling group for a kdb cluster to be successfully placed in a scaling group.

Type: Integer

Valid Range: Minimum value of 6.

Required: Yes

nodeCount

The number of kdb cluster nodes.

Type: Integer

Valid Range: Minimum value of 1.

Required: Yes

scalingGroupName

A unique identifier for the kdb scaling group.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: Yes

cpu

The number of vCPUs that you want to reserve for each node of this kdb cluster on the scaling group host.

Type: Double

Valid Range: Minimum value of 0.1.

Required: No

memoryLimit

An optional hard limit on the amount of memory a kdb cluster can use.

Type: Integer

Valid Range: Minimum value of 6.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxUser

A structure that stores metadata for a kdb user.

Contents

Note

In the following list, the required parameters are described first.

createTimestamp

The timestamp at which the kdb user was created.

Type: Timestamp

Required: No

iamRole

The IAM role ARN that is associated with the user.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws[a-z\-*:iam::\d{12}:role/?[a-zA-Z_0-9+=,.\@-_/\]]+$`

Required: No

updateTimestamp

The timestamp at which the kdb user was updated.

Type: Timestamp

Required: No

userArn

The Amazon Resource Name (ARN) that identifies the user. For more information about ARNs and how to use ARNs in policies, see [IAM Identifiers](#) in the *IAM User Guide*.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `^arn:aws:finpace:[A-Za-z0-9_/.-]{0,63}:\d+:kxEnvironment/[0-9A-Za-z_-]{1,128}/kxUser/[0-9A-Za-z_-]{1,128}$`

Required: No

userName

A unique identifier for the user.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[0-9A-Za-z_-]{1,50}$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

KxVolume

The structure that contains the metadata of the volume.

Contents

Note

In the following list, the required parameters are described first.

availabilityZoneIds

The identifier of the availability zones.

Type: Array of strings

Length Constraints: Minimum length of 8. Maximum length of 12.

Pattern: `^[a-zA-Z0-9-]+$`

Required: No

azMode

The number of availability zones you want to assign per volume. Currently, FinSpace only supports SINGLE for volumes. This places dataview in a single AZ.

Type: String

Valid Values: SINGLE | MULTI

Required: No

createdTimestamp

The timestamp at which the volume was created in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

description

A description of the volume.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: `^[a-zA-Z0-9.]{1,1000}$`

Required: No

lastModifiedTimestamp

The last time that the volume was updated in FinSpace. The value is determined as epoch time in milliseconds. For example, the value for Monday, November 1, 2021 12:00:00 PM UTC is specified as 1635768000000.

Type: Timestamp

Required: No

status

The status of volume.

- **CREATING** – The volume creation is in progress.
- **CREATE_FAILED** – The volume creation has failed.
- **ACTIVE** – The volume is active.
- **UPDATING** – The volume is in the process of being updated.
- **UPDATE_FAILED** – The update action failed.
- **UPDATED** – The volume is successfully updated.
- **DELETING** – The volume is in the process of being deleted.
- **DELETE_FAILED** – The system failed to delete the volume.
- **DELETED** – The volume is successfully deleted.

Type: String

Valid Values: **CREATING** | **CREATE_FAILED** | **ACTIVE** | **UPDATING** | **UPDATED** | **UPDATE_FAILED** | **DELETING** | **DELETED** | **DELETE_FAILED**

Required: No

statusReason

The error message when a failed state occurs.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 250.

Pattern: `^[a-zA-Z0-9_\-\.\s]+$`

Required: No

volumeName

A unique identifier for the volume.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type.

Type: String

Valid Values: NAS_1

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NetworkACLEntry

The network access control list (ACL) is an optional layer of security for your VPC that acts as a firewall for controlling traffic in and out of one or more subnets. The entry is a set of numbered ingress and egress rules that determine whether a packet should be allowed in or out of a subnet associated with the ACL. We process the entries in the ACL according to the rule numbers, in ascending order.

Contents

Note

In the following list, the required parameters are described first.

cidrBlock

The IPv4 network range to allow or deny, in CIDR notation. For example, `172.16.0.0/24`. We modify the specified CIDR block to its canonical form. For example, if you specify `100.68.0.18/18`, we modify it to `100.68.0.0/18`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 18.

Pattern: `^(?:\d{1,3}\.){3}\d{1,3}(?:\s|/|(?:3[0-2]|[12]\d|\d))$`

Required: Yes

protocol

The protocol number. A value of `-1` means all the protocols.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 5.

Pattern: `^-1|[0-9]+$`

Required: Yes

ruleAction

Indicates whether to allow or deny the traffic that matches the rule.

Type: String

Valid Values: allow | deny

Required: Yes

ruleNumber

The rule number for the entry. For example *100*. All the network ACL entries are processed in ascending order by rule number.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 32766.

Required: Yes

icmpTypeCode

Defines the ICMP protocol that consists of the ICMP type and code.

Type: [IcmpTypeCode](#) object

Required: No

portRange

The range of ports the rule applies to.

Type: [PortRange](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PortRange

The range of ports the rule applies to.

Contents

Note

In the following list, the required parameters are described first.

from

The first port in the range.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 65535.

Required: Yes

to

The last port in the range.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 65535.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SuperuserParameters

Configuration information for the superuser.

Contents

Note

In the following list, the required parameters are described first.

emailAddress

The email address of the superuser.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+[.]+[A-Za-z]+`

Required: Yes

firstName

The first name of the superuser.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[a-zA-Z0-9]{1,50}$`

Required: Yes

lastName

The last name of the superuser.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: `^[a-zA-Z0-9]{1,50}$`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TickerplantLogConfiguration

A configuration to store the Tickerplant logs. It consists of a list of volumes that will be mounted to your cluster. For the cluster type `Tickerplant`, the location of the TP volume on the cluster will be available by using the global variable `.aws.tp_log_path`.

Contents

Note

In the following list, the required parameters are described first.

`tickerplantLogVolumes`

The name of the volumes for tickerplant logs.

Type: Array of strings

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-]*[a-zA-Z0-9]$`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TransitGatewayConfiguration

The structure of the transit gateway and network configuration that is used to connect the kdb environment to an internal network.

Contents

Note

In the following list, the required parameters are described first.

routableCIDRSpace

The routing CIDR on behalf of kdb environment. It could be any "/26 range in the 100.64.0.0 CIDR space. After providing, it will be added to the customer's transit gateway routing table so that the traffics could be routed to kdb network.

Type: String

Required: Yes

transitGatewayID

The identifier of the transit gateway created by the customer to connect outbound traffics from kdb network to your internal network.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 32.

Required: Yes

attachmentNetworkAclConfiguration

The rules that define how you manage the outbound traffic from kdb network to your internal network.

Type: Array of [NetworkACLEntry](#) objects

Array Members: Minimum number of 1 item. Maximum number of 100 items.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Volume

The structure that consists of name and type of volume.

Contents

Note

In the following list, the required parameters are described first.

volumeName

A unique identifier for the volume.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `^[a-zA-Z0-9][a-zA-Z0-9-_*][a-zA-Z0-9]$`

Required: No

volumeType

The type of file system volume. Currently, FinSpace only supports NAS_1 volume type.

Type: String

Valid Values: NAS_1

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VpcConfiguration

Configuration details about the network where the Privatelink endpoint of the cluster resides.

Contents

Note

In the following list, the required parameters are described first.

ipAddressType

The IP address type for cluster network configuration parameters. The following type is available:

- IP_V4 – IP address version 4

Type: String

Valid Values: IP_V4

Required: No

securityGroupIds

The unique identifier of the VPC security group applied to the VPC endpoint ENI for the cluster.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^sg-([a-z0-9]{8}$|[a-z0-9]{17}$)`

Required: No

subnetIds

The identifier of the subnet that the Privatelink VPC endpoint uses to connect to the cluster.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^subnet-([a-z0-9]{8}$|[a-z0-9]{17}$)`

Required: No

vpcId

The identifier of the VPC endpoint.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `^vpc-([a-z0-9]{8}$|[a-z0-9]{17}$)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: *20120325T120000Z*.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

AWS Glossary

For the latest AWS terminology, see the [AWS glossary](#) in the *AWS Glossary Reference*.