



API Reference

AWS Fault Injection Service



API Version 2020-12-01

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Fault Injection Service: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateExperimentTemplate	3
Request Syntax	3
URI Request Parameters	5
Request Body	5
Response Syntax	8
Response Elements	10
Errors	10
Examples	11
See Also	12
CreateTargetAccountConfiguration	13
Request Syntax	13
URI Request Parameters	13
Request Body	14
Response Syntax	14
Response Elements	15
Errors	15
See Also	16
DeleteExperimentTemplate	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	17
Response Elements	19
Errors	20
See Also	20
DeleteTargetAccountConfiguration	21
Request Syntax	21
URI Request Parameters	21
Request Body	21
Response Syntax	21
Response Elements	22
Errors	22

See Also	22
GetAction	24
Request Syntax	24
URI Request Parameters	24
Request Body	24
Response Syntax	24
Response Elements	25
Errors	25
See Also	25
GetExperiment	27
Request Syntax	27
URI Request Parameters	27
Request Body	27
Response Syntax	27
Response Elements	30
Errors	30
See Also	31
GetExperimentTargetAccountConfiguration	32
Request Syntax	32
URI Request Parameters	32
Request Body	32
Response Syntax	32
Response Elements	33
Errors	33
See Also	33
GetExperimentTemplate	35
Request Syntax	35
URI Request Parameters	35
Request Body	35
Response Syntax	35
Response Elements	37
Errors	38
See Also	38
GetSafetyLever	39
Request Syntax	39
URI Request Parameters	39

Request Body	39
Response Syntax	39
Response Elements	40
Errors	40
Examples	40
See Also	40
GetTargetAccountConfiguration	42
Request Syntax	42
URI Request Parameters	42
Request Body	42
Response Syntax	42
Response Elements	43
Errors	43
See Also	43
GetTargetResourceType	45
Request Syntax	45
URI Request Parameters	45
Request Body	45
Response Syntax	45
Response Elements	46
Errors	46
See Also	46
ListActions	48
Request Syntax	48
URI Request Parameters	48
Request Body	48
Response Syntax	48
Response Elements	49
Errors	49
See Also	50
ListExperimentResolvedTargets	51
Request Syntax	51
URI Request Parameters	51
Request Body	52
Response Syntax	52
Response Elements	52

Errors	53
See Also	53
ListExperiments	54
Request Syntax	54
URI Request Parameters	54
Request Body	54
Response Syntax	55
Response Elements	55
Errors	56
See Also	56
ListExperimentTargetAccountConfigurations	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	58
Response Elements	59
Errors	59
See Also	60
ListExperimentTemplates	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	62
Errors	62
See Also	63
ListTagsForResource	64
Request Syntax	64
URI Request Parameters	64
Request Body	64
Response Syntax	64
Response Elements	64
Errors	65
See Also	65
ListTargetAccountConfigurations	66
Request Syntax	66

URI Request Parameters	66
Request Body	66
Response Syntax	67
Response Elements	67
Errors	67
See Also	68
ListTargetResourceTypes	69
Request Syntax	69
URI Request Parameters	69
Request Body	69
Response Syntax	69
Response Elements	70
Errors	70
See Also	70
StartExperiment	72
Request Syntax	72
URI Request Parameters	72
Request Body	72
Response Syntax	73
Response Elements	76
Errors	76
See Also	77
StopExperiment	78
Request Syntax	78
URI Request Parameters	78
Request Body	78
Response Syntax	78
Response Elements	81
Errors	81
See Also	82
TagResource	83
Request Syntax	83
URI Request Parameters	83
Request Body	83
Response Syntax	84
Response Elements	84

Errors	84
See Also	84
UntagResource	86
Request Syntax	86
URI Request Parameters	86
Request Body	86
Response Syntax	86
Response Elements	86
Errors	87
See Also	87
UpdateExperimentTemplate	88
Request Syntax	88
URI Request Parameters	89
Request Body	90
Response Syntax	92
Response Elements	94
Errors	94
See Also	94
UpdateSafetyLeverState	96
Request Syntax	96
URI Request Parameters	96
Request Body	96
Response Syntax	97
Response Elements	97
Errors	97
Examples	98
See Also	98
UpdateTargetAccountConfiguration	100
Request Syntax	100
URI Request Parameters	100
Request Body	100
Response Syntax	101
Response Elements	101
Errors	102
See Also	102
Data Types	103

Action	106
Contents	106
See Also	107
ActionParameter	109
Contents	109
See Also	109
ActionSummary	110
Contents	110
See Also	111
ActionTarget	112
Contents	112
See Also	112
CreateExperimentTemplateActionInput	113
Contents	113
See Also	114
CreateExperimentTemplateExperimentOptionsInput	115
Contents	115
See Also	115
CreateExperimentTemplateLogConfigurationInput	116
Contents	116
See Also	116
CreateExperimentTemplateReportConfigurationInput	117
Contents	117
See Also	118
CreateExperimentTemplateStopConditionInput	119
Contents	119
See Also	119
CreateExperimentTemplateTargetInput	120
Contents	120
See Also	122
Experiment	123
Contents	123
See Also	126
ExperimentAction	128
Contents	128
See Also	130

ExperimentActionState	131
Contents	131
See Also	131
ExperimentCloudWatchLogsLogConfiguration	132
Contents	132
See Also	132
ExperimentError	133
Contents	133
See Also	133
ExperimentLogConfiguration	135
Contents	135
See Also	135
ExperimentOptions	136
Contents	136
See Also	136
ExperimentReport	138
Contents	138
See Also	138
ExperimentReportConfiguration	139
Contents	139
See Also	140
ExperimentReportConfigurationCloudWatchDashboard	141
Contents	141
See Also	141
ExperimentReportConfigurationDataSources	142
Contents	142
See Also	142
ExperimentReportConfigurationOutputs	143
Contents	143
See Also	143
ExperimentReportConfigurationOutputsS3Configuration	144
Contents	144
See Also	144
ExperimentReportError	145
Contents	145
See Also	145

ExperimentReportS3Report	146
Contents	146
See Also	146
ExperimentReportState	147
Contents	147
See Also	147
ExperimentS3LogConfiguration	149
Contents	149
See Also	149
ExperimentState	150
Contents	150
See Also	150
ExperimentStopCondition	152
Contents	152
See Also	152
ExperimentSummary	153
Contents	153
See Also	154
ExperimentTarget	156
Contents	156
See Also	157
ExperimentTargetAccountConfiguration	159
Contents	159
See Also	160
ExperimentTargetAccountConfigurationSummary	161
Contents	161
See Also	162
ExperimentTargetFilter	163
Contents	163
See Also	163
ExperimentTemplate	164
Contents	164
See Also	167
ExperimentTemplateAction	168
Contents	168
See Also	169

ExperimentTemplateCloudWatchLogsLogConfiguration	170
Contents	170
See Also	170
ExperimentTemplateCloudWatchLogsLogConfigurationInput	171
Contents	171
See Also	171
ExperimentTemplateExperimentOptions	172
Contents	172
See Also	172
ExperimentTemplateLogConfiguration	173
Contents	173
See Also	173
ExperimentTemplateReportConfiguration	174
Contents	174
See Also	175
ExperimentTemplateReportConfigurationCloudWatchDashboard	176
Contents	176
See Also	176
ExperimentTemplateReportConfigurationDataSources	177
Contents	177
See Also	177
ExperimentTemplateReportConfigurationDataSourcesInput	178
Contents	178
See Also	178
ExperimentTemplateReportConfigurationOutputs	179
Contents	179
See Also	179
ExperimentTemplateReportConfigurationOutputsInput	180
Contents	180
See Also	180
ExperimentTemplateS3LogConfiguration	181
Contents	181
See Also	181
ExperimentTemplateS3LogConfigurationInput	182
Contents	182
See Also	182

ExperimentTemplateStopCondition	183
Contents	183
See Also	183
ExperimentTemplateSummary	184
Contents	184
See Also	185
ExperimentTemplateTarget	186
Contents	186
See Also	187
ExperimentTemplateTargetFilter	189
Contents	189
See Also	189
ExperimentTemplateTargetInputFilter	190
Contents	190
See Also	190
ReportConfigurationCloudWatchDashboardInput	191
Contents	191
See Also	191
ReportConfigurationS3Output	192
Contents	192
See Also	192
ReportConfigurationS3OutputInput	193
Contents	193
See Also	193
ResolvedTarget	194
Contents	194
See Also	195
SafetyLever	196
Contents	196
See Also	196
SafetyLeverState	198
Contents	198
See Also	198
StartExperimentExperimentOptionsInput	199
Contents	199
See Also	199

TargetAccountConfiguration	200
Contents	200
See Also	201
TargetAccountConfigurationSummary	202
Contents	202
See Also	203
TargetResourceType	204
Contents	204
See Also	205
TargetResourceTypeParameter	206
Contents	206
See Also	206
TargetResourceTypeSummary	207
Contents	207
See Also	207
UpdateExperimentTemplateActionInputItem	208
Contents	208
See Also	209
UpdateExperimentTemplateExperimentOptionsInput	210
Contents	210
See Also	210
UpdateExperimentTemplateLogConfigurationInput	211
Contents	211
See Also	211
UpdateExperimentTemplateReportConfigurationInput	212
Contents	212
See Also	213
UpdateExperimentTemplateStopConditionInput	214
Contents	214
See Also	214
UpdateExperimentTemplateTargetInput	215
Contents	215
See Also	216
UpdateSafetyLeverStateInput	218
Contents	218
See Also	218

Common Parameters	219
Common Error Types	222

Welcome

AWS Fault Injection Service is a managed service that enables you to perform fault injection experiments on your AWS workloads. For more information, see the [AWS Fault Injection Service User Guide](#).

This document was last published on April 14, 2026.

Actions

The following actions are supported:

- [CreateExperimentTemplate](#)
- [CreateTargetAccountConfiguration](#)
- [DeleteExperimentTemplate](#)
- [DeleteTargetAccountConfiguration](#)
- [GetAction](#)
- [GetExperiment](#)
- [GetExperimentTargetAccountConfiguration](#)
- [GetExperimentTemplate](#)
- [GetSafetyLever](#)
- [GetTargetAccountConfiguration](#)
- [GetTargetResourceType](#)
- [ListActions](#)
- [ListExperimentResolvedTargets](#)
- [ListExperiments](#)
- [ListExperimentTargetAccountConfigurations](#)
- [ListExperimentTemplates](#)
- [ListTagsForResource](#)
- [ListTargetAccountConfigurations](#)
- [ListTargetResourceTypes](#)
- [StartExperiment](#)
- [StopExperiment](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateExperimentTemplate](#)
- [UpdateSafetyLeverState](#)
- [UpdateTargetAccountConfiguration](#)

CreateExperimentTemplate

Creates an experiment template.

An experiment template includes the following components:

- **Targets:** A target can be a specific resource in your AWS environment, or one or more resources that match criteria that you specify, for example, resources that have specific tags.
- **Actions:** The actions to carry out on the target. You can specify multiple actions, the duration of each action, and when to start each action during an experiment.
- **Stop conditions:** If a stop condition is triggered while an experiment is running, the experiment is automatically stopped. You can define a stop condition as a CloudWatch alarm.

For more information, see [experiment templates](#) in the *AWS Fault Injection Service User Guide*.

Request Syntax

```
POST /experimentTemplates HTTP/1.1
Content-type: application/json

{
  "actions": {
    "string" : {
      "actionId": "string",
      "description": "string",
      "parameters": {
        "string" : "string"
      },
      "startAfter": [ "string" ],
      "targets": {
        "string" : "string"
      }
    }
  },
  "clientToken": "string",
  "description": "string",
  "experimentOptions": {
    "accountTargeting": "string",
    "emptyTargetResolutionMode": "string"
  },
  "experimentReportConfiguration": {
```

```
"dataSources": {
  "cloudWatchDashboards": [
    {
      "dashboardIdentifier": "string"
    }
  ],
},
"outputs": {
  "s3Configuration": {
    "bucketName": "string",
    "prefix": "string"
  }
},
"postExperimentDuration": "string",
"preExperimentDuration": "string"
},
"logConfiguration": {
  "cloudWatchLogsConfiguration": {
    "logGroupArn": "string"
  },
  "logSchemaVersion": number,
  "s3Configuration": {
    "bucketName": "string",
    "prefix": "string"
  }
},
"roleArn": "string",
"stopConditions": [
  {
    "source": "string",
    "value": "string"
  }
],
"tags": {
  "string" : "string"
},
"targets": {
  "string" : {
    "filters": [
      {
        "path": "string",
        "values": [ "string" ]
      }
    ]
  }
},
],
```

```
    "parameters": {
      "string": "string"
    },
    "resourceArns": [ "string" ],
    "resourceTags": {
      "string": "string"
    },
    "resourceType": "string",
    "selectionMode": "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

actions

The actions for the experiment.

Type: String to [CreateExperimentTemplateActionInput](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: Yes

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Required: Yes

description

A description for the experiment template.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: Yes

experimentOptions

The experiment options for the experiment template.

Type: [CreateExperimentTemplateExperimentOptionsInput](#) object

Required: No

experimentReportConfiguration

The experiment report configuration for the experiment template.

Type: [CreateExperimentTemplateReportConfigurationInput](#) object

Required: No

logConfiguration

The configuration for experiment logging.

Type: [CreateExperimentTemplateLogConfigurationInput](#) object

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role that grants the AWS FIS service permission to perform service actions on your behalf.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: Yes

stopConditions

The stop conditions.

Type: Array of [CreateExperimentTemplateStopConditionInput](#) objects

Required: Yes

tags

The tags to apply to the experiment template.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

targets

The targets for the experiment.

Type: String to [CreateExperimentTemplateTargetInput](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "experimentTemplate": {
    "actions": {
      "string": {
        "actionId": "string",
        "description": "string",
        "parameters": {
          "string": "string"
        },
        "startAfter": [ "string" ],
        "targets": {
          "string": "string"
        }
      }
    },
    "arn": "string",
    "creationTime": number,
    "description": "string",
    "experimentOptions": {
      "accountTargeting": "string",
      "emptyTargetResolutionMode": "string"
    },
    "experimentReportConfiguration": {
      "dataSources": {
        "cloudWatchDashboards": [
          {
            "dashboardIdentifier": "string"
          }
        ]
      },
      "outputs": {
        "s3Configuration": {
          "bucketName": "string",
          "prefix": "string"
        }
      },
      "postExperimentDuration": "string",
      "preExperimentDuration": "string"
    }
  }
}
```

```
    },
    "id": "string",
    "lastUpdateTime": number,
    "logConfiguration": {
      "cloudWatchLogsConfiguration": {
        "logGroupArn": "string"
      },
      "logSchemaVersion": number,
      "s3Configuration": {
        "bucketName": "string",
        "prefix": "string"
      }
    },
    "roleArn": "string",
    "stopConditions": [
      {
        "source": "string",
        "value": "string"
      }
    ],
    "tags": {
      "string" : "string"
    },
    "targetAccountConfigurationsCount": number,
    "targets": {
      "string" : {
        "filters": [
          {
            "path": "string",
            "values": [ "string" ]
          }
        ],
        "parameters": {
          "string" : "string"
        },
        "resourceArns": [ "string" ],
        "resourceTags": {
          "string" : "string"
        },
        "resourceType": "string",
        "selectionMode": "string"
      }
    }
  }
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experimentTemplate

Information about the experiment template.

Type: [ExperimentTemplate](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request could not be processed because of a conflict.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

Examples

Terminate EC2 instances

The following example terminates three instances in the specified VPC with the tag `env=test`.

Sample Request

```
{
  "description": "Test instance termination",
  "targets": {
    "to-terminate": {
      "resourceType": "aws:ec2:instance",
      "resourceTags": {
        "env": "test"
      },
      "filters": [
        {
          "path": "VpcId",
          "values": [
            "vpc-1234567890abcdef0"
          ]
        }
      ],
      "selectionMode": "COUNT(3)"
    }
  },
  "actions": {
    "TerminateInstances": {
      "actionId": "aws:ec2-terminate-instances",
      "description": "terminate instances",
      "targets": {
        "Instances": "to-terminate"
      }
    }
  },
  "stopConditions": [
    {
      "source": "none"
    }
  ],
  "roleArn": "arn:aws:iam:123456789012:role/ExperimentRole",
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateTargetAccountConfiguration

Creates a target account configuration for the experiment template. A target account configuration is required when `accountTargeting` of `experimentOptions` is set to `multi-account`. For more information, see [experiment options](#) in the *AWS Fault Injection Service User Guide*.

Request Syntax

```
POST /experimentTemplates/id/targetAccountConfigurations/accountId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "clientToken": "string",
  "description": "string",
  "roleArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[accountId](#)

The AWS account ID of the target account.

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: Yes

[id](#)

The experiment template ID.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Required: No

description

The description of the target account.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]*`

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role for the target account.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "targetAccountConfiguration": {
    "accountId": "string",
    "description": "string",
    "roleArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

targetAccountConfiguration

Information about the target account configuration.

Type: [TargetAccountConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request could not be processed because of a conflict.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteExperimentTemplate

Deletes the specified experiment template.

Request Syntax

```
DELETE /experimentTemplates/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experimentTemplate": {
    "actions": {
      "string" : {
        "actionId": "string",
        "description": "string",
        "parameters": {
          "string" : "string"
        },
        "startAfter": [ "string" ],
        "targets": {
```

```

        "string" : "string"
    }
}
},
"arn": "string",
"creationTime": number,
"description": "string",
"experimentOptions": {
    "accountTargeting": "string",
    "emptyTargetResolutionMode": "string"
},
"experimentReportConfiguration": {
    "dataSources": {
        "cloudWatchDashboards": [
            {
                "dashboardIdentifier": "string"
            }
        ]
    },
    "outputs": {
        "s3Configuration": {
            "bucketName": "string",
            "prefix": "string"
        }
    },
    "postExperimentDuration": "string",
    "preExperimentDuration": "string"
},
"id": "string",
"lastUpdateTime": number,
"logConfiguration": {
    "cloudWatchLogsConfiguration": {
        "logGroupArn": "string"
    },
    "logSchemaVersion": number,
    "s3Configuration": {
        "bucketName": "string",
        "prefix": "string"
    }
},
"roleArn": "string",
"stopConditions": [
    {
        "source": "string",

```

```
    "value": "string"
  }
],
"tags": {
  "string" : "string"
},
"targetAccountConfigurationsCount": number,
"targets": {
  "string" : {
    "filters": [
      {
        "path": "string",
        "values": [ "string" ]
      }
    ],
    "parameters": {
      "string" : "string"
    },
    "resourceArns": [ "string" ],
    "resourceTags": {
      "string" : "string"
    },
    "resourceType": "string",
    "selectionMode": "string"
  }
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experimentTemplate

Information about the experiment template.

Type: [ExperimentTemplate](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTargetAccountConfiguration

Deletes the specified target account configuration of the experiment template.

Request Syntax

```
DELETE /experimentTemplates/id/targetAccountConfigurations/accountId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

accountId

The AWS account ID of the target account.

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: Yes

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "targetAccountConfiguration": {
    "accountId": "string",
    "description": "string",
    "roleArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

targetAccountConfiguration

Information about the target account configuration.

Type: [TargetAccountConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetAction

Gets information about the specified AWS FIS action.

Request Syntax

```
GET /actions/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the action.

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "action": {
    "arn": "string",
    "description": "string",
    "id": "string",
    "parameters": {
      "string": {
        "description": "string",
        "required": boolean
      }
    }
  },
}
```

```
  "tags": {
    "string" : "string"
  },
  "targets": {
    "string" : {
      "resourceType": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

action

Information about the action.

Type: [Action](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetExperiment

Gets information about the specified experiment.

Request Syntax

```
GET /experiments/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experiment": {
    "actions": {
      "string" : {
        "actionId": "string",
        "description": "string",
        "endTime": number,
        "parameters": {
          "string" : "string"
        },
        "startAfter": [ "string" ],

```

```
    "startTime": number,
    "state": {
      "reason": "string",
      "status": "string"
    },
    "targets": {
      "string": "string"
    }
  }
},
"arn": "string",
"creationTime": number,
"endTime": number,
"experimentOptions": {
  "accountTargeting": "string",
  "actionsMode": "string",
  "emptyTargetResolutionMode": "string"
},
"experimentReport": {
  "s3Reports": [
    {
      "arn": "string",
      "reportType": "string"
    }
  ],
  "state": {
    "error": {
      "code": "string"
    },
    "reason": "string",
    "status": "string"
  }
},
"experimentReportConfiguration": {
  "dataSources": {
    "cloudWatchDashboards": [
      {
        "dashboardIdentifier": "string"
      }
    ]
  },
  "outputs": {
    "s3Configuration": {
      "bucketName": "string",
```

```
        "prefix": "string"
      }
    },
    "postExperimentDuration": "string",
    "preExperimentDuration": "string"
  },
  "experimentTemplateId": "string",
  "id": "string",
  "logConfiguration": {
    "cloudWatchLogsConfiguration": {
      "logGroupArn": "string"
    },
    "logSchemaVersion": number,
    "s3Configuration": {
      "bucketName": "string",
      "prefix": "string"
    }
  },
  "roleArn": "string",
  "startTime": number,
  "state": {
    "error": {
      "accountId": "string",
      "code": "string",
      "location": "string"
    },
    "reason": "string",
    "status": "string"
  },
  "stopConditions": [
    {
      "source": "string",
      "value": "string"
    }
  ],
  "tags": {
    "string" : "string"
  },
  "targetAccountConfigurationsCount": number,
  "targets": {
    "string" : {
      "filters": [
        {
          "path": "string",
```

```
        "values": [ "string" ]
      }
    ],
    "parameters": {
      "string": "string"
    },
    "resourceArns": [ "string" ],
    "resourceTags": {
      "string": "string"
    },
    "resourceType": "string",
    "selectionMode": "string"
  }
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experiment

Information about the experiment.

Type: [Experiment](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetExperimentTargetAccountConfiguration

Gets information about the specified target account configuration of the experiment.

Request Syntax

```
GET /experiments/id/targetAccountConfigurations/accountId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

accountId

The AWS account ID of the target account.

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: Yes

id

The ID of the experiment.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "targetAccountConfiguration": {
    "accountId": "string",
    "description": "string",
    "roleArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

targetAccountConfiguration

Information about the target account configuration.

Type: [ExperimentTargetAccountConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetExperimentTemplate

Gets information about the specified experiment template.

Request Syntax

```
GET /experimentTemplates/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experimentTemplate": {
    "actions": {
      "string" : {
        "actionId": "string",
        "description": "string",
        "parameters": {
          "string" : "string"
        },
        "startAfter": [ "string" ],
        "targets": {
```

```
        "string" : "string"
      }
    }
  },
  "arn": "string",
  "creationTime": number,
  "description": "string",
  "experimentOptions": {
    "accountTargeting": "string",
    "emptyTargetResolutionMode": "string"
  },
  "experimentReportConfiguration": {
    "dataSources": {
      "cloudWatchDashboards": [
        {
          "dashboardIdentifier": "string"
        }
      ]
    },
    "outputs": {
      "s3Configuration": {
        "bucketName": "string",
        "prefix": "string"
      }
    },
    "postExperimentDuration": "string",
    "preExperimentDuration": "string"
  },
  "id": "string",
  "lastUpdateTime": number,
  "logConfiguration": {
    "cloudWatchLogsConfiguration": {
      "logGroupArn": "string"
    },
    "logSchemaVersion": number,
    "s3Configuration": {
      "bucketName": "string",
      "prefix": "string"
    }
  },
  "roleArn": "string",
  "stopConditions": [
    {
      "source": "string",
```

```
        "value": "string"
      }
    ],
    "tags": {
      "string": "string"
    },
    "targetAccountConfigurationsCount": number,
    "targets": {
      "string": {
        "filters": [
          {
            "path": "string",
            "values": [ "string" ]
          }
        ],
        "parameters": {
          "string": "string"
        },
        "resourceArns": [ "string" ],
        "resourceTags": {
          "string": "string"
        },
        "resourceType": "string",
        "selectionMode": "string"
      }
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experimentTemplate

Information about the experiment template.

Type: [ExperimentTemplate](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetSafetyLever

Gets information about the specified safety lever.

Request Syntax

```
GET /safetyLevers/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the safety lever.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "safetyLever": {  
    "arn": "string",  
    "id": "string",  
    "state": {  
      "reason": "string",  
      "status": "string"  
    }  
  }  
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

safetyLever

Information about the safety lever.

Type: [SafetyLever](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

Examples

Example

This example illustrates one usage of GetSafetyLever.

```
{ "id": "default" }
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTargetAccountConfiguration

Gets information about the specified target account configuration of the experiment template.

Request Syntax

```
GET /experimentTemplates/id/targetAccountConfigurations/accountId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

accountId

The AWS account ID of the target account.

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: Yes

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "targetAccountConfiguration": {
    "accountId": "string",
    "description": "string",
    "roleArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

targetAccountConfiguration

Information about the target account configuration.

Type: [TargetAccountConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTargetResourceType

Gets information about the specified resource type.

Request Syntax

```
GET /targetResourceTypes/resourceType HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceType

The resource type.

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "targetResourceType": {
    "description": "string",
    "parameters": {
      "string" : {
        "description": "string",
        "required": boolean
      }
    }
  },
}
```

```
    "resourceType": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

targetResourceType

Information about the resource type.

Type: [TargetResourceType](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListActions

Lists the available AWS FIS actions.

Request Syntax

```
GET /actions?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "actions": [
    {
```

```
    "arn": "string",
    "description": "string",
    "id": "string",
    "tags": {
      "string" : "string"
    },
    "targets": {
      "string" : {
        "resourceType": "string"
      }
    }
  },
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

actions

The actions.

Type: Array of [ActionSummary](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListExperimentResolvedTargets

Lists the resolved targets information of the specified experiment.

Request Syntax

```
GET /experiments/id/resolvedTargets?  
maxResults=maxResults&nextToken=nextToken&targetName=targetName HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

maxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

targetName

The name of the target.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "resolvedTargets": [
    {
      "resourceType": "string",
      "targetInformation": {
        "string": "string"
      },
      "targetName": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

resolvedTargets

The resolved targets.

Type: Array of [ResolvedTarget](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListExperiments

Lists your experiments.

Request Syntax

```
GET /experiments?  
experimentTemplateId=experimentTemplateId&maxResults=maxResults&nextToken=nextToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

experimentTemplateId

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

maxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experiments": [
    {
      "arn": "string",
      "creationTime": number,
      "experimentOptions": {
        "accountTargeting": "string",
        "actionsMode": "string",
        "emptyTargetResolutionMode": "string"
      },
      "experimentTemplateId": "string",
      "id": "string",
      "state": {
        "error": {
          "accountId": "string",
          "code": "string",
          "location": "string"
        },
        "reason": "string",
        "status": "string"
      },
      "tags": {
        "string" : "string"
      }
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experiments

The experiments.

Type: Array of [ExperimentSummary](#) objects

[nextToken](#)

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListExperimentTargetAccountConfigurations

Lists the target account configurations of the specified experiment.

Request Syntax

```
GET /experiments/id/targetAccountConfigurations?nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

nextToken

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"nextToken": "string",
"targetAccountConfigurations": [
  {
    "accountId": "string",
    "description": "string",
    "roleArn": "string"
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

targetAccountConfigurations

The target account configurations.

Type: Array of [ExperimentTargetAccountConfigurationSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListExperimentTemplates

Lists your experiment templates.

Request Syntax

```
GET /experimentTemplates?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experimentTemplates": [
    {
      "arn": "string",
      "creationTime": number,
```

```
    "description": "string",
    "id": "string",
    "lastUpdateTime": number,
    "tags": {
      "string" : "string"
    }
  },
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experimentTemplates

The experiment templates.

Type: Array of [ExperimentTemplateSummary](#) objects

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Lists the tags for the specified resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The tags for the resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTargetAccountConfigurations

Lists the target account configurations of the specified experiment template.

Request Syntax

```
GET /experimentTemplates/id/targetAccountConfigurations?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

maxResults

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "targetAccountConfigurations": [
    {
      "accountId": "string",
      "description": "string",
      "roleArn": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token to use to retrieve the next page of results. This value is null when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

targetAccountConfigurations

The target account configurations.

Type: Array of [TargetAccountConfigurationSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTargetResourceTypes

Lists the target resource types.

Request Syntax

```
GET /targetResourceTypes?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to return with a single call. To retrieve the remaining results, make another call with the returned `nextToken` value.

Valid Range: Minimum value of 1. Maximum value of 100.

[nextToken](#)

The token for the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "targetResourceTypes": [
    {
      "description": "string",
```

```
    "resourceType": "string"  
  }  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token to use to retrieve the next page of results. This value is `null` when there are no more results to return.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

targetResourceTypes

The target resource types.

Type: Array of [TargetResourceTypeSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartExperiment

Starts running an experiment from the specified experiment template.

Request Syntax

```
POST /experiments HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "experimentOptions": {
    "actionsMode": "string"
  },
  "experimentTemplateId": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Pattern: `[\S]+`

Required: Yes

experimentOptions

The experiment options for running the experiment.

Type: [StartExperimentExperimentOptionsInput](#) object

Required: No

[experimentTemplateId](#)

The ID of the experiment template.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

[tags](#)

The tags to apply to the experiment.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experiment": {
    "actions": {
      "string": {
        "actionId": "string",
        "description": "string",
        "endTime": number,
```

```
    "parameters": {
      "string": "string"
    },
    "startAfter": [ "string" ],
    "startTime": number,
    "state": {
      "reason": "string",
      "status": "string"
    },
    "targets": {
      "string": "string"
    }
  }
},
"arn": "string",
"creationTime": number,
"endTime": number,
"experimentOptions": {
  "accountTargeting": "string",
  "actionsMode": "string",
  "emptyTargetResolutionMode": "string"
},
"experimentReport": {
  "s3Reports": [
    {
      "arn": "string",
      "reportType": "string"
    }
  ],
  "state": {
    "error": {
      "code": "string"
    },
    "reason": "string",
    "status": "string"
  }
},
"experimentReportConfiguration": {
  "dataSources": {
    "cloudWatchDashboards": [
      {
        "dashboardIdentifier": "string"
      }
    ]
  }
}
```

```

    },
    "outputs": {
      "s3Configuration": {
        "bucketName": "string",
        "prefix": "string"
      }
    },
    "postExperimentDuration": "string",
    "preExperimentDuration": "string"
  },
  "experimentTemplateId": "string",
  "id": "string",
  "logConfiguration": {
    "cloudWatchLogsConfiguration": {
      "logGroupArn": "string"
    },
    "logSchemaVersion": number,
    "s3Configuration": {
      "bucketName": "string",
      "prefix": "string"
    }
  },
  "roleArn": "string",
  "startTime": number,
  "state": {
    "error": {
      "accountId": "string",
      "code": "string",
      "location": "string"
    },
    "reason": "string",
    "status": "string"
  },
  "stopConditions": [
    {
      "source": "string",
      "value": "string"
    }
  ],
  "tags": {
    "string" : "string"
  },
  "targetAccountConfigurationsCount": number,
  "targets": {

```

```
"string" : {
  "filters": [
    {
      "path": "string",
      "values": [ "string" ]
    }
  ],
  "parameters": {
    "string" : "string"
  },
  "resourceArns": [ "string" ],
  "resourceTags": {
    "string" : "string"
  },
  "resourceType": "string",
  "selectionMode": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experiment

Information about the experiment.

Type: [Experiment](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request could not be processed because of a conflict.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopExperiment

Stops the specified experiment.

Request Syntax

```
DELETE /experiments/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "experiment": {
    "actions": {
      "string" : {
        "actionId": "string",
        "description": "string",
        "endTime": number,
        "parameters": {
          "string" : "string"
        },
        "startAfter": [ "string" ],

```

```
    "startTime": number,
    "state": {
      "reason": "string",
      "status": "string"
    },
    "targets": {
      "string": "string"
    }
  }
},
"arn": "string",
"creationTime": number,
"endTime": number,
"experimentOptions": {
  "accountTargeting": "string",
  "actionsMode": "string",
  "emptyTargetResolutionMode": "string"
},
"experimentReport": {
  "s3Reports": [
    {
      "arn": "string",
      "reportType": "string"
    }
  ],
  "state": {
    "error": {
      "code": "string"
    },
    "reason": "string",
    "status": "string"
  }
},
"experimentReportConfiguration": {
  "dataSources": {
    "cloudWatchDashboards": [
      {
        "dashboardIdentifier": "string"
      }
    ]
  },
  "outputs": {
    "s3Configuration": {
      "bucketName": "string",
```

```

        "prefix": "string"
    }
},
"postExperimentDuration": "string",
"preExperimentDuration": "string"
},
"experimentTemplateId": "string",
"__id": "string",
"logConfiguration": {
    "cloudWatchLogsConfiguration": {
        "logGroupArn": "string"
    },
    "logSchemaVersion": number,
    "s3Configuration": {
        "bucketName": "string",
        "prefix": "string"
    }
},
"roleArn": "string",
"startTime": number,
"state": {
    "error": {
        "accountId": "string",
        "code": "string",
        "location": "string"
    },
    "reason": "string",
    "status": "string"
},
"stopConditions": [
    {
        "source": "string",
        "value": "string"
    }
],
"tags": {
    "string" : "string"
},
"targetAccountConfigurationsCount": number,
"targets": {
    "string" : {
        "filters": [
            {
                "path": "string",

```

```
        "values": [ "string" ]
      }
    ],
    "parameters": {
      "string" : "string"
    },
    "resourceArns": [ "string" ],
    "resourceTags": {
      "string" : "string"
    },
    "resourceType": "string",
    "selectionMode": "string"
  }
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

experiment

Information about the experiment.

Type: [Experiment](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Applies the specified tags to the specified resource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1  
Content-type: application/json
```

```
{  
  "tags": {  
    "string" : "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The tags for the resource.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes the specified tags from the specified resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

The Amazon Resource Name (ARN) of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: Yes

[tagKeys](#)

The tag keys to remove.

Length Constraints: Maximum length of 128.

Pattern: `[\s\S]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplate

Updates the specified experiment template.

Request Syntax

```
PATCH /experimentTemplates/id HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "actions": {
    "string" : {
      "actionId": "string",
      "description": "string",
      "parameters": {
        "string" : "string"
      },
      "startAfter": [ "string" ],
      "targets": {
        "string" : "string"
      }
    }
  },
  "description": "string",
  "experimentOptions": {
    "emptyTargetResolutionMode": "string"
  },
  "experimentReportConfiguration": {
    "dataSources": {
      "cloudWatchDashboards": [
        {
          "dashboardIdentifier": "string"
        }
      ]
    },
    "outputs": {
      "s3Configuration": {
        "bucketName": "string",
        "prefix": "string"
      }
    },
    "postExperimentDuration": "string",
    "preExperimentDuration": "string"
  }
}
```

```
},
"logConfiguration": {
  "cloudWatchLogsConfiguration": {
    "logGroupArn": "string"
  },
  "logSchemaVersion": number,
  "s3Configuration": {
    "bucketName": "string",
    "prefix": "string"
  }
},
"roleArn": "string",
"stopConditions": [
  {
    "source": "string",
    "value": "string"
  }
],
"targets": {
  "string" : {
    "filters": [
      {
        "path": "string",
        "values": [ "string" ]
      }
    ],
    "parameters": {
      "string" : "string"
    },
    "resourceArns": [ "string" ],
    "resourceTags": {
      "string" : "string"
    },
    "resourceType": "string",
    "selectionMode": "string"
  }
}
}
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

actions

The actions for the experiment.

Type: String to [UpdateExperimentTemplateActionInputItem](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

description

A description for the template.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

experimentOptions

The experiment options for the experiment template.

Type: [UpdateExperimentTemplateExperimentOptionsInput](#) object

Required: No

experimentReportConfiguration

The experiment report configuration for the experiment template.

Type: [UpdateExperimentTemplateReportConfigurationInput](#) object

Required: No

logConfiguration

The configuration for experiment logging.

Type: [UpdateExperimentTemplateLogConfigurationInput](#) object

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role that grants the AWS FIS service permission to perform service actions on your behalf.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

stopConditions

The stop conditions for the experiment.

Type: Array of [UpdateExperimentTemplateStopConditionInput](#) objects

Required: No

targets

The targets for the experiment.

Type: String to [UpdateExperimentTemplateTargetInput](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "experimentTemplate": {
    "actions": {
      "string": {
        "actionId": "string",
        "description": "string",
        "parameters": {
          "string": "string"
        },
        "startAfter": [ "string" ],
        "targets": {
          "string": "string"
        }
      }
    },
    "arn": "string",
    "creationTime": number,
    "description": "string",
    "experimentOptions": {
      "accountTargeting": "string",
      "emptyTargetResolutionMode": "string"
    },
    "experimentReportConfiguration": {
      "dataSources": {
        "cloudWatchDashboards": [
          {
            "dashboardIdentifier": "string"
          }
        ]
      },
      "outputs": {
        "s3Configuration": {
          "bucketName": "string",
          "prefix": "string"
        }
      },
      "postExperimentDuration": "string",
      "preExperimentDuration": "string"
    }
  }
}
```

```
  },
  "id": "string",
  "lastUpdateTime": number,
  "logConfiguration": {
    "cloudWatchLogsConfiguration": {
      "logGroupArn": "string"
    },
    "logSchemaVersion": number,
    "s3Configuration": {
      "bucketName": "string",
      "prefix": "string"
    }
  },
  "roleArn": "string",
  "stopConditions": [
    {
      "source": "string",
      "value": "string"
    }
  ],
  "tags": {
    "string" : "string"
  },
  "targetAccountConfigurationsCount": number,
  "targets": {
    "string" : {
      "filters": [
        {
          "path": "string",
          "values": [ "string" ]
        }
      ],
      "parameters": {
        "string" : "string"
      },
      "resourceArns": [ "string" ],
      "resourceTags": {
        "string" : "string"
      },
      "resourceType": "string",
      "selectionMode": "string"
    }
  }
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[experimentTemplate](#)

Information about the experiment template.

Type: [ExperimentTemplate](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ServiceQuotaExceededException

You have exceeded your service quota.

HTTP Status Code: 402

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateSafetyLeverState

Updates the specified safety lever state.

Request Syntax

```
PATCH /safetyLevers/id/state HTTP/1.1
Content-type: application/json
```

```
{
  "state": {
    "reason": "string",
    "status": "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the safety lever.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

state

The state of the safety lever.

Type: [UpdateSafetyLeverStateInput](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "safetyLever": {
    "arn": "string",
    "id": "string",
    "state": {
      "reason": "string",
      "status": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

safetyLever

Information about the safety lever.

Type: [SafetyLever](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The request could not be processed because of a conflict.

HTTP Status Code: 409

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

Examples

Example

This example illustrates one usage of UpdateSafetyLeverState.

```
{
  "id": "default",
  "state": {
    "status": "engaged",
    "reason": "Blocked days"
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateTargetAccountConfiguration

Updates the target account configuration for the specified experiment template.

Request Syntax

```
PATCH /experimentTemplates/id/targetAccountConfigurations/accountId HTTP/1.1
Content-type: application/json

{
  "description": "string",
  "roleArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

accountId

The AWS account ID of the target account.

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: Yes

id

The ID of the experiment template.

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the target account.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]*`

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role for the target account.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "targetAccountConfiguration": {
    "accountId": "string",
    "description": "string",
    "roleArn": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

targetAccountConfiguration

Information about the target account configuration.

Type: [TargetAccountConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The specified resource cannot be found.

HTTP Status Code: 404

ValidationException

The specified input is not valid, or fails to satisfy the constraints for the request.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Fault Injection Simulator API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Action](#)
- [ActionParameter](#)
- [ActionSummary](#)
- [ActionTarget](#)
- [CreateExperimentTemplateActionInput](#)
- [CreateExperimentTemplateExperimentOptionsInput](#)
- [CreateExperimentTemplateLogConfigurationInput](#)
- [CreateExperimentTemplateReportConfigurationInput](#)
- [CreateExperimentTemplateStopConditionInput](#)
- [CreateExperimentTemplateTargetInput](#)
- [Experiment](#)
- [ExperimentAction](#)
- [ExperimentActionState](#)
- [ExperimentCloudWatchLogsLogConfiguration](#)
- [ExperimentError](#)
- [ExperimentLogConfiguration](#)
- [ExperimentOptions](#)
- [ExperimentReport](#)
- [ExperimentReportConfiguration](#)
- [ExperimentReportConfigurationCloudWatchDashboard](#)

- [ExperimentReportConfigurationDataSources](#)
- [ExperimentReportConfigurationOutputs](#)
- [ExperimentReportConfigurationOutputsS3Configuration](#)
- [ExperimentReportError](#)
- [ExperimentReportS3Report](#)
- [ExperimentReportState](#)
- [ExperimentS3LogConfiguration](#)
- [ExperimentState](#)
- [ExperimentStopCondition](#)
- [ExperimentSummary](#)
- [ExperimentTarget](#)
- [ExperimentTargetAccountConfiguration](#)
- [ExperimentTargetAccountConfigurationSummary](#)
- [ExperimentTargetFilter](#)
- [ExperimentTemplate](#)
- [ExperimentTemplateAction](#)
- [ExperimentTemplateCloudWatchLogsLogConfiguration](#)
- [ExperimentTemplateCloudWatchLogsLogConfigurationInput](#)
- [ExperimentTemplateExperimentOptions](#)
- [ExperimentTemplateLogConfiguration](#)
- [ExperimentTemplateReportConfiguration](#)
- [ExperimentTemplateReportConfigurationCloudWatchDashboard](#)
- [ExperimentTemplateReportConfigurationDataSources](#)
- [ExperimentTemplateReportConfigurationDataSourcesInput](#)
- [ExperimentTemplateReportConfigurationOutputs](#)
- [ExperimentTemplateReportConfigurationOutputsInput](#)
- [ExperimentTemplateS3LogConfiguration](#)
- [ExperimentTemplateS3LogConfigurationInput](#)
- [ExperimentTemplateStopCondition](#)
- [ExperimentTemplateSummary](#)

- [ExperimentTemplateTarget](#)
- [ExperimentTemplateTargetFilter](#)
- [ExperimentTemplateTargetInputFilter](#)
- [ReportConfigurationCloudWatchDashboardInput](#)
- [ReportConfigurationS3Output](#)
- [ReportConfigurationS3OutputInput](#)
- [ResolvedTarget](#)
- [SafetyLever](#)
- [SafetyLeverState](#)
- [StartExperimentExperimentOptionsInput](#)
- [TargetAccountConfiguration](#)
- [TargetAccountConfigurationSummary](#)
- [TargetResourceType](#)
- [TargetResourceTypeParameter](#)
- [TargetResourceTypeSummary](#)
- [UpdateExperimentTemplateActionInputItem](#)
- [UpdateExperimentTemplateExperimentOptionsInput](#)
- [UpdateExperimentTemplateLogConfigurationInput](#)
- [UpdateExperimentTemplateReportConfigurationInput](#)
- [UpdateExperimentTemplateStopConditionInput](#)
- [UpdateExperimentTemplateTargetInput](#)
- [UpdateSafetyLeverStateInput](#)

Action

Describes an action. For more information, see [AWS FIS actions](#) in the *AWS Fault Injection Service User Guide*.

Contents

arn

The Amazon Resource Name (ARN) of the action.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

description

The description for the action.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

id

The ID of the action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

parameters

The action parameters, if applicable.

Type: String to [ActionParameter](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

tags

The tags for the action.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

targets

The supported targets for the action.

Type: String to [ActionTarget](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ActionParameter

Describes a parameter for an action.

Contents

description

The parameter description.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

required

Indicates whether the parameter is required.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ActionSummary

Provides a summary of an action.

Contents

arn

The Amazon Resource Name (ARN) of the action.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

description

The description for the action.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

id

The ID of the action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

tags

The tags for the action.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

targets

The targets for the action.

Type: String to [ActionTarget](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ActionTarget

Describes a target for an action.

Contents

resourceType

The resource type of the target.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateExperimentTemplateActionInput

Specifies an action for an experiment template.

For more information, see [Actions](#) in the *AWS Fault Injection Service User Guide*.

Contents

actionId

The ID of the action. The format of the action ID is: `aws:service-name:action-type`.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: Yes

description

A description for the action.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

parameters

The parameters for the action, if applicable.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 1024.

Value Pattern: `[\S]+`

Required: No

startAfter

The name of the action that must be completed before the current action starts. Omit this parameter to run the action at the start of the experiment.

Type: Array of strings

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

targets

The targets for the action.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 64.

Value Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateExperimentTemplateExperimentOptionsInput

Specifies experiment options for an experiment template.

Contents

accountTargeting

Specifies the account targeting setting for experiment options.

Type: String

Valid Values: `single-account` | `multi-account`

Required: No

emptyTargetResolutionMode

Specifies the empty target resolution mode for experiment options.

Type: String

Valid Values: `fail` | `skip`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateExperimentTemplateLogConfigurationInput

Specifies the configuration for experiment logging.

Contents

logSchemaVersion

The schema version.

Type: Integer

Required: Yes

cloudWatchLogsConfiguration

The configuration for experiment logging to Amazon CloudWatch Logs.

Type: [ExperimentTemplateCloudWatchLogsLogConfigurationInput](#) object

Required: No

s3Configuration

The configuration for experiment logging to Amazon S3.

Type: [ExperimentTemplateS3LogConfigurationInput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateExperimentTemplateReportConfigurationInput

Specifies the configuration for experiment reports.

Contents

dataSources

The data sources for the experiment report.

Type: [ExperimentTemplateReportConfigurationDataSourcesInput](#) object

Required: No

outputs

The output destinations of the experiment report.

Type: [ExperimentTemplateReportConfigurationOutputsInput](#) object

Required: No

postExperimentDuration

The duration after the experiment end time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

preExperimentDuration

The duration before the experiment start time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateExperimentTemplateStopConditionInput

Specifies a stop condition for an experiment template.

Contents

source

The source for the stop condition. Specify `aws:cloudwatch:alarm` if the stop condition is defined by a CloudWatch alarm. Specify `none` if there is no stop condition.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

value

The Amazon Resource Name (ARN) of the CloudWatch alarm. This is required if the source is a CloudWatch alarm.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CreateExperimentTemplateTargetInput

Specifies a target for an experiment. You must specify at least one Amazon Resource Name (ARN) or at least one resource tag. You cannot specify both ARNs and tags.

For more information, see [Targets](#) in the *AWS Fault Injection Service User Guide*.

Contents

resourceType

The resource type. The resource type must be supported for the specified action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: Yes

selectionMode

Scopes the identified resources to a specific count of the resources at random, or a percentage of the resources. All identified resources are included in the target.

- ALL - Run the action on all identified targets. This is the default.
- COUNT(n) - Run the action on the specified number of targets, chosen from the identified targets at random. For example, COUNT(1) selects one of the targets.
- PERCENT(n) - Run the action on the specified percentage of targets, chosen from the identified targets at random. For example, PERCENT(25) selects 25% of the targets.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

filters

The filters to apply to identify target resources using specific attributes.

Type: Array of [ExperimentTemplateTargetInputFilter](#) objects

Required: No

parameters

The resource type parameters.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Value Pattern: `^[\p{L}\p{Z}\p{N}_ . : / = + \ - @] + $`

Required: No

resourceArns

The Amazon Resource Names (ARNs) of the resources.

Type: Array of strings

Array Members: Maximum number of 5 items.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

resourceTags

The tags for the target resources.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Experiment

Describes an experiment.

Contents

actions

The actions for the experiment.

Type: String to [ExperimentAction](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

arn

The Amazon Resource Name (ARN) of the experiment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

creationTime

The time that the experiment was created.

Type: Timestamp

Required: No

endTime

The time that the experiment ended.

Type: Timestamp

Required: No

experimentOptions

The experiment options for the experiment.

Type: [ExperimentOptions](#) object

Required: No

experimentReport

The experiment report for the experiment.

Type: [ExperimentReport](#) object

Required: No

experimentReportConfiguration

The experiment report configuration for the experiment.

Type: [ExperimentReportConfiguration](#) object

Required: No

experimentTemplateId

The ID of the experiment template.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

id

The ID of the experiment.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

logConfiguration

The configuration for experiment logging.

Type: [ExperimentLogConfiguration](#) object

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role that grants the AWS FIS service permission to perform service actions on your behalf.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

startTime

The time that the experiment started.

Type: Timestamp

Required: No

state

The state of the experiment.

Type: [ExperimentState](#) object

Required: No

stopConditions

The stop conditions for the experiment.

Type: Array of [ExperimentStopCondition](#) objects

Required: No

tags

The tags for the experiment.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

targetAccountConfigurationsCount

The count of target account configurations for the experiment.

Type: Long

Valid Range: Minimum value of 0.

Required: No

targets

The targets for the experiment.

Type: String to [ExperimentTarget](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentAction

Describes the action for an experiment.

Contents

actionId

The ID of the action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

description

The description for the action.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

endTime

The time that the action ended.

Type: Timestamp

Required: No

parameters

The parameters for the action.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 1024.

Value Pattern: `[\S]+`

Required: No

startAfter

The name of the action that must be completed before this action starts.

Type: Array of strings

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

startTime

The time that the action started.

Type: Timestamp

Required: No

state

The state of the action.

Type: [ExperimentActionState](#) object

Required: No

targets

The targets for the action.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 64.

Value Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentActionState

Describes the state of an action.

Contents

reason

The reason for the state.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

status

The state of the action.

Type: String

Valid Values: `pending` | `initiating` | `running` | `completed` | `cancelled` | `stopping` | `stopped` | `failed` | `skipped`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentCloudWatchLogsLogConfiguration

Describes the configuration for experiment logging to Amazon CloudWatch Logs.

Contents

logGroupArn

The Amazon Resource Name (ARN) of the destination Amazon CloudWatch Logs log group.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentError

Describes the error when an experiment has failed.

Contents

accountId

The AWS Account ID where the experiment failure occurred.

Type: String

Required: No

code

The error code for the failed experiment.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

location

Context for the section of the experiment template that failed.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentLogConfiguration

Describes the configuration for experiment logging.

Contents

cloudWatchLogsConfiguration

The configuration for experiment logging to Amazon CloudWatch Logs.

Type: [ExperimentCloudWatchLogsLogConfiguration](#) object

Required: No

logSchemaVersion

The schema version.

Type: Integer

Required: No

s3Configuration

The configuration for experiment logging to Amazon S3.

Type: [ExperimentS3LogConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentOptions

Describes the options for an experiment.

Contents

accountTargeting

The account targeting setting for an experiment.

Type: String

Valid Values: `single-account` | `multi-account`

Required: No

actionsMode

The actions mode of the experiment that is set from the StartExperiment API command.

Type: String

Valid Values: `skip-all` | `run-all`

Required: No

emptyTargetResolutionMode

The empty target resolution mode for an experiment.

Type: String

Valid Values: `fail` | `skip`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ExperimentReport

Describes the experiment report.

Contents

s3Reports

The S3 destination of the experiment report.

Type: Array of [ExperimentReportS3Report](#) objects

Required: No

state

The state of the experiment report.

Type: [ExperimentReportState](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportConfiguration

Describes the report configuration for the experiment. For more information, see [Experiment report configurations for AWS FIS](#).

Contents

dataSources

The data sources for the experiment report.

Type: [ExperimentReportConfigurationDataSources](#) object

Required: No

outputs

The output destinations of the experiment report.

Type: [ExperimentReportConfigurationOutputs](#) object

Required: No

postExperimentDuration

The duration after the experiment end time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

preExperimentDuration

The duration before the experiment start time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportConfigurationCloudWatchDashboard

Specifies the CloudWatch dashboards to include in the experiment report. The dashboard widgets will be captured as snapshot graphs within the report.

Contents

dashboardIdentifier

The Amazon Resource Name (ARN) of the CloudWatch dashboard to include in the experiment report.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportConfigurationDataSources

Describes the data sources for the experiment report.

Contents

cloudWatchDashboards

The CloudWatch dashboards to include as data sources in the experiment report.

Type: Array of [ExperimentReportConfigurationCloudWatchDashboard](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportConfigurationOutputs

Describes the output destinations of the experiment report.

Contents

s3Configuration

The S3 destination for the experiment report.

Type: [ExperimentReportConfigurationOutputsS3Configuration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportConfigurationOutputsS3Configuration

Specifies the S3 destination for the experiment report.

Contents

bucketName

The name of the S3 bucket where the experiment report will be stored.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[\S]+`

Required: No

prefix

The prefix of the S3 bucket where the experiment report will be stored.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportError

Describes the error when experiment report generation has failed.

Contents

code

The error code for the failed experiment report generation.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportS3Report

Describes the S3 destination for the report.

Contents

arn

The Amazon Resource Name (ARN) of the generated report.

Type: String

Pattern: `[\s\S]+`

Required: No

reportType

The report type for the experiment report.

Type: String

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentReportState

Describes the state of the experiment report generation.

Contents

error

The error information of the experiment when the experiment report generation has failed.

Type: [ExperimentReportError](#) object

Required: No

reason

The reason for the state of the experiment report generation.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

status

The state of the experiment report generation.

Type: String

Valid Values: `pending` | `running` | `completed` | `cancelled` | `failed`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

ExperimentS3LogConfiguration

Describes the configuration for experiment logging to Amazon S3.

Contents

bucketName

The name of the destination bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[\S]+`

Required: No

prefix

The bucket prefix.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 700.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentState

Describes the state of an experiment.

Contents

error

The error information of the experiment when the action has failed.

Type: [ExperimentError](#) object

Required: No

reason

The reason for the state.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

status

The state of the experiment.

Type: String

Valid Values: `pending | initiating | running | completed | stopping | stopped | failed | cancelled`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentStopCondition

Describes the stop condition for an experiment.

Contents

source

The source for the stop condition.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

value

The Amazon Resource Name (ARN) of the CloudWatch alarm, if applicable.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentSummary

Provides a summary of an experiment.

Contents

arn

The Amazon Resource Name (ARN) of the experiment.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

creationTime

The time that the experiment was created.

Type: Timestamp

Required: No

experimentOptions

The experiment options for the experiment.

Type: [ExperimentOptions](#) object

Required: No

experimentTemplateId

The ID of the experiment template.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

id

The ID of the experiment.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

state

The state of the experiment.

Type: [ExperimentState](#) object

Required: No

tags

The tags for the experiment.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTarget

Describes a target for an experiment.

Contents

filters

The filters to apply to identify target resources using specific attributes.

Type: Array of [ExperimentTargetFilter](#) objects

Required: No

parameters

The resource type parameters.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

resourceArns

The Amazon Resource Names (ARNs) of the resources.

Type: Array of strings

Array Members: Maximum number of 5 items.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

resourceTags

The tags for the target resources.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

resourceType

The resource type.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

selectionMode

Scopes the identified resources to a specific count or percentage.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTargetAccountConfiguration

Describes a target account configuration for an experiment.

Contents

accountId

The AWS account ID of the target account.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: No

description

The description of the target account.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]*`

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role for the target account.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTargetAccountConfigurationSummary

Provides a summary of a target account configuration.

Contents

accountId

The AWS account ID of the target account.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: No

description

The description of the target account.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]*`

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role for the target account.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTargetFilter

Describes a filter used for the target resources in an experiment.

Contents

path

The attribute path for the filter.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\S]+`

Required: No

values

The attribute values for the filter.

Type: Array of strings

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplate

Describes an experiment template.

Contents

actions

The actions for the experiment.

Type: String to [ExperimentTemplateAction](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

arn

The Amazon Resource Name (ARN) of the experiment template.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

creationTime

The time the experiment template was created.

Type: Timestamp

Required: No

description

The description for the experiment template.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

experimentOptions

The experiment options for an experiment template.

Type: [ExperimentTemplateExperimentOptions](#) object

Required: No

experimentReportConfiguration

Describes the report configuration for the experiment template.

Type: [ExperimentTemplateReportConfiguration](#) object

Required: No

id

The ID of the experiment template.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

lastUpdateTime

The time the experiment template was last updated.

Type: Timestamp

Required: No

logConfiguration

The configuration for experiment logging.

Type: [ExperimentTemplateLogConfiguration](#) object

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

stopConditions

The stop conditions for the experiment.

Type: Array of [ExperimentTemplateStopCondition](#) objects

Required: No

tags

The tags for the experiment template.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

targetAccountConfigurationsCount

The count of target account configurations for the experiment template.

Type: Long

Valid Range: Minimum value of 0.

Required: No

targets

The targets for the experiment.

Type: String to [ExperimentTemplateTarget](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateAction

Describes an action for an experiment template.

Contents

actionId

The ID of the action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

description

A description for the action.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

parameters

The parameters for the action.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 1024.

Value Pattern: `[\S]+`

Required: No

startAfter

The name of the action that must be completed before the current action starts.

Type: Array of strings

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

targets

The targets for the action.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 64.

Value Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateCloudWatchLogsLogConfiguration

Describes the configuration for experiment logging to Amazon CloudWatch Logs.

Contents

logGroupArn

The Amazon Resource Name (ARN) of the destination Amazon CloudWatch Logs log group.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateCloudWatchLogsLogConfigurationInput

Specifies the configuration for experiment logging to Amazon CloudWatch Logs.

Contents

logGroupArn

The Amazon Resource Name (ARN) of the destination Amazon CloudWatch Logs log group.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateExperimentOptions

Describes the experiment options for an experiment template.

Contents

accountTargeting

The account targeting setting for an experiment template.

Type: String

Valid Values: `single-account` | `multi-account`

Required: No

emptyTargetResolutionMode

The empty target resolution mode for an experiment template.

Type: String

Valid Values: `fail` | `skip`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateLogConfiguration

Describes the configuration for experiment logging.

Contents

cloudWatchLogsConfiguration

The configuration for experiment logging to Amazon CloudWatch Logs.

Type: [ExperimentTemplateCloudWatchLogsLogConfiguration](#) object

Required: No

logSchemaVersion

The schema version.

Type: Integer

Required: No

s3Configuration

The configuration for experiment logging to Amazon S3.

Type: [ExperimentTemplateS3LogConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateReportConfiguration

Describes the experiment report configuration. For more information, see [Experiment report configurations for AWS FIS](#).

Contents

dataSources

The data sources for the experiment report.

Type: [ExperimentTemplateReportConfigurationDataSources](#) object

Required: No

outputs

Describes the output destinations of the experiment report.

Type: [ExperimentTemplateReportConfigurationOutputs](#) object

Required: No

postExperimentDuration

The duration after the experiment end time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

preExperimentDuration

The duration before the experiment start time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateReportConfigurationCloudWatchDashboard

The CloudWatch dashboards to include as data sources in the experiment report.

Contents

dashboardIdentifier

The Amazon Resource Name (ARN) of the CloudWatch dashboard to include in the experiment report.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateReportConfigurationDataSources

Describes the data sources for the experiment report.

Contents

cloudWatchDashboards

The CloudWatch dashboards to include as data sources in the experiment report.

Type: Array of [ExperimentTemplateReportConfigurationCloudWatchDashboard](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateReportConfigurationDataSourcesInput

Specifies the data sources for the experiment report.

Contents

cloudWatchDashboards

The CloudWatch dashboards to include as data sources in the experiment report.

Type: Array of [ReportConfigurationCloudWatchDashboardInput](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateReportConfigurationOutputs

The output destinations of the experiment report.

Contents

s3Configuration

The S3 destination for the experiment report.

Type: [ReportConfigurationS3Output](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateReportConfigurationOutputsInput

Specifies the outputs for the experiment templates.

Contents

s3Configuration

The S3 destination for the experiment report.

Type: [ReportConfigurationS3OutputInput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateS3LogConfiguration

Describes the configuration for experiment logging to Amazon S3.

Contents

bucketName

The name of the destination bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[\S]+`

Required: No

prefix

The bucket prefix.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 700.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateS3LogConfigurationInput

Specifies the configuration for experiment logging to Amazon S3.

Contents

bucketName

The name of the destination bucket.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[\S]+`

Required: Yes

prefix

The bucket prefix.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 700.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateStopCondition

Describes a stop condition for an experiment template.

Contents

source

The source for the stop condition.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

value

The Amazon Resource Name (ARN) of the CloudWatch alarm, if applicable.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateSummary

Provides a summary of an experiment template.

Contents

arn

The Amazon Resource Name (ARN) of the experiment template.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

creationTime

The time that the experiment template was created.

Type: Timestamp

Required: No

description

The description of the experiment template.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

id

The ID of the experiment template.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

lastUpdateTime

The time that the experiment template was last updated.

Type: Timestamp

Required: No

tags

The tags for the experiment template.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateTarget

Describes a target for an experiment template.

Contents

filters

The filters to apply to identify target resources using specific attributes.

Type: Array of [ExperimentTemplateTargetFilter](#) objects

Required: No

parameters

The resource type parameters.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Value Pattern: `^\[\p{L}\p{Z}\p{N}_\.:/+\\-@]+\`

Required: No

resourceArns

The Amazon Resource Names (ARNs) of the targets.

Type: Array of strings

Array Members: Maximum number of 5 items.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

resourceTags

The tags for the target resources.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

resourceType

The resource type.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

selectionMode

Scopes the identified resources to a specific count or percentage.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateTargetFilter

Describes a filter used for the target resources in an experiment template.

Contents

path

The attribute path for the filter.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\S]+`

Required: No

values

The attribute values for the filter.

Type: Array of strings

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ExperimentTemplateTargetInputFilter

Specifies a filter used for the target resource input in an experiment template.

For more information, see [Resource filters](#) in the *AWS Fault Injection Service User Guide*.

Contents

path

The attribute path for the filter.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\S]+`

Required: Yes

values

The attribute values for the filter.

Type: Array of strings

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReportConfigurationCloudWatchDashboardInput

Specifies the CloudWatch dashboard for the experiment report.

Contents

dashboardIdentifier

The Amazon Resource Name (ARN) of the CloudWatch dashboard to include in the experiment report.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReportConfigurationS3Output

Describes the S3 destination for the experiment report.

Contents

bucketName

The name of the S3 bucket where the experiment report will be stored.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[\S]+`

Required: No

prefix

The prefix of the S3 bucket where the experiment report will be stored.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReportConfigurationS3OutputInput

Specifies the S3 destination for the experiment report.

Contents

bucketName

The name of the S3 bucket where the experiment report will be stored.

Type: String

Length Constraints: Minimum length of 3. Maximum length of 63.

Pattern: `[\S]+`

Required: No

prefix

The prefix of the S3 bucket where the experiment report will be stored.

Type: String

Length Constraints: Maximum length of 256.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ResolvedTarget

Describes a resolved target.

Contents

resourceType

The resource type of the target.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

targetInformation

Information about the target.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 2048.

Value Pattern: `[\S]+`

Required: No

targetName

The name of the target.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SafetyLever

Describes a safety lever.

Contents

arn

The Amazon Resource Name (ARN) of the safety lever.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

id

The ID of the safety lever.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

state

The state of the safety lever.

Type: [SafetyLeverState](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SafetyLeverState

Describes the state of the safety lever.

Contents

reason

The reason for the state of the safety lever.

Type: String

Required: No

status

The state of the safety lever.

Type: String

Valid Values: `disengaged` | `engaged` | `engaging`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StartExperimentExperimentOptionsInput

Specifies experiment options for running an experiment.

Contents

actionsMode

Specifies the actions mode for experiment options.

Type: String

Valid Values: skip-all | run-all

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TargetAccountConfiguration

Describes a target account configuration.

Contents

accountId

The AWS account ID of the target account.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: No

description

The description of the target account.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]*`

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role for the target account.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TargetAccountConfigurationSummary

Provides a summary of a target account configuration.

Contents

accountId

The AWS account ID of the target account.

Type: String

Length Constraints: Minimum length of 12. Maximum length of 48.

Pattern: `[\S]+`

Required: No

description

The description of the target account.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]*`

Required: No

roleArn

The Amazon Resource Name (ARN) of an IAM role for the target account.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TargetResourceType

Describes a resource type.

Contents

description

A description of the resource type.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

parameters

The parameters for the resource type.

Type: String to [TargetResourceTypeParameter](#) object map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Required: No

resourceType

The resource type.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TargetResourceTypeParameter

Describes the parameters for a resource type. Use parameters to determine which tasks are identified during target resolution.

Contents

description

A description of the parameter.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

required

Indicates whether the parameter is required.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TargetResourceTypeSummary

Describes a resource type.

Contents

description

A description of the resource type.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

resourceType

The resource type.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplateActionInputItem

Specifies an action for an experiment template.

Contents

actionId

The ID of the action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: No

description

A description for the action.

Type: String

Length Constraints: Maximum length of 512.

Pattern: `[\s\S]+`

Required: No

parameters

The parameters for the action, if applicable.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 1024.

Value Pattern: `[\S]+`

Required: No

startAfter

The name of the action that must be completed before the current action starts. Omit this parameter to run the action at the start of the experiment.

Type: Array of strings

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: No

targets

The targets for the action.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Maximum length of 64.

Value Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplateExperimentOptionsInput

Specifies an experiment option for an experiment template.

Contents

emptyTargetResolutionMode

The empty target resolution mode of the experiment template.

Type: String

Valid Values: `fail` | `skip`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplateLogConfigurationInput

Specifies the configuration for experiment logging.

Contents

cloudWatchLogsConfiguration

The configuration for experiment logging to Amazon CloudWatch Logs.

Type: [ExperimentTemplateCloudWatchLogsLogConfigurationInput](#) object

Required: No

logSchemaVersion

The schema version.

Type: Integer

Required: No

s3Configuration

The configuration for experiment logging to Amazon S3.

Type: [ExperimentTemplateS3LogConfigurationInput](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplateReportConfigurationInput

Specifies the input for the experiment report configuration.

Contents

dataSources

The data sources for the experiment report.

Type: [ExperimentTemplateReportConfigurationDataSourcesInput](#) object

Required: No

outputs

Describes the output destinations of the experiment report.

Type: [ExperimentTemplateReportConfigurationOutputsInput](#) object

Required: No

postExperimentDuration

The duration after the experiment end time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

preExperimentDuration

The duration before the experiment start time for the data sources to include in the report.

Type: String

Length Constraints: Maximum length of 32.

Pattern: `[\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplateStopConditionInput

Specifies a stop condition for an experiment. You can define a stop condition as a CloudWatch alarm.

Contents

source

The source for the stop condition. Specify `aws:cloudwatch:alarm` if the stop condition is defined by a CloudWatch alarm. Specify `none` if there is no stop condition.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

value

The Amazon Resource Name (ARN) of the CloudWatch alarm.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\s\S]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateExperimentTemplateTargetInput

Specifies a target for an experiment. You must specify at least one Amazon Resource Name (ARN) or at least one resource tag. You cannot specify both.

Contents

resourceType

The resource type. The resource type must be supported for the specified action.

Type: String

Length Constraints: Maximum length of 128.

Pattern: `[\S]+`

Required: Yes

selectionMode

Scopes the identified resources to a specific count or percentage.

Type: String

Length Constraints: Maximum length of 64.

Pattern: `[\S]+`

Required: Yes

filters

The filters to apply to identify target resources using specific attributes.

Type: Array of [ExperimentTemplateTargetInputFilter](#) objects

Required: No

parameters

The resource type parameters.

Type: String to string map

Key Length Constraints: Maximum length of 64.

Key Pattern: `[\S]+`

Value Length Constraints: Minimum length of 1. Maximum length of 1024.

Value Pattern: `^\p{L}\p{Z}\p{N}_.: / = + \ - @] + $`

Required: No

resourceArns

The Amazon Resource Names (ARNs) of the targets.

Type: Array of strings

Array Members: Maximum number of 5 items.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `[\S]+`

Required: No

resourceTags

The tags for the target resources.

Type: String to string map

Map Entries: Maximum number of 50 items.

Key Length Constraints: Maximum length of 128.

Key Pattern: `[\s\S]+`

Value Length Constraints: Maximum length of 256.

Value Pattern: `[\s\S]*`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

UpdateSafetyLeverStateInput

Specifies a state for a safety lever.

Contents

reason

The reason for updating the state of the safety lever.

Type: String

Required: Yes

status

The updated state of the safety lever.

Type: String

Valid Values: `disengaged` | `engaged`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400