



Hands-on tutorials

Create an Audio Transcript with Amazon Transcribe



Create an Audio Transcript with Amazon Transcribe: Hands-on tutorials


Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Create an Audio Transcript with Amazon Transcribe	i
Overview	1
Implementation	2
Conclusion	17

Create an Audio Transcript with Amazon Transcribe

AWS experience	Beginner
Time to complete	10 minutes
Cost to complete	Free Tier eligible
Requires	<ul style="list-style-type: none">• AWS account <div data-bbox="862 611 1507 919"><p> Note</p><p>Accounts created within the last 24 hours might not yet have access to the services required for this tutorial.</p></div> <ul style="list-style-type: none">• Recommended browser: The latest version of Chrome or Firefox
Last updated	July 5, 2022

Overview

In this step-by-step tutorial, you will learn how to use [Amazon Transcribe](#) to create a text transcript of a recorded audio file using the [AWS Management Console](#). Amazon Transcribe is an automatic speech recognition (ASR) service that makes it easy for developers to add speech-to-text capability to their applications. Using the Amazon Transcribe API, you can analyze audio files stored in Amazon Simple Storage Service (Amazon S3) and have the service return a text file of the transcribed speech.

As a developer, creating transcriptions of customer service calls or generating subtitles on audio and video content are common challenges requiring speech-to-text capabilities. This challenge could be solved by building your own machine learning models from scratch. However, this option is time-intensive, expensive, and requires machine learning expertise. Instead of taking the difficult route, you can use Amazon Transcribe, a pre-trained and fully managed service, which provides fast and high-quality transcriptions.

In this tutorial you will download a sample audio file then upload it to an Amazon S3 bucket that you will create. Then you will use Amazon Transcribe to create a transcript from the sample audio clip using the AWS Management Console.

This tutorial is a demo of the functionality that is available when using the AWS CLI or the [Amazon Transcribe API](#). For production or proof of concept implementations, we recommend using these programmatic interfaces rather than the Amazon Transcribe Console.

Implementation

Step 1: Create an S3 bucket and upload sample

In this step, you will download a sample audio file, create an S3 bucket, then upload the sample file to the S3 bucket. Amazon Transcribe accesses audio and video files for transcription exclusively from S3 buckets.


1. Download the file

To download the sample audio file to transcribe later in the tutorial, choose [transcribe-sample.mp3](#).

2. Open the console


Select [AWS Management Console](#) to open the console in a new browser window, so you can keep this step-by-step guide open. When the screen loads, enter your user name and password to get started.

Using the **Region** drop down, select a Region that has Amazon Transcribe.



3. Open the S3 console

Type **S3** in the search bar and select **S3** to open the console.




4. Create a bucket

In the S3 dashboard choose **Create bucket**.

If this is the first time you have created a bucket, you will see a screen that looks like the image pictured here.


If you have already created S3 buckets, your S3 dashboard will list all the buckets you have created.



5. Enter a bucket name

Enter a unique bucket name. Bucket names must be unique across all existing bucket names in Amazon S3. There are a number of other [restrictions on S3 bucket names](#) as well.

Then select a Region to create your bucket in.



aws Services Search for services, features, blogs, docs, and more [Option+S] Global

Amazon S3 > Buckets > Create bucket

Create bucket Info

Buckets are containers for data stored in S3. [Learn more](#)

General configuration

Bucket name
mysuperawsbucket
Bucket name must be unique and must not contain spaces or uppercase letters. [See rules for bucket naming](#)

AWS Region
US West (Oregon) us-west-2

Copy settings from existing bucket - *optional*
Only the bucket settings in the following configuration are copied.

Choose bucket

6. Review configuration details and create bucket

You have the ability to set up permissions for your S3 bucket. Leave the default values and scroll down.

You have many useful options for your S3 bucket including [Versioning](#), [Server Access Logging](#), [Tags](#), [Object-level Logging](#), and [Default Encryption](#). We won't enable these features for this tutorial.

Select **Create bucket**.

Bucket Versioning
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

Disable
 Enable

Tags (0) - optional
Track storage cost or other criteria by tagging your bucket. [Learn more](#)

No tags associated with this bucket.

[Add tag](#)

Default encryption
Automatically encrypt new objects stored in this bucket. [Learn more](#)

Server-side encryption

Disable
 Enable

▼ Advanced settings

Object Lock
Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. [Learn more](#)

Disable
 Enable
Permanently allows objects in this bucket to be locked. Additional Object Lock configuration is required in bucket details after bucket creation to protect objects in this bucket from being deleted or overwritten.

[i](#) Object Lock works only in versioned buckets. Enabling Object Lock automatically enables Bucket Versioning.

[i](#) After creating the bucket you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel [Create bucket](#)

7. Select your bucket

You will see your new bucket in the S3 console. Click on your bucket's name to navigate to the bucket. Your bucket name will not be the same as pictured in the screenshot to the right.

Account snapshot
Last updated: May 11, 2022 by Storage Lens. Metrics are generated every 24 hours. [Learn more](#)

Total storage	Object count	Avg. object size	You can enable advanced metrics in the "default-account-dashboard" configuration.
8.3 KB	1	8.3 KB	

Buckets (2) Info
Buckets are containers for data stored in S3. [Learn more](#)

[Refresh](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Find buckets by name

Name	AWS Region	Access	Creation date
<input type="radio"/> mysuperawsbucket	US West (Oregon) us-west-2	Bucket and objects not public	May 12, 2022, 17:34:04 (UTC-07:00)

8. Upload the sample file

You are in your bucket's home page.

Select **Upload**.

mysuperawsbucket Info

[Objects](#) [Properties](#) [Permissions](#) [Metrics](#) [Management](#) [Access Points](#)

Objects (0)
Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

[Refresh](#) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Find objects by prefix


Name	Type	Last modified	Size	Storage class
No objects You don't have any objects in this bucket.				

[Upload](#)

9. Select the sample file and upload it

Upload the `transcribe-sample.mp3` file by selecting **Add files** and selecting the file or dragging the `transcribe-sample.mp3` file to the upload box.

Select Upload.



The screenshot shows the AWS S3 console interface for the 'Upload' page of the bucket 'mysuperawsbucket'. The page title is 'Upload' with an 'Info' link. Below the title, there is a message: 'Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)'. A dashed box contains the instruction: 'Drag and drop files and folders you want to upload here, or choose **Add files**, or **Add folders**.' Below this, there are three buttons: 'Remove', 'Add files' (highlighted with a red box), and 'Add folder'. A search bar labeled 'Find by name' is present. A table lists the files and folders to be uploaded:


<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3	-	audio/mpeg	410.2 KB

Below the table, there are sections for 'Destination', 'Permissions', and 'Properties'. The 'Destination' section shows 's3://mysuperawsbucket'. The 'Permissions' section is expanded, showing 'Grant public access and access to other AWS accounts.' The 'Properties' section is also expanded, showing 'Specify storage class, encryption settings, tags, and more.' At the bottom right, there are 'Cancel' and 'Upload' buttons, with the 'Upload' button highlighted with a red box.

10. Copy the S3 URI

On successful upload, select the **transcribe-sample.mp3** file in your bucket. A file detail page will be displayed for the `transcribe-sample.mp3` file.

Copy the S3 URI link to the file and save it for use later in the tutorial.




The screenshot shows the AWS Management Console interface for Amazon S3. The breadcrumb navigation indicates the path: Amazon S3 > Buckets > mysuperawsbucket > transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3. The main content area displays the object name 'transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3' with an 'Info' link. Below the name are three buttons: 'Copy S3 URI' (highlighted with a red box), 'Download', and 'Open'. To the right of these buttons is an 'Object actions' dropdown menu. Below the buttons are three tabs: 'Properties' (selected), 'Permissions', and 'Versions'. The 'Object overview' section is divided into two columns. The left column contains: Owner (redacted), AWS Region (US West (Oregon) us-west-2), Last modified (June 1, 2022, 11:06:18 (UTC-07:00)), and Size (410.2 KB). The right column contains: S3 URI (s3://mysuperawsbucket/transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3), Amazon Resource Name (ARN) (arn:aws:s3:::mysuperawsbucket/transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3), and Entity tag (Etag) (bf153e303affbb6e54feb0a233879d4d).

Step 2: Create transcription job

In this step, you will create and run a transcription job using the Amazon Transcribe console.


1. Open the Transcribe console

From the top menu bar, select **Services** then begin typing **Transcribe** in the search bar and select **Amazon Transcribe** to open the service console.




2. Open the Transcription jobs page

On the Amazon Transcribe console main page, open the navigation pane and click **Transcription jobs**.



3. Create Transcription job

On the **Transcription jobs** page, click **Create job**.



4. Specify job details

On the **Create transcription job** page, in the **Name** field, type **sample-transcription-job**.

Leave the default **Language** as **English**.

Leave the default **Model type** as **General model**.

In the **Input file location on S3** field, paste the link to the sample file in your S3 bucket. The link to your sample file will be different than the one shown in the screenshot to the right.

You can use the **Custom vocabulary** feature to help Amazon Translate recognize words and phrases that are specific to your application, such as a non-English name like Etienne. You won't use this feature in this tutorial.

Step 1
Specify job details

Step 2
Configure job - optional

Specify job details [Info](#)

Job settings

Name

sample-transcription-job

The name can be up to 200 characters long. Valid characters are a-z, A-Z, 0-9, . (period), _ (underscore), and - (hyphen).

Language settings

You can transcribe your audio file in a language that you specify or have Amazon Transcribe identify and transcribe it in the predominant language.

- Specific language [Info](#)**
If you know the language spoken in your source audio, choose this option to get the most accurate results. The options available for additional processing vary between languages.
- Automatic language identification [Info](#)**
If you don't know the language spoken in your audio files, choose this option. You have access to fewer options for additional processing than if you choose **Specific language**.
- Automatic multiple languages identification [Info](#)**
If there are multiple languages spoken in your audio files and you're not sure what these languages are, choose this option. This selection provides limited additional processing options compared to **Specific language**.

Language

Choose the language of the input audio.

English, US (en-US)

Model type [Info](#)

Choose the type of model to use for the transcription job.

- General model**
To use a model that is not specialized for a particular use case, choose this option. Configuration options vary between languages.
- Custom language model**
To use a model that you trained for your specific use case, choose this option. This model has fewer configuration options than the general model.

► **Additional settings**

Input data [Info](#)

Input file location on S3

Choose an input audio or video file in Amazon S3.

s3://mysuperawsbucket/transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256 [Browse S3](#)


Valid file formats: MP3, MP4, WAV, FLAC, AMR, OGG, and WebM.

5. Specify output data

Leave the default **Output data location type** as **Service-managed S3 bucket**.

Amazon Transcribe supports WebVTT (VTT) and SubRip (SRT) file types for subtitles. In the **Subtitle file format** field, you can choose either or both file types for output. If you select both types, you get two files that are exported to the same S3 bucket. Neither format is used in this tutorial.

Select **Next**.



Output data

Output data location type info [Info](#)

Service-managed S3 bucket
The output will be removed after 90 days when the job expires.

Customer specified S3 bucket
The output will not be removed from bucket even after the job expires.

Subtitle file format [Info](#)

SRT (SubRip)

VTT (WebVTT)

Tags - optional

A tag is a label you can add to a resource as metadata to help you organize, search, or filter your data. Each tag consists of a key and an optional value, in the form 'key:value'.

No tags associated with the resource.

[Add new tag](#)


You can add up to 50 more tags.

Cancel [Next](#)

6. Create job

You can configure additional audio, content, and custom vocabulary settings on the **Configure job** page.

For this tutorial, leave the default choices and select **Create job**.



Output data

Output data location type info [Info](#)

Service-managed S3 bucket
The output will be removed after 90 days when the job expires.

Customer specified S3 bucket
The output will not be removed from bucket even after the job expires.

Subtitle file format [Info](#)

SRT (SubRip)

VTT (WebVTT)

Tags - optional

A tag is a label you can add to a resource as metadata to help you organize, search, or filter your data. Each tag consists of a key and an optional value, in the form 'key:value'.

No tags associated with the resource.

[Add new tag](#)

You can add up to 50 more tags.

Cancel [Next](#)


Step 3: Review transcription results

In this step, you will learn how to check on the progress and review the results of your transcription job.

1. Monitor the status of the job

After you click the **Create job** button, you will be taken to the **Transcription jobs** screen. It will show the status of **sample-transcription-job**. The status can be **In progress**, **Complete**, or **Failed**.

When the status is **Complete**, click on the **sample-transcription-job** link in the **Name** column to view the transcription results.



Amazon Transcribe > Transcription jobs

Transcription jobs (1) Info

Download Copy Delete Create job

Find job names Status: All < 1 > ⚙️

	Name	Status	Language	Language settings	Model type	Model name	Created
<input type="radio"/>	sample-transcription-job	Complete	English, US (en-US)	Specific language	General	-	June 1 2022, 19:49 (UTC-

2. Check the transcription output

Next you will see the **sample-transcription-job** details. Scroll down to the **Transcription** panel to view the transcription job output.

In the **JSON** pane you can view the transcription results as it would be returned from the Transcribe API or AWS CLI.

Transcription preview

Select download to save a local copy of the transcription.

Download ▾

Text
Audio identification
Subtitles

Machine learning is employed in a range of computing tasks where designing and programming explicit algorithms with good performance is difficult or infeasible. Example applications include email filtering, detection of network intruders and computer vision. Machine learning is closely related to computational statistics, which also focuses on predictions making through the use of computer. It has strong ties to mathematical optimization, which delivers methods, theory and application domains to the field.

Tags (0)

Manage Tags

Key	Value
No tags associated with the resource.	

Application integration

to automate and manage transcription job, use the following cat. [intro](#)

Example API request

```

1 {
2   "TranscriptionJobName": "sample-transcription-job",
3   "LanguageCode": "en-US",
4   "MediaSampleRateHertz": 44100,
5   "MediaFormat": "mp3",
6   "Media": {
7     "MediaFileUri": "s3://mysuperawsbucket/transcribe
8     -sample
9     .5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3"
10  }
11 }
12 }
```

Copy

Example API response

```

1 {
2   "TranscriptionJob": {
3     "TranscriptionJobName": "sample-transcription
4     -job",
5     "TranscriptionJobStatus": "COMPLETED",
6     "LanguageCode": "en-US",
7     "MediaSampleRateHertz": 44100,
8     "MediaFormat": "mp3",
9     "Media": {
10      "MediaFileUri": "s3://mysuperawsbucket
11      /transcribe-sample
12      .5fc2109bb28268d10fbc677e64b7e59256783d3c
13      .mp3"
14    }
15  },
16  "Transcript": {
17    "TranscriptFileUri": "https://s3.us-west-2
18    .amazonaws.com/aws-transcribe-us-west-2
19    -prod/661972857966/sample-transcription
20    -job/6fde908a-1a43-42b8-9eb2-09f8a357696d
21    .mp3"
22  }
23 }
```


Copy

Clean up resources

In this step, you will delete the sample file from your S3 bucket to avoid unnecessary charges.

1. Open the S3 console


In this upper navigation menu, begin typing **S3** in the search bar and select **S3** to open the console.



2. Navigate to the bucket


Scroll through your S3 buckets and find the bucket that you created earlier in this tutorial.

Click on this bucket name to view the contents of the bucket. Your bucket name will be different in the screenshot to the right.



3. Delete the sample file

Select the **transcribe-sample.mp3** file contained within your bucket and select **Delete**. Confirm the deletion.



The screenshot shows the Amazon S3 console interface. The left sidebar contains navigation options for Amazon S3, including Buckets, Access Points, and Storage Lens. The main content area displays the 'mysuperawsbucket' bucket. The 'Objects (1)' section shows a single object: 'transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3'. The object's details are as follows:

<input checked="" type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input checked="" type="checkbox"/>	transcribe-sample.5fc2109bb28268d10fbc677e64b7e59256783d3c.mp3	mp3	June 1, 2022, 11:06:18 (UTC-07:00)	410.2 KB	Standard

The 'Delete' button in the actions menu is highlighted with a red box.

Conclusion

As you have seen in this tutorial, Amazon Transcribe enables voice to text at scale. Use Amazon Transcribe for a wide range of audio or videos files, such as customer service calls, business meetings, broadcast TV, and on-demand videos.