



API Reference

# Amazon MemoryDB



**API Version 2021-01-01**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

# Amazon MemoryDB: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Welcome</b> .....	<b>1</b>
<b>Actions</b> .....	<b>2</b>
BatchUpdateCluster .....	4
Request Syntax .....	4
Request Parameters .....	4
Response Syntax .....	4
Response Elements .....	6
Errors .....	7
See Also .....	7
CopySnapshot .....	9
Request Syntax .....	9
Request Parameters .....	9
Response Syntax .....	10
Response Elements .....	11
Errors .....	12
See Also .....	13
CreateACL .....	14
Request Syntax .....	14
Request Parameters .....	14
Response Syntax .....	15
Response Elements .....	15
Errors .....	16
See Also .....	16
CreateCluster .....	18
Request Syntax .....	18
Request Parameters .....	19
Response Syntax .....	24
Response Elements .....	26
Errors .....	26
See Also .....	28
CreateMultiRegionCluster .....	29
Request Syntax .....	29
Request Parameters .....	29
Response Syntax .....	31

---

Response Elements .....	32
Errors .....	32
See Also .....	33
CreateParameterGroup .....	34
Request Syntax .....	34
Request Parameters .....	34
Response Syntax .....	35
Response Elements .....	35
Errors .....	36
See Also .....	36
CreateSnapshot .....	38
Request Syntax .....	38
Request Parameters .....	38
Response Syntax .....	39
Response Elements .....	40
Errors .....	40
See Also .....	41
CreateSubnetGroup .....	42
Request Syntax .....	42
Request Parameters .....	42
Response Syntax .....	43
Response Elements .....	43
Errors .....	44
See Also .....	45
CreateUser .....	46
Request Syntax .....	46
Request Parameters .....	46
Response Syntax .....	47
Response Elements .....	48
Errors .....	48
See Also .....	49
DeleteACL .....	50
Request Syntax .....	50
Request Parameters .....	50
Response Syntax .....	50
Response Elements .....	51

---

Errors .....	51
See Also .....	51
DeleteCluster .....	53
Request Syntax .....	53
Request Parameters .....	53
Response Syntax .....	54
Response Elements .....	56
Errors .....	56
See Also .....	57
DeleteMultiRegionCluster .....	58
Request Syntax .....	58
Request Parameters .....	58
Response Syntax .....	58
Response Elements .....	59
Errors .....	59
See Also .....	59
DeleteParameterGroup .....	61
Request Syntax .....	61
Request Parameters .....	61
Response Syntax .....	61
Response Elements .....	61
Errors .....	62
See Also .....	62
DeleteSnapshot .....	64
Request Syntax .....	64
Request Parameters .....	64
Response Syntax .....	64
Response Elements .....	65
Errors .....	65
See Also .....	66
DeleteSubnetGroup .....	67
Request Syntax .....	67
Request Parameters .....	67
Response Syntax .....	67
Response Elements .....	68
Errors .....	68

---

See Also .....	68
DeleteUser .....	70
Request Syntax .....	70
Request Parameters .....	70
Response Syntax .....	70
Response Elements .....	71
Errors .....	71
See Also .....	71
DescribeACLs .....	73
Request Syntax .....	73
Request Parameters .....	73
Response Syntax .....	74
Response Elements .....	74
Errors .....	75
See Also .....	75
DescribeClusters .....	76
Request Syntax .....	76
Request Parameters .....	76
Response Syntax .....	77
Response Elements .....	79
Errors .....	79
See Also .....	80
DescribeEngineVersions .....	81
Request Syntax .....	81
Request Parameters .....	81
Response Syntax .....	82
Response Elements .....	83
Errors .....	83
See Also .....	84
DescribeEvents .....	85
Request Syntax .....	85
Request Parameters .....	85
Response Syntax .....	87
Response Elements .....	87
Errors .....	87
See Also .....	88

DescribeMultiRegionClusters .....	89
Request Syntax .....	89
Request Parameters .....	89
Response Syntax .....	90
Response Elements .....	90
Errors .....	91
See Also .....	91
DescribeParameterGroups .....	93
Request Syntax .....	93
Request Parameters .....	93
Response Syntax .....	94
Response Elements .....	94
Errors .....	95
See Also .....	95
DescribeParameters .....	96
Request Syntax .....	96
Request Parameters .....	96
Response Syntax .....	97
Response Elements .....	97
Errors .....	98
See Also .....	98
DescribeReservedNodes .....	99
Request Syntax .....	99
Request Parameters .....	99
Response Syntax .....	101
Response Elements .....	101
Errors .....	102
See Also .....	102
DescribeReservedNodesOfferings .....	104
Request Syntax .....	104
Request Parameters .....	104
Response Syntax .....	105
Response Elements .....	106
Errors .....	106
See Also .....	107
DescribeServiceUpdates .....	108

---

Request Syntax .....	108
Request Parameters .....	108
Response Syntax .....	109
Response Elements .....	110
Errors .....	110
See Also .....	110
<b>DescribeSnapshots .....</b>	<b>112</b>
Request Syntax .....	112
Request Parameters .....	112
Response Syntax .....	113
Response Elements .....	114
Errors .....	115
See Also .....	115
<b>DescribeSubnetGroups .....</b>	<b>117</b>
Request Syntax .....	117
Request Parameters .....	117
Response Syntax .....	118
Response Elements .....	118
Errors .....	119
See Also .....	119
<b>DescribeUsers .....</b>	<b>120</b>
Request Syntax .....	120
Request Parameters .....	120
Response Syntax .....	121
Response Elements .....	122
Errors .....	122
See Also .....	122
<b>FailoverShard .....</b>	<b>124</b>
Request Syntax .....	124
Request Parameters .....	124
Response Syntax .....	124
Response Elements .....	126
Errors .....	127
See Also .....	127
<b>ListAllowedMultiRegionClusterUpdates .....</b>	<b>129</b>
Request Syntax .....	129

Request Parameters .....	129
Response Syntax .....	129
Response Elements .....	129
Errors .....	130
See Also .....	130
ListAllowedNodeTypeUpdates .....	132
Request Syntax .....	132
Request Parameters .....	132
Response Syntax .....	132
Response Elements .....	132
Errors .....	133
See Also .....	133
ListTags .....	135
Request Syntax .....	135
Request Parameters .....	135
Response Syntax .....	135
Response Elements .....	136
Errors .....	136
See Also .....	137
PurchaseReservedNodesOffering .....	139
Request Syntax .....	139
Request Parameters .....	139
Response Syntax .....	140
Response Elements .....	140
Errors .....	141
See Also .....	142
ResetParameterGroup .....	143
Request Syntax .....	143
Request Parameters .....	143
Response Syntax .....	144
Response Elements .....	144
Errors .....	144
See Also .....	145
TagResource .....	146
Request Syntax .....	146
Request Parameters .....	146

Response Syntax .....	147
Response Elements .....	147
Errors .....	147
See Also .....	149
UntagResource .....	150
Request Syntax .....	150
Request Parameters .....	150
Response Syntax .....	151
Response Elements .....	151
Errors .....	151
See Also .....	153
UpdateACL .....	154
Request Syntax .....	154
Request Parameters .....	154
Response Syntax .....	155
Response Elements .....	155
Errors .....	155
See Also .....	156
UpdateCluster .....	158
Request Syntax .....	158
Request Parameters .....	158
Response Syntax .....	162
Response Elements .....	164
Errors .....	164
See Also .....	166
UpdateMultiRegionCluster .....	167
Request Syntax .....	167
Request Parameters .....	167
Response Syntax .....	168
Response Elements .....	169
Errors .....	169
See Also .....	170
UpdateParameterGroup .....	171
Request Syntax .....	171
Request Parameters .....	171
Response Syntax .....	172

Response Elements .....	172
Errors .....	172
See Also .....	173
UpdateSubnetGroup .....	174
Request Syntax .....	174
Request Parameters .....	174
Response Syntax .....	175
Response Elements .....	175
Errors .....	175
See Also .....	176
UpdateUser .....	177
Request Syntax .....	177
Request Parameters .....	177
Response Syntax .....	178
Response Elements .....	178
Errors .....	178
See Also .....	179
<b>Data Types .....</b>	<b>180</b>
ACL .....	182
Contents .....	182
See Also .....	183
ACLPendingChanges .....	184
Contents .....	184
See Also .....	184
ACLsUpdateStatus .....	185
Contents .....	185
See Also .....	185
Authentication .....	186
Contents .....	186
See Also .....	186
AuthenticationMode .....	187
Contents .....	187
See Also .....	187
AvailabilityZone .....	188
Contents .....	188
See Also .....	188

---

Cluster .....	189
Contents .....	189
See Also .....	194
ClusterConfiguration .....	195
Contents .....	195
See Also .....	198
ClusterPendingUpdates .....	199
Contents .....	199
See Also .....	199
Endpoint .....	200
Contents .....	200
See Also .....	200
EngineVersionInfo .....	201
Contents .....	201
See Also .....	201
Event .....	203
Contents .....	203
See Also .....	204
Filter .....	205
Contents .....	205
See Also .....	205
MultiRegionCluster .....	206
Contents .....	206
See Also .....	208
Node .....	209
Contents .....	209
See Also .....	210
Parameter .....	211
Contents .....	211
See Also .....	212
ParameterGroup .....	213
Contents .....	213
See Also .....	213
ParameterNameValue .....	215
Contents .....	215
See Also .....	215

PendingModifiedServiceUpdate .....	216
Contents .....	216
See Also .....	216
RecurringCharge .....	217
Contents .....	217
See Also .....	217
RegionalCluster .....	218
Contents .....	218
See Also .....	218
ReplicaConfigurationRequest .....	220
Contents .....	220
See Also .....	220
ReservedNode .....	221
Contents .....	221
See Also .....	223
ReservedNodesOffering .....	224
Contents .....	224
See Also .....	225
ReshardingStatus .....	226
Contents .....	226
See Also .....	226
SecurityGroupMembership .....	227
Contents .....	227
See Also .....	227
ServiceUpdate .....	228
Contents .....	228
See Also .....	229
ServiceUpdateRequest .....	231
Contents .....	231
See Also .....	231
Shard .....	232
Contents .....	232
See Also .....	233
ShardConfiguration .....	234
Contents .....	234
See Also .....	234

---

ShardConfigurationRequest .....	235
Contents .....	235
See Also .....	235
ShardDetail .....	236
Contents .....	236
See Also .....	236
SlotMigration .....	238
Contents .....	238
See Also .....	238
Snapshot .....	239
Contents .....	239
See Also .....	240
Subnet .....	241
Contents .....	241
See Also .....	241
SubnetGroup .....	243
Contents .....	243
See Also .....	244
Tag .....	245
Contents .....	245
See Also .....	245
UnprocessedCluster .....	246
Contents .....	246
See Also .....	246
User .....	247
Contents .....	247
See Also .....	248
<b>Common Parameters .....</b>	<b>249</b>
<b>Common Error Types .....</b>	<b>252</b>

# Welcome

MemoryDB is a fully managed, Redis OSS-compatible, in-memory database that delivers ultra-fast performance and Multi-AZ durability for modern applications built using microservices architectures. MemoryDB stores the entire database in-memory, enabling low latency and high throughput data access. It is compatible with Redis OSS, a popular open source data store, enabling you to leverage Redis OSS' flexible and friendly data structures, APIs, and commands.

This document was last published on April 8, 2026.

# Actions

The following actions are supported:

- [BatchUpdateCluster](#)
- [CopySnapshot](#)
- [CreateACL](#)
- [CreateCluster](#)
- [CreateMultiRegionCluster](#)
- [CreateParameterGroup](#)
- [CreateSnapshot](#)
- [CreateSubnetGroup](#)
- [CreateUser](#)
- [DeleteACL](#)
- [DeleteCluster](#)
- [DeleteMultiRegionCluster](#)
- [DeleteParameterGroup](#)
- [DeleteSnapshot](#)
- [DeleteSubnetGroup](#)
- [DeleteUser](#)
- [DescribeACLs](#)
- [DescribeClusters](#)
- [DescribeEngineVersions](#)
- [DescribeEvents](#)
- [DescribeMultiRegionClusters](#)
- [DescribeParameterGroups](#)
- [DescribeParameters](#)
- [DescribeReservedNodes](#)
- [DescribeReservedNodesOfferings](#)
- [DescribeServiceUpdates](#)
- [DescribeSnapshots](#)

- [DescribeSubnetGroups](#)
- [DescribeUsers](#)
- [FailoverShard](#)
- [ListAllowedMultiRegionClusterUpdates](#)
- [ListAllowedNodeTypeUpdates](#)
- [ListTags](#)
- [PurchaseReservedNodesOffering](#)
- [ResetParameterGroup](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateACL](#)
- [UpdateCluster](#)
- [UpdateMultiRegionCluster](#)
- [UpdateParameterGroup](#)
- [UpdateSubnetGroup](#)
- [UpdateUser](#)

# BatchUpdateCluster

Apply the service update to a list of clusters supplied. For more information on service updates and applying them, see [Applying the service updates](#).

## Request Syntax

```
{
  "ClusterNames": [ string ],
  "ServiceUpdate": {
    "ServiceUpdateNameToApply": string
  }
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterNames

The cluster names to apply the updates.

Type: Array of strings

Array Members: Maximum number of 20 items.

Required: Yes

### ServiceUpdate

The unique ID of the service update

Type: [ServiceUpdateRequest](#) object

Required: No

## Response Syntax

```
{
  "ProcessedClusters": [
    {
```

```
"ACLName": "string",
"ARN": "string",
"AutoMinorVersionUpgrade": boolean,
"AvailabilityMode": "string",
"ClusterEndpoint": {
  "Address": "string",
  "Port": number
},
"DataTiering": "string",
"Description": "string",
"Engine": "string",
"EnginePatchVersion": "string",
"EngineVersion": "string",
"IpDiscovery": "string",
"KmsKeyId": "string",
"MaintenanceWindow": "string",
"MultiRegionClusterName": "string",
"Name": "string",
"NetworkType": "string",
"NodeType": "string",
"NumberOfShards": number,
"ParameterGroupName": "string",
"ParameterGroupStatus": "string",
"PendingUpdates": {
  "ACLs": {
    "ACLToApply": "string"
  },
  "Resharding": {
    "SlotMigration": {
      "ProgressPercentage": number
    }
  },
  "ServiceUpdates": [
    {
      "ServiceUpdateName": "string",
      "Status": "string"
    }
  ]
},
"SecurityGroups": [
  {
    "SecurityGroupId": "string",
    "Status": "string"
  }
]
```

```

    ],
    "Shards": [
      {
        "Name": "string",
        "Nodes": [
          {
            "AvailabilityZone": "string",
            "CreateTime": number,
            "Endpoint": {
              "Address": "string",
              "Port": number
            },
            "Name": "string",
            "Status": "string"
          }
        ],
        "NumberOfNodes": number,
        "Slots": "string",
        "Status": "string"
      }
    ],
    "SnapshotRetentionLimit": number,
    "SnapshotWindow": "string",
    "SnsTopicArn": "string",
    "SnsTopicStatus": "string",
    "Status": "string",
    "SubnetGroupName": "string",
    "TLSEnabled": boolean
  }
],
"UnprocessedClusters": [
  {
    "ClusterName": "string",
    "ErrorMessage": "string",
    "ErrorType": "string"
  }
]
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ProcessedClusters

The list of clusters that have been updated.

Type: Array of [Cluster](#) objects

### UnprocessedClusters

The list of clusters where updates have not been applied.

Type: Array of [UnprocessedCluster](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ServiceUpdateNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CopySnapshot

Makes a copy of an existing snapshot.

## Request Syntax

```
{
  "KmsKeyId": "string",
  "SourceSnapshotName": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TargetBucket": "string",
  "TargetSnapshotName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### KmsKeyId

The ID of the KMS key used to encrypt the target snapshot.

Type: String

Length Constraints: Maximum length of 2048.

Required: No

### SourceSnapshotName

The name of an existing snapshot from which to make a copy.

Type: String

Required: Yes

## Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## TargetBucket

The Amazon S3 bucket to which the snapshot is exported. This parameter is used only when exporting a snapshot for external access. When using this parameter to export a snapshot, be sure MemoryDB has the needed permissions to this S3 bucket. For more information, see [Step 2: Grant MemoryDB Access to Your Amazon S3 Bucket](#).

Type: String

Length Constraints: Maximum length of 255.

Pattern: `^[A-Za-z0-9._-]+$`

Required: No

## TargetSnapshotName

A name for the snapshot copy. MemoryDB does not permit overwriting a snapshot, therefore this name must be unique within its context - MemoryDB or an Amazon S3 bucket if exporting. This value is stored as a lowercase string.

Type: String

Required: Yes

## Response Syntax

```
{
  "Snapshot": {
    "ARN": "string",
    "ClusterConfiguration": {
      "Description": "string",
      "Engine": "string",
```

```

    "EngineVersion": "string",
    "MaintenanceWindow": "string",
    "MultiRegionClusterName": "string",
    "MultiRegionParameterGroupName": "string",
    "Name": "string",
    "NodeType": "string",
    "NumShards": number,
    "ParameterGroupName": "string",
    "Port": number,
    "Shards": [
      {
        "Configuration": {
          "ReplicaCount": number,
          "Slots": "string"
        },
        "Name": "string",
        "Size": "string",
        "SnapshotCreationTime": number
      }
    ],
    "SnapshotRetentionLimit": number,
    "SnapshotWindow": "string",
    "SubnetGroupName": "string",
    "TopicArn": "string",
    "VpcId": "string"
  },
  "DataTiering": "string",
  "KmsKeyId": "string",
  "Name": "string",
  "Source": "string",
  "Status": "string"
}
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Snapshot

Represents a copy of an entire cluster as of the time when the snapshot was taken.

Type: [Snapshot](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **InvalidSnapshotStateFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **SnapshotAlreadyExistsFault**

HTTP Status Code: 400

### **SnapshotNotFoundFault**

HTTP Status Code: 400

### **SnapshotQuotaExceededFault**

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateACL

Creates an Access Control List. For more information, see [Authenticating users with Access Control Lists \(ACLs\)](#).

## Request Syntax

```
{
  "ACLName": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "UserNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ACLName](#)

The name of the Access Control List. This value is stored as a lowercase string.

Type: String

Required: Yes

### [Tags](#)

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## UserNames

The list of users that belong to the Access Control List.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]\*

Required: No

## Response Syntax

```
{
  "ACL": {
    "ARN": "string",
    "Clusters": [ "string" ],
    "MinimumEngineVersion": "string",
    "Name": "string",
    "PendingChanges": {
      "UserNamesToAdd": [ "string" ],
      "UserNamesToRemove": [ "string" ]
    },
    "Status": "string",
    "UserNames": [ "string" ]
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ACL

The newly-created Access Control List.

Type: [ACL](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLAlreadyExistsFault**

HTTP Status Code: 400

### **ACLQuotaExceededFault**

HTTP Status Code: 400

### **DefaultUserRequired**

HTTP Status Code: 400

### **DuplicateUserNameFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

### **UserNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateCluster

Creates a cluster. All nodes in the cluster run the same protocol-compliant engine software.

## Request Syntax

```
{
  "ACLName": "string",
  "AutoMinorVersionUpgrade": boolean,
  "ClusterName": "string",
  "DataTiering": boolean,
  "Description": "string",
  "Engine": "string",
  "EngineVersion": "string",
  "IpDiscovery": "string",
  "KmsKeyId": "string",
  "MaintenanceWindow": "string",
  "MultiRegionClusterName": "string",
  "NetworkType": "string",
  "NodeType": "string",
  "NumReplicasPerShard": number,
  "NumShards": number,
  "ParameterGroupName": "string",
  "Port": number,
  "SecurityGroupIds": [ "string" ],
  "SnapshotArns": [ "string" ],
  "SnapshotName": "string",
  "SnapshotRetentionLimit": number,
  "SnapshotWindow": "string",
  "SnsTopicArn": "string",
  "SubnetGroupName": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TLSEnabled": boolean
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ACLName

The name of the Access Control List to associate with the cluster.

Type: String

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\ -]*`

Required: Yes

### AutoMinorVersionUpgrade

When set to true, the cluster will automatically receive minor engine version upgrades after launch.

Type: Boolean

Required: No

### ClusterName

The name of the cluster. This value must be unique as it also serves as the cluster identifier. This value is stored as a lowercase string.

Type: String

Required: Yes

### DataTiering

Enables data tiering. Data tiering is only supported for clusters using the r6gd node type. This parameter must be set when using r6gd nodes. For more information, see [Data tiering](#).

Type: Boolean

Required: No

### Description

An optional description of the cluster.

Type: String

Required: No

### Engine

The name of the engine to be used for the cluster.

Type: String

Required: No

### EngineVersion

The version number of the Redis OSS engine to be used for the cluster.

Type: String

Required: No

### IpDiscovery

The mechanism for discovering IP addresses for the cluster discovery protocol. Valid values are 'ipv4' or 'ipv6'. When set to 'ipv4', cluster discovery functions such as cluster slots, cluster shards, and cluster nodes return IPv4 addresses for cluster nodes. When set to 'ipv6', the cluster discovery functions return IPv6 addresses for cluster nodes. The value must be compatible with the NetworkType parameter. If not specified, the default is 'ipv4'.

Type: String

Valid Values: ipv4 | ipv6

Required: No

### KmsKeyId

The ID of the KMS key used to encrypt the cluster.

Type: String

Required: No

### MaintenanceWindow

Specifies the weekly time range during which maintenance on the cluster is performed. It is specified as a range in the format ddd:hh24:mi-ddd:hh24:mi (24H Clock UTC). The minimum maintenance window is a 60 minute period.

Valid values for `ddd` are:

- `sun`
- `mon`
- `tue`
- `wed`
- `thu`
- `fri`
- `sat`

Example: `sun:23:00-mon:01:30`

Type: String

Required: No

### MultiRegionClusterName

The name of the multi-Region cluster to be created.

Type: String

Required: No

### NetworkType

Specifies the IP address type for the cluster. Valid values are `'ipv4'`, `'ipv6'`, or `'dual_stack'`. When set to `'ipv4'`, the cluster will only be accessible via IPv4 addresses. When set to `'ipv6'`, the cluster will only be accessible via IPv6 addresses. When set to `'dual_stack'`, the cluster will be accessible via both IPv4 and IPv6 addresses. If not specified, the default is `'ipv4'`.

Type: String

Valid Values: `ipv4` | `ipv6` | `dual_stack`

Required: No

### NodeType

The compute and memory capacity of the nodes in the cluster.

Type: String

Required: Yes

### NumReplicasPerShard

The number of replicas to apply to each shard. The default value is 1. The maximum is 5.

Type: Integer

Required: No

### NumShards

The number of shards the cluster will contain. The default value is 1.

Type: Integer

Required: No

### ParameterGroupName

The name of the parameter group associated with the cluster.

Type: String

Required: No

### Port

The port number on which each of the nodes accepts connections.

Type: Integer

Required: No

### SecurityGroupIds

A list of security group names to associate with this cluster.

Type: Array of strings

Required: No

### SnapshotArns

A list of Amazon Resource Names (ARN) that uniquely identify the RDB snapshot files stored in Amazon S3. The snapshot files are used to populate the new cluster. The Amazon S3 object name in the ARN cannot contain any commas.

Type: Array of strings

Required: No

### SnapshotName

The name of a snapshot from which to restore data into the new cluster. The snapshot status changes to restoring while the new cluster is being created.

Type: String

Required: No

### SnapshotRetentionLimit

The number of days for which MemoryDB retains automatic snapshots before deleting them. For example, if you set `SnapshotRetentionLimit` to 5, a snapshot that was taken today is retained for 5 days before being deleted.

Type: Integer

Required: No

### SnapshotWindow

The daily time range (in UTC) during which MemoryDB begins taking a daily snapshot of your shard.

Example: 05:00-09:00

If you do not specify this parameter, MemoryDB automatically chooses an appropriate time range.

Type: String

Required: No

### SnsTopicArn

The Amazon Resource Name (ARN) of the Amazon Simple Notification Service (SNS) topic to which notifications are sent.

Type: String

Required: No

### SubnetGroupName

The name of the subnet group to be used for the cluster.

Type: String

Required: No

## Tags

A list of tags to be added to this resource. Tags are comma-separated key,value pairs (e.g. Key=myKey, Value=myKeyValue). You can include multiple tags as shown following: Key=myKey, Value=myKeyValue Key=mySecondKey, Value=mySecondKeyValue.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## TLSEnabled

A flag to enable in-transit encryption on the cluster.

Type: Boolean

Required: No

## Response Syntax

```
{
  "Cluster": {
    "ACLName": "string",
    "ARN": "string",
    "AutoMinorVersionUpgrade": boolean,
    "AvailabilityMode": "string",
    "ClusterEndpoint": {
      "Address": "string",
      "Port": number
    },
    "DataTiering": "string",
    "Description": "string",
    "Engine": "string",
    "EnginePatchVersion": "string",
    "EngineVersion": "string",
    "IpDiscovery": "string",
    "KmsKeyId": "string",
    "MaintenanceWindow": "string",
    "MultiRegionClusterName": "string",
    "Name": "string",
```

```
"NetworkType": "string",
"NodeType": "string",
"NumberOfShards": number,
"ParameterGroupName": "string",
"ParameterGroupStatus": "string",
"PendingUpdates": {
  "ACLS": {
    "ACLToApply": "string"
  },
  "Resharding": {
    "SlotMigration": {
      "ProgressPercentage": number
    }
  },
  "ServiceUpdates": [
    {
      "ServiceUpdateName": "string",
      "Status": "string"
    }
  ]
},
"SecurityGroups": [
  {
    "SecurityGroupId": "string",
    "Status": "string"
  }
],
"Shards": [
  {
    "Name": "string",
    "Nodes": [
      {
        "AvailabilityZone": "string",
        "CreateTime": number,
        "Endpoint": {
          "Address": "string",
          "Port": number
        },
        "Name": "string",
        "Status": "string"
      }
    ]
  },
  "NumberOfNodes": number,
  "Slots": "string",
```

```
        "Status": "string"
    }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SnsTopicArn": "string",
"SnsTopicStatus": "string",
"Status": "string",
"SubnetGroupName": "string",
"TLSEnabled": boolean
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Cluster

The newly-created cluster.

Type: [Cluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLNotFoundFault**

HTTP Status Code: 400

### **ClusterAlreadyExistsFault**

HTTP Status Code: 400

### **ClusterQuotaForCustomerExceededFault**

HTTP Status Code: 400

**InsufficientClusterCapacityFault**

HTTP Status Code: 400

**InvalidACLStateFault**

HTTP Status Code: 400

**InvalidCredentialsException**

HTTP Status Code: 400

**InvalidMultiRegionClusterStateFault**

The requested operation cannot be performed on the multi-Region cluster in its current state.

HTTP Status Code: 400

**InvalidParameterCombinationException**

HTTP Status Code: 400

**InvalidParameterValueException**

HTTP Status Code: 400

**InvalidVPCNetworkStateFault**

HTTP Status Code: 400

**MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

**NodeQuotaForClusterExceededFault**

HTTP Status Code: 400

**NodeQuotaForCustomerExceededFault**

HTTP Status Code: 400

## ParameterGroupNotFoundFault

HTTP Status Code: 400

## ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

## ShardsPerClusterQuotaExceededFault

HTTP Status Code: 400

## SubnetGroupNotFoundFault

HTTP Status Code: 400

## TagQuotaPerResourceExceeded

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateMultiRegionCluster

Creates a new multi-Region cluster.

## Request Syntax

```
{
  "Description": "string",
  "Engine": "string",
  "EngineVersion": "string",
  "MultiRegionClusterNameSuffix": "string",
  "MultiRegionParameterGroupName": "string",
  "NodeType": "string",
  "NumShards": number,
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "TLSEnabled": boolean
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Description

A description for the multi-Region cluster.

Type: String

Required: No

### Engine

The name of the engine to be used for the multi-Region cluster.

Type: String

Required: No

### EngineVersion

The version of the engine to be used for the multi-Region cluster.

Type: String

Required: No

### MultiRegionClusterNameSuffix

A suffix to be added to the Multi-Region cluster name. Amazon MemoryDB automatically applies a prefix to the Multi-Region cluster Name when it is created. Each Amazon Region has its own prefix. For instance, a Multi-Region cluster Name created in the US-West-1 region will begin with "virxk", along with the suffix name you provide. The suffix guarantees uniqueness of the Multi-Region cluster name across multiple regions. This value is stored as a lowercase string.

Type: String

Required: Yes

### MultiRegionParameterGroupName

The name of the multi-Region parameter group to be associated with the cluster.

Type: String

Required: No

### NodeType

The node type to be used for the multi-Region cluster.

Type: String

Required: Yes

### NumShards

The number of shards for the multi-Region cluster.

Type: Integer

Required: No

## Tags

A list of tags to be applied to the multi-Region cluster.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## TLSEnabled

Whether to enable TLS encryption for the multi-Region cluster.

Type: Boolean

Required: No

## Response Syntax

```
{
  "MultiRegionCluster": {
    "ARN": "string",
    "Clusters": [
      {
        "ARN": "string",
        "ClusterName": "string",
        "Region": "string",
        "Status": "string"
      }
    ],
    "Description": "string",
    "Engine": "string",
    "EngineVersion": "string",
    "MultiRegionClusterName": "string",
    "MultiRegionParameterGroupName": "string",
    "NodeType": "string",
    "NumberOfShards": number,
    "Status": "string",
    "TLSEnabled": boolean
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [MultiRegionCluster](#)

Details about the newly created multi-Region cluster.

Type: [MultiRegionCluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ClusterQuotaForCustomerExceededFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **MultiRegionClusterAlreadyExistsFault**

A multi-Region cluster with the specified name already exists.

HTTP Status Code: 400

### **MultiRegionParameterGroupNotFoundFault**

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateParameterGroup

Creates a new MemoryDB parameter group. A parameter group is a collection of parameters and their values that are applied to all of the nodes in any cluster. For more information, see [Configuring engine parameters using parameter groups](#).

## Request Syntax

```
{
  "Description": "string",
  "Family": "string",
  "ParameterGroupName": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Description

An optional description of the parameter group.

Type: String

Required: No

### Family

The name of the parameter group family that the parameter group can be used with.

Type: String

Required: Yes

## ParameterGroupName

The name of the parameter group. This value is stored as a lowercase string.

Type: String

Required: Yes

## Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## Response Syntax

```
{
  "ParameterGroup": {
    "ARN": "string",
    "Description": "string",
    "Family": "string",
    "Name": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## ParameterGroup

The newly-created parameter group.

Type: [ParameterGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterGroupStateFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ParameterGroupAlreadyExistsFault**

HTTP Status Code: 400

### **ParameterGroupQuotaExceededFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSnapshot

Creates a copy of an entire cluster at a specific moment in time.

## Request Syntax

```
{
  "ClusterName": "string",
  "KmsKeyId": "string",
  "SnapshotName": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterName

The snapshot is created from this cluster.

Type: String

Required: Yes

### KmsKeyId

The ID of the KMS key used to encrypt the snapshot.

Type: String

Required: No

### SnapshotName

A name for the snapshot being created. This value is stored as a lowercase string.

Type: String

Required: Yes

## Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## Response Syntax

```
{
  "Snapshot": {
    "ARN": "string",
    "ClusterConfiguration": {
      "Description": "string",
      "Engine": "string",
      "EngineVersion": "string",
      "MaintenanceWindow": "string",
      "MultiRegionClusterName": "string",
      "MultiRegionParameterGroupName": "string",
      "Name": "string",
      "NodeType": "string",
      "NumShards": number,
      "ParameterGroupName": "string",
      "Port": number,
      "Shards": [
        {
          "Configuration": {
            "ReplicaCount": number,
            "Slots": "string"
          },
          "Name": "string",
          "Size": "string",
          "SnapshotCreationTime": number
        }
      ]
    }
  },
}
```

```
    "SnapshotRetentionLimit": number,
    "SnapshotWindow": "string",
    "SubnetGroupName": "string",
    "TopicArn": "string",
    "VpcId": "string"
  },
  "DataTiering": "string",
  "KmsKeyId": "string",
  "Name": "string",
  "Source": "string",
  "Status": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Snapshot

The newly-created snapshot.

Type: [Snapshot](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidClusterStateFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

## **InvalidParameterValueException**

HTTP Status Code: 400

## **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **SnapshotAlreadyExistsFault**

HTTP Status Code: 400

## **SnapshotQuotaExceededFault**

HTTP Status Code: 400

## **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateSubnetGroup

Creates a subnet group. A subnet group is a collection of subnets (typically private) that you can designate for your clusters running in an Amazon Virtual Private Cloud (VPC) environment. When you create a cluster in an Amazon VPC, you must specify a subnet group. MemoryDB uses that subnet group to choose a subnet and IP addresses within that subnet to associate with your nodes. For more information, see [Subnets and subnet groups](#).

## Request Syntax

```
{
  "Description": "string",
  "SubnetGroupName": "string",
  "SubnetIds": [ "string" ],
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Description

A description for the subnet group.

Type: String

Required: No

### SubnetGroupName

The name of the subnet group. This value is stored as a lowercase string.

Type: String

Required: Yes

## SubnetIds

A list of VPC subnet IDs for the subnet group.

Type: Array of strings

Required: Yes

## Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## Response Syntax

```
{
  "SubnetGroup": {
    "ARN": "string",
    "Description": "string",
    "Name": "string",
    "Subnets": [
      {
        "AvailabilityZone": {
          "Name": "string"
        },
        "Identifier": "string",
        "SupportedNetworkTypes": [ "string" ]
      }
    ],
    "SupportedNetworkTypes": [ "string" ],
    "VpcId": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## SubnetGroup

The newly-created subnet group.

Type: [SubnetGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### InvalidSubnet

HTTP Status Code: 400

### ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

### SubnetGroupAlreadyExistsFault

HTTP Status Code: 400

### SubnetGroupQuotaExceededFault

HTTP Status Code: 400

### SubnetNotAllowedFault

HTTP Status Code: 400

### SubnetQuotaExceededFault

HTTP Status Code: 400

### TagQuotaPerResourceExceeded

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# CreateUser

Creates a MemoryDB user. For more information, see [Authenticating users with Access Control Lists \(ACLs\)](#).

## Request Syntax

```
{
  "AccessString": "string",
  "AuthenticationMode": {
    "Passwords": [ "string" ],
    "Type": "string"
  },
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ],
  "UserName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [AccessString](#)

Access permissions string used for this user.

Type: String

Pattern: .\*\\S.\*

Required: Yes

### [AuthenticationMode](#)

Denotes the user's authentication properties, such as whether it requires a password to authenticate.

Type: [AuthenticationMode](#) object

Required: Yes

## [Tags](#)

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## [UserName](#)

The name of the user. This value must be unique as it also serves as the user identifier. This value is stored as a lowercase string.

Type: String

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\-*]`

Required: Yes

## Response Syntax

```
{
  "User": {
    "AccessString": "string",
    "ACLNames": [ "string" ],
    "ARN": "string",
    "Authentication": {
      "PasswordCount": number,
      "Type": "string"
    },
    "MinimumEngineVersion": "string",
    "Name": "string",
    "Status": "string"
  }
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### User

The newly-created user.

Type: [User](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **DuplicateUserNameFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

### **UserAlreadyExistsFault**

HTTP Status Code: 400

### **UserQuotaExceededFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteACL

Deletes an Access Control List. The ACL must first be disassociated from the cluster before it can be deleted. For more information, see [Authenticating users with Access Control Lists \(ACLs\)](#).

## Request Syntax

```
{
  "ACLName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ACLName

The name of the Access Control List to delete.

Type: String

Required: Yes

## Response Syntax

```
{
  "ACL": {
    "ARN": "string",
    "Clusters": [ "string" ],
    "MinimumEngineVersion": "string",
    "Name": "string",
    "PendingChanges": {
      "UserNamesToAdd": [ "string" ],
      "UserNamesToRemove": [ "string" ]
    },
    "Status": "string",
    "UserNames": [ "string" ]
  }
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ACL](#)

The Access Control List object that has been deleted.

Type: [ACL](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLNotFoundFault**

HTTP Status Code: 400

### **InvalidACLStateFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteCluster

Deletes a cluster. It also deletes all associated nodes and node endpoints.

## Note

CreateSnapshot permission is required to create a final snapshot. Without this permission, the API call will fail with an Access Denied exception.

## Request Syntax

```
{
  "ClusterName": "string",
  "FinalSnapshotName": "string",
  "MultiRegionClusterName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterName

The name of the cluster to be deleted

Type: String

Required: Yes

### FinalSnapshotName

The user-supplied name of a final cluster snapshot. This is the unique name that identifies the snapshot. MemoryDB creates the snapshot, and then deletes the cluster immediately afterward.

Type: String

Required: No

## MultiRegionClusterName

The name of the multi-Region cluster to be deleted.

Type: String

Required: No

## Response Syntax

```
{
  "Cluster": {
    "ACLName": "string",
    "ARN": "string",
    "AutoMinorVersionUpgrade": boolean,
    "AvailabilityMode": "string",
    "ClusterEndpoint": {
      "Address": "string",
      "Port": number
    },
    "DataTiering": "string",
    "Description": "string",
    "Engine": "string",
    "EnginePatchVersion": "string",
    "EngineVersion": "string",
    "IpDiscovery": "string",
    "KmsKeyId": "string",
    "MaintenanceWindow": "string",
    "MultiRegionClusterName": "string",
    "Name": "string",
    "NetworkType": "string",
    "NodeType": "string",
    "NumberOfShards": number,
    "ParameterGroupName": "string",
    "ParameterGroupStatus": "string",
    "PendingUpdates": {
      "ACLs": {
        "ACLToApply": "string"
      },
      "Resharding": {
        "SlotMigration": {
          "ProgressPercentage": number
        }
      }
    }
  }
}
```

```
    },
    "ServiceUpdates": [
      {
        "ServiceUpdateName": "string",
        "Status": "string"
      }
    ]
  },
  "SecurityGroups": [
    {
      "SecurityGroupId": "string",
      "Status": "string"
    }
  ],
  "Shards": [
    {
      "Name": "string",
      "Nodes": [
        {
          "AvailabilityZone": "string",
          "CreateTime": number,
          "Endpoint": {
            "Address": "string",
            "Port": number
          },
          "Name": "string",
          "Status": "string"
        }
      ],
      "NumberOfNodes": number,
      "Slots": "string",
      "Status": "string"
    }
  ],
  "SnapshotRetentionLimit": number,
  "SnapshotWindow": "string",
  "SnsTopicArn": "string",
  "SnsTopicStatus": "string",
  "Status": "string",
  "SubnetGroupName": "string",
  "TLSEnabled": boolean
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Cluster

The cluster object that has been deleted.

Type: [Cluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidClusterStateFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **SnapshotAlreadyExistsFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteMultiRegionCluster

Deletes an existing multi-Region cluster.

## Request Syntax

```
{
  "MultiRegionClusterName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### MultiRegionClusterName

The name of the multi-Region cluster to be deleted.

Type: String

Required: Yes

## Response Syntax

```
{
  "MultiRegionCluster": {
    "ARN": "string",
    "Clusters": [
      {
        "ARN": "string",
        "ClusterName": "string",
        "Region": "string",
        "Status": "string"
      }
    ],
    "Description": "string",
    "Engine": "string",
    "EngineVersion": "string",
    "MultiRegionClusterName": "string",
    "MultiRegionParameterGroupName": "string",
  }
}
```

```
  "NodeType": "string",  
  "NumberOfShards": number,  
  "Status": "string",  
  "TLSEnabled": boolean  
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### MultiRegionCluster

Details about the deleted multi-Region cluster.

Type: [MultiRegionCluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidMultiRegionClusterStateFault**

The requested operation cannot be performed on the multi-Region cluster in its current state.

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteParameterGroup

Deletes the specified parameter group. You cannot delete a parameter group if it is associated with any clusters. You cannot delete the default parameter groups in your account.

## Request Syntax

```
{
  "ParameterGroupName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ParameterGroupName

The name of the parameter group to delete.

Type: String

Required: Yes

## Response Syntax

```
{
  "ParameterGroup": {
    "ARN": "string",
    "Description": "string",
    "Family": "string",
    "Name": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ParameterGroup

The parameter group that has been deleted.

Type: [ParameterGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterGroupStateFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSnapshot

Deletes an existing snapshot. When you receive a successful response from this operation, MemoryDB immediately begins deleting the snapshot; you cannot cancel or revert this operation.

## Request Syntax

```
{
  "SnapshotName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### SnapshotName

The name of the snapshot to delete.

Type: String

Required: Yes

## Response Syntax

```
{
  "Snapshot": {
    "ARN": "string",
    "ClusterConfiguration": {
      "Description": "string",
      "Engine": "string",
      "EngineVersion": "string",
      "MaintenanceWindow": "string",
      "MultiRegionClusterName": "string",
      "MultiRegionParameterGroupName": "string",
      "Name": "string",
      "NodeType": "string",
      "NumShards": number,

```

```
"ParameterGroupName": "string",
"Port": number,
"Shards": [
  {
    "Configuration": {
      "ReplicaCount": number,
      "Slots": "string"
    },
    "Name": "string",
    "Size": "string",
    "SnapshotCreationTime": number
  }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SubnetGroupName": "string",
"TopicArn": "string",
"VpcId": "string"
},
"DataTiering": "string",
"KmsKeyId": "string",
"Name": "string",
"Source": "string",
>Status": "string"
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Snapshot

The snapshot object that has been deleted.

Type: [Snapshot](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## InvalidParameterCombinationException

HTTP Status Code: 400

## InvalidParameterValueException

HTTP Status Code: 400

## InvalidSnapshotStateFault

HTTP Status Code: 400

## ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

## SnapshotNotFoundFault

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteSubnetGroup

Deletes a subnet group. You cannot delete a default subnet group or one that is associated with any clusters.

## Request Syntax

```
{
  "SubnetGroupName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### SubnetGroupName

The name of the subnet group to delete.

Type: String

Required: Yes

## Response Syntax

```
{
  "SubnetGroup": {
    "ARN": "string",
    "Description": "string",
    "Name": "string",
    "Subnets": [
      {
        "AvailabilityZone": {
          "Name": "string"
        },
        "Identifier": "string",
        "SupportedNetworkTypes": [ "string" ]
      }
    ]
  }
}
```

```
    ],  
    "SupportedNetworkTypes": [ "string" ],  
    "VpcId": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [SubnetGroup](#)

The subnet group object that has been deleted.

Type: [SubnetGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **SubnetGroupInUseFault**

HTTP Status Code: 400

### **SubnetGroupNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DeleteUser

Deletes a user. The user will be removed from all ACLs and in turn removed from all clusters.

## Request Syntax

```
{
  "UserName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### UserName

The name of the user to delete

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]\*

Required: Yes

## Response Syntax

```
{
  "User": {
    "AccessString": "string",
    "ACLNames": [ "string" ],
    "ARN": "string",
    "Authentication": {
      "PasswordCount": number,
      "Type": "string"
    },
    "MinimumEngineVersion": "string",
    "Name": "string",
  }
}
```

```
    "Status": "string"  
  }  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### User

The user object that has been deleted.

Type: [User](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterValueException**

HTTP Status Code: 400

### **InvalidUserStateFault**

HTTP Status Code: 400

### **UserNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeACLs

Returns a list of ACLs.

## Request Syntax

```
{  
  "ACLName": "string",  
  "MaxResults": number,  
  "NextToken": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ACLName

The name of the ACL.

Type: String

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

## Response Syntax

```
{
  "ACLs": [
    {
      "ARN": "string",
      "Clusters": [ "string" ],
      "MinimumEngineVersion": "string",
      "Name": "string",
      "PendingChanges": {
        "UserNamesToAdd": [ "string" ],
        "UserNamesToRemove": [ "string" ]
      },
      "Status": "string",
      "UserNames": [ "string" ]
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ACLs

The list of ACLs.

Type: Array of [ACL](#) objects

### NextToken

If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLNotFoundFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeClusters

Returns information about all provisioned clusters if no cluster identifier is specified, or about a specific cluster if a cluster name is supplied.

## Request Syntax

```
{
  "ClusterName": "string",
  "MaxResults": number,
  "NextToken": "string",
  "ShowShardDetails": boolean
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterName

The name of the cluster.

Type: String

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken

is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

### [ShowShardDetails](#)

An optional flag that can be included in the request to retrieve information about the individual shard(s).

Type: Boolean

Required: No

## Response Syntax

```
{
  "Clusters": [
    {
      "ACLName": "string",
      "ARN": "string",
      "AutoMinorVersionUpgrade": boolean,
      "AvailabilityMode": "string",
      "ClusterEndpoint": {
        "Address": "string",
        "Port": number
      },
      "DataTiering": "string",
      "Description": "string",
      "Engine": "string",
      "EnginePatchVersion": "string",
      "EngineVersion": "string",
      "IpDiscovery": "string",
      "KmsKeyId": "string",
      "MaintenanceWindow": "string",
      "MultiRegionClusterName": "string",
      "Name": "string",
      "NetworkType": "string",
      "NodeType": "string",
      "NumberOfShards": number,
      "ParameterGroupName": "string",
```

```

"ParameterGroupStatus": "string",
"PendingUpdates": {
  "ACLs": {
    "ACLToApply": "string"
  },
  "Resharding": {
    "SlotMigration": {
      "ProgressPercentage": number
    }
  },
  "ServiceUpdates": [
    {
      "ServiceUpdateName": "string",
      "Status": "string"
    }
  ]
},
"SecurityGroups": [
  {
    "SecurityGroupId": "string",
    "Status": "string"
  }
],
"Shards": [
  {
    "Name": "string",
    "Nodes": [
      {
        "AvailabilityZone": "string",
        "CreateTime": number,
        "Endpoint": {
          "Address": "string",
          "Port": number
        },
        "Name": "string",
        "Status": "string"
      }
    ],
    "NumberOfNodes": number,
    "Slots": "string",
    "Status": "string"
  }
],
"SnapshotRetentionLimit": number,

```

```
    "SnapshotWindow": "string",
    "SnsTopicArn": "string",
    "SnsTopicStatus": "string",
    "Status": "string",
    "SubnetGroupName": "string",
    "TLSEnabled": boolean
  }
],
"NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Clusters

A list of clusters

Type: Array of [Cluster](#) objects

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeEngineVersions

Returns a list of the available Redis OSS engine versions.

## Request Syntax

```
{  
  "DefaultOnly": boolean,  
  "Engine": "string",  
  "EngineVersion": "string",  
  "MaxResults": number,  
  "NextToken": "string",  
  "ParameterGroupFamily": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### DefaultOnly

If true, specifies that only the default version of the specified engine or engine and major version combination is to be returned.

Type: Boolean

Required: No

### Engine

The name of the engine for which to list available versions.

Type: String

Required: No

### EngineVersion

The Redis OSS engine version

Type: String

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

### ParameterGroupFamily

The name of a specific parameter group family to return details for.

Type: String

Required: No

## Response Syntax

```
{
  "EngineVersions": [
    {
      "Engine": "string",
      "EnginePatchVersion": "string",
      "EngineVersion": "string",
      "ParameterGroupFamily": "string"
    }
  ],
  "NextToken": "string"
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### EngineVersions

A list of engine version details. Each element in the list contains detailed information about one engine version.

Type: Array of [EngineVersionInfo](#) objects

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeEvents

Returns events related to clusters, security groups, and parameter groups. You can obtain events specific to a particular cluster, security group, or parameter group by providing the name as a parameter. By default, only the events occurring within the last hour are returned; however, you can retrieve up to 14 days' worth of events if necessary.

## Request Syntax

```
{
  "Duration": number,
  "EndTime": number,
  "MaxResults": number,
  "NextToken": "string",
  "SourceName": "string",
  "SourceType": "string",
  "StartTime": number
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Duration

The number of minutes worth of events to retrieve.

Type: Integer

Required: No

### EndTime

The end of the time interval for which to retrieve events, specified in ISO 8601 format.

Example: 2017-03-30T07:03:49.555Z

Type: Timestamp

Required: No

## MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

## NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

## SourceName

The identifier of the event source for which events are returned. If not specified, all sources are included in the response.

Type: String

Required: No

## SourceType

The event source to retrieve events for. If no value is specified, all events are returned.

Type: String

Valid Values: `node` | `parameter-group` | `subnet-group` | `cluster` | `user` | `acl`

Required: No

## StartTime

The beginning of the time interval to retrieve events for, specified in ISO 8601 format. Example: 2017-03-30T07:03:49.555Z

Type: Timestamp

Required: No

## Response Syntax

```
{
  "Events": [
    {
      "Date": number,
      "Message": "string",
      "SourceName": "string",
      "SourceType": "string"
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Events

A list of events. Each element in the list contains detailed information about one event.

Type: Array of [Event](#) objects

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **InvalidParameterCombinationException**

HTTP Status Code: 400

## **InvalidParameterValueException**

HTTP Status Code: 400

## **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeMultiRegionClusters

Returns details about one or more multi-Region clusters.

## Request Syntax

```
{
  "MaxResults": number,
  "MultiRegionClusterName": "string",
  "NextToken": "string",
  "ShowClusterDetails": boolean
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### MaxResults

The maximum number of results to return.

Type: Integer

Required: No

### MultiRegionClusterName

The name of a specific multi-Region cluster to describe.

Type: String

Required: No

### NextToken

A token to specify where to start paginating.

Type: String

Required: No

## ShowClusterDetails

Details about the multi-Region cluster.

Type: Boolean

Required: No

## Response Syntax

```
{
  "MultiRegionClusters": [
    {
      "ARN": "string",
      "Clusters": [
        {
          "ARN": "string",
          "ClusterName": "string",
          "Region": "string",
          "Status": "string"
        }
      ],
      "Description": "string",
      "Engine": "string",
      "EngineVersion": "string",
      "MultiRegionClusterName": "string",
      "MultiRegionParameterGroupName": "string",
      "NodeType": "string",
      "NumberOfShards": number,
      "Status": "string",
      "TLSEnabled": boolean
    }
  ],
  "NextToken": "string"
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## [MultiRegionClusters](#)

A list of multi-Region clusters.

Type: Array of [MultiRegionCluster](#) objects

## [NextToken](#)

A token to use to retrieve the next page of results.

Type: String

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeParameterGroups

Returns a list of parameter group descriptions. If a parameter group name is specified, the list contains only the descriptions for that group.

## Request Syntax

```
{
  "MaxResults": number,
  "NextToken": "string",
  "ParameterGroupName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [MaxResults](#)

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### [NextToken](#)

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

### [ParameterGroupName](#)

The name of a specific parameter group to return details for.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "ParameterGroups": [
    {
      "ARN": "string",
      "Description": "string",
      "Family": "string",
      "Name": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

### ParameterGroups

A list of parameter groups. Each element in the list contains detailed information about one parameter group.

Type: Array of [ParameterGroup](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeParameters

Returns the detailed parameter list for a particular parameter group.

## Request Syntax

```
{  
  "MaxResults": number,  
  "NextToken": "string",  
  "ParameterGroupName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

### ParameterGroupName

he name of a specific parameter group to return details for.

Type: String

Required: Yes

## Response Syntax

```
{
  "NextToken": "string",
  "Parameters": [
    {
      "AllowedValues": "string",
      "DataType": "string",
      "Description": "string",
      "MinimumEngineVersion": "string",
      "Name": "string",
      "Value": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

### Parameters

A list of parameters specific to a particular parameter group. Each element in the list contains detailed information about one parameter.

Type: Array of [Parameter](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeReservedNodes

Returns information about reserved nodes for this account, or about a specified reserved node.

## Request Syntax

```
{
  "Duration": "string",
  "MaxResults": number,
  "NextToken": "string",
  "NodeType": "string",
  "OfferingType": "string",
  "ReservationId": "string",
  "ReservedNodesOfferingId": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Duration

The duration filter value, specified in years or seconds. Use this parameter to show only reservations for this duration.

Type: String

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxRecords value, a marker is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

## NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

Required: No

## NodeType

The node type filter value. Use this parameter to show only those reservations matching the specified node type. For more information, see [Supported node types](#).

Type: String

Required: No

## OfferingType

The offering type filter value. Use this parameter to show only the available offerings matching the specified offering type. Valid values: "All Upfront"|"Partial Upfront"| "No Upfront"

Type: String

Required: No

## ReservationId

The reserved node identifier filter value. Use this parameter to show only the reservation that matches the specified reservation ID.

Type: String

Required: No

## ReservedNodesOfferingId

The offering identifier filter value. Use this parameter to show only purchased reservations matching the specified offering identifier.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "ReservedNodes": [
    {
      "ARN": "string",
      "Duration": number,
      "FixedPrice": number,
      "NodeCount": number,
      "NodeType": "string",
      "OfferingType": "string",
      "RecurringCharges": [
        {
          "RecurringChargeAmount": number,
          "RecurringChargeFrequency": "string"
        }
      ],
      "ReservationId": "string",
      "ReservedNodesOfferingId": "string",
      "StartTime": number,
      "State": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

### ReservedNodes

Returns information about reserved nodes for this account, or about a specified reserved node.

Type: Array of [ReservedNode](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ReservedNodeNotFoundFault**

The requested node does not exist.

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeReservedNodesOfferings

Lists available reserved node offerings.

## Request Syntax

```
{
  "Duration": "string",
  "MaxResults": number,
  "NextToken": "string",
  "NodeType": "string",
  "OfferingType": "string",
  "ReservedNodesOfferingId": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Duration

Duration filter value, specified in years or seconds. Use this parameter to show only reservations for a given duration.

Type: String

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxRecords value, a marker is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

## NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

Required: No

## NodeType

The node type for the reserved nodes. For more information, see [Supported node types](#).

Type: String

Required: No

## OfferingType

The offering type filter value. Use this parameter to show only the available offerings matching the specified offering type. Valid values: "All Upfront"|"Partial Upfront"| "No Upfront"

Type: String

Required: No

## ReservedNodesOfferingId

The offering identifier filter value. Use this parameter to show only the available offering that matches the specified reservation identifier.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "ReservedNodesOfferings": [
    {
      "Duration": number,
```

```
    "FixedPrice": number,
    "NodeType": "string",
    "OfferingType": "string",
    "RecurringCharges": [
      {
        "RecurringChargeAmount": number,
        "RecurringChargeFrequency": "string"
      }
    ],
    "ReservedNodesOfferingId": "string"
  }
]
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

### ReservedNodesOfferings

Lists available reserved node offerings.

Type: Array of [ReservedNodesOffering](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

## InvalidParameterValueException

HTTP Status Code: 400

## ReservedNodesOfferingNotFoundFault

The requested node offering does not exist.

HTTP Status Code: 400

## ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeServiceUpdates

Returns details of the service updates.

## Request Syntax

```
{
  "ClusterNames": [ "string" ],
  "MaxResults": number,
  "NextToken": "string",
  "ServiceUpdateName": "string",
  "Status": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterNames

The list of cluster names to identify service updates to apply.

Type: Array of strings

Array Members: Maximum number of 20 items.

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken

is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

### ServiceUpdateName

The unique ID of the service update to describe.

Type: String

Required: No

### Status

The status(es) of the service updates to filter on.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: available | in-progress | complete | scheduled

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "ServiceUpdates": [
    {
      "AutoUpdateStartDate": number,
      "ClusterName": "string",
      "Description": "string",
      "Engine": "string",
      "NodesUpdated": "string",
      "ReleaseDate": number,
      "ServiceUpdateName": "string",
      "Status": "string",
      "Type": "string"
    }
  ]
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [NextToken](#)

An optional argument to pass in case the total number of records exceeds the value of `MaxResults`. If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

### [ServiceUpdates](#)

A list of service updates

Type: Array of [ServiceUpdate](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeSnapshots

Returns information about cluster snapshots. By default, DescribeSnapshots lists all of your snapshots; it can optionally describe a single snapshot, or just the snapshots associated with a particular cluster.

## Request Syntax

```
{
  "ClusterName": "string",
  "MaxResults": number,
  "NextToken": "string",
  "ShowDetail": boolean,
  "SnapshotName": "string",
  "Source": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterName

A user-supplied cluster identifier. If this parameter is specified, only snapshots associated with that specific cluster are described.

Type: String

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

## NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

## ShowDetail

A Boolean value which if true, the shard configuration is included in the snapshot description.

Type: Boolean

Required: No

## SnapshotName

A user-supplied name of the snapshot. If this parameter is specified, only this named snapshot is described.

Type: String

Required: No

## Source

If set to system, the output shows snapshots that were automatically created by MemoryDB. If set to user the output shows snapshots that were manually created. If omitted, the output shows both automatically and manually created snapshots.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "Snapshots": [
    {
      "ARN": "string",
```

```

"ClusterConfiguration": {
  "Description": "string",
  "Engine": "string",
  "EngineVersion": "string",
  "MaintenanceWindow": "string",
  "MultiRegionClusterName": "string",
  "MultiRegionParameterGroupName": "string",
  "Name": "string",
  "NodeType": "string",
  "NumShards": number,
  "ParameterGroupName": "string",
  "Port": number,
  "Shards": [
    {
      "Configuration": {
        "ReplicaCount": number,
        "Slots": "string"
      },
      "Name": "string",
      "Size": "string",
      "SnapshotCreationTime": number
    }
  ],
  "SnapshotRetentionLimit": number,
  "SnapshotWindow": "string",
  "SubnetGroupName": "string",
  "TopicArn": "string",
  "VpcId": "string"
},
"DataTiering": "string",
"KmsKeyId": "string",
"Name": "string",
"Source": "string",
>Status": "string"
}
]
}

```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

## Snapshots

A list of snapshots. Each item in the list contains detailed information about one snapshot.

Type: Array of [Snapshot](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **SnapshotNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeSubnetGroups

Returns a list of subnet group descriptions. If a subnet group name is specified, the list contains only the description of that group.

## Request Syntax

```
{  
  "MaxResults": number,  
  "NextToken": "string",  
  "SubnetGroupName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

### SubnetGroupName

The name of the subnet group to return details for.

Type: String

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "SubnetGroups": [
    {
      "ARN": "string",
      "Description": "string",
      "Name": "string",
      "Subnets": [
        {
          "AvailabilityZone": {
            "Name": "string"
          },
          "Identifier": "string",
          "SupportedNetworkTypes": [ "string" ]
        }
      ],
      "SupportedNetworkTypes": [ "string" ],
      "VpcId": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

## [SubnetGroups](#)

A list of subnet groups. Each element in the list contains detailed information about one group.

Type: Array of [SubnetGroup](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **SubnetGroupNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# DescribeUsers

Returns a list of users.

## Request Syntax

```
{
  "Filters": [
    {
      "Name": "string",
      "Values": [ "string" ]
    }
  ],
  "MaxResults": number,
  "NextToken": "string",
  "UserName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Filters

Filter to determine the list of users to return.

Type: Array of [Filter](#) objects

Required: No

### MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

## NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

## UserName

The name of the user.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]\*

Required: No

## Response Syntax

```
{
  "NextToken": "string",
  "Users": [
    {
      "AccessString": "string",
      "ACLNames": [ "string" ],
      "ARN": "string",
      "Authentication": {
        "PasswordCount": number,
        "Type": "string"
      },
      "MinimumEngineVersion": "string",
      "Name": "string",
      "Status": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### NextToken

An optional argument to pass in case the total number of records exceeds the value of `MaxResults`. If `nextToken` is returned, there are more results available. The value of `nextToken` is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

### Users

A list of users.

Type: Array of [User](#) objects

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **UserNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# FailoverShard

Used to failover a shard. This API is designed for testing the behavior of your application in case of MemoryDB failover. It is not designed to be used as a production-level tool for initiating a failover to overcome a problem you may have with the cluster. Moreover, in certain conditions such as large scale operational events, Amazon may block this API.

## Request Syntax

```
{
  "ClusterName": "string",
  "ShardName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterName

The cluster being failed over.

Type: String

Required: Yes

### ShardName

The name of the shard.

Type: String

Required: Yes

## Response Syntax

```
{
  "Cluster": {
    "ACLName": "string",
    "ARN": "string",
```

```

"AutoMinorVersionUpgrade": boolean,
"AvailabilityMode": "string",
"ClusterEndpoint": {
  "Address": "string",
  "Port": number
},
"DataTiering": "string",
"Description": "string",
"Engine": "string",
"EnginePatchVersion": "string",
"EngineVersion": "string",
"IpDiscovery": "string",
"KmsKeyId": "string",
"MaintenanceWindow": "string",
"MultiRegionClusterName": "string",
"Name": "string",
"NetworkType": "string",
"NodeType": "string",
"NumberOfShards": number,
"ParameterGroupName": "string",
"ParameterGroupStatus": "string",
"PendingUpdates": {
  "ACLS": {
    "ACLToApply": "string"
  },
  "Resharding": {
    "SlotMigration": {
      "ProgressPercentage": number
    }
  },
  "ServiceUpdates": [
    {
      "ServiceUpdateName": "string",
      "Status": "string"
    }
  ]
},
"SecurityGroups": [
  {
    "SecurityGroupId": "string",
    "Status": "string"
  }
],
"Shards": [

```

```
{
  "Name": "string",
  "Nodes": [
    {
      "AvailabilityZone": "string",
      "CreateTime": number,
      "Endpoint": {
        "Address": "string",
        "Port": number
      },
      "Name": "string",
      "Status": "string"
    }
  ],
  "NumberOfNodes": number,
  "Slots": "string",
  "Status": "string"
},
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SnsTopicArn": "string",
"SnsTopicStatus": "string",
"Status": "string",
"SubnetGroupName": "string",
"TLSEnabled": boolean
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### Cluster

The cluster being failed over.

Type: [Cluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **APICallRateForCustomerExceededFault**

HTTP Status Code: 400

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidClusterStateFault**

HTTP Status Code: 400

### **InvalidKMSKeyFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ShardNotFoundFault**

HTTP Status Code: 400

### **TestFailoverNotAvailableFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListAllowedMultiRegionClusterUpdates

Lists the allowed updates for a multi-Region cluster.

## Request Syntax

```
{  
  "MultiRegionClusterName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [MultiRegionClusterName](#)

The name of the multi-Region cluster.

Type: String

Required: Yes

## Response Syntax

```
{  
  "ScaleDownNodeTypes": [ "string" ],  
  "ScaleUpNodeTypes": [ "string" ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [ScaleDownNodeTypes](#)

The node types that the cluster can be scaled down to.

Type: Array of strings

### [ScaleUpNodeTypes](#)

The node types that the cluster can be scaled up to.

Type: Array of strings

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListAllowedNodeTypeUpdates

Lists all available node types that you can scale to from your cluster's current node type. When you use the UpdateCluster operation to scale your cluster, the value of the NodeType parameter must be one of the node types returned by this operation.

## Request Syntax

```
{  
  "ClusterName": "string"  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ClusterName

The name of the cluster you want to scale. MemoryDB uses the cluster name to identify the current node type being used by this cluster, and from that to create a list of node types you can scale up to.

Type: String

Required: Yes

## Response Syntax

```
{  
  "ScaleDownNodeTypes": [ "string" ],  
  "ScaleUpNodeTypes": [ "string" ]  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ScaleDownNodeTypes

A list node types which you can use to scale down your cluster.

Type: Array of strings

### ScaleUpNodeTypes

A list node types which you can use to scale up your cluster.

Type: Array of strings

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ListTags

Lists all tags currently on a named resource. A tag is a key-value pair where the key and value are case-sensitive. You can use tags to categorize and track your MemoryDB resources. For more information, see [Tagging your MemoryDB resources](#).

When you add or remove tags from multi region clusters, you might not immediately see the latest effective tags in the ListTags API response due to it being eventually consistent specifically for multi region clusters. For more information, see [Tagging your MemoryDB resources](#).

## Request Syntax

```
{
  "ResourceArn": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ResourceArn](#)

The Amazon Resource Name (ARN) of the resource for which you want the list of tags.

Type: String

Required: Yes

## Response Syntax

```
{
  "TagList": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

```
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### TagList

A list of tags as key-value pairs.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLNotFoundFault**

HTTP Status Code: 400

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidARNFault**

HTTP Status Code: 400

### **InvalidClusterStateFault**

HTTP Status Code: 400

### **MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

## **MultiRegionParameterGroupNotFoundFault**

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

## **ParameterGroupNotFoundFault**

HTTP Status Code: 400

## **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **SnapshotNotFoundFault**

HTTP Status Code: 400

## **SubnetGroupNotFoundFault**

HTTP Status Code: 400

## **UserNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# PurchaseReservedNodesOffering

Allows you to purchase a reserved node offering. Reserved nodes are not eligible for cancellation and are non-refundable.

## Request Syntax

```
{
  "NodeCount": number,
  "ReservationId": "string",
  "ReservedNodesOfferingId": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [NodeCount](#)

The number of node instances to reserve.

Type: Integer

Required: No

### [ReservationId](#)

A customer-specified identifier to track this reservation.

Type: String

Required: No

### [ReservedNodesOfferingId](#)

The ID of the reserved node offering to purchase.

Type: String

Required: Yes

## Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

## Response Syntax

```
{
  "ReservedNode": {
    "ARN": "string",
    "Duration": number,
    "FixedPrice": number,
    "NodeCount": number,
    "NodeType": "string",
    "OfferingType": "string",
    "RecurringCharges": [
      {
        "RecurringChargeAmount": number,
        "RecurringChargeFrequency": "string"
      }
    ],
    "ReservationId": "string",
    "ReservedNodesOfferingId": "string",
    "StartTime": number,
    "State": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

## ReservedNode

Represents the output of a `PurchaseReservedNodesOffering` operation.

Type: [ReservedNode](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ReservedNodeAlreadyExistsFault**

You already have a reservation with the given identifier.

HTTP Status Code: 400

### **ReservedNodeQuotaExceededFault**

The request cannot be processed because it would exceed the user's node quota.

HTTP Status Code: 400

### **ReservedNodesOfferingNotFoundFault**

The requested node offering does not exist.

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# ResetParameterGroup

Modifies the parameters of a parameter group to the engine or system default value. You can reset specific parameters by submitting a list of parameter names. To reset the entire parameter group, specify the `AllParameters` and `ParameterGroupName` parameters.

## Request Syntax

```
{
  "AllParameters": boolean,
  "ParameterGroupName": "string",
  "ParameterNames": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### AllParameters

If true, all parameters in the parameter group are reset to their default values. If false, only the parameters listed by `ParameterNames` are reset to their default values.

Type: Boolean

Required: No

### ParameterGroupName

The name of the parameter group to reset.

Type: String

Required: Yes

### ParameterNames

An array of parameter names to reset to their default values. If `AllParameters` is true, do not use `ParameterNames`. If `AllParameters` is false, you must specify the name of at least one parameter to reset.

Type: Array of strings

Required: No

## Response Syntax

```
{
  "ParameterGroup": {
    "ARN": "string",
    "Description": "string",
    "Family": "string",
    "Name": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ParameterGroup

The parameter group being reset.

Type: [ParameterGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterGroupStateFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# TagResource

Use this operation to add tags to a resource. A tag is a key-value pair where the key and value are case-sensitive. You can use tags to categorize and track all your MemoryDB resources. For more information, see [Tagging your MemoryDB resources](#).

When you add tags to multi region clusters, you might not immediately see the latest effective tags in the ListTags API response due to it being eventually consistent specifically for multi region clusters. For more information, see [Tagging your MemoryDB resources](#).

You can specify cost-allocation tags for your MemoryDB resources, Amazon generates a cost allocation report as a comma-separated value (CSV) file with your usage and costs aggregated by your tags. You can apply tags that represent business categories (such as cost centers, application names, or owners) to organize your costs across multiple services. For more information, see [Using Cost Allocation Tags](#).

## Request Syntax

```
{
  "ResourceArn": "string",
  "Tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ResourceArn](#)

The Amazon Resource Name (ARN) of the resource to which the tags are to be added.

Type: String

Required: Yes

## Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: Yes

## Response Syntax

```
{
  "TagList": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [TagList](#)

A list of tags as key-value pairs.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### ACLNotFoundFault

HTTP Status Code: 400

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **InvalidARNFault**

HTTP Status Code: 400

### **InvalidClusterStateFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

### **MultiRegionParameterGroupNotFoundFault**

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **SnapshotNotFoundFault**

HTTP Status Code: 400

### **SubnetGroupNotFoundFault**

HTTP Status Code: 400

### **TagQuotaPerResourceExceeded**

HTTP Status Code: 400

### **UserNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UntagResource

Use this operation to remove tags on a resource. A tag is a key-value pair where the key and value are case-sensitive. You can use tags to categorize and track all your MemoryDB resources. For more information, see [Tagging your MemoryDB resources](#).

When you remove tags from multi region clusters, you might not immediately see the latest effective tags in the ListTags API response due to it being eventually consistent specifically for multi region clusters. For more information, see [Tagging your MemoryDB resources](#).

You can specify cost-allocation tags for your MemoryDB resources, Amazon generates a cost allocation report as a comma-separated value (CSV) file with your usage and costs aggregated by your tags. You can apply tags that represent business categories (such as cost centers, application names, or owners) to organize your costs across multiple services. For more information, see [Using Cost Allocation Tags](#).

## Request Syntax

```
{
  "ResourceArn": "string",
  "TagKeys": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### [ResourceArn](#)

The Amazon Resource Name (ARN) of the resource to which the tags are to be removed.

Type: String

Required: Yes

### [TagKeys](#)

The list of keys of the tags that are to be removed.

Type: Array of strings

Required: Yes

## Response Syntax

```
{
  "TagList": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### TagList

The list of tags removed.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLNotFoundFault**

HTTP Status Code: 400

### **ClusterNotFoundFault**

HTTP Status Code: 400

**InvalidARNFault**

HTTP Status Code: 400

**InvalidClusterStateFault**

HTTP Status Code: 400

**InvalidParameterValueException**

HTTP Status Code: 400

**MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

**MultiRegionParameterGroupNotFoundFault**

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

**ParameterGroupNotFoundFault**

HTTP Status Code: 400

**ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

**SnapshotNotFoundFault**

HTTP Status Code: 400

**SubnetGroupNotFoundFault**

HTTP Status Code: 400

**TagNotFoundFault**

HTTP Status Code: 400

## UserNotFoundFault

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateACL

Changes the list of users that belong to the Access Control List.

## Request Syntax

```
{  
  "ACLName": "string",  
  "UserNamesToAdd": [ "string" ],  
  "UserNamesToRemove": [ "string" ]  
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ACLName

The name of the Access Control List.

Type: String

Required: Yes

### UserNamesToAdd

The list of users to add to the Access Control List.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\*]

Required: No

### UserNamesToRemove

The list of users to remove from the Access Control List.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\-\-]*`

Required: No

## Response Syntax

```
{
  "ACL": {
    "ARN": "string",
    "Clusters": [ "string" ],
    "MinimumEngineVersion": "string",
    "Name": "string",
    "PendingChanges": {
      "UserNamesToAdd": [ "string" ],
      "UserNamesToRemove": [ "string" ]
    },
    "Status": "string",
    "UserNames": [ "string" ]
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ACL

The updated Access Control List.

Type: [ACL](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## **ACLNotFoundFault**

HTTP Status Code: 400

## **DefaultUserRequired**

HTTP Status Code: 400

## **DuplicateUserNameFault**

HTTP Status Code: 400

## **InvalidACLStateFault**

HTTP Status Code: 400

## **InvalidParameterCombinationException**

HTTP Status Code: 400

## **InvalidParameterValueException**

HTTP Status Code: 400

## **UserNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateCluster

Modifies the settings for a cluster. You can use this operation to change one or more cluster configuration settings by specifying the settings and the new values.

## Request Syntax

```
{
  "ACLName": "string",
  "ClusterName": "string",
  "Description": "string",
  "Engine": "string",
  "EngineVersion": "string",
  "IpDiscovery": "string",
  "MaintenanceWindow": "string",
  "NodeType": "string",
  "ParameterGroupName": "string",
  "ReplicaConfiguration": {
    "ReplicaCount": number
  },
  "SecurityGroupIds": [ "string" ],
  "ShardConfiguration": {
    "ShardCount": number
  },
  "SnapshotRetentionLimit": number,
  "SnapshotWindow": "string",
  "SnsTopicArn": "string",
  "SnsTopicStatus": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ACLName

The Access Control List that is associated with the cluster.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\*]

Required: No

### ClusterName

The name of the cluster to update.

Type: String

Required: Yes

### Description

The description of the cluster to update.

Type: String

Required: No

### Engine

The name of the engine to be used for the cluster.

Type: String

Required: No

### EngineVersion

The upgraded version of the engine to be run on the nodes. You can upgrade to a newer engine version, but you cannot downgrade to an earlier engine version. If you want to use an earlier engine version, you must delete the existing cluster and create it anew with the earlier engine version.

Type: String

Required: No

### IpDiscovery

The mechanism for discovering IP addresses for the cluster discovery protocol. Valid values are 'ipv4' or 'ipv6'. When set to 'ipv4', cluster discovery functions such as cluster slots, cluster shards, and cluster nodes will return IPv4 addresses for cluster nodes. When set to 'ipv6', the cluster discovery functions return IPv6 addresses for cluster nodes. The value must be compatible with the NetworkType parameter. If not specified, the default is 'ipv4'.

Type: String

Valid Values: `ipv4` | `ipv6`

Required: No

### MaintenanceWindow

Specifies the weekly time range during which maintenance on the cluster is performed. It is specified as a range in the format `ddd:hh24:mi-ddd:hh24:mi` (24H Clock UTC). The minimum maintenance window is a 60 minute period.

Valid values for `ddd` are:

- `sun`
- `mon`
- `tue`
- `wed`
- `thu`
- `fri`
- `sat`

Example: `sun:23:00-mon:01:30`

Type: String

Required: No

### NodeType

A valid node type that you want to scale this cluster up or down to.

Type: String

Required: No

### ParameterGroupName

The name of the parameter group to update.

Type: String

Required: No

## ReplicaConfiguration

The number of replicas that will reside in each shard.

Type: [ReplicaConfigurationRequest](#) object

Required: No

## SecurityGroupIds

The SecurityGroupIds to update.

Type: Array of strings

Required: No

## ShardConfiguration

The number of shards in the cluster.

Type: [ShardConfigurationRequest](#) object

Required: No

## SnapshotRetentionLimit

The number of days for which MemoryDB retains automatic cluster snapshots before deleting them. For example, if you set SnapshotRetentionLimit to 5, a snapshot that was taken today is retained for 5 days before being deleted.

Type: Integer

Required: No

## SnapshotWindow

The daily time range (in UTC) during which MemoryDB begins taking a daily snapshot of your cluster.

Type: String

Required: No

## SnsTopicArn

The SNS topic ARN to update.

Type: String

Required: No

## SnsTopicStatus

The status of the Amazon SNS notification topic. Notifications are sent only if the status is active.

Type: String

Required: No

## Response Syntax

```
{
  "Cluster": {
    "ACLName": "string",
    "ARN": "string",
    "AutoMinorVersionUpgrade": boolean,
    "AvailabilityMode": "string",
    "ClusterEndpoint": {
      "Address": "string",
      "Port": number
    },
    "DataTiering": "string",
    "Description": "string",
    "Engine": "string",
    "EnginePatchVersion": "string",
    "EngineVersion": "string",
    "IpDiscovery": "string",
    "KmsKeyId": "string",
    "MaintenanceWindow": "string",
    "MultiRegionClusterName": "string",
    "Name": "string",
    "NetworkType": "string",
    "NodeType": "string",
    "NumberOfShards": number,
    "ParameterGroupName": "string",
    "ParameterGroupStatus": "string",
    "PendingUpdates": {
      "ACLs": {
        "ACLToApply": "string"
      },
      "Resharding": {
```

```
    "SlotMigration": {
      "ProgressPercentage": number
    }
  },
  "ServiceUpdates": [
    {
      "ServiceUpdateName": "string",
      "Status": "string"
    }
  ]
},
"SecurityGroups": [
  {
    "SecurityGroupId": "string",
    "Status": "string"
  }
],
"Shards": [
  {
    "Name": "string",
    "Nodes": [
      {
        "AvailabilityZone": "string",
        "CreateTime": number,
        "Endpoint": {
          "Address": "string",
          "Port": number
        },
        "Name": "string",
        "Status": "string"
      }
    ],
    "NumberOfNodes": number,
    "Slots": "string",
    "Status": "string"
  }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SnsTopicArn": "string",
"SnsTopicStatus": "string",
"Status": "string",
"SubnetGroupName": "string",
"TLSEnabled": boolean
```

```
}  
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### [Cluster](#)

The updated cluster.

Type: [Cluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **ACLNotFoundFault**

HTTP Status Code: 400

### **ClusterNotFoundFault**

HTTP Status Code: 400

### **ClusterQuotaForCustomerExceededFault**

HTTP Status Code: 400

### **InvalidACLStateFault**

HTTP Status Code: 400

### **InvalidClusterStateFault**

HTTP Status Code: 400

### **InvalidKMSKeyFault**

HTTP Status Code: 400

### **InvalidNodeStateFault**

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **InvalidVPCNetworkStateFault**

HTTP Status Code: 400

### **NodeQuotaForClusterExceededFault**

HTTP Status Code: 400

### **NodeQuotaForCustomerExceededFault**

HTTP Status Code: 400

### **NoOperationFault**

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

### **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

### **ShardsPerClusterQuotaExceededFault**

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateMultiRegionCluster

Updates the configuration of an existing multi-Region cluster.

## Request Syntax

```
{
  "Description": "string",
  "EngineVersion": "string",
  "MultiRegionClusterName": "string",
  "MultiRegionParameterGroupName": "string",
  "NodeType": "string",
  "ShardConfiguration": {
    "ShardCount": number
  },
  "UpdateStrategy": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Description

A new description for the multi-Region cluster.

Type: String

Required: No

### EngineVersion

The new engine version to be used for the multi-Region cluster.

Type: String

Required: No

### MultiRegionClusterName

The name of the multi-Region cluster to be updated.

Type: String

Required: Yes

### MultiRegionParameterGroupName

The new multi-Region parameter group to be associated with the cluster.

Type: String

Required: No

### NodeType

The new node type to be used for the multi-Region cluster.

Type: String

Required: No

### ShardConfiguration

A request to configure the sharding properties of a cluster

Type: [ShardConfigurationRequest](#) object

Required: No

### UpdateStrategy

The strategy to use for the update operation. Supported values are "coordinated" or "uncoordinated".

Type: String

Valid Values: coordinated | uncoordinated

Required: No

## Response Syntax

```
{
  "MultiRegionCluster": {
    "ARN": "string",
    "Clusters": [
```

```
{
  {
    "ARN": "string",
    "ClusterName": "string",
    "Region": "string",
    "Status": "string"
  },
  "Description": "string",
  "Engine": "string",
  "EngineVersion": "string",
  "MultiRegionClusterName": "string",
  "MultiRegionParameterGroupName": "string",
  "NodeType": "string",
  "NumberOfShards": number,
  "Status": "string",
  "TLSEnabled": boolean
}
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### MultiRegionCluster

The status of updating the multi-Region cluster.

Type: [MultiRegionCluster](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidMultiRegionClusterStateFault**

The requested operation cannot be performed on the multi-Region cluster in its current state.

HTTP Status Code: 400

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **MultiRegionClusterNotFoundFault**

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

### **MultiRegionParameterGroupNotFoundFault**

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateParameterGroup

Updates the parameters of a parameter group. You can modify up to 20 parameters in a single request by submitting a list parameter name and value pairs.

## Request Syntax

```
{
  "ParameterGroupName": "string",
  "ParameterNameValues": [
    {
      "ParameterName": "string",
      "ParameterValue": "string"
    }
  ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### ParameterGroupName

The name of the parameter group to update.

Type: String

Required: Yes

### ParameterNameValues

An array of parameter names and values for the parameter update. You must supply at least one parameter name and value; subsequent arguments are optional. A maximum of 20 parameters may be updated per request.

Type: Array of [ParameterNameValue](#) objects

Required: Yes

## Response Syntax

```
{
  "ParameterGroup": {
    "ARN": "string",
    "Description": "string",
    "Family": "string",
    "Name": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### ParameterGroup

The updated parameter group

Type: [ParameterGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### **InvalidParameterCombinationException**

HTTP Status Code: 400

### **InvalidParameterGroupStateFault**

HTTP Status Code: 400

### **InvalidParameterValueException**

HTTP Status Code: 400

### **ParameterGroupNotFoundFault**

HTTP Status Code: 400

## **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateSubnetGroup

Updates a subnet group. For more information, see [Updating a subnet group](#)

## Request Syntax

```
{
  "Description": "string",
  "SubnetGroupName": "string",
  "SubnetIds": [ "string" ]
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### Description

A description of the subnet group

Type: String

Required: No

### SubnetGroupName

The name of the subnet group

Type: String

Required: Yes

### SubnetIds

The EC2 subnet IDs for the subnet group.

Type: Array of strings

Required: No

## Response Syntax

```
{
  "SubnetGroup": {
    "ARN": "string",
    "Description": "string",
    "Name": "string",
    "Subnets": [
      {
        "AvailabilityZone": {
          "Name": "string"
        },
        "Identifier": "string",
        "SupportedNetworkTypes": [ "string" ]
      }
    ],
    "SupportedNetworkTypes": [ "string" ],
    "VpcId": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### SubnetGroup

The updated subnet group

Type: [SubnetGroup](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

### InvalidSubnet

HTTP Status Code: 400

## **ServiceLinkedRoleNotFoundFault**

HTTP Status Code: 400

## **SubnetGroupNotFoundFault**

HTTP Status Code: 400

## **SubnetInUse**

HTTP Status Code: 400

## **SubnetNotAllowedFault**

HTTP Status Code: 400

## **SubnetQuotaExceededFault**

HTTP Status Code: 400

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# UpdateUser

Changes user password(s) and/or access string.

## Request Syntax

```
{
  "AccessString": "string",
  "AuthenticationMode": {
    "Passwords": [ "string" ],
    "Type": "string"
  },
  "UserName": "string"
}
```

## Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

### AccessString

Access permissions string used for this user.

Type: String

Pattern: .\*\\S.\*

Required: No

### AuthenticationMode

Denotes the user's authentication properties, such as whether it requires a password to authenticate.

Type: [AuthenticationMode](#) object

Required: No

### UserName

The name of the user

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]\*

Required: Yes

## Response Syntax

```
{
  "User": {
    "AccessString": "string",
    "ACLNames": [ "string" ],
    "ARN": "string",
    "Authentication": {
      "PasswordCount": number,
      "Type": "string"
    },
    "MinimumEngineVersion": "string",
    "Name": "string",
    "Status": "string"
  }
}
```

## Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

### User

The updated user

Type: [User](#) object

## Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

## InvalidParameterCombinationException

HTTP Status Code: 400

## InvalidParameterValueException

HTTP Status Code: 400

## InvalidUserStateFault

HTTP Status Code: 400

## UserNotFoundFault

HTTP Status Code: 400

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

# Data Types

The Amazon MemoryDB API contains several data types that various actions use. This section describes each data type in detail.

## Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ACL](#)
- [ACLPendingChanges](#)
- [ACLsUpdateStatus](#)
- [Authentication](#)
- [AuthenticationMode](#)
- [AvailabilityZone](#)
- [Cluster](#)
- [ClusterConfiguration](#)
- [ClusterPendingUpdates](#)
- [Endpoint](#)
- [EngineVersionInfo](#)
- [Event](#)
- [Filter](#)
- [MultiRegionCluster](#)
- [Node](#)
- [Parameter](#)
- [ParameterGroup](#)
- [ParameterNameValue](#)
- [PendingModifiedServiceUpdate](#)
- [RecurringCharge](#)

- [RegionalCluster](#)
- [ReplicaConfigurationRequest](#)
- [ReservedNode](#)
- [ReservedNodesOffering](#)
- [ReshardingStatus](#)
- [SecurityGroupMembership](#)
- [ServiceUpdate](#)
- [ServiceUpdateRequest](#)
- [Shard](#)
- [ShardConfiguration](#)
- [ShardConfigurationRequest](#)
- [ShardDetail](#)
- [SlotMigration](#)
- [Snapshot](#)
- [Subnet](#)
- [SubnetGroup](#)
- [Tag](#)
- [UnprocessedCluster](#)
- [User](#)

# ACL

An Access Control List. You can authenticate users with Access Control Lists. ACLs enable you to control cluster access by grouping users. These Access control lists are designed as a way to organize access to clusters.

## Contents

### ARN

The Amazon Resource Name (ARN) of the ACL

Type: String

Required: No

### Clusters

A list of clusters associated with the ACL.

Type: Array of strings

Required: No

### MinimumEngineVersion

The minimum engine version supported for the ACL

Type: String

Required: No

### Name

The name of the Access Control List

Type: String

Required: No

### PendingChanges

A list of updates being applied to the ACL.

Type: [ACLPendingChanges](#) object

Required: No

## Status

Indicates ACL status. Can be "creating", "active", "modifying", "deleting".

Type: String

Required: No

## UserNames

The list of user names that belong to the ACL.

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\-\ ]*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ACLPendingChanges

Returns the updates being applied to the ACL.

## Contents

### UserNamesToAdd

A list of users being added to the ACL

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\*]

Required: No

### UserNamesToRemove

A list of user names being removed from the ACL

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\*]

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ACLsUpdateStatus

The status of the ACL update

## Contents

### ACLToApply

A list of ACLs pending to be applied.

Type: String

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\-\-]*`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Authentication

Denotes the user's authentication properties, such as whether it requires a password to authenticate. Used in output responses.

## Contents

### PasswordCount

The number of passwords belonging to the user. The maximum is two.

Type: Integer

Required: No

### Type

Indicates whether the user requires a password to authenticate.

Type: String

Valid Values: password | no-password | iam

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AuthenticationMode

Denotes the user's authentication properties, such as whether it requires a password to authenticate. Used in output responses.

## Contents

### Passwords

The password(s) used for authentication

Type: Array of strings

Array Members: Minimum number of 1 item.

Required: No

### Type

Indicates whether the user requires a password to authenticate. All newly-created users require a password.

Type: String

Valid Values: `password` | `iam`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# AvailabilityZone

Indicates if the cluster has a Multi-AZ configuration (multiaz) or not (singleaz).

## Contents

### Name

The name of the Availability Zone.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Cluster

Contains all of the attributes of a specific cluster.

## Contents

### ACLName

The name of the Access Control List associated with this cluster.

Type: String

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\-\ ]*`

Required: No

### ARN

The Amazon Resource Name (ARN) of the cluster.

Type: String

Required: No

### AutoMinorVersionUpgrade

When set to true, the cluster will automatically receive minor engine version upgrades after launch.

Type: Boolean

Required: No

### AvailabilityMode

Indicates if the cluster has a Multi-AZ configuration (multiaz) or not (singleaz).

Type: String

Valid Values: `singleaz` | `multiaz`

Required: No

## ClusterEndpoint

The cluster's configuration endpoint

Type: [Endpoint](#) object

Required: No

## DataTiering

Enables data tiering. Data tiering is only supported for clusters using the r6gd node type. This parameter must be set when using r6gd nodes. For more information, see [Data tiering](#).

Type: String

Valid Values: `true` | `false`

Required: No

## Description

A description of the cluster

Type: String

Required: No

## Engine

The name of the engine used by the cluster.

Type: String

Required: No

## EnginePatchVersion

The Redis OSS engine patch version used by the cluster

Type: String

Required: No

## EngineVersion

The Redis OSS engine version used by the cluster

Type: String

Required: No

### **IpDiscovery**

The mechanism that the cluster uses to discover IP addresses. Returns 'ipv4' when DNS endpoints resolve to IPv4 addresses, or 'ipv6' when DNS endpoints resolve to IPv6 addresses.

Type: String

Valid Values: ipv4 | ipv6

Required: No

### **KmsKeyId**

The ID of the KMS key used to encrypt the cluster

Type: String

Required: No

### **MaintenanceWindow**

Specifies the weekly time range during which maintenance on the cluster is performed. It is specified as a range in the format ddd:hh24:mi-ddd:hh24:mi (24H Clock UTC). The minimum maintenance window is a 60 minute period.

Type: String

Required: No

### **MultiRegionClusterName**

The name of the multi-Region cluster that this cluster belongs to.

Type: String

Required: No

### **Name**

The user-supplied name of the cluster. This identifier is a unique key that identifies a cluster.

Type: String

Required: No

### **NetworkType**

The IP address type for the cluster. Returns 'ipv4' for IPv4 only, 'ipv6' for IPv6 only, or 'dual-stack' if the cluster supports both IPv4 and IPv6 addressing.

Type: String

Valid Values: `ipv4` | `ipv6` | `dual_stack`

Required: No

### **NodeType**

The cluster's node type

Type: String

Required: No

### **NumberOfShards**

The number of shards in the cluster

Type: Integer

Required: No

### **ParameterGroupName**

The name of the parameter group used by the cluster

Type: String

Required: No

### **ParameterGroupStatus**

The status of the parameter group used by the cluster, for example 'active' or 'applying'.

Type: String

Required: No

### **PendingUpdates**

A group of settings that are currently being applied.

Type: [ClusterPendingUpdates](#) object

Required: No

### **SecurityGroups**

A list of security groups used by the cluster

Type: Array of [SecurityGroupMembership](#) objects

Required: No

### **Shards**

A list of shards that are members of the cluster.

Type: Array of [Shard](#) objects

Required: No

### **SnapshotRetentionLimit**

The number of days for which MemoryDB retains automatic snapshots before deleting them. For example, if you set `SnapshotRetentionLimit` to 5, a snapshot that was taken today is retained for 5 days before being deleted.

Type: Integer

Required: No

### **SnapshotWindow**

The daily time range (in UTC) during which MemoryDB begins taking a daily snapshot of your shard. Example: 05:00-09:00 If you do not specify this parameter, MemoryDB automatically chooses an appropriate time range.

Type: String

Required: No

### **SnsTopicArn**

The Amazon Resource Name (ARN) of the SNS notification topic

Type: String

Required: No

## **SnsTopicStatus**

The SNS topic must be in Active status to receive notifications

Type: String

Required: No

## **Status**

The status of the cluster. For example, Available, Updating, Creating.

Type: String

Required: No

## **SubnetGroupName**

The name of the subnet group used by the cluster

Type: String

Required: No

## **TLSEnabled**

A flag to indicate if In-transit encryption is enabled

Type: Boolean

Required: No

## **See Also**

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ClusterConfiguration

A list of cluster configuration options.

## Contents

### Description

The description of the cluster configuration

Type: String

Required: No

### Engine

The name of the engine used by the cluster configuration.

Type: String

Required: No

### EngineVersion

The Redis OSS engine version used by the cluster

Type: String

Required: No

### MaintenanceWindow

The specified maintenance window for the cluster

Type: String

Required: No

### MultiRegionClusterName

The name for the multi-Region cluster associated with the cluster configuration.

Type: String

Required: No

## **MultiRegionParameterGroupName**

The name of the multi-Region parameter group associated with the cluster configuration.

Type: String

Required: No

## **Name**

The name of the cluster

Type: String

Required: No

## **NodeType**

The node type used for the cluster

Type: String

Required: No

## **NumShards**

The number of shards in the cluster

Type: Integer

Required: No

## **ParameterGroupName**

The name of parameter group used by the cluster

Type: String

Required: No

## **Port**

The port used by the cluster

Type: Integer

Required: No

**Shards**

The list of shards in the cluster

Type: Array of [ShardDetail](#) objects

Required: No

**SnapshotRetentionLimit**

The snapshot retention limit set by the cluster

Type: Integer

Required: No

**SnapshotWindow**

The snapshot window set by the cluster

Type: String

Required: No

**SubnetGroupName**

The name of the subnet group used by the cluster

Type: String

Required: No

**TopicArn**

The Amazon Resource Name (ARN) of the SNS notification topic for the cluster

Type: String

Required: No

**VpcId**

The ID of the VPC the cluster belongs to

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ClusterPendingUpdates

A list of updates being applied to the cluster

## Contents

### ACLs

A list of ACLs associated with the cluster that are being updated

Type: [ACLsUpdateStatus](#) object

Required: No

### Resharding

The status of an online resharding operation.

Type: [ReshardingStatus](#) object

Required: No

### ServiceUpdates

A list of service updates being applied to the cluster

Type: Array of [PendingModifiedServiceUpdate](#) objects

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Endpoint

Represents the information required for client programs to connect to the cluster and its nodes.

## Contents

### Address

The DNS hostname of the node.

Type: String

Required: No

### Port

The port number that the engine is listening on.

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# EngineVersionInfo

Provides details of the Redis OSS engine version

## Contents

### Engine

The name of the engine for which version information is provided.

Type: String

Required: No

### EnginePatchVersion

The patched engine version

Type: String

Required: No

### EngineVersion

The engine version

Type: String

Required: No

### ParameterGroupFamily

Specifies the name of the parameter group family to which the engine default parameters apply.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Event

Represents a single occurrence of something interesting within the system. Some examples of events are creating a cluster or adding or removing a node.

## Contents

### Date

The date and time when the event occurred.

Type: Timestamp

Required: No

### Message

The text of the event.

Type: String

Required: No

### SourceName

The name for the source of the event. For example, if the event occurred at the cluster level, the identifier would be the name of the cluster.

Type: String

Required: No

### SourceType

Specifies the origin of this event - a cluster, a parameter group, a security group, etc.

Type: String

Valid Values: `node` | `parameter-group` | `subnet-group` | `cluster` | `user` | `acl`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Filter

Used to streamline results of a search based on the property being filtered.

## Contents

### Name

The property being filtered. For example, `UserName`.

Type: String

Pattern: `.*\S.*`

Required: Yes

### Values

The property values to filter on. For example, `"user-123"`.

Type: Array of strings

Array Members: Minimum number of 1 item.

Pattern: `.*\S.*`

Required: Yes

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# MultiRegionCluster

Represents a multi-Region cluster.

## Contents

### ARN

The Amazon Resource Name (ARN) of the multi-Region cluster.

Type: String

Required: No

### Clusters

The clusters in this multi-Region cluster.

Type: Array of [RegionalCluster](#) objects

Required: No

### Description

The description of the multi-Region cluster.

Type: String

Required: No

### Engine

The name of the engine used by the multi-Region cluster.

Type: String

Required: No

### EngineVersion

The version of the engine used by the multi-Region cluster.

Type: String

Required: No

## **MultiRegionClusterName**

The name of the multi-Region cluster.

Type: String

Required: No

## **MultiRegionParameterGroupName**

The name of the multi-Region parameter group associated with the cluster.

Type: String

Required: No

## **NodeType**

The node type used by the multi-Region cluster.

Type: String

Required: No

## **NumberOfShards**

The number of shards in the multi-Region cluster.

Type: Integer

Required: No

## **Status**

The current status of the multi-Region cluster.

Type: String

Required: No

## **TLSEnabled**

Indicates if the multi-Region cluster is TLS enabled.

Type: Boolean

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Node

Represents an individual node within a cluster. Each node runs its own instance of the cluster's protocol-compliant caching software.

## Contents

### AvailabilityZone

The Availability Zone in which the node resides

Type: String

Required: No

### CreateTime

The date and time when the node was created.

Type: Timestamp

Required: No

### Endpoint

The hostname for connecting to this node.

Type: [Endpoint](#) object

Required: No

### Name

The node identifier. A node name is a numeric identifier (0001, 0002, etc.). The combination of cluster name, shard name and node name uniquely identifies every node used in a customer's Amazon account.

Type: String

Required: No

### Status

The status of the service update on the node

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Parameter

Describes an individual setting that controls some aspect of MemoryDB behavior.

## Contents

### AllowedValues

The valid range of values for the parameter.

Type: String

Required: No

### DataType

The parameter's data type

Type: String

Required: No

### Description

A description of the parameter

Type: String

Required: No

### MinimumEngineVersion

The earliest engine version to which the parameter can apply.

Type: String

Required: No

### Name

The name of the parameter

Type: String

Required: No

## Value

The value of the parameter

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ParameterGroup

Represents the output of a `CreateParameterGroup` operation. A parameter group represents a combination of specific values for the parameters that are passed to the engine software during startup.

## Contents

### ARN

The Amazon Resource Name (ARN) of the parameter group

Type: String

Required: No

### Description

A description of the parameter group

Type: String

Required: No

### Family

The name of the parameter group family that this parameter group is compatible with.

Type: String

Required: No

### Name

The name of the parameter group

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ParameterNameValue

Describes a name-value pair that is used to update the value of a parameter.

## Contents

### ParameterName

The name of the parameter

Type: String

Required: No

### ParameterValue

The value of the parameter

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# PendingModifiedServiceUpdate

Update action that has yet to be processed for the corresponding apply/stop request

## Contents

### ServiceUpdateName

The unique ID of the service update

Type: String

Required: No

### Status

The status of the service update

Type: String

Valid Values: `available` | `in-progress` | `complete` | `scheduled`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RecurringCharge

The recurring charge to run this reserved node.

## Contents

### RecurringChargeAmount

The amount of the recurring charge to run this reserved node.

Type: Double

Required: No

### RecurringChargeFrequency

The frequency of the recurring price charged to run this reserved node.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# RegionalCluster

Represents a Regional cluster

## Contents

### ARN

The Amazon Resource Name (ARN) the Regional cluster

Type: String

Required: No

### ClusterName

The name of the Regional cluster

Type: String

Required: No

### Region

The Region the current Regional cluster is assigned to.

Type: String

Required: No

### Status

The status of the Regional cluster.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReplicaConfigurationRequest

A request to configure the number of replicas in a shard

## Contents

### ReplicaCount

The number of replicas to scale up or down to

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReservedNode

Represents the output of a `PurchaseReservedNodesOffering` operation.

## Contents

### ARN

The Amazon Resource Name (ARN) of the reserved node.

Type: String

Required: No

### Duration

The duration of the reservation in seconds.

Type: Integer

Required: No

### FixedPrice

The fixed price charged for this reserved node.

Type: Double

Required: No

### NodeCount

The number of nodes that have been reserved.

Type: Integer

Required: No

### NodeType

The node type for the reserved nodes.

Type: String

Required: No

**OfferingType**

The offering type of this reserved node.

Type: String

Required: No

**RecurringCharges**

The recurring price charged to run this reserved node.

Type: Array of [RecurringCharge](#) objects

Required: No

**ReservationId**

A customer-specified identifier to track this reservation.

Type: String

Required: No

**ReservedNodesOfferingId**

The ID of the reserved node offering to purchase.

Type: String

Required: No

**StartTime**

The time the reservation started.

Type: Timestamp

Required: No

**State**

The state of the reserved node.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReservedNodesOffering

The offering type of this node.

## Contents

### Duration

The duration of the reservation in seconds.

Type: Integer

Required: No

### FixedPrice

The fixed price charged for this reserved node.

Type: Double

Required: No

### NodeType

The node type for the reserved nodes. For more information, see [Supported node types](#).

Type: String

Required: No

### OfferingType

The offering type of this reserved node.

Type: String

Required: No

### RecurringCharges

The recurring price charged to run this reserved node.

Type: Array of [RecurringCharge](#) objects

Required: No

## ReservedNodesOfferingId

The offering identifier.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ReshardingStatus

The status of the online resharding

## Contents

### SlotMigration

The status of the online resharding slot migration

Type: [SlotMigration](#) object

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SecurityGroupMembership

Represents a single security group and its status.

## Contents

### SecurityGroupId

The identifier of the security group.

Type: String

Required: No

### Status

The status of the security group membership. The status changes whenever a security group is modified, or when the security groups assigned to a cluster are modified.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ServiceUpdate

An update that you can apply to your MemoryDB clusters.

## Contents

### AutoUpdateStartDate

The date at which the service update will be automatically applied

Type: Timestamp

Required: No

### ClusterName

The name of the cluster to which the service update applies

Type: String

Required: No

### Description

Provides details of the service update

Type: String

Required: No

### Engine

The name of the engine for which a service update is available.

Type: String

Required: No

### NodesUpdated

A list of nodes updated by the service update

Type: String

Required: No

## ReleaseDate

The date when the service update is initially available

Type: Timestamp

Required: No

## ServiceUpdateName

The unique ID of the service update

Type: String

Required: No

## Status

The status of the service update

Type: String

Valid Values: available | in-progress | complete | scheduled

Required: No

## Type

Reflects the nature of the service update

Type: String

Valid Values: security-update

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)



# ServiceUpdateRequest

A request to apply a service update

## Contents

### ServiceUpdateNameToApply

The unique ID of the service update

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Shard

Represents a collection of nodes in a cluster. One node in the node group is the read/write primary node. All the other nodes are read-only Replica nodes.

## Contents

### Name

The name of the shard

Type: String

Required: No

### Nodes

A list containing information about individual nodes within the shard

Type: Array of [Node](#) objects

Required: No

### NumberOfNodes

The number of nodes in the shard

Type: Integer

Required: No

### Slots

The keyspace for this shard.

Type: String

Required: No

### Status

The current state of this replication group - creating, available, modifying, deleting.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ShardConfiguration

Shard configuration options. Each shard configuration has the following: Slots and ReplicaCount.

## Contents

### ReplicaCount

The number of read replica nodes in this shard.

Type: Integer

Required: No

### Slots

A string that specifies the keyspace for a particular node group. Keyspaces range from 0 to 16,383. The string is in the format startkey-endkey.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ShardConfigurationRequest

A request to configure the sharding properties of a cluster

## Contents

### ShardCount

The number of shards in the cluster

Type: Integer

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# ShardDetail

Provides details of a shard in a snapshot

## Contents

### Configuration

The configuration details of the shard

Type: [ShardConfiguration](#) object

Required: No

### Name

The name of the shard

Type: String

Required: No

### Size

The size of the shard's snapshot

Type: String

Required: No

### SnapshotCreationTime

The date and time that the shard's snapshot was created

Type: Timestamp

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# SlotMigration

Represents the progress of an online resharding operation.

## Contents

### ProgressPercentage

The percentage of the slot migration that is complete.

Type: Double

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Snapshot

Represents a copy of an entire cluster as of the time when the snapshot was taken.

## Contents

### ARN

The ARN (Amazon Resource Name) of the snapshot.

Type: String

Required: No

### ClusterConfiguration

The configuration of the cluster from which the snapshot was taken

Type: [ClusterConfiguration](#) object

Required: No

### DataTiering

Enables data tiering. Data tiering is only supported for clusters using the r6gd node type. This parameter must be set when using r6gd nodes. For more information, see [Data tiering](#).

Type: String

Valid Values: true | false

Required: No

### KmsKeyId

The ID of the KMS key used to encrypt the snapshot.

Type: String

Required: No

### Name

The name of the snapshot

Type: String

Required: No

### Source

Indicates whether the snapshot is from an automatic backup (automated) or was created manually (manual).

Type: String

Required: No

### Status

The status of the snapshot. Valid values: creating | available | restoring | copying | deleting.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Subnet

Represents the subnet associated with a cluster. This parameter refers to subnets defined in Amazon Virtual Private Cloud (Amazon VPC) and used with MemoryDB.

## Contents

### AvailabilityZone

The Availability Zone where the subnet resides

Type: [AvailabilityZone](#) object

Required: No

### Identifier

The unique identifier for the subnet.

Type: String

Required: No

### SupportedNetworkTypes

The network types supported by this subnet. Returns an array of strings that can include 'ipv4', 'ipv6', or both, indicating whether the subnet supports IPv4 only, IPv6 only, or dual-stack deployments.

Type: Array of strings

Valid Values: `ipv4` | `ipv6` | `dual_stack`

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

# SubnetGroup

Represents the output of one of the following operations:

- `CreateSubnetGroup`
- `UpdateSubnetGroup`

A subnet group is a collection of subnets (typically private) that you can designate for your clusters running in an Amazon Virtual Private Cloud (VPC) environment.

## Contents

### ARN

The ARN (Amazon Resource Name) of the subnet group.

Type: String

Required: No

### Description

A description of the subnet group

Type: String

Required: No

### Name

The name of the subnet group

Type: String

Required: No

### Subnets

A list of subnets associated with the subnet group.

Type: Array of [Subnet](#) objects

Required: No

## SupportedNetworkTypes

The network types supported by this subnet group. Returns an array of strings that can include 'ipv4', 'ipv6', or both, indicating the IP address types that can be used for clusters deployed in this subnet group.

Type: Array of strings

Valid Values: `ipv4` | `ipv6` | `dual_stack`

Required: No

## VpcId

The Amazon Virtual Private Cloud identifier (VPC ID) of the subnet group.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Tag

A tag that can be added to an MemoryDB resource. Tags are composed of a Key/Value pair. You can use tags to categorize and track all your MemoryDB resources. When you add or remove tags on clusters, those actions will be replicated to all nodes in the cluster. A tag with a null Value is permitted. For more information, see [Tagging your MemoryDB resources](#)

## Contents

### Key

The key for the tag. May not be null.

Type: String

Required: No

### Value

The tag's value. May be null.

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# UnprocessedCluster

A cluster whose updates have failed

## Contents

### ClusterName

The name of the cluster

Type: String

Required: No

### ErrorMessage

The error message associated with the update failure

Type: String

Required: No

### ErrorType

The error type associated with the update failure

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# User

You create users and assign them specific permissions by using an access string. You assign the users to Access Control Lists aligned with a specific role (administrators, human resources) that are then deployed to one or more MemoryDB clusters.

## Contents

### AccessString

Access permissions string used for this user.

Type: String

Required: No

### ACLNames

The names of the Access Control Lists to which the user belongs

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: `[a-zA-Z][a-zA-Z0-9\-\-]*`

Required: No

### ARN

The Amazon Resource Name (ARN) of the user.

Type: String

Required: No

### Authentication

Denotes whether the user requires a password to authenticate.

Type: [Authentication](#) object

Required: No

## MinimumEngineVersion

The minimum engine version supported for the user

Type: String

Required: No

## Name

The name of the user

Type: String

Required: No

## Status

Indicates the user status. Can be "active", "modifying" or "deleting".

Type: String

Required: No

## See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

# Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

## X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

## X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4\_request"). The value is expressed in the following format: *access\_key/YYYYMMDD/region/service/aws4\_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

## X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

### **X-Amz-Security-Token**

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

### **X-Amz-Signature**

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

### **X-Amz-SignedHeaders**

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

## Required: Conditional

# Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

## AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

## ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

## IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

## InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

## MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

**NotAuthorized**

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

**OptInRequired**

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

**RequestAbortedException**

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

**RequestEntityTooLargeException**

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

**RequestTimeoutException**

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

**ServiceUnavailable**

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

**ThrottlingException**

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

## **UnknownOperationException**

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

## **UnrecognizedClientException**

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

## **ValidationError**

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400