



Welcome

Migration Hub Orchestrator



API Version 2021-08-28

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Migration Hub Orchestrator: Welcome

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateTemplate	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	6
Response Elements	6
Errors	7
See Also	8
CreateWorkflow	9
Request Syntax	9
URI Request Parameters	9
Request Body	9
Response Syntax	11
Response Elements	12
Errors	14
See Also	14
CreateWorkflowStep	16
Request Syntax	16
URI Request Parameters	17
Request Body	17
Response Syntax	19
Response Elements	19
Errors	20
See Also	21
CreateWorkflowStepGroup	22
Request Syntax	22
URI Request Parameters	22
Request Body	22
Response Syntax	24
Response Elements	24
Errors	25
See Also	26

DeleteTemplate	27
Request Syntax	27
URI Request Parameters	27
Request Body	27
Response Syntax	27
Response Elements	27
Errors	28
See Also	28
DeleteWorkflow	30
Request Syntax	30
URI Request Parameters	30
Request Body	30
Response Syntax	30
Response Elements	31
Errors	31
See Also	32
DeleteWorkflowStep	34
Request Syntax	34
URI Request Parameters	34
Request Body	35
Response Syntax	35
Response Elements	35
Errors	35
See Also	36
DeleteWorkflowStepGroup	37
Request Syntax	37
URI Request Parameters	37
Request Body	37
Response Syntax	38
Response Elements	38
Errors	38
See Also	39
GetTemplate	40
Request Syntax	40
URI Request Parameters	40
Request Body	40

Response Syntax	40
Response Elements	41
Errors	43
See Also	44
GetTemplateStep	45
Request Syntax	45
URI Request Parameters	45
Request Body	46
Response Syntax	46
Response Elements	47
Errors	49
See Also	49
GetTemplateStepGroup	51
Request Syntax	51
URI Request Parameters	51
Request Body	51
Response Syntax	52
Response Elements	52
Errors	54
See Also	54
GetWorkflow	56
Request Syntax	56
URI Request Parameters	56
Request Body	56
Response Syntax	56
Response Elements	57
Errors	60
See Also	61
GetWorkflowStep	62
Request Syntax	62
URI Request Parameters	62
Request Body	63
Response Syntax	63
Response Elements	64
Errors	67
See Also	68

GetWorkflowStepGroup	69
Request Syntax	69
URI Request Parameters	69
Request Body	69
Response Syntax	70
Response Elements	70
Errors	72
See Also	73
ListPlugins	74
Request Syntax	74
URI Request Parameters	74
Request Body	74
Response Syntax	74
Response Elements	75
Errors	75
See Also	76
ListTagsForResource	77
Request Syntax	77
URI Request Parameters	77
Request Body	77
Response Syntax	77
Response Elements	78
Errors	78
See Also	78
ListTemplates	80
Request Syntax	80
URI Request Parameters	80
Request Body	81
Response Syntax	81
Response Elements	81
Errors	82
See Also	82
ListTemplateStepGroups	83
Request Syntax	83
URI Request Parameters	83
Request Body	84

Response Syntax	84
Response Elements	84
Errors	85
See Also	85
ListTemplateSteps	87
Request Syntax	87
URI Request Parameters	87
Request Body	88
Response Syntax	88
Response Elements	88
Errors	89
See Also	90
ListWorkflows	91
Request Syntax	91
URI Request Parameters	91
Request Body	92
Response Syntax	92
Response Elements	93
Errors	93
See Also	94
ListWorkflowStepGroups	95
Request Syntax	95
URI Request Parameters	95
Request Body	96
Response Syntax	96
Response Elements	96
Errors	97
See Also	97
ListWorkflowSteps	99
Request Syntax	99
URI Request Parameters	99
Request Body	100
Response Syntax	100
Response Elements	101
Errors	101
See Also	102

RetryWorkflowStep	103
Request Syntax	103
URI Request Parameters	103
Request Body	104
Response Syntax	104
Response Elements	104
Errors	105
See Also	105
StartWorkflow	107
Request Syntax	107
URI Request Parameters	107
Request Body	107
Response Syntax	107
Response Elements	108
Errors	109
See Also	109
StopWorkflow	111
Request Syntax	111
URI Request Parameters	111
Request Body	111
Response Syntax	111
Response Elements	112
Errors	113
See Also	113
TagResource	115
Request Syntax	115
URI Request Parameters	115
Request Body	115
Response Syntax	116
Response Elements	116
Errors	116
See Also	116
UntagResource	118
Request Syntax	118
URI Request Parameters	118
Request Body	118

Response Syntax	119
Response Elements	119
Errors	119
See Also	119
UpdateTemplate	121
Request Syntax	121
URI Request Parameters	121
Request Body	121
Response Syntax	122
Response Elements	123
Errors	123
See Also	124
UpdateWorkflow	126
Request Syntax	126
URI Request Parameters	126
Request Body	126
Response Syntax	128
Response Elements	128
Errors	130
See Also	131
UpdateWorkflowStep	132
Request Syntax	132
URI Request Parameters	133
Request Body	133
Response Syntax	136
Response Elements	136
Errors	137
See Also	137
UpdateWorkflowStepGroup	139
Request Syntax	139
URI Request Parameters	139
Request Body	140
Response Syntax	141
Response Elements	141
Errors	142
See Also	143

Data Types	145
MigrationWorkflowSummary	146
Contents	146
See Also	148
PlatformCommand	149
Contents	149
See Also	149
PlatformScriptKey	150
Contents	150
See Also	150
PluginSummary	151
Contents	151
See Also	152
StepAutomationConfiguration	153
Contents	153
See Also	154
StepInput	155
Contents	155
See Also	156
StepOutput	157
Contents	157
See Also	157
TemplateInput	158
Contents	158
See Also	158
TemplateSource	160
Contents	160
See Also	160
TemplateStepGroupSummary	161
Contents	161
See Also	161
TemplateStepSummary	163
Contents	163
See Also	164
TemplateSummary	166
Contents	166

See Also	166
Tool	168
Contents	168
See Also	168
WorkflowStepAutomationConfiguration	169
Contents	169
See Also	170
WorkflowStepGroupSummary	171
Contents	171
See Also	172
WorkflowStepOutput	173
Contents	173
See Also	174
WorkflowStepOutputUnion	175
Contents	175
See Also	175
WorkflowStepSummary	177
Contents	177
See Also	179
Common Parameters	180
Common Error Types	183

Welcome

This API reference provides descriptions, syntax, and other details about each of the actions and data types for AWS Migration Hub Orchestrator. The topic for each action shows the API request parameters and responses. Alternatively, you can use one of the AWS SDKs to access an API that is tailored to the programming language or platform that you're using.

This document was last published on April 10, 2026.

Actions

The following actions are supported:

- [CreateTemplate](#)
- [CreateWorkflow](#)
- [CreateWorkflowStep](#)
- [CreateWorkflowStepGroup](#)
- [DeleteTemplate](#)
- [DeleteWorkflow](#)
- [DeleteWorkflowStep](#)
- [DeleteWorkflowStepGroup](#)
- [GetTemplate](#)
- [GetTemplateStep](#)
- [GetTemplateStepGroup](#)
- [GetWorkflow](#)
- [GetWorkflowStep](#)
- [GetWorkflowStepGroup](#)
- [ListPlugins](#)
- [ListTagsForResource](#)
- [ListTemplates](#)
- [ListTemplateStepGroups](#)
- [ListTemplateSteps](#)
- [ListWorkflows](#)
- [ListWorkflowStepGroups](#)
- [ListWorkflowSteps](#)
- [RetryWorkflowStep](#)
- [StartWorkflow](#)
- [StopWorkflow](#)
- [TagResource](#)
- [UntagResource](#)

- [UpdateTemplate](#)
- [UpdateWorkflow](#)
- [UpdateWorkflowStep](#)
- [UpdateWorkflowStepGroup](#)

CreateTemplate

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Creates a migration workflow template.

Request Syntax

```
POST /template HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "tags": {
    "string" : "string"
  },
  "templateDescription": "string",
  "templateName": "string",
  "templateSource": { ... }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request. For more information, see [Idempotency](#) in the Smithy documentation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [-a-zA-Z0-9]*

Required: No

tags

The tags to add to the migration workflow template.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:)[a-zA-Z+-._:/+]

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

templateDescription

A description of the migration workflow template.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 250.

Pattern: .*

Required: No

templateName

The name of the migration workflow template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9]*

Required: Yes

templateSource

The source of the migration workflow template.

Type: [TemplateSource](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  },
  "templateArn": "string",
  "templateId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[tags](#)

The tags added to the migration workflow template.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9- _ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

[templateArn](#)

The Amazon Resource Name (ARN) of the migration workflow template. The format for an Migration Hub Orchestrator template ARN is `arn:aws:migrationhub-`

`orchestrator:region:account:template/template-abcd1234`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

templateId

The ID of the migration workflow template.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

This exception is thrown when an attempt to update or delete a resource would cause an inconsistent state.

HTTP Status Code: 409

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateWorkflow

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Create a workflow to orchestrate your migrations.

Request Syntax

```
POST /migrationworkflow/ HTTP/1.1
Content-type: application/json

{
  "applicationConfigurationId": "string",
  "description": "string",
  "inputParameters": {
    "string" : { ... }
  },
  "name": "string",
  "stepTargets": [ "string" ],
  "tags": {
    "string" : "string"
  },
  "templateId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[applicationConfigurationId](#)

The configuration ID of the application configured in Application Discovery Service.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 100.

Pattern: [-a-zA-Z0-9_.*+]*

Required: No

description

The description of the migration workflow.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Pattern: [-a-zA-Z0-9_.*+,]*

Required: No

inputParameters

The input parameters required to create a migration workflow.

Type: String to [StepInput](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9_()]+

Required: Yes

name

The name of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_.*+]+[-a-zA-Z0-9_.*+]*

Required: Yes

stepTargets

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

tags

The tags to add on a migration workflow.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9- _ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

Required: No

templateId

The ID of the template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_ .+]+ [-a-zA-Z0-9_ .+]*

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "adsApplicationConfigurationId": "string",
  "arn": "string",
  "creationTime": number,
  "description": "string",
  "id": "string",
```

```
"name": "string",
"status": "string",
"stepTargets": [ "string" ],
"tags": {
  "string" : "string"
},
"templateId": "string",
"workflowInputs": {
  "string" : { ... }
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

adsApplicationConfigurationId

The configuration ID of the application configured in Application Discovery Service.

Type: String

arn

The Amazon Resource Name (ARN) of the migration workflow.

Type: String

creationTime

The time at which the migration workflow was created.

Type: Timestamp

description

The description of the migration workflow.

Type: String

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

name

The name of the migration workflow.

Type: String

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

stepTargets

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

tags

The tags to add on a migration workflow.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9-_ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

templateId

The ID of the template.

Type: String

workflowInputs

The inputs for creating a migration workflow.

Type: String to [StepInput](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9-_ ()]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateWorkflowStep

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Create a step in the migration workflow.

Request Syntax

```
POST /workflowstep HTTP/1.1
Content-type: application/json

{
  "description": "string",
  "name": "string",
  "next": [ "string" ],
  "outputs": [
    {
      "dataType": "string",
      "name": "string",
      "required": boolean,
      "value": { ... }
    }
  ],
  "previous": [ "string" ],
  "stepActionType": "string",
  "stepGroupId": "string",
  "stepTarget": [ "string" ],
  "workflowId": "string",
  "workflowStepAutomationConfiguration": {
    "command": {
      "linux": "string",
      "windows": "string"
    },
    "runEnvironment": "string",
    "scriptLocationS3Bucket": "string",
    "scriptLocationS3Key": {
      "linux": "string",
      "windows": "string"
    }
  }
}
```

```
    },  
    "targetType": "string"  
  }  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

description

The description of the step.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Pattern: [-a-zA-Z0-9_+.]*

Required: No

name

The name of the step.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_+.]+[-a-zA-Z0-9_+.]*

Required: Yes

next

The next step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

outputs

The key value pairs added for the expected output.

Type: Array of [WorkflowStepOutput](#) objects

Required: No

previous

The previous step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

stepActionType

The action type of the step. You must run and update the status of a manual step for the workflow to continue after the completion of the step.

Type: String

Valid Values: MANUAL | AUTOMATED

Required: Yes

stepGroupId

The ID of the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

stepTarget

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

workflowId

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowStepAutomationConfiguration

The custom script to run tests on source or target environments.

Type: [WorkflowStepAutomationConfiguration](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "id": "string",
  "name": "string",
  "stepGroupId": "string",
  "workflowId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

id

The ID of the step.

Type: String

name

The name of the step.

Type: String

stepGroupId

The ID of the step group.

Type: String

workflowId

The ID of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateWorkflowStepGroup

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Create a step group in a migration workflow.

Request Syntax

```
POST /workflowstepgroups HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "name": "string",
  "next": [ "string" ],
  "previous": [ "string" ],
  "workflowId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

description

The description of the step group.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Pattern: [-a-zA-Z0-9_+. ,]*

Required: No

name

The name of the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_.+]+[-a-zA-Z0-9_.+]*

Required: Yes

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

workflowId

The ID of the migration workflow that will contain the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": number,
  "description": "string",
  "id": "string",
  "name": "string",
  "next": [ "string" ],
  "previous": [ "string" ],
  "tools": [
    {
      "name": "string",
      "url": "string"
    }
  ],
  "workflowId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time at which the step group is created.

Type: Timestamp

description

The description of the step group.

Type: String

id

The ID of the step group.

Type: String

name

The name of the step group.

Type: String

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

tools

List of AWS services utilized in a migration workflow.

Type: Array of [Tool](#) objects

workflowId

The ID of the migration workflow that contains the step group.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteTemplate

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Deletes a migration workflow template.

Request Syntax

```
DELETE /template/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the request to delete a migration workflow template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteWorkflow

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Delete a migration workflow. You must pause a running workflow in Migration Hub Orchestrator console to delete it.

Request Syntax

```
DELETE /migrationworkflow/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the migration workflow you want to delete.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202  
Content-type: application/json
```

```
{
  "arn": "string",
  "id": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) of the migration workflow.

Type: String

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteWorkflowStep

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Delete a step in a migration workflow. Pause the workflow to delete a running step.

Request Syntax

```
DELETE /workflowstep/id?stepGroupId=stepGroupId&workflowId=workflowId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step you want to delete.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

stepGroupId

The ID of the step group that contains the step you want to delete.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteWorkflowStepGroup

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Delete a step group in a migration workflow.

Request Syntax

```
DELETE /workflowstepgroup/id?workflowId=workflowId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step group you want to delete.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTemplate

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Get the template you want to use for creating a migration workflow.

Request Syntax

```
GET /migrationworkflowtemplate/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"creationTime": number,
"description": "string",
"id": "string",
string",
    "inputName": "string",
    "required": boolean
  }
],
"name": "string",
"owner": "string",
"status": "string",
"statusMessage": "string",
"tags": {
  "string" : "string"
},
"templateArn": "string",
"templateClass": "string",
"tools": [
  {
    "name": "string",
    "url": "string"
  }
]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time at which the template was last created.

Type: Timestamp

description

The time at which the template was last created.

Type: String

id

The ID of the template.

Type: String

inputs

The inputs provided for the creation of the migration workflow.

Type: Array of [TemplateInput](#) objects

name

The name of the template.

Type: String

owner

The owner of the migration workflow template.

Type: String

status

The status of the template.

Type: String

Valid Values: CREATED | READY | PENDING_CREATION | CREATING | CREATION_FAILED

statusMessage

The status message of retrieving migration workflow templates.

Type: String

tags

The tags added to the migration workflow template.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9- _ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

templateArn

>The Amazon Resource Name (ARN) of the migration workflow template. The format for an Migration Hub Orchestrator template ARN is `arn:aws:migrationhub-orchestrator:region:account:template/template-abcd1234`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

templateClass

The class of the migration workflow template. The available template classes are:

- A2C
- MGN
- SAP_MULTI
- SQL_EC2
- SQL_RDS
- VMIE

Type: String

tools

List of AWS services utilized in a migration workflow.

Type: Array of [Tool](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTemplateStep

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Get a specific step in a template.

Request Syntax

```
GET /templatestep/id?stepGroupId=stepGroupId&templateId=templateId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

stepGroupId

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

templateId

The ID of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": "string",
  "description": "string",
  "id": "string",
  "name": "string",
  "next": [ "string" ],
  "outputs": [
    {
      "dataType": "string",
      "name": "string",
      "required": boolean
    }
  ],
  "previous": [ "string" ],
  "stepActionType": "string",
  "stepAutomationConfiguration": {
    "command": {
      "linux": "string",
      "windows": "string"
    },
    "runEnvironment": "string",
    "scriptLocationS3Bucket": "string",
    "scriptLocationS3Key": {
      "linux": "string",
      "windows": "string"
    },
    "targetType": "string"
  }
}
```

```
  },  
  "stepGroupId": "string",  
  "templateId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time at which the step was created.

Type: String

description

The description of the step.

Type: String

id

The ID of the step.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

name

The name of the step.

Type: String

next

The next step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

outputs

The outputs of the step.

Type: Array of [StepOutput](#) objects

previous

The previous step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

stepActionType

The action type of the step. You must run and update the status of a manual step for the workflow to continue after the completion of the step.

Type: String

Valid Values: MANUAL | AUTOMATED

stepAutomationConfiguration

The custom script to run tests on source or target environments.

Type: [StepAutomationConfiguration](#) object

stepGroupId

The ID of the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

templateId

The ID of the template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_+.]+[-a-zA-Z0-9_+.]*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetTemplateStepGroup

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Get a step group in a template.

Request Syntax

```
GET /templates/templateId/stepgroups/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

templateId

The ID of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_+.]+[-a-zA-Z0-9_+.]*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": number,
  "description": "string",
  "id": "string",
  "lastModifiedTime": number,
  "name": "string",
  "next": [ "string" ],
  "previous": [ "string" ],
  "status": "string",
  "templateId": "string",
  "tools": [
    {
      "name": "string",
      "url": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time at which the step group was created.

Type: Timestamp

description

The description of the step group.

Type: String

id

The ID of the step group.

Type: String

lastModifiedTime

The time at which the step group was last modified.

Type: Timestamp

name

The name of the step group.

Type: String

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

status

The status of the step group.

Type: String

Valid Values: AWAITING_DEPENDENCIES | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | PAUSING | USER_ATTENTION_REQUIRED

templateId

The ID of the template.

Type: String

tools

List of AWS services utilized in a migration workflow.

Type: Array of [Tool](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetWorkflow

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Get migration workflow.

Request Syntax

```
GET /migrationworkflow/id HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "adsApplicationConfigurationId": "string",
  "adsApplicationName": "string",
```

```
"arn": "string",
"completedSteps": number,
"creationTime": number,
"description": "string",
"endTime": number,
"id": "string",
"lastModifiedTime": number,
"lastStartTime": number,
"lastStopTime": number,
"name": "string",
"status": "string",
"statusMessage": "string",
"tags": {
  "string" : "string"
},
"templateId": "string",
"tools": [
  {
    "name": "string",
    "url": "string"
  }
],
"totalSteps": number,
"workflowBucket": "string",
"workflowInputs": {
  "string" : { ... }
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[adsApplicationConfigurationId](#)

The configuration ID of the application configured in Application Discovery Service.

Type: String

[adsApplicationName](#)

The name of the application configured in Application Discovery Service.

Type: String

arn

The Amazon Resource Name (ARN) of the migration workflow.

Type: String

completedSteps

Get a list of completed steps in the migration workflow.

Type: Integer

creationTime

The time at which the migration workflow was created.

Type: Timestamp

description

The description of the migration workflow.

Type: String

endTime

The time at which the migration workflow ended.

Type: Timestamp

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

lastModifiedTime

The time at which the migration workflow was last modified.

Type: Timestamp

lastStartTime

The time at which the migration workflow was last started.

Type: Timestamp

lastStopTime

The time at which the migration workflow was last stopped.

Type: Timestamp

name

The name of the migration workflow.

Type: String

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

statusMessage

The status message of the migration workflow.

Type: String

tags

The tags added to the migration workflow.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9-_ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

templateId

The ID of the template.

Type: String

tools

List of AWS services utilized in a migration workflow.

Type: Array of [Tool](#) objects

totalSteps

The total number of steps in the migration workflow.

Type: Integer

workflowBucket

The Amazon S3 bucket where the migration logs are stored.

Type: String

workflowInputs

The inputs required for creating the migration workflow.

Type: String to [StepInput](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9- _ ()]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetWorkflowStep

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Get a step in the migration workflow.

Request Syntax

```
GET /workflowstep/id?stepGroupId=stepGroupId&workflowId=workflowId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

stepGroupId

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": number,
  "description": "string",
  "endTime": number,
  "lastStartTime": number,
  "name": "string",
  "next": [ "string" ],
  "noOfSrvCompleted": number,
  "noOfSrvFailed": number,
  "outputs": [
    {
      "dataType": "string",
      "name": "string",
      "required": boolean,
      "value": { ... }
    }
  ],
  "owner": "string",
  "previous": [ "string" ],
  "scriptOutputLocation": "string",
  "status": "string",
  "statusMessage": "string",
  "stepActionType": "string",
  "stepGroupId": "string",
  "stepId": "string",
  "stepTarget": [ "string" ],
  "totalNoOfSrv": number,
```

```
"workflowId": "string",
"workflowStepAutomationConfiguration": {
  "command": {
    "linux": "string",
    "windows": "string"
  },
  "runEnvironment": "string",
  "scriptLocationS3Bucket": "string",
  "scriptLocationS3Key": {
    "linux": "string",
    "windows": "string"
  },
  "targetType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time at which the step was created.

Type: Timestamp

description

The description of the step.

Type: String

endTime

The time at which the step ended.

Type: Timestamp

lastStartTime

The time at which the workflow was last started.

Type: Timestamp

name

The name of the step.

Type: String

next

The next step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

noOfSrvCompleted

The number of servers that have been migrated.

Type: Integer

noOfSrvFailed

The number of servers that have failed to migrate.

Type: Integer

outputs

The outputs of the step.

Type: Array of [WorkflowStepOutput](#) objects

Array Members: Minimum number of 0 items. Maximum number of 5 items.

owner

The owner of the step.

Type: String

Valid Values: AWS_MANAGED | CUSTOM

previous

The previous step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

scriptOutputLocation

The output location of the script.

Type: String

status

The status of the step.

Type: String

Valid Values: AWAITING_DEPENDENCIES | SKIPPED | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | USER_ATTENTION_REQUIRED

statusMessage

The status message of the migration workflow.

Type: String

stepActionType

The action type of the step. You must run and update the status of a manual step for the workflow to continue after the completion of the step.

Type: String

Valid Values: MANUAL | AUTOMATED

stepGroupId

The ID of the step group.

Type: String

stepId

The ID of the step.

Type: String

stepTarget

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

totalNoOfSrv

The total number of servers that have been migrated.

Type: Integer

workflowId

The ID of the migration workflow.

Type: String

workflowStepAutomationConfiguration

The custom script to run tests on source or target environments.

Type: [WorkflowStepAutomationConfiguration](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetWorkflowStepGroup

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Get the step group of a migration workflow.

Request Syntax

```
GET /workflowstepgroup/id?workflowId=workflowId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "creationTime": number,
  "description": "string",
  "endTime": number,
  "id": "string",
  "lastModifiedTime": number,
  "name": "string",
  "next": [ "string" ],
  "owner": "string",
  "previous": [ "string" ],
  "status": "string",
  "tools": [
    {
      "name": "string",
      "url": "string"
    }
  ],
  "workflowId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

creationTime

The time at which the step group was created.

Type: Timestamp

description

The description of the step group.

Type: String

endTime

The time at which the step group ended.

Type: Timestamp

id

The ID of the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

lastModifiedTime

The time at which the step group was last modified.

Type: Timestamp

name

The name of the step group.

Type: String

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

owner

The owner of the step group.

Type: String

Valid Values: AWS_MANAGED | CUSTOM

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

status

The status of the step group.

Type: String

Valid Values: AWAITING_DEPENDENCIES | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | PAUSING | USER_ATTENTION_REQUIRED

tools

List of AWS services utilized in a migration workflow.

Type: Array of [Tool](#) objects

workflowId

The ID of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPlugins

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List AWS Migration Hub Orchestrator plugins.

Request Syntax

```
GET /plugins?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of plugins that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*\S.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "nextToken": "string",
  "plugins": [
    {
      "hostname": "string",
      "ipAddress": "string",
      "pluginId": "string",
      "registeredTime": "string",
      "status": "string",
      "version": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*\\S.*

plugins

Migration Hub Orchestrator plugins.

Type: Array of [PluginSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

An internal error has occurred.

HTTP Status Code: 500

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the tags added to a resource.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource.

Pattern: `arn:aws:migrationhub-orchestrator:[a-z0-9-]+:[0-9]+:(template|workflow)/[.]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The tags added to a resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:)[a-zA-Z+-. _:/]+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTemplates

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the templates available in Migration Hub Orchestrator to create a migration workflow.

Request Syntax

```
GET /migrationworkflowtemplates?maxResults=maxResults&name=name&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

name

The name of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*\S.*`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "templateSummary": [
    {
      "arn": "string",
      "description": "string",
      "id": "string",
      "name": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*\\S.*

templateSummary

The summary of the template.

Type: Array of [TemplateSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTemplateStepGroups

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the step groups in a template.

Request Syntax

```
GET /templatestepgroups/templateId?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*\S.*`

templateId

The ID of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_+.]+[-a-zA-Z0-9_+.]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "templateStepGroupSummary": [
    {
      "id": "string",
      "name": "string",
      "next": [ "string" ],
      "previous": [ "string" ]
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*S.*

templateStepGroupSummary

The summary of the step group in the template.

Type: Array of [TemplateStepGroupSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTemplateSteps

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the steps in a template.

Request Syntax

```
GET /templatesteps?  
maxResults=maxResults&nextToken=nextToken&stepGroupId=stepGroupId&templateId=templateId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*\S.*`

stepGroupId

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[a-zA-Z0-9-]+`

Required: Yes

templateId

The ID of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "templateStepSummaryList": [
    {
      "id": "string",
      "name": "string",
      "next": [ "string" ],
      "owner": "string",
      "previous": [ "string" ],
      "stepActionType": "string",
      "stepGroupId": "string",
      "targetType": "string",
      "templateId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*\\S.*

templateStepSummaryList

The list of summaries of steps in a template.

Type: Array of [TemplateStepSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListWorkflows

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the migration workflows.

Request Syntax

```
GET /migrationworkflows?  
adsApplicationConfigurationName=adsApplicationConfigurationName&maxResults=maxResults&name=name  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

adsApplicationConfigurationName

The name of the application configured in Application Discovery Service.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

maxResults

The maximum number of results that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

name

The name of the migration workflow.

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*\\S.*

status

The status of the migration workflow.

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

templateId

The ID of the template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_+.]+[-a-zA-Z0-9_+.]*

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "migrationWorkflowSummary": [
    {
      "adsApplicationConfigurationName": "string",
      "completedSteps": number,
      "creationTime": number,
      "endTime": number,
      "id": "string",
      "name": "string",
      "status": "string",
      "statusMessage": "string",
      "templateId": "string",
      "totalSteps": number
    }
  ],
}
```

```
"nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

migrationWorkflowSummary

The summary of the migration workflow.

Type: Array of [MigrationWorkflowSummary](#) objects

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*S.*

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListWorkflowStepGroups

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the step groups in a migration workflow.

Request Syntax

```
GET /workflowstepgroups?maxResults=maxResults&nextToken=nextToken&workflowId=workflowId
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*\S.*`

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[a-zA-Z0-9-]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "workflowStepGroupsSummary": [
    {
      "id": "string",
      "name": "string",
      "next": [ "string" ],
      "owner": "string",
      "previous": [ "string" ],
      "status": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*\\S.*

workflowStepGroupsSummary

The summary of step groups in a migration workflow.

Type: Array of [WorkflowStepGroupSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListWorkflowSteps

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

List the steps in a workflow.

Request Syntax

```
GET /workflow/workflowId/workflowstepgroups/stepGroupId/workflowsteps?  
maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results that can be returned.

Valid Range: Minimum value of 0. Maximum value of 100.

nextToken

The pagination token.

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*\S.*`

stepGroupId

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[a-zA-Z0-9-]+`

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "workflowStepsSummary": [
    {
      "description": "string",
      "name": "string",
      "next": [ "string" ],
      "noOfSrvCompleted": number,
      "noOfSrvFailed": number,
      "owner": "string",
      "previous": [ "string" ],
      "scriptLocation": "string",
      "status": "string",
      "statusMessage": "string",
      "stepActionType": "string",
      "stepId": "string",
      "totalNoOfSrv": number
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The pagination token.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*\\S.*

workflowStepsSummary

The summary of steps in a migration workflow.

Type: Array of [WorkflowStepSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RetryWorkflowStep

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Retry a failed step in a migration workflow.

Request Syntax

```
POST /retryworkflowstep/id?stepGroupId=stepGroupId&workflowId=workflowId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

stepGroupId

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "id": "string",
  "status": "string",
  "stepGroupId": "string",
  "workflowId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

id

The ID of the step.

Type: String

status

The status of the step.

Type: String

Valid Values: AWAITING_DEPENDENCIES | SKIPPED | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | USER_ATTENTION_REQUIRED

stepGroupId

The ID of the step group.

Type: String

workflowId

The ID of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StartWorkflow

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Start a migration workflow.

Request Syntax

```
POST /migrationworkflow/id/start HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
```

```
"id": "string",  
"lastStartTime": number,  
"status": "string",  
"statusMessage": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) of the migration workflow.

Type: String

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

lastStartTime

The time at which the migration workflow was last started.

Type: Timestamp

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING |
IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED
| USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED |
COMPLETED

statusMessage

The status message of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

StopWorkflow

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Stop an ongoing migration workflow.

Request Syntax

```
POST /migrationworkflow/id/stop HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
```

```
"id": "string",  
"lastStopTime": number,  
"status": "string",  
"statusMessage": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) of the migration workflow.

Type: String

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

lastStopTime

The time at which the migration workflow was stopped.

Type: Timestamp

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

statusMessage

The status message of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Tag a resource by specifying its Amazon Resource Name (ARN).

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource to which you want to add tags.

Pattern: `arn:aws:migrationhub-orchestrator:[a-z0-9-]+:[0-9]+:(template|workflow)/[.]*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

A collection of labels, in the form of key:value pairs, that apply to this resource.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (?!aws:)[a-zA-Z+-. _:/]+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Deletes the tags for a resource.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The Amazon Resource Name (ARN) of the resource from which you want to remove tags.

Pattern: `arn:aws:migrationhub-orchestrator:[a-z0-9-]+:[0-9]+:(template|workflow)/[.]*`

Required: Yes

tagKeys

One or more tag keys. Specify only the tag keys, not the tag values.

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `(?!aws:)[a-zA-Z+-._:/+]`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

UpdateTemplate

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Updates a migration workflow template.

Request Syntax

```
POST /template/id HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "templateDescription": "string",
  "templateName": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the request to update a migration workflow template.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [-a-zA-Z0-9]*

Required: No

templateDescription

The description of the migration workflow template to update.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 250.

Pattern: .*

Required: No

templateName

The name of the migration workflow template to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9]*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
```

```
    "string" : "string"  
  },  
  "templateArn": "string",  
  "templateId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The tags added to the migration workflow template.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9-_ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

templateArn

The ARN of the migration workflow template being updated. The format for an Migration Hub Orchestrator template ARN is `arn:aws:migrationhub-orchestrator:region:account:template/template-abcd1234`. For more information about ARNs, see [Amazon Resource Names \(ARNs\)](#) in the *AWS General Reference*.

Type: String

templateId

The ID of the migration workflow template being updated.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateWorkflow

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Update a migration workflow.

Request Syntax

```
POST /migrationworkflow/id HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "inputParameters": {
    "string" : { ... }
  },
  "name": "string",
  "stepTargets": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the migration workflow.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Pattern: [-a-zA-Z0-9_.,]*

Required: No

inputParameters

The input parameters required to update a migration workflow.

Type: String to [StepInput](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9- _ ()]+

Required: No

name

The name of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_.,]+[-a-zA-Z0-9_.,]*

Required: No

stepTargets

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "adsApplicationConfigurationId": "string",
  "arn": "string",
  "creationTime": number,
  "description": "string",
  "id": "string",
  "lastModifiedTime": number,
  "name": "string",
  "status": "string",
  "stepTargets": [ "string" ],
  "tags": {
    "string" : "string"
  },
  "templateId": "string",
  "workflowInputs": {
    "string" : { ... }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

adsApplicationConfigurationId

The ID of the application configured in Application Discovery Service.

Type: String

arn

The Amazon Resource Name (ARN) of the migration workflow.

Type: String

creationTime

The time at which the migration workflow was created.

Type: Timestamp

description

The description of the migration workflow.

Type: String

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

lastModifiedTime

The time at which the migration workflow was last modified.

Type: Timestamp

name

The name of the migration workflow.

Type: String

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

stepTargets

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

tags

The tags added to the migration workflow.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9-_ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

templateId

The ID of the template.

Type: String

workflowInputs

The inputs required to update a migration workflow.

Type: String to [StepInput](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9-_ ()]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateWorkflowStep

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Update a step in a migration workflow.

Request Syntax

```
POST /workflowstep/id HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "description": "string",
  "name": "string",
  "next": [ "string" ],
  "outputs": [
    {
      "dataType": "string",
      "name": "string",
      "required": boolean,
      "value": { ... }
    }
  ],
  "previous": [ "string" ],
  "status": "string",
  "stepActionType": "string",
  "stepGroupId": "string",
  "stepTarget": [ "string" ],
  "workflowId": "string",
  "workflowStepAutomationConfiguration": {
    "command": {
      "linux": "string",
      "windows": "string"
    },
    "runEnvironment": "string",
    "scriptLocationS3Bucket": "string",
    "scriptLocationS3Key": {
      "linux": "string",
```

```
    "windows": "string"  
  },  
  "targetType": "string"  
}  
}
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the step.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Pattern: [-a-zA-Z0-9_.,+]*

Required: No

name

The name of the step.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_+.]+[-a-zA-Z0-9_+.]*

Required: No

[next](#)

The next step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

[outputs](#)

The outputs of a step.

Type: Array of [WorkflowStepOutput](#) objects

Required: No

[previous](#)

The previous step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

[status](#)

The status of the step.

Type: String

Valid Values: AWAITING_DEPENDENCIES | SKIPPED | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | USER_ATTENTION_REQUIRED

Required: No

[stepActionType](#)

The action type of the step. You must run and update the status of a manual step for the workflow to continue after the completion of the step.

Type: String

Valid Values: MANUAL | AUTOMATED

Required: No

stepGroupId

The ID of the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

stepTarget

The servers on which a step will be run.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

workflowId

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowStepAutomationConfiguration

The custom script to run tests on the source and target environments.

Type: [WorkflowStepAutomationConfiguration](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "id": "string",
  "name": "string",
  "stepGroupId": "string",
  "workflowId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

id

The ID of the step.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

name

The name of the step.

Type: String

stepGroupId

The ID of the step group.

Type: String

workflowId

The ID of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateWorkflowStepGroup

Note

AWS Migration Hub is no longer open to new customers as of November 7, 2025. For capabilities similar to AWS Migration Hub, explore [AWS Migration Hub](#).

Update the step group in a migration workflow.

Request Syntax

```
POST /workflowstepgroup/id?workflowId=workflowId HTTP/1.1
Content-type: application/json
```

```
{
  "description": "string",
  "name": "string",
  "next": [ "string" ],
  "previous": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

id

The ID of the step group.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

workflowId

The ID of the migration workflow.

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the step group.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 500.

Pattern: [-a-zA-Z0-9_.,]*

Required: No

name

The name of the step group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [-a-zA-Z0-9_.,+][-a-zA-Z0-9_.,+]*

Required: No

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json
```

```
{
  "description": "string",
  "id": "string",
  "lastModifiedTime": number,
  "name": "string",
  "next": [ "string" ],
  "previous": [ "string" ],
  "tools": [
    {
      "name": "string",
      "url": "string"
    }
  ],
  "workflowId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

description

The description of the step group.

Type: String

id

The ID of the step group.

Type: String

lastModifiedTime

The time at which the step group was last modified.

Type: Timestamp

name

The name of the step group.

Type: String

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

tools

List of AWS services utilized in a migration workflow.

Type: Array of [Tool](#) objects

workflowId

The ID of the migration workflow.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

An internal error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource is not available.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Migration Hub Orchestrator API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [MigrationWorkflowSummary](#)
- [PlatformCommand](#)
- [PlatformScriptKey](#)
- [PluginSummary](#)
- [StepAutomationConfiguration](#)
- [StepInput](#)
- [StepOutput](#)
- [TemplateInput](#)
- [TemplateSource](#)
- [TemplateStepGroupSummary](#)
- [TemplateStepSummary](#)
- [TemplateSummary](#)
- [Tool](#)
- [WorkflowStepAutomationConfiguration](#)
- [WorkflowStepGroupSummary](#)
- [WorkflowStepOutput](#)
- [WorkflowStepOutputUnion](#)
- [WorkflowStepSummary](#)

MigrationWorkflowSummary

The summary of a migration workflow.

Contents

adsApplicationConfigurationName

The name of the application configured in Application Discovery Service.

Type: String

Required: No

completedSteps

The steps completed in the migration workflow.

Type: Integer

Required: No

creationTime

The time at which the migration workflow was created.

Type: Timestamp

Required: No

endTime

The time at which the migration workflow ended.

Type: Timestamp

Required: No

id

The ID of the migration workflow.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: No

name

The name of the migration workflow.

Type: String

Required: No

status

The status of the migration workflow.

Type: String

Valid Values: CREATING | NOT_STARTED | CREATION_FAILED | STARTING | IN_PROGRESS | WORKFLOW_FAILED | PAUSED | PAUSING | PAUSING_FAILED | USER_ATTENTION_REQUIRED | DELETING | DELETION_FAILED | DELETED | COMPLETED

Required: No

statusMessage

The status message of the migration workflow.

Type: String

Required: No

templateId

The ID of the template.

Type: String

Required: No

totalSteps

All the steps in a migration workflow.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PlatformCommand

Command to be run on a particular operating system.

Contents

linux

Command for Linux.

Type: String

Required: No

windows

Command for Windows.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PlatformScriptKey

The script location for a particular operating system.

Contents

linux

The script location for Linux.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

windows

The script location for Windows.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PluginSummary

The summary of the Migration Hub Orchestrator plugin.

Contents

hostname

The name of the host.

Type: String

Required: No

ipAddress

The IP address at which the plugin is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 15.

Pattern: (([0-9] | [1-9][0-9] | 1[0-9]{2} | 2[0-4][0-9] | 25[0-5])\.) {3}([0-9] | [1-9][0-9] | 1[0-9]{2} | 2[0-4][0-9] | 25[0-5])

Required: No

pluginId

The ID of the plugin.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 60.

Pattern: .*S.*

Required: No

registeredTime

The time at which the plugin was registered.

Type: String

Required: No

status

The status of the plugin.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: No

version

The version of the plugin.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StepAutomationConfiguration

The custom script to run tests on source or target environments.

Contents

command

The command to run the script.

Type: [PlatformCommand](#) object

Required: No

runEnvironment

The source or target environment.

Type: String

Valid Values: AWS | ONPREMISE

Required: No

scriptLocationS3Bucket

The Amazon S3 bucket where the script is located.

Type: String

Required: No

scriptLocationS3Key

The Amazon S3 key for the script location.

Type: [PlatformScriptKey](#) object

Required: No

targetType

The servers on which to run the script.

Type: String

Valid Values: SINGLE | ALL | NONE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StepInput

A map of key value pairs that is generated when you create a migration workflow. The key value pairs will differ based on your selection of the template.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

integerValue

The value of the integer.

Type: Integer

Required: No

listOfStringsValue

List of string values.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

mapOfStringValue

Map of string values.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 100.

Key Pattern: [a-zA-Z0-9- _ ()]+

Value Length Constraints: Minimum length of 0. Maximum length of 100.

Required: No

stringValue

String value.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 100.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StepOutput

The output of the step.

Contents

dataType

The data type of the step output.

Type: String

Valid Values: STRING | INTEGER | STRINGLIST | STRINGMAP

Required: No

name

The name of the step.

Type: String

Required: No

required

Determine if an output is required from a step.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TemplateInput

The input parameters of a template.

Contents

dataType

The data type of the template input.

Type: String

Valid Values: STRING | INTEGER | STRINGLIST | STRINGMAP

Required: No

inputName

The name of the template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

Required: No

required

Determine if an input is required from the template.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

TemplateSource

The migration workflow template used as the source for the new template.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

workflowId

The ID of the workflow from the source migration workflow template.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: [a-zA-Z0-9-]+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TemplateStepGroupSummary

The summary of the step group in the template.

Contents

id

The ID of the step group.

Type: String

Required: No

name

The name of the step group.

Type: String

Required: No

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TemplateStepSummary

The summary of the step.

Contents

id

The ID of the step.

Type: String

Required: No

name

The name of the step.

Type: String

Required: No

next

The next step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

owner

The owner of the step.

Type: String

Valid Values: AWS_MANAGED | CUSTOM

Required: No

previous

The previous step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

stepActionType

The action type of the step. You must run and update the status of a manual step for the workflow to continue after the completion of the step.

Type: String

Valid Values: MANUAL | AUTOMATED

Required: No

stepGroupId

The ID of the step group.

Type: String

Required: No

targetType

The servers on which to run the script.

Type: String

Valid Values: SINGLE | ALL | NONE

Required: No

templateId

The ID of the template.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TemplateSummary

The summary of the template.

Contents

arn

The Amazon Resource Name (ARN) of the template.

Type: String

Required: No

description

The description of the template.

Type: String

Required: No

id

The ID of the template.

Type: String

Required: No

name

The name of the template.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Tool

List of AWS services utilized in a migration workflow.

Contents

name

The name of an AWS service.

Type: String

Required: No

url

The URL of an AWS service.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkflowStepAutomationConfiguration

The custom script to run tests on source or target environments.

Contents

command

The command required to run the script.

Type: [PlatformCommand](#) object

Required: No

runEnvironment

The source or target environment.

Type: String

Valid Values: AWS | ONPREMISE

Required: No

scriptLocationS3Bucket

The Amazon S3 bucket where the script is located.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 63.

Pattern: `[0-9a-z]+[0-9a-z\.\-]*[0-9a-z]+`

Required: No

scriptLocationS3Key

The Amazon S3 key for the script location.

Type: [PlatformScriptKey](#) object

Required: No

targetType

The servers on which to run the script.

Type: String

Valid Values: SINGLE | ALL | NONE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkflowStepGroupSummary

The summary of a step group in a workflow.

Contents

id

The ID of the step group.

Type: String

Required: No

name

The name of the step group.

Type: String

Required: No

next

The next step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

owner

The owner of the step group.

Type: String

Valid Values: AWS_MANAGED | CUSTOM

Required: No

previous

The previous step group.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

status

The status of the step group.

Type: String

Valid Values: AWAITING_DEPENDENCIES | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | PAUSING | USER_ATTENTION_REQUIRED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkflowStepOutput

The output of a step.

Contents

dataType

The data type of the output.

Type: String

Valid Values: STRING | INTEGER | STRINGLIST | STRINGMAP

Required: No

name

The name of the step.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[-a-zA-Z0-9_\.+]+[-a-zA-Z0-9_\.+]*`

Required: No

required

Determine if an output is required from a step.

Type: Boolean

Required: No

value

The value of the output.

Type: [WorkflowStepOutputUnion](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkflowStepOutputUnion

A structure to hold multiple values of an output.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

integerValue

The integer value.

Type: Integer

Required: No

listOfStringValue

The list of string value.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

stringValue

The string value.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkflowStepSummary

The summary of the step in a migration workflow.

Contents

description

The description of the step.

Type: String

Required: No

name

The name of the step.

Type: String

Required: No

next

The next step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

noOfSrvCompleted

The number of servers that have been migrated.

Type: Integer

Required: No

noOfSrvFailed

The number of servers that have failed to migrate.

Type: Integer

Required: No

owner

The owner of the step.

Type: String

Valid Values: AWS_MANAGED | CUSTOM

Required: No

previous

The previous step.

Type: Array of strings

Length Constraints: Minimum length of 0. Maximum length of 500.

Required: No

scriptLocation

The location of the script.

Type: String

Required: No

status

The status of the step.

Type: String

Valid Values: AWAITING_DEPENDENCIES | SKIPPED | READY | IN_PROGRESS | COMPLETED | FAILED | PAUSED | USER_ATTENTION_REQUIRED

Required: No

statusMessage

The status message of the migration workflow.

Type: String

Required: No

stepActionType

The action type of the step. You must run and update the status of a manual step for the workflow to continue after the completion of the step.

Type: String

Valid Values: MANUAL | AUTOMATED

Required: No

stepId

The ID of the step.

Type: String

Required: No

totalNoOfSrv

The total number of servers that have been migrated.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400