



API Reference

AWS User Notifications



API Version 2018-05-10

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS User Notifications: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AssociateChannel	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	5
Response Elements	5
Errors	5
See Also	7
AssociateManagedNotificationAccountContact	8
Request Syntax	8
URI Request Parameters	8
Request Body	8
Response Syntax	9
Response Elements	9
Errors	9
See Also	11
AssociateManagedNotificationAdditionalChannel	12
Request Syntax	12
URI Request Parameters	12
Request Body	12
Response Syntax	13
Response Elements	13
Errors	13
See Also	15
AssociateOrganizationalUnit	16
Request Syntax	16
URI Request Parameters	16
Request Body	16
Response Syntax	17
Response Elements	17
Errors	17
See Also	19

CreateEventRule	20
Request Syntax	20
URI Request Parameters	20
Request Body	20
Response Syntax	22
Response Elements	22
Errors	23
See Also	25
CreateNotificationConfiguration	26
Request Syntax	26
URI Request Parameters	26
Request Body	26
Response Syntax	27
Response Elements	28
Errors	28
See Also	30
DeleteEventRule	31
Request Syntax	31
URI Request Parameters	31
Request Body	31
Response Syntax	31
Response Elements	31
Errors	31
See Also	33
DeleteNotificationConfiguration	34
Request Syntax	34
URI Request Parameters	34
Request Body	34
Response Syntax	34
Response Elements	34
Errors	34
See Also	36
DeregisterNotificationHub	37
Request Syntax	37
URI Request Parameters	37
Request Body	37

Response Syntax	37
Response Elements	38
Errors	38
See Also	40
DisableNotificationsAccessForOrganization	41
Request Syntax	41
URI Request Parameters	41
Request Body	41
Response Syntax	41
Response Elements	41
Errors	41
See Also	43
DisassociateChannel	44
Request Syntax	44
URI Request Parameters	44
Request Body	44
Response Syntax	45
Response Elements	45
Errors	45
See Also	46
DisassociateManagedNotificationAccountContact	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	48
Response Elements	48
Errors	48
See Also	49
DisassociateManagedNotificationAdditionalChannel	51
Request Syntax	51
URI Request Parameters	51
Request Body	51
Response Syntax	52
Response Elements	52
Errors	52
See Also	53

DisassociateOrganizationalUnit	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	56
Response Elements	56
Errors	56
See Also	57
EnableNotificationsAccessForOrganization	58
Request Syntax	58
URI Request Parameters	58
Request Body	58
Response Syntax	58
Response Elements	58
Errors	58
See Also	60
GetEventRule	61
Request Syntax	61
URI Request Parameters	61
Request Body	61
Response Syntax	61
Response Elements	62
Errors	64
See Also	65
GetManagedNotificationChildEvent	67
Request Syntax	67
URI Request Parameters	67
Request Body	67
Response Syntax	67
Response Elements	69
Errors	69
See Also	71
GetManagedNotificationConfiguration	72
Request Syntax	72
URI Request Parameters	72
Request Body	72

Response Syntax	72
Response Elements	73
Errors	74
See Also	75
GetManagedNotificationEvent	76
Request Syntax	76
URI Request Parameters	76
Request Body	76
Response Syntax	76
Response Elements	78
Errors	79
See Also	80
GetNotificationConfiguration	82
Request Syntax	82
URI Request Parameters	82
Request Body	82
Response Syntax	82
Response Elements	83
Errors	84
See Also	85
GetNotificationEvent	87
Request Syntax	87
URI Request Parameters	87
Request Body	88
Response Syntax	88
Response Elements	90
Errors	91
See Also	92
GetNotificationsAccessForOrganization	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	93
Errors	94
See Also	95

ListChannels	96
Request Syntax	96
URI Request Parameters	96
Request Body	96
Response Syntax	97
Response Elements	97
Errors	97
See Also	99
ListEventRules	100
Request Syntax	100
URI Request Parameters	100
Request Body	100
Response Syntax	101
Response Elements	101
Errors	102
See Also	103
ListManagedNotificationChannelAssociations	104
Request Syntax	104
URI Request Parameters	104
Request Body	104
Response Syntax	105
Response Elements	105
Errors	105
See Also	107
ListManagedNotificationChildEvents	108
Request Syntax	108
URI Request Parameters	108
Request Body	109
Response Syntax	109
Response Elements	110
Errors	111
See Also	112
ListManagedNotificationConfigurations	113
Request Syntax	113
URI Request Parameters	113
Request Body	113

Response Syntax	114
Response Elements	114
Errors	114
See Also	115
ListManagedNotificationEvents	117
Request Syntax	117
URI Request Parameters	117
Request Body	118
Response Syntax	118
Response Elements	120
Errors	120
See Also	121
ListMemberAccounts	122
Request Syntax	122
URI Request Parameters	122
Request Body	123
Response Syntax	123
Response Elements	123
Errors	124
See Also	125
ListNotificationConfigurations	126
Request Syntax	126
URI Request Parameters	126
Request Body	127
Response Syntax	127
Response Elements	128
Errors	128
See Also	129
ListNotificationEvents	131
Request Syntax	131
URI Request Parameters	131
Request Body	133
Response Syntax	133
Response Elements	134
Errors	135
See Also	136

ListNotificationHubs	137
Request Syntax	137
URI Request Parameters	137
Request Body	137
Response Syntax	137
Response Elements	138
Errors	138
See Also	139
ListOrganizationalUnits	141
Request Syntax	141
URI Request Parameters	141
Request Body	141
Response Syntax	142
Response Elements	142
Errors	142
See Also	144
ListTagsForResource	145
Request Syntax	145
URI Request Parameters	145
Request Body	145
Response Syntax	145
Response Elements	146
Errors	146
See Also	147
RegisterNotificationHub	149
Request Syntax	149
URI Request Parameters	149
Request Body	149
Response Syntax	149
Response Elements	150
Errors	151
See Also	152
TagResource	154
Request Syntax	154
URI Request Parameters	154
Request Body	154

Response Syntax	155
Response Elements	155
Errors	155
See Also	156
UntagResource	158
Request Syntax	158
URI Request Parameters	158
Request Body	158
Response Syntax	158
Response Elements	159
Errors	159
See Also	160
UpdateEventRule	161
Request Syntax	161
URI Request Parameters	161
Request Body	161
Response Syntax	162
Response Elements	162
Errors	163
See Also	164
UpdateNotificationConfiguration	166
Request Syntax	166
URI Request Parameters	166
Request Body	166
Response Syntax	167
Response Elements	168
Errors	168
See Also	169
Data Types	171
AggregationDetail	173
Contents	173
See Also	173
AggregationKey	174
Contents	174
See Also	174
AggregationSummary	175

Contents	175
See Also	176
Dimension	177
Contents	177
See Also	177
EventRuleStatusSummary	178
Contents	178
See Also	179
EventRuleStructure	180
Contents	180
See Also	182
ManagedNotificationChannelAssociationSummary	184
Contents	184
See Also	185
ManagedNotificationChildEvent	186
Contents	186
See Also	189
ManagedNotificationChildEventOverview	190
Contents	190
See Also	191
ManagedNotificationChildEventSummary	192
Contents	192
See Also	193
ManagedNotificationConfigurationStructure	195
Contents	195
See Also	196
ManagedNotificationEvent	197
Contents	197
See Also	200
ManagedNotificationEventOverview	201
Contents	201
See Also	203
ManagedNotificationEventSummary	204
Contents	204
See Also	205
ManagedSourceEventMetadataSummary	206

Contents	206
See Also	207
MediaElement	208
Contents	208
See Also	209
MemberAccount	210
Contents	210
See Also	211
MessageComponents	212
Contents	212
See Also	213
MessageComponentsSummary	214
Contents	214
See Also	214
NotificationConfigurationStructure	215
Contents	215
See Also	216
NotificationEvent	218
Contents	218
See Also	222
NotificationEventOverview	223
Contents	223
See Also	225
NotificationEventSummary	226
Contents	226
See Also	227
NotificationHubOverview	228
Contents	228
See Also	229
NotificationHubStatusSummary	230
Contents	230
See Also	230
NotificationsAccessForOrganization	232
Contents	232
See Also	232
Resource	233

Contents	233
See Also	234
SourceEventMetadata	235
Contents	235
See Also	236
SourceEventMetadataSummary	238
Contents	238
See Also	239
SummarizationDimensionDetail	240
Contents	240
See Also	240
SummarizationDimensionOverview	241
Contents	241
See Also	241
TextPartValue	243
Contents	243
See Also	244
ValidationExceptionField	245
Contents	245
See Also	245
Common Parameters	246
Common Error Types	249

Welcome

The *AWS User Notifications API Reference* provides descriptions, API request parameters, and the JSON response for each of the User Notifications API actions.

User Notification control plane APIs are currently available in US East (Virginia) - us-east-1.

[GetNotificationEvent](#) and [ListNotificationEvents](#) APIs are currently available in [commercial partition Regions](#) and only return notifications stored in the same Region in which they're called.

The User Notifications console can only be used in US East (Virginia). Your data however, is stored in each Region chosen as a [notification hub](#) in addition to US East (Virginia).

Note

For information about descriptions, API request parameters, and the JSON response for email contact related API actions, see the [AWS User Notifications Contacts API Reference Guide](#).

This document was last published on April 5, 2026.

Actions

The following actions are supported:

- [AssociateChannel](#)
- [AssociateManagedNotificationAccountContact](#)
- [AssociateManagedNotificationAdditionalChannel](#)
- [AssociateOrganizationalUnit](#)
- [CreateEventRule](#)
- [CreateNotificationConfiguration](#)
- [DeleteEventRule](#)
- [DeleteNotificationConfiguration](#)
- [DeregisterNotificationHub](#)
- [DisableNotificationsAccessForOrganization](#)
- [DisassociateChannel](#)
- [DisassociateManagedNotificationAccountContact](#)
- [DisassociateManagedNotificationAdditionalChannel](#)
- [DisassociateOrganizationalUnit](#)
- [EnableNotificationsAccessForOrganization](#)
- [GetEventRule](#)
- [GetManagedNotificationChildEvent](#)
- [GetManagedNotificationConfiguration](#)
- [GetManagedNotificationEvent](#)
- [GetNotificationConfiguration](#)
- [GetNotificationEvent](#)
- [GetNotificationsAccessForOrganization](#)
- [ListChannels](#)
- [ListEventRules](#)
- [ListManagedNotificationChannelAssociations](#)
- [ListManagedNotificationChildEvents](#)
- [ListManagedNotificationConfigurations](#)

- [ListManagedNotificationEvents](#)
- [ListMemberAccounts](#)
- [ListNotificationConfigurations](#)
- [ListNotificationEvents](#)
- [ListNotificationHubs](#)
- [ListOrganizationalUnits](#)
- [ListTagsForResource](#)
- [RegisterNotificationHub](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateEventRule](#)
- [UpdateNotificationConfiguration](#)

AssociateChannel

Associates a delivery [Channel](#) with a particular NotificationConfiguration. Supported Channels include Amazon Q Developer in chat applications, the AWS Console Mobile Application, and emails (notifications-contacts).

Request Syntax

```
POST /channels/associate/arn HTTP/1.1
Content-type: application/json

{
  "notificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[arn](#)

The Amazon Resource Name (ARN) of the Channel to associate with the NotificationConfiguration.

Supported ARNs include Amazon Q Developer in chat applications, the Console Mobile Application, and notifications-contacts.

Pattern: `arn:aws:(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-zA-Z0-9-_.@]+/[a-zA-Z0-9/_.@:-]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

[notificationConfigurationArn](#)

The ARN of the NotificationConfiguration to associate with the Channel.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Response Syntax

```
HTTP/1.1 201
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AssociateManagedNotificationAccountContact

Associates an Account Contact with a particular ManagedNotificationConfiguration.

Request Syntax

```
PUT /contacts/associate-managed-notification/contactIdentifier HTTP/1.1
Content-type: application/json

{
  "managedNotificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

contactIdentifier

A unique value of an Account Contact Type to associate with the ManagedNotificationConfiguration.

Valid Values: ACCOUNT_PRIMARY | ACCOUNT_ALTERNATE_BILLING | ACCOUNT_ALTERNATE_OPERATIONS | ACCOUNT_ALTERNATE_SECURITY

Required: Yes

Request Body

The request accepts the following data in JSON format.

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration to associate with the Account Contact.

Type: String

Pattern: arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}

Required: Yes

Response Syntax

```
HTTP/1.1 201
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AssociateManagedNotificationAdditionalChannel

Associates an additional Channel with a particular ManagedNotificationConfiguration.

Supported Channels include Amazon Q Developer in chat applications, the Console Mobile Application, and emails (notifications-contacts).

Request Syntax

```
PUT /channels/associate-managed-notification/channelArn HTTP/1.1
```

```
Content-type: application/json
```

```
{  
  "managedNotificationConfigurationArn": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

channelArn

The Amazon Resource Name (ARN) of the Channel to associate with the ManagedNotificationConfiguration.

Supported ARNs include Amazon Q Developer in chat applications, the Console Mobile Application, and email (notifications-contacts).

Pattern: `arn:aws:(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-zA-Z0-9-_.@]+/[a-zA-Z0-9-_.@:-]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration to associate with the additional Channel.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\ -]{3,64}/sub-category/[a-zA-Z0-9\ -]{3,64}`

Required: Yes

Response Syntax

```
HTTP/1.1 201
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

AssociateOrganizationalUnit

Associates an organizational unit with a notification configuration.

Request Syntax

```
POST /organizational-units/associate/organizationalUnitId HTTP/1.1
Content-type: application/json

{
  "notificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

organizationalUnitId

The unique identifier of the organizational unit to associate.

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: Yes

Request Body

The request accepts the following data in JSON format.

notificationConfigurationArn

The Amazon Resource Name (ARN) of the notification configuration to associate with the organizational unit.

Type: String

Pattern: arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}

Required: Yes

Response Syntax

```
HTTP/1.1 201
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateEventRule

Creates an [EventRule](#) that is associated with a specified NotificationConfiguration.

Request Syntax

```
POST /event-rules HTTP/1.1
Content-type: application/json

{
  "eventPattern": "string",
  "eventType": "string",
  "notificationConfigurationArn": "string",
  "regions": [ "string" ],
  "source": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[eventPattern](#)

An additional event pattern used to further filter the events this EventRule receives.

For more information, see [Amazon EventBridge event patterns](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

[eventType](#)

The event type to match.

Must match one of the valid Amazon EventBridge event types. For example, EC2 Instance State-change Notification and Amazon CloudWatch Alarm State Change. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`[a-zA-Z0-9 \-\\(\)]`)+

Required: Yes

notificationConfigurationArn

The Amazon Resource Name (ARN) of the NotificationConfiguration associated with this EventRule.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

regions

A list of AWS Regions that send events to this EventRule.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: Yes

source

The matched event source.

Must match one of the valid EventBridge sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws . ([a-z0-9\-]+)`

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json

{
  "arn": "string",
  "notificationConfigurationArn": "string",
  "statusSummaryByRegion": {
    "string" : {
      "reason": "string",
      "status": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

arn

The ARN of the resource.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

notificationConfigurationArn

The ARN of a NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

statusSummaryByRegion

A list of an EventRule's status by Region. Regions are mapped to EventRuleStatusSummary.

Type: String to [EventRuleStatusSummary](#) object map

Key Length Constraints: Minimum length of 2. Maximum length of 25.

Key Pattern: `([a-z]{1,2})-([a-z]{1,15}-)+([0-9])`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateNotificationConfiguration

Creates a new NotificationConfiguration.

Request Syntax

```
POST /notification-configurations HTTP/1.1
Content-type: application/json

{
  "aggregationDuration": "string",
  "description": "string",
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

aggregationDuration

The aggregation preference of the NotificationConfiguration.

- Values:
 - LONG
 - Aggregate notifications for long periods of time (12 hours).
 - SHORT
 - Aggregate notifications for short periods of time (5 minutes).
 - NONE
 - Don't aggregate notifications.

Type: String

Valid Values: LONG | SHORT | NONE

Required: No

description

The description of the NotificationConfiguration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[^\u0001-\u001F\u007F-\u009F]*`

Required: Yes

name

The name of the NotificationConfiguration. Supports RFC 3986's unreserved characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9_\-\]+`

Required: Yes

tags

A map of tags assigned to a resource. A tag is a string-to-string map of key-value pairs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: `(?!aws:).{1,128}`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: No

Response Syntax

```
HTTP/1.1 201
```

```
Content-type: application/json

{
  "arn": "string",
  "status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) of the NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

status

The current status of this NotificationConfiguration.

Type: String

Valid Values: ACTIVE | PARTIALLY_ACTIVE | INACTIVE | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteEventRule

Deletes an EventRule.

Request Syntax

```
DELETE /event-rules/arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the EventRule to delete.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteNotificationConfiguration

Deletes a NotificationConfiguration.

Request Syntax

```
DELETE /notification-configurations/arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the NotificationConfiguration to delete.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeregisterNotificationHub

Deregisters a NotificationConfiguration in the specified Region.

Note

You can't deregister the last NotificationHub in the account. NotificationEvents stored in the deregistered NotificationConfiguration are no longer be visible. Recreating a new NotificationConfiguration in the same Region restores access to those NotificationEvents.

Request Syntax

```
DELETE /notification-hubs/notificationHubRegion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

notificationHubRegion

The NotificationConfiguration Region.

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "notificationHubRegion": "string",
  "statusSummary": {
    "reason": "string",
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

notificationHubRegion

The NotificationConfiguration Region.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: ([a-z]{1,2})-([a-z]{1,15}-)+([0-9])

statusSummary

NotificationConfiguration status information.

Type: [NotificationHubStatusSummary](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisableNotificationsAccessForOrganization

Disables service trust between AWS User Notifications and AWS Organizations.

Request Syntax

```
DELETE /organization/access HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisassociateChannel

Disassociates a Channel from a specified NotificationConfiguration. Supported Channels include Amazon Q Developer in chat applications, the AWS Console Mobile Application, and emails (notifications-contacts).

Request Syntax

```
POST /channels/disassociate/arn HTTP/1.1
Content-type: application/json

{
  "notificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the Channel to disassociate.

Pattern: `arn:aws:(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-zA-Z0-9-_.@]+/[a-zA-Z0-9/_.@:-]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

notificationConfigurationArn

The ARN of the NotificationConfiguration to disassociate.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisassociateManagedNotificationAccountContact

Disassociates an Account Contact with a particular ManagedNotificationConfiguration.

Request Syntax

```
PUT /contacts/disassociate-managed-notification/contactIdentifier HTTP/1.1
Content-type: application/json
```

```
{
  "managedNotificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

contactIdentifier

The unique value of an Account Contact Type to associate with the ManagedNotificationConfiguration.

Valid Values: ACCOUNT_PRIMARY | ACCOUNT_ALTERNATE_BILLING | ACCOUNT_ALTERNATE_OPERATIONS | ACCOUNT_ALTERNATE_SECURITY

Required: Yes

Request Body

The request accepts the following data in JSON format.

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration to associate with the Account Contact.

Type: String

Pattern: arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DisassociateManagedNotificationAdditionalChannel

Disassociates an additional Channel from a particular ManagedNotificationConfiguration.

Supported Channels include Amazon Q Developer in chat applications, the Console Mobile Application, and emails (notifications-contacts).

Request Syntax

```
PUT /channels/disassociate-managed-notification/channelArn HTTP/1.1
Content-type: application/json

{
  "managedNotificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

channelArn

The Amazon Resource Name (ARN) of the Channel to associate with the ManagedNotificationConfiguration.

Pattern: `arn:aws:(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-zA-Z0-9-_.@]+/[a-zA-Z0-9/_.@:-]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the Managed Notification Configuration to associate with the additional Channel.

Type: String

Pattern: arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\ -]{3,64}/sub-category/[a-zA-Z0-9\ -]{3,64}

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DisassociateOrganizationalUnit

Removes the association between an organizational unit and a notification configuration.

Request Syntax

```
POST /organizational-units/disassociate/organizationalUnitId HTTP/1.1
Content-type: application/json

{
  "notificationConfigurationArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

organizationalUnitId

The unique identifier of the organizational unit to disassociate.

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: Yes

Request Body

The request accepts the following data in JSON format.

notificationConfigurationArn

The Amazon Resource Name (ARN) of the notification configuration to disassociate from the organizational unit.

Type: String

Pattern: arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

EnableNotificationsAccessForOrganization

Enables service trust between AWS User Notifications and AWS Organizations.

Request Syntax

```
POST /organization/access HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetEventRule

Returns a specified EventRule.

Request Syntax

```
GET /event-rules/arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the EventRule to return.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationTime": "string",
  "eventPattern": "string",
  "eventType": "string",
  "managedRules": [ "string" ],
  "notificationConfigurationArn": "string",
  "regions": [ "string" ],
  "source": "string",
```

```
"statusSummaryByRegion": {
  "string" : {
    "reason": "string",
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the resource.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

creationTime

The date when the EventRule was created.

Type: Timestamp

eventPattern

An additional event pattern used to further filter the events this EventRule receives.

For more information, see [Amazon EventBridge event patterns](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

eventType

The event type to match.

Must match one of the valid Amazon EventBridge event types. For example, EC2 Instance State-change Notification and Amazon CloudWatch Alarm State Change. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`[a-zA-Z0-9 \-\\(\)]`)+

managedRules

A list of managed rules from EventBridge that are associated with this EventRule.

Note

These are created by AWS User Notifications within your account so this EventRule functions.

Type: Array of strings

Pattern: `arn:aws:events:[a-z-\d]{2,25}:\d{12}:rule\[a-zA-Z-\d]{1,1024}`

notificationConfigurationArn

The ARN of a NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications:[0-9]{12}:configuration/[a-z0-9]{27}`

regions

A list of AWS Regions that send events to this EventRule.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

source

The matched event source.

Must match one of the valid EventBridge sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws.([a-z0-9\-]+)`

statusSummaryByRegion

A list of an `EventRule`'s status by Region. Regions are mapped to `EventRuleStatusSummary`.

Type: String to [EventRuleStatusSummary](#) object map

Key Length Constraints: Minimum length of 2. Maximum length of 25.

Key Pattern: `([a-z]{1,2})-([a-z]{1,15}-)+([0-9])`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetManagedNotificationChildEvent

Returns the child event of a specific given ManagedNotificationEvent.

Request Syntax

```
GET /managed-notification-child-events/arn?locale=locale HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[arn](#)

The Amazon Resource Name (ARN) of the ManagedNotificationChildEvent to return.

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}/child-event/[a-z0-9]{27}`

Required: Yes

[locale](#)

The locale code of the language used for the retrieved ManagedNotificationChildEvent. The default locale is English en_US.

Valid Values: de_DE | en_CA | en_US | en_UK | es_ES | fr_CA | fr_FR | id_ID | it_IT | ja_JP | ko_KR | pt_BR | tr_TR | zh_CN | zh_TW

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
```

```
"content": {
  "aggregateManagedNotificationEventArn": "string",
  "aggregationDetail": {
    "summarizationDimensions": [
      {
        "name": "string",
        "value": "string"
      }
    ]
  },
  "endTime": "string",
  "eventStatus": "string",
  "id": "string",
  "messageComponents": {
    "completeDescription": "string",
    "dimensions": [
      {
        "name": "string",
        "value": "string"
      }
    ],
    "headline": "string",
    "paragraphSummary": "string"
  },
  "notificationType": "string",
  "organizationalUnitId": "string",
  "schemaVersion": "string",
  "sourceEventDetailUrl": "string",
  "sourceEventDetailUrlDisplayText": "string",
  "startTime": "string",
  "textParts": {
    "string" : {
      "displayText": "string",
      "textByLocale": {
        "string" : "string"
      },
      "type": "string",
      "url": "string"
    }
  }
},
"creationTime": "string",
"managedNotificationConfigurationArn": "string"
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the resource.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}/child-event/[a-z0-9]{27}`

content

The content of the `ManagedNotificationChildEvent`.

Type: [ManagedNotificationChildEvent](#) object

creationTime

The creation time of the `ManagedNotificationChildEvent`.

Type: Timestamp

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the `ManagedNotificationConfiguration` associated with the `ManagedNotificationChildEvent`.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetManagedNotificationConfiguration

Returns a specified ManagedNotificationConfiguration.

Request Syntax

```
GET /managed-notification-configurations/arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration to return.

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "category": "string",
  "description": "string",
  "name": "string",
  "subCategory": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the ManagedNotificationConfiguration resource.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}`

category

The category of the ManagedNotificationConfiguration.

Type: String

description

The description of the ManagedNotificationConfiguration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[^\u0001-\u001F\u007F-\u009F]*`

name

The name of the ManagedNotificationConfiguration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9\-_]+`

subCategory

The subCategory of the ManagedNotificationConfiguration.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetManagedNotificationEvent

Returns a specified ManagedNotificationEvent.

Request Syntax

```
GET /managed-notification-events/arn?locale=locale HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[arn](#)

The Amazon Resource Name (ARN) of the ManagedNotificationEvent to return.

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

Required: Yes

[locale](#)

The locale code of the language used for the retrieved ManagedNotificationEvent. The default locale is English (en_US).

Valid Values: de_DE | en_CA | en_US | en_UK | es_ES | fr_CA | fr_FR | id_ID | it_IT | ja_JP | ko_KR | pt_BR | tr_TR | zh_CN | zh_TW

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
```

```
"content": {
  "aggregationEventType": "string",
  "aggregationSummary": {
    "additionalSummarizationDimensions": [
      {
        "count": number,
        "name": "string",
        "sampleValues": [ "string" ]
      }
    ],
    "aggregatedAccounts": {
      "count": number,
      "name": "string",
      "sampleValues": [ "string" ]
    },
    "aggregatedBy": [
      {
        "name": "string",
        "value": "string"
      }
    ],
    "aggregatedOrganizationalUnits": {
      "count": number,
      "name": "string",
      "sampleValues": [ "string" ]
    },
    "aggregatedRegions": {
      "count": number,
      "name": "string",
      "sampleValues": [ "string" ]
    },
    "eventCount": number
  },
  "endTime": "string",
  "eventStatus": "string",
  "id": "string",
  "messageComponents": {
    "completeDescription": "string",
    "dimensions": [
      {
        "name": "string",
        "value": "string"
      }
    ]
  },
  ],
```

```

    "headline": "string",
    "paragraphSummary": "string"
  },
  "notificationType": "string",
  "organizationalUnitId": "string",
  "schemaVersion": "string",
  "sourceEventDetailUrl": "string",
  "sourceEventDetailUrlDisplayText": "string",
  "startTime": "string",
  "textParts": {
    "string" : {
      "displayText": "string",
      "textByLocale": {
        "string" : "string"
      },
      "type": "string",
      "url": "string"
    }
  }
},
"creationTime": "string",
"managedNotificationConfigurationArn": "string"
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the resource.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

content

The content of the ManagedNotificationEvent.

Type: [ManagedNotificationEvent](#) object

[creationTime](#)

The creation time of the ManagedNotificationEvent.

Type: Timestamp

[managedNotificationConfigurationArn](#)

The ARN of the ManagedNotificationConfiguration.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\ -]{3,64}/sub-category/[a-zA-Z0-9\ -]{3,64}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

GetNotificationConfiguration

Returns a specified NotificationConfiguration.

Request Syntax

```
GET /notification-configurations/arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the NotificationConfiguration to return.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "aggregationDuration": "string",
  "arn": "string",
  "creationTime": "string",
  "description": "string",
  "name": "string",
  "status": "string",
  "subtype": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

aggregationDuration

The aggregation preference of the `NotificationConfiguration`.

- Values:
 - LONG
 - Aggregate notifications for long periods of time (12 hours).
 - SHORT
 - Aggregate notifications for short periods of time (5 minutes).
 - NONE
 - Don't aggregate notifications.

Type: String

Valid Values: LONG | SHORT | NONE

arn

The ARN of the resource.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

creationTime

The creation time of the `NotificationConfiguration`.

Type: Timestamp

description

The description of the `NotificationConfiguration`.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[^\u0001-\u001F\u007F-\u009F]*`

name

The name of the NotificationConfiguration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9_\-]+`

status

The status of this NotificationConfiguration.

Type: String

Valid Values: ACTIVE | PARTIALLY_ACTIVE | INACTIVE | DELETING

subtype

The subtype of the notification configuration returned in the response.

Type: String

Valid Values: ACCOUNT | ADMIN_MANAGED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetNotificationEvent

Returns a specified `NotificationEvent`.

Important

User Notifications stores notifications in the individual Regions you register as notification hubs and the Region of the source event rule. `GetNotificationEvent` only returns notifications stored in the same Region in which the action is called. User Notifications doesn't backfill notifications to new Regions selected as notification hubs. For this reason, we recommend that you make calls in your oldest registered notification hub. For more information, see [Notification hubs](#) in the *AWS User Notifications User Guide*.

Request Syntax

```
GET /notification-events/arn?locale=locale HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) of the `NotificationEvent` to return.

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[- .a-z0-9]{1,63}:[0-9]{12}:configuration/[a-z0-9]{27}/event/[a-z0-9]{27}`

Required: Yes

locale

The locale code of the language used for the retrieved `NotificationEvent`. The default locale is English `en_US`.

Valid Values: `de_DE` | `en_CA` | `en_US` | `en_UK` | `es_ES` | `fr_CA` | `fr_FR` | `id_ID` | `it_IT` | `ja_JP` | `ko_KR` | `pt_BR` | `tr_TR` | `zh_CN` | `zh_TW`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "content": {
    "aggregateNotificationEventArn": "string",
    "aggregationEventType": "string",
    "aggregationSummary": {
      "additionalSummarizationDimensions": [
        {
          "count": number,
          "name": "string",
          "sampleValues": [ "string" ]
        }
      ],
      "aggregatedAccounts": {
        "count": number,
        "name": "string",
        "sampleValues": [ "string" ]
      },
      "aggregatedBy": [
        {
          "name": "string",
          "value": "string"
        }
      ],
      "aggregatedOrganizationalUnits": {
        "count": number,
        "name": "string",
        "sampleValues": [ "string" ]
      },
      "aggregatedRegions": {
        "count": number,
        "name": "string",
        "sampleValues": [ "string" ]
      }
    }
  }
}
```

```
    "eventCount": number
  },
  "endTime": "string",
  "eventStatus": "string",
  "id": "string",
  "media": [
    {
      "caption": "string",
      "mediaId": "string",
      "type": "string",
      "url": "string"
    }
  ],
  "messageComponents": {
    "completeDescription": "string",
    "dimensions": [
      {
        "name": "string",
        "value": "string"
      }
    ],
    "headline": "string",
    "paragraphSummary": "string"
  },
  "notificationType": "string",
  "organizationalUnitId": "string",
  "schemaVersion": "string",
  "sourceEventDetailUrl": "string",
  "sourceEventDetailUrlDisplayText": "string",
  "sourceEventMetadata": {
    "eventOccurrenceTime": "string",
    "eventOriginRegion": "string",
    "eventType": "string",
    "eventTypeVersion": "string",
    "relatedAccount": "string",
    "relatedResources": [
      {
        "arn": "string",
        "detailUrl": "string",
        "id": "string",
        "tags": [ "string" ]
      }
    ]
  },
  "source": "string",
```

```
    "sourceEventId": "string"
  },
  "startTime": "string",
  "textParts": {
    "string": {
      "displayText": "string",
      "textByLocale": {
        "string": "string"
      },
      "type": "string",
      "url": "string"
    }
  }
},
"creationTime": "string",
"notificationConfigurationArn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the resource.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[- .a-z0-9]{1,63}:[0-9]{12}:configuration/[a-z0-9]{27}/event/[a-z0-9]{27}`

content

The content of the NotificationEvent.

Type: [NotificationEvent](#) object

creationTime

The creation time of the NotificationEvent.

Type: Timestamp

notificationConfigurationArn

The ARN of the NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetNotificationsAccessForOrganization

Returns the AccessStatus of Service Trust Enablement for AWS User Notifications and AWS Organizations.

Request Syntax

```
GET /organization/access HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "notificationsAccessForOrganization": {
    "accessStatus": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[notificationsAccessForOrganization](#)

The AccessStatus of Service Trust Enablement for AWS User Notifications to AWS Organizations.

Type: [NotificationsAccessForOrganization](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListChannels

Returns a list of Channels for a NotificationConfiguration.

Request Syntax

```
GET /channels?  
maxResults=maxResults&nextToken=nextToken&notificationConfigurationArn=notificationConfigurationArn  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to be returned in this call. The default value is 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous ListNotificationEvents call. NextToken uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

notificationConfigurationArn

The Amazon Resource Name (ARN) of the NotificationConfiguration.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "channels": [ "string" ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

channels

A list of Channels.

Type: Array of strings

Pattern: `arn:aws:(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-zA-Z0-9-_.@]+/[a-zA-Z0-9/_.@:-]+`

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListEventRules

Returns a list of EventRules according to specified filters, in reverse chronological order (newest first).

Request Syntax

```
GET /event-rules?
maxResults=maxResults&nextToken=nextToken&notificationConfigurationArn=notificationConfigurationArn
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[maxResults](#)

The maximum number of results to be returned in this call. The default value is 20.

Valid Range: Minimum value of 1. Maximum value of 1000.

[nextToken](#)

The start token for paginated calls. Retrieved from the response of a previous ListEventRules call. Next token uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

[notificationConfigurationArn](#)

The Amazon Resource Name (ARN) of the NotificationConfiguration.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "eventRules": [
    {
      "arn": "string",
      "creationTime": "string",
      "eventPattern": "string",
      "eventType": "string",
      "managedRules": [ "string" ],
      "notificationConfigurationArn": "string",
      "regions": [ "string" ],
      "source": "string",
      "statusSummaryByRegion": {
        "string" : {
          "reason": "string",
          "status": "string"
        }
      }
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

eventRules

A list of EventRules.

Type: Array of [EventRuleStructure](#) objects

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListManagedNotificationChannelAssociations

Returns a list of Account contacts and Channels associated with a ManagedNotificationConfiguration, in paginated format.

Request Syntax

```
GET /channels/list-managed-notification-channel-associations?
managedNotificationConfigurationArn=managedNotificationConfigurationArn&maxResults=maxResults&
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration to match.

Pattern: `arn:[-\.a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}`

Required: Yes

maxResults

The maximum number of results to be returned in this call. Defaults to 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous ListManagedNotificationChannelAssociations call.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "channelAssociations": [
    {
      "channelIdentifier": "string",
      "channelType": "string",
      "overrideOption": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[channelAssociations](#)

A list that contains the following information about a channel association.

Type: Array of [ManagedNotificationChannelAssociationSummary](#) objects

[nextToken](#)

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListManagedNotificationChildEvents

Returns a list of ManagedNotificationChildEvents for a specified aggregate ManagedNotificationEvent, ordered by creation time in reverse chronological order (newest first).

Request Syntax

```
GET /list-managed-notification-child-events/aggregateManagedNotificationEventArn?  
endTime=endTime&locale=locale&maxResults=maxResults&nextToken=nextToken&organizationalUnitId=organizationalUnitId  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[aggregateManagedNotificationEventArn](#)

The Amazon Resource Name (ARN) of the ManagedNotificationEvent.

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

Required: Yes

[endTime](#)

Latest time of events to return from this call.

[locale](#)

The locale code of the language used for the retrieved NotificationEvent. The default locale is English.en_US.

Valid Values: `de_DE | en_CA | en_US | en_UK | es_ES | fr_CA | fr_FR | id_ID | it_IT | ja_JP | ko_KR | pt_BR | tr_TR | zh_CN | zh_TW`

[maxResults](#)

The maximum number of results to be returned in this call. Defaults to 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous ListManagedNotificationChannelAssociations call. Next token uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ - / =] +`

organizationalUnitId

The identifier of the AWS Organizations organizational unit (OU) associated with the Managed Notification Child Events.

Pattern: `(Root | r - [0-9a-z]{4,32} | ou - [0-9a-z]{4,32} - [a-z0-9]{8,32})`

relatedAccount

The AWS account ID associated with the Managed Notification Child Events.

Pattern: `\d{12}`

startTime

The earliest time of events to return from this call.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "managedNotificationChildEvents": [
    {
      "aggregateManagedNotificationEventArn": "string",
      "arn": "string",
      "childEvent": {
        "aggregationDetail": {
          "summarizationDimensions": [
```

```
        {
            "name": "string",
            "value": "string"
        }
    ]
},
"eventStatus": "string",
"messageComponents": {
    "headline": "string"
},
"notificationType": "string",
"schemaVersion": "string",
"sourceEventMetadata": {
    "eventOriginRegion": "string",
    "eventType": "string",
    "source": "string"
}
},
"creationTime": "string",
"managedNotificationConfigurationArn": "string",
"organizationalUnitId": "string",
"relatedAccount": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

managedNotificationChildEvents

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: Array of [ManagedNotificationChildEventOverview](#) objects

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListManagedNotificationConfigurations

Returns a list of Managed Notification Configurations according to specified filters, ordered by creation time in reverse chronological order (newest first).

Request Syntax

```
GET /managed-notification-configurations?  
channelIdentifier=channelIdentifier&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

channelIdentifier

The identifier or ARN of the notification channel to filter configurations by.

Pattern: ACCOUNT_PRIMARY|ACCOUNT_ALTERNATE_BILLING|
ACCOUNT_ALTERNATE_OPERATIONS|ACCOUNT_ALTERNATE_SECURITY|arn:aws:
(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-
zA-Z0-9-_.@]+/[a-zA-Z0-9/_.@:-]+

maxResults

The maximum number of results to be returned in this call. Defaults to 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous ListManagedNotificationChannelAssociations call. Next token uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: [\w+ -/=]+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "managedNotificationConfigurations": [
    {
      "arn": "string",
      "description": "string",
      "name": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[managedNotificationConfigurations](#)

A list of Managed Notification Configurations matching the request criteria.

Type: Array of [ManagedNotificationConfigurationStructure](#) objects

[nextToken](#)

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListManagedNotificationEvents

Returns a list of Managed Notification Events according to specified filters, ordered by creation time in reverse chronological order (newest first).

Request Syntax

```
GET /managed-notification-events?
endTime=endTime&locale=locale&maxResults=maxResults&nextToken=nextToken&organizationalUnitId=organizationalUnitId
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

endTime

Latest time of events to return from this call.

locale

The locale code of the language used for the retrieved NotificationEvent. The default locale is English (en_US).

Valid Values: de_DE | en_CA | en_US | en_UK | es_ES | fr_CA | fr_FR | id_ID
| it_IT | ja_JP | ko_KR | pt_BR | tr_TR | zh_CN | zh_TW

maxResults

The maximum number of results to be returned in this call. Defaults to 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous ListManagedNotificationChannelAssociations call. Next token uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

organizationalUnitId

The Organizational Unit Id that an AWS account belongs to.

Pattern: (Root|r-[0-9a-z]{4,32}|ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

relatedAccount

The AWS account ID associated with the Managed Notification Events.

Pattern: \d{12}

source

The AWS service the event originates from. For example aws.cloudwatch.

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: aws.([a-z0-9\-]+)

startTime

The earliest time of events to return from this call.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "managedNotificationEvents": [
    {
      "aggregatedNotificationRegions": [ "string" ],
      "aggregationEventType": "string",
      "aggregationSummary": {
        "additionalSummarizationDimensions": [
          {
            "count": number,
            "name": "string",
            "sampleValues": [ "string" ]
          }
        ],
        "aggregatedAccounts": {
          "count": number,
          "name": "string",
```

```
    "sampleValues": [ "string" ]
  },
  "aggregatedBy": [
    {
      "name": "string",
      "value": "string"
    }
  ],
  "aggregatedOrganizationalUnits": {
    "count": number,
    "name": "string",
    "sampleValues": [ "string" ]
  },
  "aggregatedRegions": {
    "count": number,
    "name": "string",
    "sampleValues": [ "string" ]
  },
  "eventCount": number
},
"arn": "string",
"creationTime": "string",
"managedNotificationConfigurationArn": "string",
"notificationEvent": {
  "eventStatus": "string",
  "messageComponents": {
    "headline": "string"
  }
},
"notificationType": "string",
"schemaVersion": "string",
"sourceEventMetadata": {
  "eventOriginRegion": "string",
  "eventType": "string",
  "source": "string"
}
},
"organizationalUnitId": "string",
"relatedAccount": "string"
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

managedNotificationEvents

A list of Managed Notification Events matching the request criteria.

Type: Array of [ManagedNotificationEventOverview](#) objects

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListMemberAccounts

Returns a list of member accounts associated with a notification configuration.

Request Syntax

```
GET /list-member-accounts?  
maxResults=maxResults&memberAccount=memberAccount&nextToken=nextToken&notificationConfiguration=notificationConfiguration  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return in a single call. Valid values are 1-100.

Valid Range: Minimum value of 1. Maximum value of 100.

memberAccount

The member account identifier used to filter the results.

Pattern: `\d{12}`

nextToken

The token for the next page of results. Use the value returned in the previous response.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

notificationConfigurationArn

The Amazon Resource Name (ARN) of the notification configuration used to filter the member accounts.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

organizationalUnitId

The organizational unit ID used to filter the member accounts.

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

status

The status used to filter the member accounts.

Valid Values: ACTIVE | PENDING | INACTIVE | CREATING | DELETING

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "memberAccounts": [
    {
      "accountId": "string",
      "notificationConfigurationArn": "string",
      "organizationalUnitId": "string",
      "status": "string",
      "statusReason": "string"
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

memberAccounts

The list of member accounts that match the specified criteria.

Type: Array of [MemberAccount](#) objects

[nextToken](#)

The token to use for the next page of results.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListNotificationConfigurations

Returns a list of abbreviated NotificationConfigurations according to specified filters, in reverse chronological order (newest first).

Request Syntax

```
GET /notification-configurations?
channelArn=channelArn&eventRuleSource=eventRuleSource&maxResults=maxResults&nextToken=nextToken
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

channelArn

The Amazon Resource Name (ARN) of the Channel to match.

Pattern: `arn:aws:(chatbot|consoleapp|notifications-contacts):[a-zA-Z0-9-]*:[0-9]{12}:[a-zA-Z0-9-_.@]+/[a-zA-Z0-9/_.@:-]+`

eventRuleSource

The matched event source.

Must match one of the valid EventBridge sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws.([a-z0-9\ -])+`

maxResults

The maximum number of results to be returned in this call. Defaults to 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous `ListEventRules` call. Next token uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

status

The NotificationConfiguration status to match.

- Values:
 - ACTIVE
 - All EventRules are ACTIVE and any call can be run.
 - PARTIALLY_ACTIVE
 - Some EventRules are ACTIVE and some are INACTIVE. Any call can be run.
 - Any call can be run.
 - INACTIVE
 - All EventRules are INACTIVE and any call can be run.
 - DELETING
 - This NotificationConfiguration is being deleted.
 - Only GET and LIST calls can be run.

Valid Values: ACTIVE | PARTIALLY_ACTIVE | INACTIVE | DELETING

subtype

The subtype used to filter the notification configurations in the request.

Valid Values: ACCOUNT | ADMIN_MANAGED

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
```

```
"notificationConfigurations": [  
  {  
    "aggregationDuration": "string",  
    "arn": "string",  
    "creationTime": "string",  
    "description": "string",  
    "name": "string",  
    "status": "string",  
    "subtype": "string"  
  }  
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

notificationConfigurations

The NotificationConfigurations in the account.

Type: Array of [NotificationConfigurationStructure](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListNotificationEvents

Returns a list of `NotificationEvents` according to specified filters, in reverse chronological order (newest first).

Important

User Notifications stores notifications in the individual Regions you register as notification hubs and the Region of the source event rule. `ListNotificationEvents` only returns notifications stored in the same Region in which the action is called. User Notifications doesn't backfill notifications to new Regions selected as notification hubs. For this reason, we recommend that you make calls in your oldest registered notification hub. For more information, see [Notification hubs](#) in the *AWS User Notifications User Guide*.

Request Syntax

```
GET /notification-events?  
aggregateNotificationEventArn=aggregateNotificationEventArn&endTime=endTime&includeChildEvents=includeChildEvents  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[aggregateNotificationEventArn](#)

The Amazon Resource Name (ARN) of the `aggregateNotificationEventArn` to match.

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[- .a-z0-9]{1,63}:[0-9]{12}:configuration/[a-z0-9]{27}/event/[a-z0-9]{27}`

[endTime](#)

Latest time of events to return from this call.

[includeChildEvents](#)

Include aggregated child events in the result.

locale

The locale code of the language used for the retrieved `NotificationEvent`. The default locale is English (`en_US`).

Valid Values: `de_DE` | `en_CA` | `en_US` | `en_UK` | `es_ES` | `fr_CA` | `fr_FR` | `id_ID` | `it_IT` | `ja_JP` | `ko_KR` | `pt_BR` | `tr_TR` | `zh_CN` | `zh_TW`

maxResults

The maximum number of results to be returned in this call. Defaults to 20.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The start token for paginated calls. Retrieved from the response of a previous `ListEventRules` call. Next token uses Base64 encoding.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

organizationalUnitId

The unique identifier of the organizational unit used to filter notification events.

Pattern: `(Root|r-[0-9a-z]{4,32}|ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})`

source

The matched event source.

Must match one of the valid `EventBridge` sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws.([a-z0-9\-]+)`

startTime

The earliest time of events to return from this call.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "notificationEvents": [
    {
      "aggregateNotificationEventArn": "string",
      "aggregationEventType": "string",
      "aggregationSummary": {
        "additionalSummarizationDimensions": [
          {
            "count": number,
            "name": "string",
            "sampleValues": [ "string" ]
          }
        ],
        "aggregatedAccounts": {
          "count": number,
          "name": "string",
          "sampleValues": [ "string" ]
        },
        "aggregatedBy": [
          {
            "name": "string",
            "value": "string"
          }
        ],
        "aggregatedOrganizationalUnits": {
          "count": number,
          "name": "string",
          "sampleValues": [ "string" ]
        },
        "aggregatedRegions": {
          "count": number,
          "name": "string",
          "sampleValues": [ "string" ]
        }
      }
    }
  ]
}
```

```
    },
    "eventCount": number
  },
  "arn": "string",
  "creationTime": "string",
  "notificationConfigurationArn": "string",
  "notificationEvent": {
    "eventStatus": "string",
    "messageComponents": {
      "headline": "string"
    },
    "notificationType": "string",
    "schemaVersion": "string",
    "sourceEventMetadata": {
      "eventOriginRegion": "string",
      "eventType": "string",
      "source": "string"
    }
  },
  "organizationalUnitId": "string",
  "relatedAccount": "string"
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

notificationEvents

The list of notification events.

Type: Array of [NotificationEventOverview](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListNotificationHubs

Returns a list of NotificationHubs.

Request Syntax

```
GET /notification-hubs?maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of records to list in a single response.

Valid Range: Fixed value of 3.

nextToken

A pagination token. Set to null to start listing notification hubs from the start.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "notificationHubs": [
    {
      "creationTime": "string",
```

```
    "lastActivationTime": "string",
    "notificationHubRegion": "string",
    "statusSummary": {
      "reason": "string",
      "status": "string"
    }
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A pagination token. If a non-null pagination token is returned in a result, pass its value in another request to retrieve more entries.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

notificationHubs

The NotificationHubs in the account.

Type: Array of [NotificationHubOverview](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListOrganizationalUnits

Returns a list of organizational units associated with a notification configuration.

Request Syntax

```
GET /organizational-units?  
maxResults=maxResults&nextToken=nextToken&notificationConfigurationArn=notificationConfigurationArn  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of organizational units to return in a single call. Valid values are 1-100.

Valid Range: Minimum value of 1. Maximum value of 100.

nextToken

The token for the next page of results. Use the value returned in the previous response.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/ =]+`

notificationConfigurationArn

The Amazon Resource Name (ARN) of the notification configuration used to filter the organizational units.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "organizationalUnits": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The token to use for the next page of results. If there are no additional results, this value is null.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `[\w+ -/=]+`

organizationalUnits

The list of organizational units that match the specified criteria.

Type: Array of strings

Pattern: `(Root|r-[0-9a-z]{4,32}|ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Returns a list of tags for a specified Amazon Resource Name (ARN).

For more information, see [Tagging your AWS resources](#) in the *Tagging AWS Resources User Guide*.

Note

This is only supported for NotificationConfigurations.

Request Syntax

```
GET /tags/arn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) to use to list tags.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

A list of tags for the specified ARN.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RegisterNotificationHub

Registers a NotificationConfiguration in the specified Region.

There is a maximum of one NotificationConfiguration per Region. You can have a maximum of 3 NotificationHub resources at a time.

Request Syntax

```
POST /notification-hubs HTTP/1.1
Content-type: application/json

{
  "notificationHubRegion": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

[notificationHubRegion](#)

The Region of the NotificationHub.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: Yes

Response Syntax

```
HTTP/1.1 201
Content-type: application/json
```

```
{
  "creationTime": "string",
  "lastActivationTime": "string",
  "notificationHubRegion": "string",
  "statusSummary": {
    "reason": "string",
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 201 response.

The following data is returned in JSON format by the service.

creationTime

The date the resource was created.

Type: Timestamp

lastActivationTime

The date the resource was last activated.

Type: Timestamp

notificationHubRegion

The Region of the NotificationHub.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: ([a-z]{1,2})-([a-z]{1,15}-)+([0-9])

statusSummary

Provides additional information about the current NotificationConfiguration status information.

Type: [NotificationHubStatusSummary](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ServiceQuotaExceededException

Request would cause a service quota to be exceeded.

quotaCode

The code for the service quota in [Service Quotas](#).

resourceId

The ID of the resource that exceeds the service quota.

resourceType

The type of the resource that exceeds the service quota.

serviceCode

The code for the service quota exceeded in [Service Quotas](#).

HTTP Status Code: 402

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Tags the resource with a tag key and value.

For more information, see [Tagging your AWS resources](#) in the *Tagging AWS Resources User Guide*.

Note

This is only supported for NotificationConfigurations.

Request Syntax

```
POST /tags/arn HTTP/1.1
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) to use to tag a resource.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

A map of tags assigned to a resource. A tag is a string-to-string map of key-value pairs.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 200 items.

Key Pattern: (?!aws:).{1,128}

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Untags a resource with a specified Amazon Resource Name (ARN).

For more information, see [Tagging your AWS resources](#) in the *Tagging AWS Resources User Guide*.

Request Syntax

```
DELETE /tags/arn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[arn](#)

The Amazon Resource Name (ARN) to use to untag a resource.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

[tagKeys](#)

The tag keys to use to untag a resource.

Array Members: Minimum number of 0 items. Maximum number of 200 items.

Pattern: `(?!aws:).{1,128}`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateEventRule

Updates an existing EventRule.

Request Syntax

```
PUT /event-rules/arn HTTP/1.1
Content-type: application/json
```

```
{
  "eventPattern": "string",
  "regions": [ "string" ]
}
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) to use to update the EventRule.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

eventPattern

An additional event pattern used to further filter the events this EventRule receives.

For more information, see [Amazon EventBridge event patterns](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: No

regions

A list of AWS Regions that sends events to this EventRule.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: ([a-z]{1,2})-([a-z]{1,15}-)+([0-9])

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "notificationConfigurationArn": "string",
  "statusSummaryByRegion": {
    "string" : {
      "reason": "string",
      "status": "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) to use to update the EventRule.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

notificationConfigurationArn

The ARN of the NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

statusSummaryByRegion

The status of the action by Region.

Type: String to [EventRuleStatusSummary](#) object map

Key Length Constraints: Minimum length of 2. Maximum length of 25.

Key Pattern: `([a-z]{1,2})-([a-z]{1,15}-)+([0-9])`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerError

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateNotificationConfiguration

Updates a NotificationConfiguration.

Request Syntax

```
PUT /notification-configurations/arn HTTP/1.1
Content-type: application/json
```

```
{
  "aggregationDuration": "string",
  "description": "string",
  "name": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

arn

The Amazon Resource Name (ARN) used to update the NotificationConfiguration.

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

Request Body

The request accepts the following data in JSON format.

aggregationDuration

The aggregation preference of the NotificationConfiguration.

- Values:
 - LONG
 - Aggregate notifications for long periods of time (12 hours).
 - SHORT

- Aggregate notifications for short periods of time (5 minutes).
- NONE
 - Don't aggregate notifications.

Type: String

Valid Values: LONG | SHORT | NONE

Required: No

description

The description of the NotificationConfiguration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[^\u0001-\u001F\u007F-\u009F]*`

Required: No

name

The name of the NotificationConfiguration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9_\-]+`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN used to update the NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

User does not have sufficient access to perform this action.

HTTP Status Code: 403

ConflictException

Updating or deleting a resource can cause an inconsistent state.

resourceId

The resource ID that prompted the conflict error.

HTTP Status Code: 409

InternalServerErrorException

Unexpected error during processing of request.

HTTP Status Code: 500

ResourceNotFoundException

Request references a resource which does not exist.

resourceId

The ID of the resource that wasn't found.

HTTP Status Code: 404

ThrottlingException

Request was denied due to request throttling.

quotaCode

Identifies the quota that is being throttled.

retryAfterSeconds

The number of seconds a client should wait before retrying the request.

serviceCode

Identifies the service being throttled.

HTTP Status Code: 429

ValidationException

This exception is thrown when the notification event fails validation.

fieldList

The list of input fields that are invalid.

reason

The reason why your input is considered invalid.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS User Notifications API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AggregationDetail](#)
- [AggregationKey](#)
- [AggregationSummary](#)
- [Dimension](#)
- [EventRuleStatusSummary](#)
- [EventRuleStructure](#)
- [ManagedNotificationChannelAssociationSummary](#)
- [ManagedNotificationChildEvent](#)
- [ManagedNotificationChildEventOverview](#)
- [ManagedNotificationChildEventSummary](#)
- [ManagedNotificationConfigurationStructure](#)
- [ManagedNotificationEvent](#)
- [ManagedNotificationEventOverview](#)
- [ManagedNotificationEventSummary](#)
- [ManagedSourceEventMetadataSummary](#)
- [MediaElement](#)
- [MemberAccount](#)
- [MessageComponents](#)
- [MessageComponentsSummary](#)
- [NotificationConfigurationStructure](#)

- [NotificationEvent](#)
- [NotificationEventOverview](#)
- [NotificationEventSummary](#)
- [NotificationHubOverview](#)
- [NotificationHubStatusSummary](#)
- [NotificationsAccessForOrganization](#)
- [Resource](#)
- [SourceEventMetadata](#)
- [SourceEventMetadataSummary](#)
- [SummarizationDimensionDetail](#)
- [SummarizationDimensionOverview](#)
- [TextPartValue](#)
- [ValidationExceptionField](#)

AggregationDetail

Provides detailed information about the dimensions used for aggregation.

Contents

summarizationDimensions

Properties used to summarize aggregated events.

Type: Array of [SummarizationDimensionDetail](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AggregationKey

Key-value collection that indicate how notifications are grouped.

Contents

name

Indicates the type of aggregation key.

Type: String

Required: Yes

value

Indicates the value associated with the aggregation key name.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AggregationSummary

Provides additional information about the aggregation key.

Contents

aggregatedAccounts

Indicates the AWS accounts in the aggregation key.

Type: [SummarizationDimensionOverview](#) object

Required: Yes

aggregatedBy

Indicates the criteria or rules by which notifications have been grouped together.

Type: Array of [AggregationKey](#) objects

Required: Yes

aggregatedRegions

Indicates the AWS Regions in the aggregation key.

Type: [SummarizationDimensionOverview](#) object

Required: Yes

eventCount

Indicates the number of events associated with the aggregation key.

Type: Integer

Required: Yes

additionalSummarizationDimensions

List of additional dimensions used to group and summarize data.

Type: Array of [SummarizationDimensionOverview](#) objects

Required: No

aggregatedOrganizationalUnits

Indicates the collection of organizational units that are involved in the aggregation key.

Type: [SummarizationDimensionOverview](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Dimension

The key-value pair of properties for an event.

Contents

name

The name of the dimension

Type: String

Required: Yes

value

The value of the dimension.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EventRuleStatusSummary

Provides additional information about the current EventRule status.

Contents

reason

A human-readable reason for EventRuleStatus.

Type: String

Required: Yes

status

The status of the EventRule.

- Values:
 - ACTIVE
 - The EventRule can process events.
 - INACTIVE
 - The EventRule may be unable to process events.
 - CREATING
 - The EventRule is being created.

Only GET and LIST calls can be run.

- UPDATING
 - The EventRule is being updated.

Only GET and LIST calls can be run.

- DELETING
 - The EventRule is being deleted.

Only GET and LIST calls can be run.

Type: String

Valid Values: ACTIVE | INACTIVE | CREATING | UPDATING | DELETING

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EventRuleStructure

Contains a complete list of fields related to an EventRule.

Contents

arn

The Amazon Resource Name (ARN) of the EventRule. AWS CloudFormation stack generates this ARN and then uses this ARN to associate with the NotificationConfiguration.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}/rule/[a-z0-9]{27}`

Required: Yes

creationTime

The creation time of the EventRule.

Type: Timestamp

Required: Yes

eventPattern

An additional event pattern used to further filter the events this EventRule receives.

For more information, see [Amazon EventBridge event patterns](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 4096.

Required: Yes

eventType

The event type this rule should match with the EventBridge events. It must match with at least one of the valid EventBridge event types. For example, Amazon EC2 Instance State change

Notification and Amazon CloudWatch State Change. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`[a-zA-Z0-9 \-\(\)]`)+

Required: Yes

managedRules

A list of Amazon EventBridge Managed Rule ARNs associated with this EventRule.

Note

These are created by AWS User Notifications within your account so your EventRules can function.

Type: Array of strings

Pattern: `arn:aws:events:[a-z-\d]{2,25}:\d{12}:rule\[a-zA-Z-\d]{1,1024}`

Required: Yes

notificationConfigurationArn

The ARN for the NotificationConfiguration associated with this EventRule.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

regions

A list of AWS Regions that send events to this EventRule.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: Yes

source

The event source this rule should match with the EventBridge event sources. It must match with at least one of the valid EventBridge event sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws.([a-z0-9\-.]+)`

Required: Yes

statusSummaryByRegion

A list of an EventRule's status by Region. Regions are mapped to EventRuleStatusSummary.

Type: String to [EventRuleStatusSummary](#) object map

Key Length Constraints: Minimum length of 2. Maximum length of 25.

Key Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationChannelAssociationSummary

Provides a summary of channel associations for a managed notification configuration.

Contents

channelIdentifier

The unique identifier for the notification channel.

Type: String

Required: Yes

channelType

The type of notification channel used for message delivery.

- Values:
 - ACCOUNT_CONTACT
 - Delivers notifications to Account Managed contacts through the User Notification Service.
 - MOBILE
 - Delivers notifications through the AWS Console Mobile Application to mobile devices.
 - CHATBOT
 - Delivers notifications through Amazon Q Developer in chat applications to collaboration platforms (Slack, Chime).
 - EMAIL
 - Delivers notifications to email addresses.

Type: String

Valid Values: MOBILE | CHATBOT | EMAIL | ACCOUNT_CONTACT

Required: Yes

overrideOption

Controls whether users can modify channel associations for a notification configuration.

- Values:

- **ENABLED**
 - Users can associate or disassociate channels with the notification configuration.
- **DISABLED**
 - Users cannot associate or disassociate channels with the notification configuration.

Type: String

Valid Values: ENABLED | DISABLED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationChildEvent

A notification-focused representation of an event. They contain semantic information used to create aggregated or non-aggregated end-user notifications.

Contents

aggregateManagedNotificationEventArn

The Amazon Resource Name (ARN) of the ManagedNotificationEvent that is associated with this Managed Notification Child Event.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

Required: Yes

id

The unique identifier for a Managed Notification Child Event.

Type: String

Pattern: `[a-z0-9]{27}`

Required: Yes

messageComponents

Describes the components of a notification message.

Type: [MessageComponents](#) object

Required: Yes

notificationType

The type of event causing the notification.

- Values:

- ALERT
 - A notification about an event where something was triggered, initiated, reopened, deployed, or a threshold was breached.
- WARNING
 - A notification about an event where an issue is about to arise. For example, something is approaching a threshold.
- ANNOUNCEMENT
 - A notification about an important event. For example, a step in a workflow or escalation path or that a workflow was updated.
- INFORMATIONAL
 - A notification about informational messages. For example, recommendations, service announcements, or reminders.

Type: String

Valid Values: ALERT | WARNING | ANNOUNCEMENT | INFORMATIONAL

Required: Yes

schemaVersion

The schema version of the Managed Notification Child Event.

Type: String

Valid Values: v1.0

Required: Yes

textParts

A list of text values.

Type: String to [TextPartValue](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [A-Za-z0-9_]+

Required: Yes

aggregationDetail

Provides detailed information about the dimensions used for event summarization and aggregation.

Type: [AggregationDetail](#) object

Required: No

endTime

The end time of the event.

Type: Timestamp

Required: No

eventStatus

The assessed nature of the event.

- Values:
 - HEALTHY
 - All EventRules are ACTIVE.
 - UNHEALTHY
 - Some EventRules are ACTIVE and some are INACTIVE.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: No

organizationalUnitId

The Organizational Unit Id that an AWS account belongs to.

Type: String

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: No

sourceEventDetailUrl

The source event URL.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: (https?)://.*

Required: No

sourceEventDetailUrlDisplayText

The detailed URL for the source event.

Type: String

Required: No

startTime

The notification event start time.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationChildEventOverview

Describes an overview and metadata for a ManagedNotificationChildEvent.

Contents

aggregateManagedNotificationEventArn

The Amazon Resource Name (ARN) of the ManagedNotificationEvent that is associated with this ManagedNotificationChildEvent.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

Required: Yes

arn

The Amazon Resource Name (ARN) of the ManagedNotificationChildEvent.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

Required: Yes

childEvent

The content of the ManagedNotificationChildEvent.

Type: [ManagedNotificationChildEventSummary](#) object

Required: Yes

creationTime

The creation time of the ManagedNotificationChildEvent.

Type: Timestamp

Required: Yes

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications::[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}`

Required: Yes

relatedAccount

The account that related to the ManagedNotificationChildEvent.

Type: String

Pattern: `\d{12}`

Required: Yes

organizationalUnitId

The Organizational Unit Id that an AWS account belongs to.

Type: String

Pattern: `(Root|r-[0-9a-z]{4,32}|ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationChildEventSummary

Describes a short summary and metadata for a ManagedNotificationChildEvent.

Contents

aggregationDetail

Provides detailed information about the dimensions used for event summarization and aggregation.

Type: [AggregationDetail](#) object

Required: Yes

eventStatus

The perceived nature of the event.

- Values:
 - HEALTHY
 - All EventRules are ACTIVE and any call can be run.
 - UNHEALTHY
 - Some EventRules are ACTIVE and some are INACTIVE. Any call can be run.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: Yes

messageComponents

Contains the headline message component.

Type: [MessageComponentsSummary](#) object

Required: Yes

notificationType

The Type of the event causing this notification.

- Values:
 - ALERT

- A notification about an event where something was triggered, initiated, reopened, deployed, or a threshold was breached.
- **WARNING**
 - A notification about an event where an issue is about to arise. For example, something is approaching a threshold.
- **ANNOUNCEMENT**
 - A notification about an important event. For example, a step in a workflow or escalation path or that a workflow was updated.
- **INFORMATIONAL**
 - A notification about informational messages. For example, recommendations, service announcements, or reminders.

Type: String

Valid Values: ALERT | WARNING | ANNOUNCEMENT | INFORMATIONAL

Required: Yes

schemaVersion

The schema version of the `ManagedNotificationChildEvent`.

Type: String

Valid Values: v1.0

Required: Yes

sourceEventMetadata

Contains all event metadata present identically across all `NotificationEvents`. All fields are present in Source Events via Eventbridge.

Type: [ManagedSourceEventMetadataSummary](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationConfigurationStructure

Describes the basic structure and properties of a ManagedNotificationConfiguration.

Contents

arn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\ -]{3,64}/sub-category/[a-zA-Z0-9\ -]{3,64}`

Required: Yes

description

The description of the ManagedNotificationConfiguration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[^\u0001-\u001F\u007F-\u009F]*`

Required: Yes

name

The name of the ManagedNotificationConfiguration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9\ -]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationEvent

A notification-focused representation of an event. They contain semantic information used by AccountContacts or Additional Channels to create end-user notifications.

Contents

id

Unique identifier for a ManagedNotificationEvent.

Type: String

Pattern: `[a-z0-9]{27}`

Required: Yes

messageComponents

Describes the components of a notification message.

Type: [MessageComponents](#) object

Required: Yes

notificationType

The nature of the event causing this notification.

- Values:
 - ALERT
 - A notification about an event where something was triggered, initiated, reopened, deployed, or a threshold was breached.
 - WARNING
 - A notification about an event where an issue is about to arise. For example, something is approaching a threshold.
 - ANNOUNCEMENT
 - A notification about an important event. For example, a step in a workflow or escalation path or that a workflow was updated.
 - INFORMATIONAL

- A notification about informational messages. For example, recommendations, service announcements, or reminders.

Type: String

Valid Values: ALERT | WARNING | ANNOUNCEMENT | INFORMATIONAL

Required: Yes

schemaVersion

Version of the ManagedNotificationEvent schema.

Type: String

Valid Values: v1.0

Required: Yes

textParts

A list of text values.

Type: String to [TextPartValue](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [A-Za-z0-9_]+

Required: Yes

aggregationEventType

The notifications aggregation type.

Type: String

Valid Values: AGGREGATE | CHILD | NONE

Required: No

aggregationSummary

Provides additional information about the aggregation key.

Type: [AggregationSummary](#) object

Required: No

endTime

The end time of the notification event.

Type: Timestamp

Required: No

eventStatus

The status of an event.

- Values:
 - HEALTHY
 - All EventRules are ACTIVE and any call can be run.
 - UNHEALTHY
 - Some EventRules are ACTIVE and some are INACTIVE. Any call can be run.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: No

organizationalUnitId

The Organizational Unit Id that an AWS account belongs to.

Type: String

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: No

sourceEventDetailUrl

URL defined by Source Service to be used by notification consumers to get additional information about event.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: (https?)://.*

Required: No

sourceEventDetailUrlDisplayText

Text that needs to be hyperlinked with the sourceEventDetailUrl. For example, the description of the sourceEventDetailUrl.

Type: String

Required: No

startTime

The earliest time of events to return from this call.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationEventOverview

Describes an overview and metadata for a ManagedNotificationEvent.

Contents

arn

The Amazon Resource Name (ARN) of the ManagedNotificationEvent.

Type: String

Pattern: `arn:[-\.a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}/event/[a-z0-9]{27}`

Required: Yes

creationTime

The creation time of the ManagedNotificationEvent.

Type: Timestamp

Required: Yes

managedNotificationConfigurationArn

The Amazon Resource Name (ARN) of the ManagedNotificationConfiguration.

Type: String

Pattern: `arn:[-\.a-z0-9]{1,63}:notifications:[0-9]{12}:managed-notification-configuration/category/[a-zA-Z0-9\-_]{3,64}/sub-category/[a-zA-Z0-9\-_]{3,64}`

Required: Yes

notificationEvent

Type: [ManagedNotificationEventSummary](#) object

Required: Yes

relatedAccount

The account that related to the `ManagedNotificationEvent`.

Type: String

Pattern: `\d{12}`

Required: Yes

aggregatedNotificationRegions

The list of the regions where the aggregated notifications in this `NotificationEvent` originated.

Type: Array of strings

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: `([a-z]{1,2})-([a-z]{1,15}-)+([0-9])`

Required: No

aggregationEventType

The notifications aggregation type.

- Values:
 - AGGREGATE
 - The notification event is an aggregate notification. Aggregate notifications summarize grouped events over a specified time period.
 - CHILD
 - Some `EventRules` are `ACTIVE` and some are `INACTIVE`. Any call can be run.
 - NONE
 - The notification isn't aggregated.

Type: String

Valid Values: `AGGREGATE | CHILD | NONE`

Required: No

aggregationSummary

Provides additional information about the aggregation key.

Type: [AggregationSummary](#) object

Required: No

organizationalUnitId

The Organizational Unit Id that an AWS account belongs to.

Type: String

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedNotificationEventSummary

A short summary of a ManagedNotificationEvent. This is only used when listing managed notification events.

Contents

eventStatus

The managed notification event status.

- Values:
 - HEALTHY
 - All EventRules are ACTIVE.
 - UNHEALTHY
 - Some EventRules are ACTIVE and some are INACTIVE.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: Yes

messageComponents

Contains the headline message component.

Type: [MessageComponentsSummary](#) object

Required: Yes

notificationType

The Type of event causing the notification.

- Values:
 - ALERT
 - A notification about an event where something was triggered, initiated, reopened, deployed, or a threshold was breached.
 - WARNING
 - A notification about an event where an issue is about to arise. For example, something is approaching a threshold.

- **ANNOUNCEMENT**
 - A notification about an important event. For example, a step in a workflow or escalation path or that a workflow was updated.
- **INFORMATIONAL**
 - A notification about informational messages. For example, recommendations, service announcements, or reminders.

Type: String

Valid Values: ALERT | WARNING | ANNOUNCEMENT | INFORMATIONAL

Required: Yes

schemaVersion

The schema version of the ManagedNotificationEvent.

Type: String

Valid Values: v1.0

Required: Yes

sourceEventMetadata

Contains metadata about the event that caused the ManagedNotificationEvent.

Type: [ManagedSourceEventMetadataSummary](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManagedSourceEventMetadataSummary

A short summary and metadata for a managed notification event.

Contents

eventType

The event Type of the notification.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: (`[a-zA-Z0-9 \-\\(\)]`)+

Required: Yes

source

The source service of the notification.

Must match one of the valid EventBridge sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws.([a-z0-9\ -])+`

Required: Yes

eventOriginRegion

The Region where the notification originated.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 32.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MediaElement

Describes a media element.

Contents

caption

The caption of the media.

Type: String

Required: Yes

mediaId

The unique ID for the media.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

type

The type of media.

Type: String

Valid Values: IMAGE

Required: Yes

url

The URL of the media.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: (https?)://.*

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MemberAccount

Contains information about a member account.

Contents

accountId

The AWS account ID of the member account.

Type: String

Pattern: `\d{12}`

Required: Yes

organizationalUnitId

The unique identifier of the organizational unit containing the member account.

Type: String

Pattern: `(Root|r-[0-9a-z]{4,32}|ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})`

Required: Yes

status

The current status of the member account.

Type: String

Valid Values: ACTIVE | PENDING | INACTIVE | CREATING | DELETING

Required: Yes

statusReason

The reason for the current status of the member account.

Type: String

Required: Yes

notificationConfigurationArn

The Amazon Resource Name (ARN) of the notification configuration associated with the member account.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MessageComponents

Describes the components of a notification message.

Contents

completeDescription

A complete summary with all possible relevant information.

Type: String

Required: No

dimensions

A list of properties in key-value pairs. Pairs are shown in order of importance from most important to least important. Channels may limit the number of dimensions shown to the notification viewer.

Note

Included dimensions, keys, and values are subject to change.

Type: Array of [Dimension](#) objects

Array Members: Minimum number of 0 items. Maximum number of 10 items.

Required: No

headline

A sentence long summary. For example, titles or an email subject line.

Type: String

Required: No

paragraphSummary

A paragraph long or multiple sentence summary. For example, Amazon Q Developer in chat applications notifications.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

MessageComponentsSummary

Contains the headline message component.

Contents

headline

A sentence long summary. For example, titles or an email subject line.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationConfigurationStructure

Contains the complete list of fields for a NotificationConfiguration.

Contents

arn

The Amazon Resource Name (ARN) of the NotificationConfiguration resource.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

creationTime

The creation time of the NotificationConfiguration.

Type: Timestamp

Required: Yes

description

The description of the NotificationConfiguration.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[^\u0001-\u001F\u007F-\u009F]*`

Required: Yes

name

The name of the NotificationConfiguration. Supports RFC 3986's unreserved characters.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[A-Za-z0-9_\-]+`

Required: Yes

status

The current status of the NotificationConfiguration.

Type: String

Valid Values: ACTIVE | PARTIALLY_ACTIVE | INACTIVE | DELETING

Required: Yes

aggregationDuration

The aggregation preference of the NotificationConfiguration.

• Values:

- LONG
 - Aggregate notifications for long periods of time (12 hours).
- SHORT
 - Aggregate notifications for short periods of time (5 minutes).
- NONE
 - Don't aggregate notifications.

Type: String

Valid Values: LONG | SHORT | NONE

Required: No

subtype

The subtype of the notification configuration.

Type: String

Valid Values: ACCOUNT | ADMIN_MANAGED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationEvent

A `NotificationEvent` is a notification-focused representation of an event. They contain semantic information used by Channels to create end-user notifications.

Contents

id

The unique identifier for a `NotificationEvent`.

Type: String

Pattern: `[a-z0-9]{27}`

Required: Yes

media

A list of media elements.

Type: Array of [MediaElement](#) objects

Required: Yes

messageComponents

Describes the components of a notification message.

Type: [MessageComponents](#) object

Required: Yes

notificationType

The type of event causing the notification.

- Values:
 - ALERT
 - A notification about an event where something was triggered, initiated, reopened, deployed, or a threshold was breached.
 - WARNING

- A notification about an event where an issue is about to arise. For example, something is approaching a threshold.
- ANNOUNCEMENT
 - A notification about an important event. For example, a step in a workflow or escalation path or that a workflow was updated.
- INFORMATIONAL
 - A notification about informational messages. For example, recommendations, service announcements, or reminders.

Type: String

Valid Values: ALERT | WARNING | ANNOUNCEMENT | INFORMATIONAL

Required: Yes

schemaVersion

The schema version of the Notification Event.

Type: String

Valid Values: v1.0

Required: Yes

sourceEventMetadata

The source event metadata.

Type: [SourceEventMetadata](#) object

Required: Yes

textParts

A list of text values.

Type: String to [TextPartValue](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [A-Za-z0-9_]+

Required: Yes

aggregateNotificationEventArn

If the value of `aggregationEventType` is not `NONE`, this is the Amazon Resource Event (ARN) of the parent aggregate notification.

This is omitted if notification isn't aggregated.

Type: String

Pattern: `arn:[- .a-z0-9]{1,63}:notifications:[- .a-z0-9]{1,63}:[0-9]{12}:configuration/[a-z0-9]{27}/event/[a-z0-9]{27}`

Required: No

aggregationEventType

The aggregation type of the `NotificationConfiguration`.

- Values:
 - `AGGREGATE`
 - The notification event is an aggregate notification. Aggregate notifications summarize grouped events over a specified time period.
 - `CHILD`
 - Some `EventRules` are `ACTIVE` and some are `INACTIVE`. Any call can be run.
 - `NONE`
 - The notification isn't aggregated.

Type: String

Valid Values: `AGGREGATE` | `CHILD` | `NONE`

Required: No

aggregationSummary

Provides additional information about how multiple notifications are grouped.

Type: [AggregationSummary](#) object

Required: No

endTime

The end time of the event.

Type: Timestamp

Required: No

eventStatus

The assessed nature of the event.

- Values:
 - HEALTHY
 - All EventRules are ACTIVE and any call can be run.
 - UNHEALTHY
 - Some EventRules are ACTIVE and some are INACTIVE. Any call can be run.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: No

organizationalUnitId

The unique identifier of the organizational unit associated with the notification event.

Type: String

Pattern: (Root|r-[0-9a-z]{4,32}|ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: No

sourceEventDetailUrl

The source event URL.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: (https?)://.*

Required: No

sourceEventDetailUrlDisplayText

The detailed URL for the source event.

Type: String

Required: No

startTime

The notification event start time.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationEventOverview

Describes a short summary of a `NotificationEvent`. This is only used when listing notification events.

Contents

`arn`

The Amazon Resource Name (ARN) of the resource.

Type: String

Pattern: `arn:[-\.a-z0-9]{1,63}:notifications:[-\.a-z0-9]{1,63}:[0-9]{12}:configuration/[a-z0-9]{27}/event/[a-z0-9]{27}`

Required: Yes

`creationTime`

The creation time of the `NotificationEvent`.

Type: Timestamp

Required: Yes

`notificationConfigurationArn`

The ARN of the `NotificationConfiguration`.

Type: String

Pattern: `arn:aws:notifications::[0-9]{12}:configuration/[a-z0-9]{27}`

Required: Yes

`notificationEvent`

Refers to a `NotificationEventSummary` object.

Similar in structure to content in the `GetNotificationEvent` response.

Type: [NotificationEventSummary](#) object

Required: Yes

relatedAccount

The account name containing the NotificationHub.

Type: String

Pattern: `\d{12}`

Required: Yes

aggregateNotificationEventArn

The ARN of the aggregatedNotificationEventArn to match.

Type: String

Pattern: `arn:[-\.a-z0-9]{1,63}:notifications:[-\.a-z0-9]{1,63}:[0-9]{12}:configuration/[a-z0-9]{27}/event/[a-z0-9]{27}`

Required: No

aggregationEventType

The NotificationConfiguration's aggregation type.

- Values:
 - AGGREGATE
 - The notification event is an aggregate notification. Aggregate notifications summarize grouped events over a specified time period.
 - CHILD
 - Some EventRules are ACTIVE and some are INACTIVE. Any call can be run.
 - NONE
 - The notification isn't aggregated.

Type: String

Valid Values: AGGREGATE | CHILD | NONE

Required: No

aggregationSummary

Provides an aggregated summary data for notification events.

Type: [AggregationSummary](#) object

Required: No

organizationalUnitId

The unique identifier of the organizational unit in the notification event overview.

Type: String

Pattern: (Root | r-[0-9a-z]{4,32} | ou-[0-9a-z]{4,32}-[a-z0-9]{8,32})

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationEventSummary

Describes a short summary and metadata for a NotificationEvent.

Contents

eventStatus

Provides additional information about the current status of the NotificationEvent.

- Values:
 - HEALTHY
 - All EventRules are ACTIVE.
 - UNHEALTHY
 - Some EventRules are ACTIVE and some are INACTIVE.

Type: String

Valid Values: HEALTHY | UNHEALTHY

Required: Yes

messageComponents

The message components of a notification event.

Type: [MessageComponentsSummary](#) object

Required: Yes

notificationType

The type of event causing the notification.

- Values:
 - ALERT
 - A notification about an event where something was triggered, initiated, reopened, deployed, or a threshold was breached.
 - WARNING
 - A notification about an event where an issue is about to arise. For example, something is approaching a threshold.

- **ANNOUNCEMENT**
 - A notification about an important event. For example, a step in a workflow or escalation path or that a workflow was updated.
- **INFORMATIONAL**
 - A notification about informational messages. For example, recommendations, service announcements, or reminders.

Type: String

Valid Values: ALERT | WARNING | ANNOUNCEMENT | INFORMATIONAL

Required: Yes

schemaVersion

The schema version of the Notification Event.

Type: String

Valid Values: v1.0

Required: Yes

sourceEventMetadata

The source event metadata.

Type: [SourceEventMetadataSummary](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationHubOverview

Describes an overview of a NotificationHub.

A NotificationConfiguration is an account-level setting used to select the Regions where you want to store, process and replicate your notifications.

Contents

creationTime

The date and time the NotificationHubOverview was created.

Type: Timestamp

Required: Yes

notificationHubRegion

The Region of the resource.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 25.

Pattern: (`[a-z]{1,2}`)-(`[a-z]{1,15}`-)+(`[0-9]`)

Required: Yes

statusSummary

The status summary of the resource.

Type: [NotificationHubStatusSummary](#) object

Required: Yes

lastActivationTime

The most recent time this NotificationHub had an ACTIVE status.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationHubStatusSummary

Provides additional information about the current NotificationHub status.

Contents

reason

An explanation for the current status.

Type: String

Required: Yes

status

Status information about the NotificationHub.

- Values:
 - ACTIVE
 - Incoming NotificationEvents are replicated to this NotificationHub.
 - REGISTERING
 - The NotificationConfiguration is initializing. A NotificationConfiguration with this status can't be deregistered.
 - DEREGISTERING
 - The NotificationConfiguration is being deleted. You can't register additional NotificationHubs in the same Region as a NotificationConfiguration with this status.

Type: String

Valid Values: ACTIVE | REGISTERING | DEREGISTERING | INACTIVE

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NotificationsAccessForOrganization

Orgs Service trust for AWS User Notifications.

Contents

accessStatus

Access Status for the Orgs Service.

Type: String

Valid Values: ENABLED | DISABLED | PENDING | FAILED

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Resource

A resource affected by or closely linked to an event.

Contents

arn

The Amazon Resource Name (ARN) of the resource. At least one id or ARN is required.

Type: String

Pattern: `arn:[^:]*:[^:]*:[^:]*:.*`

Required: No

detailUrl

The URL to the resource's detail page. If a detail page URL is unavailable, it is the URL to an informational page that describes the resource's type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: `(https?)://.*`

Required: No

id

The unique identifier for the resource.

At least one id or ARN is required.

Type: String

Required: No

tags

A map of tags assigned to a resource. A tag is a string-to-string map of key-value pairs.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceEventMetadata

Describes the metadata for a source event.

For more information, see [Event structure reference](#) in the *Amazon EventBridge User Guide*.

Contents

eventOccurrenceTime

The date and time the source event occurred. This is based on the Source Event.

Type: Timestamp

Required: Yes

eventType

The type of event. For example, an Amazon CloudWatch state change.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

eventTypeVersion

The version of the type of event.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 3.

Pattern: [0-9.]+

Required: Yes

relatedAccount

The primary AWS account of SourceEvent.

Type: String

Pattern: [0-9]{12}

Required: Yes

relatedResources

A list of resources related to this `NotificationEvent`.

Type: Array of [Resource](#) objects

Required: Yes

source

The AWS service the event originates from. For example `aws.cloudwatch`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 36.

Pattern: `aws.([a-z0-9\-]+)`

Required: Yes

sourceEventId

The source event id.

Type: String

Required: Yes

eventOriginRegion

The Region the event originated from.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 32.

Pattern: `([a-z]{1,2})-([a-z]{1,15}-)+([0-9])`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SourceEventMetadataSummary

Contains metadata about the event that caused the NotificationEvent. For other specific values, see sourceEventMetadata.

Contents

eventType

The event type to match.

Must match one of the valid Amazon EventBridge event types. For example, EC2 Instance State-change Notification and Amazon CloudWatch Alarm State Change. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: Yes

source

The matched event source.

Must match one of the valid EventBridge sources. Only AWS service sourced events are supported. For example, `aws.ec2` and `aws.cloudwatch`. For more information, see [Event delivery from AWS services](#) in the *Amazon EventBridge User Guide*.

Type: String

Required: Yes

eventOriginRegion

The Region where the notification originated.

Unavailable for aggregated notifications.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 32.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SummarizationDimensionDetail

Provides detailed information about the dimensions used for event summarization and aggregation.

Contents

name

The name of the SummarizationDimensionDetail.

Type: String

Required: Yes

value

Value of the property used to summarize aggregated events.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

SummarizationDimensionOverview

Provides an overview of how data is summarized across different dimensions.

Contents

count

Total number of occurrences for this dimension.

Type: Integer

Required: Yes

name

Name of the summarization dimension.

Type: String

Required: Yes

sampleValues

Indicates the sample values found within the dimension.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

TextPartValue

Describes text information objects containing fields that determine how text part objects are composed.

Contents

type

The type of text part. Determines the usage of all other fields and whether or not they're required.

Type: String

Valid Values: LOCALIZED_TEXT | PLAIN_TEXT | URL

Required: Yes

displayText

A short single line description of the link. Must be hyper-linked with the URL itself.

Used for text parts with the type URL.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

textByLocale

A map of locales to the text in that locale.

Type: String to string map

Valid Keys: de_DE | en_CA | en_US | en_UK | es_ES | fr_CA | fr_FR | id_ID | it_IT | ja_JP | ko_KR | pt_BR | tr_TR | zh_CN | zh_TW

Required: No

url

The URL itself.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2000.

Pattern: (https?)://.*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

Stores information about a field passed inside a request that resulted in an exception.

Contents

message

A message with the reason for the validation exception error.

Type: String

Required: Yes

name

The field name where the invalid entry was detected.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400