



API Reference

AWS Panorama



API Version 2019-07-24

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

AWS Panorama: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateApplicationInstance	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	7
Response Elements	7
Errors	7
See Also	9
CreateJobForDevices	10
Request Syntax	10
URI Request Parameters	10
Request Body	10
Response Syntax	11
Response Elements	11
Errors	12
See Also	13
CreateNodeFromTemplateJob	15
Request Syntax	15
URI Request Parameters	15
Request Body	16
Response Syntax	17
Response Elements	18
Errors	18
See Also	19
CreatePackage	21
Request Syntax	21
URI Request Parameters	21
Request Body	21
Response Syntax	22
Response Elements	22
Errors	23
See Also	24

CreatePackageImportJob	26
Request Syntax	26
URI Request Parameters	27
Request Body	27
Response Syntax	28
Response Elements	28
Errors	28
See Also	30
DeleteDevice	31
Request Syntax	31
URI Request Parameters	31
Request Body	31
Response Syntax	31
Response Elements	32
Errors	32
See Also	34
DeletePackage	35
Request Syntax	35
URI Request Parameters	35
Request Body	36
Response Syntax	36
Response Elements	36
Errors	36
See Also	37
DeregisterPackageVersion	39
Request Syntax	39
URI Request Parameters	39
Request Body	40
Response Syntax	40
Response Elements	40
Errors	40
See Also	42
DescribeApplicationInstance	43
Request Syntax	43
URI Request Parameters	43
Request Body	43

Response Syntax	43
Response Elements	44
Errors	47
See Also	49
DescribeApplicationInstanceDetails	50
Request Syntax	50
URI Request Parameters	50
Request Body	50
Response Syntax	50
Response Elements	51
Errors	52
See Also	54
DescribeDevice	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	55
Response Elements	57
Errors	61
See Also	62
DescribeDeviceJob	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	63
Response Elements	64
Errors	66
See Also	67
DescribeNode	69
Request Syntax	69
URI Request Parameters	69
Request Body	69
Response Syntax	70
Response Elements	70
Errors	73
See Also	75

DescribeNodeFromTemplateJob	76
Request Syntax	76
URI Request Parameters	76
Request Body	76
Response Syntax	76
Response Elements	77
Errors	79
See Also	81
DescribePackage	82
Request Syntax	82
URI Request Parameters	82
Request Body	82
Response Syntax	82
Response Elements	83
Errors	85
See Also	86
DescribePackageImportJob	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	88
Response Elements	90
Errors	91
See Also	93
DescribePackageVersion	94
Request Syntax	94
URI Request Parameters	94
Request Body	95
Response Syntax	95
Response Elements	95
Errors	97
See Also	99
ListApplicationInstanceDependencies	100
Request Syntax	100
URI Request Parameters	100
Request Body	101

Response Syntax	101
Response Elements	101
Errors	102
See Also	102
ListApplicationInstanceNodeInstances	103
Request Syntax	103
URI Request Parameters	103
Request Body	104
Response Syntax	104
Response Elements	104
Errors	105
See Also	105
ListApplicationInstances	107
Request Syntax	107
URI Request Parameters	107
Request Body	108
Response Syntax	108
Response Elements	109
Errors	109
See Also	110
ListDevices	111
Request Syntax	111
URI Request Parameters	111
Request Body	112
Response Syntax	112
Response Elements	113
Errors	113
See Also	115
ListDevicesJobs	116
Request Syntax	116
URI Request Parameters	116
Request Body	117
Response Syntax	117
Response Elements	117
Errors	118
See Also	119

ListNodeFromTemplateJobs	121
Request Syntax	121
URI Request Parameters	121
Request Body	121
Response Syntax	121
Response Elements	122
Errors	122
See Also	124
ListNodes	125
Request Syntax	125
URI Request Parameters	125
Request Body	126
Response Syntax	126
Response Elements	127
Errors	127
See Also	129
ListPackageImportJobs	130
Request Syntax	130
URI Request Parameters	130
Request Body	130
Response Syntax	130
Response Elements	131
Errors	131
See Also	133
ListPackages	134
Request Syntax	134
URI Request Parameters	134
Request Body	134
Response Syntax	134
Response Elements	135
Errors	135
See Also	137
ListTagsForResource	138
Request Syntax	138
URI Request Parameters	138
Request Body	138

Response Syntax	138
Response Elements	139
Errors	139
See Also	140
ProvisionDevice	142
Request Syntax	142
URI Request Parameters	143
Request Body	143
Response Syntax	144
Response Elements	144
Errors	145
See Also	147
RegisterPackageVersion	149
Request Syntax	149
URI Request Parameters	149
Request Body	150
Response Syntax	150
Response Elements	150
Errors	151
See Also	152
RemoveApplicationInstance	153
Request Syntax	153
URI Request Parameters	153
Request Body	153
Response Syntax	153
Response Elements	153
Errors	154
See Also	155
SignalApplicationInstanceNodeInstances	157
Request Syntax	157
URI Request Parameters	157
Request Body	158
Response Syntax	158
Response Elements	158
Errors	158
See Also	160

TagResource	161
Request Syntax	161
URI Request Parameters	161
Request Body	161
Response Syntax	162
Response Elements	162
Errors	162
See Also	163
UntagResource	165
Request Syntax	165
URI Request Parameters	165
Request Body	166
Response Syntax	166
Response Elements	166
Errors	166
See Also	167
UpdateDeviceMetadata	168
Request Syntax	168
URI Request Parameters	168
Request Body	168
Response Syntax	169
Response Elements	169
Errors	169
See Also	171
Data Types	172
AlternateSoftwareMetadata	174
Contents	174
See Also	174
ApplicationInstance	175
Contents	175
See Also	178
ConflictExceptionErrorArgument	179
Contents	179
See Also	179
Device	180
Contents	180

See Also	183
DeviceJob	184
Contents	184
See Also	185
DeviceJobConfig	186
Contents	186
See Also	186
EthernetPayload	187
Contents	187
See Also	187
EthernetStatus	188
Contents	188
See Also	189
Job	190
Contents	190
See Also	190
JobResourceTags	191
Contents	191
See Also	191
LatestDeviceJob	193
Contents	193
See Also	193
ManifestOverridesPayload	195
Contents	195
See Also	195
ManifestPayload	196
Contents	196
See Also	196
NetworkPayload	197
Contents	197
See Also	197
NetworkStatus	198
Contents	198
See Also	198
Node	200
Contents	200

See Also	202
NodeFromTemplateJob	204
Contents	204
See Also	205
NodeInputPort	206
Contents	206
See Also	207
NodeInstance	208
Contents	208
See Also	209
NodeInterface	211
Contents	211
See Also	211
NodeOutputPort	212
Contents	212
See Also	212
NodeSignal	214
Contents	214
See Also	214
NtpPayload	215
Contents	215
See Also	215
NtpStatus	216
Contents	216
See Also	217
OTAJobConfig	218
Contents	218
See Also	218
OutPutS3Location	219
Contents	219
See Also	219
PackagelImportJob	220
Contents	220
See Also	221
PackagelImportJobInputConfig	222
Contents	222

See Also	222
PackageImportJobOutput	223
Contents	223
See Also	224
PackageImportJobOutputConfig	225
Contents	225
See Also	225
PackageListItem	226
Contents	226
See Also	227
PackageObject	228
Contents	228
See Also	229
PackageVersionInputConfig	230
Contents	230
See Also	230
PackageVersionOutputConfig	231
Contents	231
See Also	231
ReportedRuntimeContextState	233
Contents	233
See Also	234
S3Location	235
Contents	235
See Also	236
StaticIpConnectionInfo	237
Contents	237
See Also	238
StorageLocation	239
Contents	239
See Also	240
ValidationExceptionErrorArgument	241
Contents	241
See Also	241
ValidationExceptionField	242
Contents	242

See Also	242
Common Parameters	243
Common Error Types	246

Welcome

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Overview

This is the *AWS Panorama API Reference*. For an introduction to the service, see [What is AWS Panorama?](#) in the *AWS Panorama Developer Guide*.

This document was last published on April 9, 2026.

Actions

The following actions are supported:

- [CreateApplicationInstance](#)
- [CreateJobForDevices](#)
- [CreateNodeFromTemplateJob](#)
- [CreatePackage](#)
- [CreatePackageImportJob](#)
- [DeleteDevice](#)
- [DeletePackage](#)
- [DeregisterPackageVersion](#)
- [DescribeApplicationInstance](#)
- [DescribeApplicationInstanceDetails](#)
- [DescribeDevice](#)
- [DescribeDeviceJob](#)
- [DescribeNode](#)
- [DescribeNodeFromTemplateJob](#)
- [DescribePackage](#)
- [DescribePackageImportJob](#)
- [DescribePackageVersion](#)
- [ListApplicationInstanceDependencies](#)
- [ListApplicationInstanceNodeInstances](#)
- [ListApplicationInstances](#)
- [ListDevices](#)
- [ListDevicesJobs](#)
- [ListNodeFromTemplateJobs](#)
- [ListNodes](#)
- [ListPackageImportJobs](#)
- [ListPackages](#)
- [ListTagsForResource](#)

- [ProvisionDevice](#)
- [RegisterPackageVersion](#)
- [RemoveApplicationInstance](#)
- [SignalApplicationInstanceNodeInstances](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateDeviceMetadata](#)

CreateApplicationInstance

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Creates an application instance and deploys it to a device.

Request Syntax

```
POST /application-instances HTTP/1.1
Content-type: application/json

{
  "ApplicationInstanceIdToReplace": "string",
  "DefaultRuntimeContextDevice": "string",
  "Description": "string",
  "ManifestOverridesPayload": { ... },
  "ManifestPayload": { ... },
  "Name": "string",
  "RuntimeRoleArn": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ApplicationInstanceIdToReplace

The ID of an application instance to replace with the new instance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: No

DefaultRuntimeContextDevice

A device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

Description

A description for the application instance.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

ManifestOverridesPayload

Setting overrides for the application manifest.

Type: [ManifestOverridesPayload](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

ManifestPayload

The application's manifest document.

Type: [ManifestPayload](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

Name

A name for the application instance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\+]`

Required: No

RuntimeRoleArn

The ARN of a runtime role for the application instance.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `arn:[a-z0-9][-\ .a-z0-9]{0,62}:iam::[0-9]{12}:role/.+`

Required: No

Tags

Tags for the application instance.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `.+`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApplicationInstanceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInstanceId

The application instance's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ServiceQuotaExceededException

The request would cause a limit to be exceeded.

QuotaCode

The name of the limit.

ResourceId

The target resource's ID.

ResourceType

The target resource's type.

ServiceCode

The name of the service.

HTTP Status Code: 402

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateJobForDevices

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Creates a job to run on a device. A job can update a device's software or reboot it.

Request Syntax

```
POST /jobs HTTP/1.1
Content-type: application/json

{
  "DeviceIds": [ "string" ],
  "DeviceJobConfig": {
    "OTAJobConfig": {
      "AllowMajorVersionUpdate": boolean,
      "ImageVersion": "string"
    }
  },
  "JobType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

DeviceIds

ID of target device.

Type: Array of strings

Array Members: Fixed number of 1 item.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

DeviceJobConfig

Configuration settings for a software update job.

Type: [DeviceJobConfig](#) object

Required: No

JobType

The type of job to run.

Type: String

Valid Values: OTA | REBOOT

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Jobs": [
    {
      "DeviceId": "string",
      "JobId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Jobs

A list of jobs.

Type: Array of [Job](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateNodeFromTemplateJob

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Creates a camera stream node.

Request Syntax

```
POST /packages/template-job HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "JobTags": [
    {
      "ResourceType": "string",
      "Tags": {
        "string" : "string"
      }
    }
  ],
  "NodeDescription": "string",
  "NodeName": "string",
  "OutputPackageName": "string",
  "OutputPackageVersion": "string",
  "TemplateParameters": {
    "string" : "string"
  },
  "TemplateType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

JobTags

Tags for the job.

Type: Array of [JobResourceTags](#) objects

Required: No

NodeDescription

A description for the node.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: . *

Required: No

NodeName

A name for the node.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

OutputPackageName

An output package name for the node.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

OutputPackageVersion

An output package version for the node.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ([0-9]+\)\.([0-9]+)

Required: Yes

TemplateParameters

Template parameters for the node.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Key Pattern: .+

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: .+

Required: Yes

TemplateType

The type of node.

Type: String

Valid Values: RTSP_CAMERA_STREAM

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{  
  "JobId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreatePackage

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Creates a package and storage location in an Amazon S3 access point.

Request Syntax

```
POST /packages HTTP/1.1
Content-type: application/json

{
  "PackageName": "string",
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

PackageName

A name for the package.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Tags

Tags for the package.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Arn": "string",
  "PackageId": "string",
  "StorageLocation": {
    "BinaryPrefixLocation": "string",
    "Bucket": "string",
    "GeneratedPrefixLocation": "string",
    "ManifestPrefixLocation": "string",
    "RepoPrefixLocation": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The package's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

PackageId

The package's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-_\✓]+

StorageLocation

The package's storage location.

Type: [StorageLocation](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreatePackageImportJob

⚠ Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Imports a node package.

Request Syntax

```
POST /packages/import-jobs HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "ClientToken": "string",
  "InputConfig": {
    "PackageVersionInputConfig": {
      "S3Location": {
        "BucketName": "string",
        "ObjectKey": "string",
        "Region": "string"
      }
    }
  },
  "JobTags": [
    {
      "ResourceType": "string",
      "Tags": {
        "string" : "string"
      }
    }
  ],
  "JobType": "string",
  "OutputConfig": {
    "PackageVersionOutputConfig": {
      "MarkLatest": boolean,
      "PackageName": "string",
      "PackageVersion": "string"
    }
  }
}
```

```
}  
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

ClientToken

A client token for the package import job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[a-zA-Z0-9\-_\+]`

Required: Yes

InputConfig

An input config for the package import job.

Type: [PackageImportJobInputConfig](#) object

Required: Yes

JobTags

Tags for the package import job.

Type: Array of [JobResourceTags](#) objects

Required: No

JobType

A job type for the package import job.

Type: String

Valid Values: NODE_PACKAGE_VERSION | MARKETPLACE_NODE_PACKAGE_VERSION

Required: Yes

OutputConfig

An output config for the package import job.

Type: [PackageImportJobOutputConfig](#) object

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "JobId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteDevice

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Deletes a device.

Request Syntax

```
DELETE /devices/DeviceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DeviceId

The device's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"DeviceId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DeviceId

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeletePackage

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Deletes a package.

Note

To delete a package, you need permission to call `s3:DeleteObject` in addition to permissions for the AWS Panorama API.

Request Syntax

```
DELETE /packages/PackageId?ForceDelete=ForceDelete HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ForceDelete

Delete the package even if it has artifacts stored in its access point. Deletes the package's artifacts from Amazon S3.

PackageId

The package's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeregisterPackageVersion

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Deregisters a package version.

Request Syntax

```
DELETE /packages/PackageId/versions/PackageVersion/patch/PatchVersion?  
OwnerAccount=OwnerAccount&UpdatedLatestPatchVersion=UpdatedLatestPatchVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

OwnerAccount

An owner account.

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: `[0-9a-z_]+`

PackageId

A package ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

PackageVersion

A package version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ([0-9]+\)\.([0-9]+)

Required: Yes

PatchVersion

A patch version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-z0-9]+

Required: Yes

UpdatedLatestPatchVersion

If the version was marked latest, the new version to make as latest.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-z0-9]+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApplicationInstance

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about an application instance on a device.

Request Syntax

```
GET /application-instances/ApplicationInstanceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ApplicationInstanceId

The application instance's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApplicationInstanceId": "string",
```

```

    "ApplicationInstanceIdToReplace": "string",
    "Arn": "string",
    "CreatedTime": number,
    "DefaultRuntimeContextDevice": "string",
    "DefaultRuntimeContextDeviceName": "string",
    "Description": "string",
    "HealthStatus": "string",
    "LastUpdatedTime": number,
    "Name": "string",
    "RuntimeContextStates": [
      {
        "DesiredState": "string",
        "DeviceReportedStatus": "string",
        "DeviceReportedTime": number,
        "RuntimeContextName": "string"
      }
    ],
    "RuntimeRoleArn": "string",
    "Status": "string",
    "StatusDescription": "string",
    "Tags": {
      "string" : "string"
    }
  }
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInstanceId

The application instance's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

ApplicationInstanceIdToReplace

The ID of the application instance that this instance replaced.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Arn

The application instance's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

CreatedTime

When the application instance was created.

Type: Timestamp

DefaultRuntimeContextDevice

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

DefaultRuntimeContextDeviceName

The device's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Description

The application instance's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

HealthStatus

The application instance's health status.

Type: String

Valid Values: RUNNING | ERROR | NOT_AVAILABLE

LastUpdatedTime

The application instance was updated.

Type: Timestamp

Name

The application instance's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

RuntimeContextStates

The application instance's state.

Type: Array of [ReportedRuntimeContextState](#) objects

RuntimeRoleArn

The application instance's runtime role ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: arn:[a-z0-9][-.a-z0-9]{0,62}:iam::[0-9]{12}:role/.+

Status

The application instance's status.

Type: String

Valid Values: DEPLOYMENT_PENDING | DEPLOYMENT_REQUESTED | DEPLOYMENT_IN_PROGRESS | DEPLOYMENT_ERROR | DEPLOYMENT_SUCCEEDED | REMOVAL_PENDING | REMOVAL_REQUESTED | REMOVAL_IN_PROGRESS | REMOVAL_FAILED | REMOVAL_SUCCEEDED | DEPLOYMENT_FAILED

StatusDescription

The application instance's status description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Tags

The application instance's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerErrorException

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeApplicationInstanceDetails

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about an application instance's configuration manifest.

Request Syntax

```
GET /application-instances/ApplicationInstanceId/details HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ApplicationInstanceId

The application instance's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"ApplicationInstanceId": "string",
"ApplicationInstanceIdToReplace": "string",
"CreatedTime": number,
"DefaultRuntimeContextDevice": "string",
"Description": "string",
"ManifestOverridesPayload": { ... },
"ManifestPayload": { ... },
"Name": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInstanceId

The application instance's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

ApplicationInstanceIdToReplace

The ID of the application instance that this instance replaced.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

CreatedTime

When the application instance was created.

Type: Timestamp

DefaultRuntimeContextDevice

The application instance's default runtime context device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Description

The application instance's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

ManifestOverridesPayload

Parameter overrides for the configuration manifest.

Type: [ManifestOverridesPayload](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

ManifestPayload

The application instance's configuration manifest.

Type: [ManifestPayload](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Name

The application instance's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDevice

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a device.

Request Syntax

```
GET /devices/DeviceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DeviceId

The device's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AlternateSoftwares": [
```

```
{
  "Version": "string"
},
],
"Arn": "string",
"Brand": "string",
"CreatedTime": number,
"CurrentNetworkingStatus": {
  "Ethernet0Status": {
    "ConnectionStatus": "string",
    "HwAddress": "string",
    "IpAddress": "string"
  },
  "Ethernet1Status": {
    "ConnectionStatus": "string",
    "HwAddress": "string",
    "IpAddress": "string"
  },
  "LastUpdatedTime": number,
  "NtpStatus": {
    "ConnectionStatus": "string",
    "IpAddress": "string",
    "NtpServerName": "string"
  }
},
"CurrentSoftware": "string",
"Description": "string",
"DeviceAggregatedStatus": "string",
"DeviceConnectionStatus": "string",
"DeviceId": "string",
"LatestAlternateSoftware": "string",
"LatestDeviceJob": {
  "ImageVersion": "string",
  "JobType": "string",
  "Status": "string"
},
"LatestSoftware": "string",
"LeaseExpirationTime": number,
"Name": "string",
"NetworkingConfiguration": {
  "Ethernet0": {
    "ConnectionType": "string",
    "StaticIpConnectionInfo": {
      "DefaultGateway": "string",
```

```
    "Dns": [ "string" ],
    "IpAddress": "string",
    "Mask": "string"
  }
},
"Ethernet1": {
  "ConnectionType": "string",
  "StaticIpConnectionInfo": {
    "DefaultGateway": "string",
    "Dns": [ "string" ],
    "IpAddress": "string",
    "Mask": "string"
  }
},
"Ntp": {
  "NtpServers": [ "string" ]
}
},
"ProvisioningStatus": "string",
"SerialNumber": "string",
"Tags": {
  "string" : "string"
},
"Type": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AlternateSoftwares

Beta software releases available for the device.

Type: Array of [AlternateSoftwareMetadata](#) objects

Arn

The device's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Brand

The device's maker.

Type: String

Valid Values: AWS_PANORAMA | LENOVO

CreatedTime

When the device was created.

Type: Timestamp

CurrentNetworkingStatus

The device's networking status.

Type: [NetworkStatus](#) object

CurrentSoftware

The device's current software version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Description

The device's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

DeviceAggregatedStatus

A device's aggregated status. Including the device's connection status, provisioning status, and lease status.

Type: String

Valid Values: ERROR | AWAITING_PROVISIONING | PENDING | FAILED | DELETING | ONLINE | OFFLINE | LEASE_EXPIRED | UPDATE_NEEDED | REBOOTING

DeviceConnectionStatus

The device's connection status.

Type: String

Valid Values: ONLINE | OFFLINE | AWAITING_CREDENTIALS | NOT_AVAILABLE | ERROR

DeviceId

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

LatestAlternateSoftware

The most recent beta software release.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

LatestDeviceJob

A device's latest job. Includes the target image version, and the job status.

Type: [LatestDeviceJob](#) object

LatestSoftware

The latest software version available for the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

LeaseExpirationTime

The device's lease expiration time.

Type: Timestamp

Name

The device's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

NetworkingConfiguration

The device's networking configuration.

Type: [NetworkPayload](#) object

ProvisioningStatus

The device's provisioning status.

Type: String

Valid Values: AWAITING_PROVISIONING | PENDING | SUCCEEDED | FAILED | ERROR | DELETING

SerialNumber

The device's serial number.

Type: String

Pattern: [0-9]{1,20}

Tags

The device's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: .+

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: .*

Type

The device's type.

Type: String

Valid Values: PANORAMA_APPLIANCE_DEVELOPER_KIT | PANORAMA_APPLIANCE

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeDeviceJob

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a device job.

Request Syntax

```
GET /jobs/JobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobId

The job's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "CreatedTime": number,
  "DeviceArn": "string",
  "DeviceId": "string",
  "DeviceName": "string",
  "DeviceType": "string",
  "ImageVersion": "string",
  "JobId": "string",
  "JobType": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedTime

When the job was created.

Type: Timestamp

DeviceArn

The device's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

DeviceId

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

DeviceName

The device's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

DeviceType

The device's type.

Type: String

Valid Values: PANORAMA_APPLIANCE_DEVELOPER_KIT | PANORAMA_APPLIANCE

ImageVersion

For an OTA job, the target version of the device software.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

JobType

The job's type.

Type: String

Valid Values: OTA | REBOOT

Status

The job's status.

Type: String

Valid Values: PENDING | IN_PROGRESS | VERIFYING | REBOOTING | DOWNLOADING | COMPLETED | FAILED

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeNode

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a node.

Request Syntax

```
GET /nodes/NodeId?OwnerAccount=OwnerAccount HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

NodeId

The node's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\.\]+`

Required: Yes

OwnerAccount

The account ID of the node's owner.

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: `[0-9a-z_]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "AssetName": "string",
  "Category": "string",
  "CreatedTime": number,
  "Description": "string",
  "LastUpdatedTime": number,
  "Name": "string",
  "NodeId": "string",
  "NodeInterface": {
    "Inputs": [
      {
        "DefaultValue": "string",
        "Description": "string",
        "MaxConnections": number,
        "Name": "string",
        "Type": "string"
      }
    ],
    "Outputs": [
      {
        "Description": "string",
        "Name": "string",
        "Type": "string"
      }
    ]
  },
  "OwnerAccount": "string",
  "PackageArn": "string",
  "PackageId": "string",
  "PackageName": "string",
  "PackageVersion": "string",
  "PatchVersion": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

AssetName

The node's asset name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Category

The node's category.

Type: String

Valid Values: BUSINESS_LOGIC | ML_MODEL | MEDIA_SOURCE | MEDIA_SINK

CreatedTime

When the node was created.

Type: Timestamp

Description

The node's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `.*`

LastUpdatedTime

When the node was updated.

Type: Timestamp

Name

The node's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_]+`

NodeId

The node's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\.\]+`

NodeInterface

The node's interface.

Type: [NodeInterface](#) object

OwnerAccount

The account ID of the node's owner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: `[0-9a-z_] +`

PackageArn

The node's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

PackageId

The node's package ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\V]+`

PackageName

The node's package name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-__]+`

PackageVersion

The node's package version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

PatchVersion

The node's patch version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerErrorException

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeNodeFromTemplateJob

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a job to create a camera stream node.

Request Syntax

```
GET /packages/template-job/JobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobId

The job's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"CreatedTime": number,
"JobId": "string",
"JobTags": [
  {
    "ResourceType": "string",
    "Tags": {
      "string" : "string"
    }
  }
],
"LastUpdatedTime": number,
"NodeDescription": "string",
"NodeName": "string",
"OutputPackageName": "string",
"OutputPackageVersion": "string",
"Status": "string",
"StatusMessage": "string",
"TemplateParameters": {
  "string" : "string"
},
"TemplateType": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

CreatedTime

When the job was created.

Type: Timestamp

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

JobTags

The job's tags.

Type: Array of [JobResourceTags](#) objects

LastUpdatedTime

When the job was updated.

Type: Timestamp

NodeDescription

The node's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

NodeName

The node's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9\-__]+

OutputPackageName

The job's output package name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9\-__]+

OutputPackageVersion

The job's output package version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ([0-9]+\)\.([0-9]+)

Status

The job's status.

Type: String

Valid Values: PENDING | SUCCEEDED | FAILED

StatusMessage

The job's status message.

Type: String

TemplateParameters

The job's template parameters.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 255.

Key Pattern: .+

Value Length Constraints: Minimum length of 1. Maximum length of 255.

Value Pattern: .+

TemplateType

The job's template type.

Type: String

Valid Values: RTSP_CAMERA_STREAM

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribePackage

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a package.

Request Syntax

```
GET /packages/metadata/PackageId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

PackageId

The package's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"Arn": "string",
"CreatedTime": number,
"PackageId": "string",
"PackageName": "string",
"ReadAccessPrincipalArns": [ "string" ],
"StorageLocation": {
  "BinaryPrefixLocation": "string",
  "Bucket": "string",
  "GeneratedPrefixLocation": "string",
  "ManifestPrefixLocation": "string",
  "RepoPrefixLocation": "string"
},
"Tags": {
  "string" : "string"
},
"WriteAccessPrincipalArns": [ "string" ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The package's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

CreatedTime

When the package was created.

Type: Timestamp

PackageId

The package's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\//]+`

PackageName

The package's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_]+`

ReadAccessPrincipalArns

ARNs of accounts that have read access to the package.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `arn:[a-z0-9][-.a-z0-9]{0,62}:iam::[0-9]{12}:[a-zA-Z0-9+=,.\@\-_//]+`

StorageLocation

The package's storage location.

Type: [StorageLocation](#) object

Tags

The package's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `.+`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.*`

WriteAccessPrincipalArns

ARNs of accounts that have write access to the package.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `arn:[a-z0-9]([- .a-z0-9]{0,62}:iam:[0-9]{12}:[a-zA-Z0-9+=,.\@_\/]+)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribePackageImportJob

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a package import job.

Request Syntax

```
GET /packages/import-jobs/JobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

JobId

The job's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ClientToken": "string",
```

```
"CreatedTime": number,
"InputConfig": {
  "PackageVersionInputConfig": {
    "S3Location": {
      "BucketName": "string",
      "ObjectKey": "string",
      "Region": "string"
    }
  }
},
"JobId": "string",
"JobTags": [
  {
    "ResourceType": "string",
    "Tags": {
      "string" : "string"
    }
  }
],
"JobType": "string",
"LastUpdatedTime": number,
"Output": {
  "OutputS3Location": {
    "BucketName": "string",
    "ObjectKey": "string"
  },
  "PackageId": "string",
  "PackageVersion": "string",
  "PatchVersion": "string"
},
"OutputConfig": {
  "PackageVersionOutputConfig": {
    "MarkLatest": boolean,
    "PackageName": "string",
    "PackageVersion": "string"
  }
},
"Status": "string",
"StatusMessage": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ClientToken

The job's client token.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [a-zA-Z0-9\-__]+

CreatedTime

When the job was created.

Type: Timestamp

InputConfig

The job's input config.

Type: [PackageImportJobInputConfig](#) object

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

JobTags

The job's tags.

Type: Array of [JobResourceTags](#) objects

JobType

The job's type.

Type: String

Valid Values: NODE_PACKAGE_VERSION | MARKETPLACE_NODE_PACKAGE_VERSION

LastUpdatedTime

When the job was updated.

Type: Timestamp

Output

The job's output.

Type: [PackageImportJobOutput](#) object

OutputConfig

The job's output config.

Type: [PackageImportJobOutputConfig](#) object

Status

The job's status.

Type: String

Valid Values: PENDING | SUCCEEDED | FAILED

StatusMessage

The job's status message.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribePackageVersion

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns information about a package version.

Request Syntax

```
GET /packages/metadata/PackageId/versions/PackageVersion?  
OwnerAccount=OwnerAccount&PatchVersion=PatchVersion HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

OwnerAccount

The version's owner account.

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: `[0-9a-z_]+`

PackageId

The version's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

PackageVersion

The version's version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ($[\text{0-9}]^+$)\. $[\text{0-9}]^+$

Required: Yes

PatchVersion

The version's patch version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: $[\text{a-z0-9}]^+$

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "IsLatestPatch": boolean,
  "OwnerAccount": "string",
  "PackageArn": "string",
  "PackageId": "string",
  "PackageName": "string",
  "PackageVersion": "string",
  "PatchVersion": "string",
  "RegisteredTime": number,
  "Status": "string",
  "StatusDescription": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

IsLatestPatch

Whether the version is the latest available.

Type: Boolean

OwnerAccount

The account ID of the version's owner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: `[0-9a-z_]+`

PackageArn

The ARN of the package.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

PackageId

The version's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

PackageName

The version's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_]+`

PackageVersion

The version's version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: (`[0-9]+`)\.`([0-9]+`)

PatchVersion

The version's patch version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

RegisteredTime

The version's registered time.

Type: Timestamp

Status

The version's status.

Type: String

Valid Values: REGISTER_PENDING | REGISTER_COMPLETED | FAILED | DELETING

StatusDescription

The version's status description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationInstanceDependencies

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of application instance dependencies.

Request Syntax

```
GET /application-instances/ApplicationInstanceId/package-dependencies?  
maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ApplicationInstanceId

The application instance's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: Yes

MaxResults

The maximum number of application instance dependencies to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "PackageObjects": [
    {
      "Name": "string",
      "PackageVersion": "string",
      "PatchVersion": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

PackageObjects

A list of package objects.

Type: Array of [PackageObject](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationInstanceNodeInstances

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of application node instances.

Request Syntax

```
GET /application-instances/ApplicationInstanceId/node-instances?  
maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ApplicationInstanceId

The node instances' application instance ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: Yes

MaxResults

The maximum number of node instances to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
  "NodeInstances": [
    {
      "CurrentStatus": "string",
      "NodeId": "string",
      "NodeInstanceId": "string",
      "NodeName": "string",
      "PackageName": "string",
      "PackagePatchVersion": "string",
      "PackageVersion": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

NodeInstances

A list of node instances.

Type: Array of [NodeInstance](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListApplicationInstances

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of application instances.

Request Syntax

```
GET /application-instances?  
deviceId=DeviceId&maxResults=MaxResults&nextToken=NextToken&statusFilter=StatusFilter  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DeviceId

The application instances' device ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

MaxResults

The maximum number of application instances to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `.\+`

StatusFilter

Only include instances with a specific status.

Valid Values: DEPLOYMENT_SUCCEEDED | DEPLOYMENT_ERROR | REMOVAL_SUCCEEDED
| REMOVAL_FAILED | PROCESSING_DEPLOYMENT | PROCESSING_REMOVAL |
DEPLOYMENT_FAILED

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApplicationInstances": [
    {
      "ApplicationInstanceId": "string",
      "Arn": "string",
      "CreatedTime": number,
      "DefaultRuntimeContextDevice": "string",
      "DefaultRuntimeContextDeviceName": "string",
      "Description": "string",
      "HealthStatus": "string",
      "Name": "string",
      "RuntimeContextStates": [
        {
          "DesiredState": "string",
          "DeviceReportedStatus": "string",
          "DeviceReportedTime": number,
          "RuntimeContextName": "string"
        }
      ],
      "Status": "string",
      "StatusDescription": "string",
      "Tags": {
        "string" : "string"
      }
    }
  ]
}
```

```
  ],  
  "NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInstances

A list of application instances.

Type: Array of [ApplicationInstance](#) objects

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDevices

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of devices.

Request Syntax

```
GET /devices?  
DeviceAggregatedStatusFilter=DeviceAggregatedStatusFilter&MaxResults=MaxResults&NameFilter=NameFilter  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DeviceAggregatedStatusFilter

Filter based on a device's status.

Valid Values: ERROR | AWAITING_PROVISIONING | PENDING | FAILED | DELETING | ONLINE | OFFLINE | LEASE_EXPIRED | UPDATE_NEEDED | REBOOTING

MaxResults

The maximum number of devices to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NameFilter

Filter based on device's name. Prefixes supported.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

SortBy

The target column to be sorted on. Default column sort is CREATED_TIME.

Valid Values: DEVICE_ID | CREATED_TIME | NAME | DEVICE_AGGREGATED_STATUS

SortOrder

The sorting order for the returned list. SortOrder is DESCENDING by default based on CREATED_TIME. Otherwise, SortOrder is ASCENDING.

Valid Values: ASCENDING | DESCENDING

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "Devices": [
    {
      "Brand": "string",
      "CreatedTime": number,
      "CurrentSoftware": "string",
      "Description": "string",
      "DeviceAggregatedStatus": "string",
      "DeviceId": "string",
      "LastUpdatedTime": number,
      "LatestDeviceJob": {
        "ImageVersion": "string",
        "JobType": "string",
        "Status": "string"
      },
      "LeaseExpirationTime": number,
      "Name": "string",
      "ProvisioningStatus": "string",
      "Tags": {
```

```
        "string" : "string"
      },
      "Type": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Devices

A list of devices.

Type: Array of [Device](#) objects

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListDevicesJobs

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of jobs.

Request Syntax

```
GET /jobs?DeviceId=DeviceId&MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

DeviceId

Filter results by the job's target device ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\+]`

MaxResults

The maximum number of device jobs to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: `.\+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DeviceJobs": [
    {
      "CreatedTime": number,
      "DeviceId": "string",
      "DeviceName": "string",
      "JobId": "string",
      "JobType": "string"
    }
  ],
  "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DeviceJobs

A list of jobs.

Type: Array of [DeviceJob](#) objects

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

ListNodeFromTemplateJobs

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of camera stream node jobs.

Request Syntax

```
GET /packages/template-job?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of node from template jobs to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "NextToken": "string",
  "NodeFromTemplateJobs": [
    {
      "CreatedTime": number,
      "JobId": "string",
      "NodeName": "string",
      "Status": "string",
      "StatusMessage": "string",
      "TemplateType": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

NodeFromTemplateJobs

A list of jobs.

Type: Array of [NodeFromTemplateJob](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListNodes

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of nodes.

Request Syntax

```
GET /nodes?  
category=Category&maxResults=MaxResults&nextToken=NextToken&ownerAccount=OwnerAccount&packageName=PackageName  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

Category

Search for nodes by category.

Valid Values: BUSINESS_LOGIC | ML_MODEL | MEDIA_SOURCE | MEDIA_SINK

MaxResults

The maximum number of nodes to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: . +

OwnerAccount

Search for nodes by the account ID of the nodes' owner.

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: `[0-9a-z_]+`

PackageName

Search for nodes by name.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_]+`

PackageVersion

Search for nodes by version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

PatchVersion

Search for nodes by patch version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "NextToken": "string",
```

```
"Nodes": [  
  {  
    "Category": "string",  
    "CreatedTime": number,  
    "Description": "string",  
    "Name": "string",  
    "NodeId": "string",  
    "OwnerAccount": "string",  
    "PackageArn": "string",  
    "PackageId": "string",  
    "PackageName": "string",  
    "PackageVersion": "string",  
    "PatchVersion": "string"  
  }  
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

Nodes

A list of nodes.

Type: Array of [Node](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPackageImportJobs

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of package import jobs.

Request Syntax

```
GET /packages/import-jobs?MaxResults=MaxResults&NextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of package import jobs to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "NextToken": "string",
  "PackageImportJobs": [
    {
      "CreatedTime": number,
      "JobId": "string",
      "JobType": "string",
      "LastUpdatedTime": number,
      "Status": "string",
      "StatusMessage": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

PackageImportJobs

A list of package import jobs.

Type: Array of [PackageImportJob](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListPackages

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of packages.

Request Syntax

```
GET /packages?maxResults=MaxResults&nextToken=NextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

MaxResults

The maximum number of packages to return in one page of results.

Valid Range: Minimum value of 0. Maximum value of 25.

NextToken

Specify the pagination token from a previous request to retrieve the next page of results.

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "NextToken": "string",
  "Packages": [
    {
      "Arn": "string",
      "CreatedTime": number,
      "PackageId": "string",
      "PackageName": "string",
      "Tags": {
        "string" : "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

A pagination token that's included if more results are available.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 4096.

Pattern: .+

Packages

A list of packages.

Type: Array of [PackageListItem](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Returns a list of tags for a resource.

Request Syntax

```
GET /tags/ResourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

The resource's ARN.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: . +

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```
"Tags": {  
  "string" : "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Tags

A list of tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ProvisionDevice

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Creates a device and returns a configuration archive. The configuration archive is a ZIP file that contains a provisioning certificate that is valid for 5 minutes. Name the configuration archive `certificates-omni_device-name.zip` and transfer it to the device within 5 minutes. Use the included USB storage device and connect it to the USB 3.0 port next to the HDMI output.

Request Syntax

```
POST /devices HTTP/1.1
Content-type: application/json

{
  "Description": "string",
  "Name": "string",
  "NetworkingConfiguration": {
    "Ethernet0": {
      "ConnectionType": "string",
      "StaticIpConnectionInfo": {
        "DefaultGateway": "string",
        "Dns": [ "string" ],
        "IpAddress": "string",
        "Mask": "string"
      }
    },
    "Ethernet1": {
      "ConnectionType": "string",
      "StaticIpConnectionInfo": {
        "DefaultGateway": "string",
        "Dns": [ "string" ],
        "IpAddress": "string",
        "Mask": "string"
      }
    }
  },
}
```

```
    "Ntp": {
      "NtpServers": [ "string" ]
    },
    "Tags": {
      "string" : "string"
    }
  }
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

Description

A description for the device.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

Name

A name for the device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

NetworkingConfiguration

A networking configuration for the device.

Type: [NetworkPayload](#) object

Required: No

Tags

Tags for the device.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "Arn": "string",
  "Certificates": blob,
  "DeviceId": "string",
  "IoTThingName": "string",
  "Status": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Arn

The device's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Certificates

The device's configuration bundle.

Type: Base64-encoded binary data object

DeviceId

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

IoTThingName

The device's IoT thing name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Status

The device's status.

Type: String

Valid Values: AWAITING_PROVISIONING | PENDING | SUCCEEDED | FAILED | ERROR | DELETING

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerErrorException

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ServiceQuotaExceededException

The request would cause a limit to be exceeded.

QuotaCode

The name of the limit.

ResourceId

The target resource's ID.

ResourceType

The target resource's type.

ServiceCode

The name of the service.

HTTP Status Code: 402

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

RegisterPackageVersion

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Registers a package version.

Request Syntax

```
PUT /packages/PackageId/versions/PackageVersion/patch/PatchVersion HTTP/1.1
Content-type: application/json

{
  "MarkLatest": boolean,
  "OwnerAccount": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

PackageId

A package ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

PackageVersion

A package version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

Required: Yes

PatchVersion

A patch version.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

MarkLatest

Whether to mark the new version as the latest version.

Type: Boolean

Required: No

OwnerAccount

An owner account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: [0-9a-z_]+

Required: No

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

RemoveApplicationInstance

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Removes an application instance.

Request Syntax

```
DELETE /application-instances/ApplicationInstanceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ApplicationInstanceId

An application instance ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

SignalApplicationInstanceNodeInstances

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Signal camera nodes to stop or resume.

Request Syntax

```
PUT /application-instances/ApplicationInstanceId/node-signals HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "NodeSignals": [
    {
      "NodeInstanceId": "string",
      "Signal": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

ApplicationInstanceId

An application instance ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

NodeSignals

A list of signals.

Type: Array of [NodeSignal](#) objects

Array Members: Minimum number of 1 item.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "ApplicationInstanceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ApplicationInstanceId

An application instance ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ServiceQuotaExceededException

The request would cause a limit to be exceeded.

QuotaCode

The name of the limit.

ResourceId

The target resource's ID.

ResourceType

The target resource's type.

ServiceCode

The name of the service.

HTTP Status Code: 402

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Tags a resource.

Request Syntax

```
POST /tags/ResourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "Tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

The resource's ARN.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: .+

Required: Yes

Request Body

The request accepts the following data in JSON format.

Tags

Tags for the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerErrorException

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Removes tags from a resource.

Request Syntax

```
DELETE /tags/ResourceArn?tagKeys=TagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

ResourceArn

The resource's ARN.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: . +

Required: Yes

TagKeys

Tag keys to remove.

Array Members: Minimum number of 1 item. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: . +

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateDeviceMetadata

Important

End of support notice: On May 31, 2026, AWS will end support for AWS Panorama. After May 31, 2026, you will no longer be able to access the AWS Panorama console or AWS Panorama resources. For more information, see [AWS Panorama end of support](#).

Updates a device's metadata.

Request Syntax

```
PUT /devices/DeviceId HTTP/1.1
Content-type: application/json
```

```
{
  "Description": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

DeviceId

The device's ID.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\+]`

Required: Yes

Request Body

The request accepts the following data in JSON format.

Description

A description for the device.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "DeviceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

DeviceId

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

The requestor does not have permission to access the target action or resource.

HTTP Status Code: 403

ConflictException

The target resource is in use.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 409

InternalServerError

An internal error occurred.

RetryAfterSeconds

The number of seconds a client should wait before retrying the call.

HTTP Status Code: 500

ResourceNotFoundException

The target resource was not found.

ResourceId

The resource's ID.

ResourceType

The resource's type.

HTTP Status Code: 404

ValidationException

The request contains an invalid parameter value.

ErrorArguments

A list of attributes that led to the exception and their values.

ErrorId

A unique ID for the error.

Fields

A list of request parameters that failed validation.

Reason

The reason that validation failed.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The AWS Panorama API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AlternateSoftwareMetadata](#)
- [ApplicationInstance](#)
- [ConflictExceptionErrorArgument](#)
- [Device](#)
- [DeviceJob](#)
- [DeviceJobConfig](#)
- [EthernetPayload](#)
- [EthernetStatus](#)
- [Job](#)
- [JobResourceTags](#)
- [LatestDeviceJob](#)
- [ManifestOverridesPayload](#)
- [ManifestPayload](#)
- [NetworkPayload](#)
- [NetworkStatus](#)
- [Node](#)
- [NodeFromTemplateJob](#)
- [NodeInputPort](#)
- [NodeInstance](#)
- [NodeInterface](#)

- [NodeOutputPort](#)
- [NodeSignal](#)
- [NtpPayload](#)
- [NtpStatus](#)
- [OTAJobConfig](#)
- [OutPutS3Location](#)
- [PackageImportJob](#)
- [PackageImportJobInputConfig](#)
- [PackageImportJobOutput](#)
- [PackageImportJobOutputConfig](#)
- [PackageListItem](#)
- [PackageObject](#)
- [PackageVersionInputConfig](#)
- [PackageVersionOutputConfig](#)
- [ReportedRuntimeContextState](#)
- [S3Location](#)
- [StaticIpConnectionInfo](#)
- [StorageLocation](#)
- [ValidationExceptionErrorArgument](#)
- [ValidationExceptionField](#)

AlternateSoftwareMetadata

Details about a beta appliance software update.

Contents

Version

The appliance software version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ApplicationInstance

An application instance on a device.

Contents

ApplicationInstanceId

The application instance's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

Arn

The application instance's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

CreatedTime

When the application instance was created.

Type: Timestamp

Required: No

DefaultRuntimeContextDevice

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

DefaultRuntimeContextDeviceName

The device's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

Description

The application instance's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `.*`

Required: No

HealthStatus

The application instance's health status.

Type: String

Valid Values: `RUNNING` | `ERROR` | `NOT_AVAILABLE`

Required: No

Name

The application instance's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

RuntimeContextStates

The application's state.

Type: Array of [ReportedRuntimeContextState](#) objects

Required: No

Status

The application instance's status.

Type: String

Valid Values: DEPLOYMENT_PENDING | DEPLOYMENT_REQUESTED | DEPLOYMENT_IN_PROGRESS | DEPLOYMENT_ERROR | DEPLOYMENT_SUCCEEDED | REMOVAL_PENDING | REMOVAL_REQUESTED | REMOVAL_IN_PROGRESS | REMOVAL_FAILED | REMOVAL_SUCCEEDED | DEPLOYMENT_FAILED

Required: No

StatusDescription

The application instance's status description.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Tags

The application instance's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ConflictExceptionErrorArgument

A conflict exception error argument.

Contents

Name

The error argument's name.

Type: String

Required: Yes

Value

The error argument's value.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Device

A device.

Contents

Brand

The device's maker.

Type: String

Valid Values: AWS_PANORAMA | LENOVO

Required: No

CreatedTime

When the device was created.

Type: Timestamp

Required: No

CurrentSoftware

A device's current software.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Description

A description for the device.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

DeviceAggregatedStatus

A device's aggregated status. Including the device's connection status, provisioning status, and lease status.

Type: String

Valid Values: ERROR | AWAITING_PROVISIONING | PENDING | FAILED | DELETING | ONLINE | OFFLINE | LEASE_EXPIRED | UPDATE_NEEDED | REBOOTING

Required: No

DeviceId

The device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: No

LastUpdatedTime

When the device was updated.

Type: Timestamp

Required: No

LatestDeviceJob

A device's latest job. Includes the target image version, and the update job status.

Type: [LatestDeviceJob](#) object

Required: No

LeaseExpirationTime

The device's lease expiration time.

Type: Timestamp

Required: No

Name

The device's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: No

ProvisioningStatus

The device's provisioning status.

Type: String

Valid Values: `AWAITING_PROVISIONING | PENDING | SUCCEEDED | FAILED | ERROR | DELETING`

Required: No

Tags

The device's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `.+`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `.*`

Required: No

Type

The device's type.

Type: String

Valid Values: PANORAMA_APPLIANCE_DEVELOPER_KIT | PANORAMA_APPLIANCE

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeviceJob

A job that runs on a device.

Contents

CreatedTime

When the job was created.

Type: Timestamp

Required: No

DeviceId

The ID of the target device.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

DeviceName

The name of the target device

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-__]+

Required: No

JobType

The job's type.

Type: String

Valid Values: OTA | REBOOT

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

DeviceJobConfig

A job's configuration.

Contents

OTAJobConfig

A configuration for an over-the-air (OTA) upgrade. Required for OTA jobs.

Type: [OTAJobConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EthernetPayload

A device's network configuration.

Contents

ConnectionType

How the device gets an IP address.

Type: String

Valid Values: `STATIC_IP` | `DHCP`

Required: Yes

StaticIpConnectionInfo

Network configuration for a static IP connection.

Type: [StaticIpConnectionInfo](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EthernetStatus

A device's Ethernet status.

Contents

ConnectionStatus

The device's connection status.

Type: String

Valid Values: CONNECTED | NOT_CONNECTED | CONNECTING

Required: No

HwAddress

The device's physical address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

IpAddress

The device's IP address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ((25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d))(:((6553[0-5]|655[0-2]\d|65[0-4]\d{2}|6[0-4]\d{3}|[1-5]\d{4}|[1-9]\d{0,3})))?

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Job

A job for a device.

Contents

Deviceld

The target device's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

JobResourceTags

Tags for a job.

Contents

ResourceType

The job's type.

Type: String

Valid Values: PACKAGE

Required: Yes

Tags

The job's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LatestDeviceJob

Returns information about the latest device job.

Contents

ImageVersion

The target version of the device software.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: . +

Required: No

JobType

The job's type.

Type: String

Valid Values: OTA | REBOOT

Required: No

Status

Status of the latest device job.

Type: String

Valid Values: PENDING | IN_PROGRESS | VERIFYING | REBOOTING | DOWNLOADING | COMPLETED | FAILED

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManifestOverridesPayload

Parameter overrides for an application instance. This is a JSON document that has a single key (`PayloadData`) where the value is an escaped string representation of the overrides document.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

PayloadData

The overrides document.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 51200.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ManifestPayload

A application verion's manifest file. This is a JSON document that has a single key (PayloadData) where the value is an escaped string representation of the application manifest (graph.json). This file is located in the graphs folder in your application source.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

PayloadData

The application manifest.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 51200.

Pattern: .+

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NetworkPayload

The network configuration for a device.

Contents

Ethernet0

Settings for Ethernet port 0.

Type: [EthernetPayload](#) object

Required: No

Ethernet1

Settings for Ethernet port 1.

Type: [EthernetPayload](#) object

Required: No

Ntp

Network time protocol (NTP) server settings.

Type: [NtpPayload](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NetworkStatus

The network status of a device.

Contents

Ethernet0Status

The status of Ethernet port 0.

Type: [EthernetStatus](#) object

Required: No

Ethernet1Status

The status of Ethernet port 1.

Type: [EthernetStatus](#) object

Required: No

LastUpdatedTime

When the network status changed.

Type: Timestamp

Required: No

NtpStatus

Details about a network time protocol (NTP) server connection.

Type: [NtpStatus](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Node

An application node that represents a camera stream, a model, code, or output.

Contents

Category

The node's category.

Type: String

Valid Values: BUSINESS_LOGIC | ML_MODEL | MEDIA_SOURCE | MEDIA_SINK

Required: Yes

CreatedTime

When the node was created.

Type: Timestamp

Required: Yes

Name

The node's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_\.]+`

Required: Yes

NodeId

The node's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\.\.]+`

Required: Yes

PackageId

The node's package ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

PackageName

The node's package name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_] +`

Required: Yes

PackageVersion

The node's package version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+)\.([0-9]+)`

Required: Yes

PatchVersion

The node's patch version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

Required: Yes

Description

The node's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

OwnerAccount

The account ID of the node's owner.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 12.

Pattern: [0-9a-z_]+

Required: No

PackageArn

The node's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NodeFromTemplateJob

A job to create a camera stream node.

Contents

CreatedTime

When the job was created.

Type: Timestamp

Required: No

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

NodeName

The node's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-__]+`

Required: No

Status

The job's status.

Type: String

Valid Values: PENDING | SUCCEEDED | FAILED

Required: No

StatusMessage

The job's status message.

Type: String

Required: No

TemplateType

The job's template type.

Type: String

Valid Values: RTSP_CAMERA_STREAM

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NodeInputPort

A node input port.

Contents

DefaultValue

The input port's default value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

Description

The input port's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

MaxConnections

The input port's max connections.

Type: Integer

Required: No

Name

The input port's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [a-zA-Z0-9_]+

Required: No

Type

The input port's type.

Type: String

Valid Values: BOOLEAN | STRING | INT32 | FLOAT32 | MEDIA

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NodeInstance

A node instance.

Contents

CurrentStatus

The instance's current status.

Type: String

Valid Values: RUNNING | ERROR | NOT_AVAILABLE | PAUSED

Required: Yes

NodeInstanceId

The instance's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z0-9\-__]+

Required: Yes

NodeId

The node's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: [a-zA-Z0-9\-_\.\.]+

Required: No

NodeName

The instance's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: No

PackageName

The instance's package name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: No

PackagePatchVersion

The instance's package patch version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

Required: No

PackageVersion

The instance's package version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NodeInterface

A node interface.

Contents

Inputs

The node interface's inputs.

Type: Array of [NodeInputPort](#) objects

Required: Yes

Outputs

The node interface's outputs.

Type: Array of [NodeOutputPort](#) objects

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NodeOutputPort

A node output port.

Contents

Description

The output port's description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: .*

Required: No

Name

The output port's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 50.

Pattern: [a-zA-Z0-9_]+

Required: No

Type

The output port's type.

Type: String

Valid Values: BOOLEAN | STRING | INT32 | FLOAT32 | MEDIA

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NodeSignal

A signal to a camera node to start or stop processing video.

Contents

NodeInstanceId

The camera node's name, from the application manifest.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

Signal

The signal value.

Type: String

Valid Values: PAUSE | RESUME

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NtpPayload

Network time protocol (NTP) server settings. Use this option to connect to local NTP servers instead of `pool.ntp.org`.

Contents

NtpServers

NTP servers to use, in order of preference.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 5 items.

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `.*(?:([a-z0-9]+(-[a-z0-9]+)*\.)+[a-z]{2,}$)|(?:((25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d))|((6553[0-5]|655[0-2]\d|65[0-4]\d{2}|6[0-4]\d{3}|[1-5]\d{4}|[1-9]\d{0,3}))?)?$.*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

NtpStatus

Details about an NTP server connection.

Contents

ConnectionStatus

The connection's status.

Type: String

Valid Values: CONNECTED | NOT_CONNECTED | CONNECTING

Required: No

IpAddress

The IP address of the server.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ((25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d))|(:((6553[0-5]|655[0-2]\d|65[0-4]\d{2}|6[0-4]\d{3}|[1-5]\d{4}|[1-9]\d{0,3}))?)

Required: No

NtpServerName

The domain name of the server.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OTAJobConfig

An over-the-air update (OTA) job configuration.

Contents

ImageVersion

The target version of the device software.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

Required: Yes

AllowMajorVersionUpdate

Whether to apply the update if it is a major version change.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

OutPutS3Location

The location of an output object in Amazon S3.

Contents

BucketName

The object's bucket.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

Required: Yes

ObjectKey

The object's key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageImportJob

A job to import a package version.

Contents

CreatedTime

When the job was created.

Type: Timestamp

Required: No

JobId

The job's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: No

JobType

The job's type.

Type: String

Valid Values: `NODE_PACKAGE_VERSION` | `MARKETPLACE_NODE_PACKAGE_VERSION`

Required: No

LastUpdatedTime

When the job was updated.

Type: Timestamp

Required: No

Status

The job's status.

Type: String

Valid Values: PENDING | SUCCEEDED | FAILED

Required: No

StatusMessage

The job's status message.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageImportJobInputConfig

A configuration for a package import job.

Contents

PackageVersionInputConfig

The package version's input configuration.

Type: [PackageVersionInputConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageImportJobOutput

Results of a package import job.

Contents

OutputS3Location

The package's output location.

Type: [OutPutS3Location](#) object

Required: Yes

PackageId

The package's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: Yes

PackageVersion

The package's version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

Required: Yes

PatchVersion

The package's patch version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageImportJobOutputConfig

An output configuration for a package import job.

Contents

PackageVersionOutputConfig

The package version's output configuration.

Type: [PackageVersionOutputConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageListItem

A package summary.

Contents

Arn

The package's ARN.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Required: No

CreatedTime

When the package was created.

Type: Timestamp

Required: No

PackageId

The package's ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-zA-Z0-9\-_\✓]+`

Required: No

PackageName

The package's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_]+`

Required: No

Tags

The package's tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: . +

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: . *

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageObject

A package object.

Contents

Name

The object's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-_\]+`

Required: Yes

PackageVersion

The object's package version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

Required: Yes

PatchVersion

The object's patch version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `[a-z0-9]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageVersionInputConfig

A package version input configuration.

Contents

S3Location

A location in Amazon S3.

Type: [S3Location](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

PackageVersionOutputConfig

A package version output configuration.

Contents

PackageName

The output's package name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9\-__]+`

Required: Yes

PackageVersion

The output's package version.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: `([0-9]+\)\.([0-9]+)`

Required: Yes

MarkLatest

Indicates that the version is recommended for all users.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ReportedRuntimeContextState

An application instance's state.

Contents

DesiredState

The application's desired state.

Type: String

Valid Values: RUNNING | STOPPED | REMOVED

Required: Yes

DeviceReportedStatus

The application's reported status.

Type: String

Valid Values: STOPPING | STOPPED | STOP_ERROR | REMOVAL_FAILED |
REMOVAL_IN_PROGRESS | STARTING | RUNNING | INSTALL_ERROR | LAUNCHED |
LAUNCH_ERROR | INSTALL_IN_PROGRESS

Required: Yes

DeviceReportedTime

When the device reported the application's state.

Type: Timestamp

Required: Yes

RuntimeContextName

The device's name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: . +

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

S3Location

A location in Amazon S3.

Contents

BucketName

A bucket name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: . +

Required: Yes

ObjectKey

An object key.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: . +

Required: Yes

Region

The bucket's Region.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: . +

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StaticIpConnectionInfo

A static IP configuration.

Contents

DefaultGateway

The connection's default gateway.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

Required: Yes

Dns

The connection's DNS address.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: .+

Required: Yes

IpAddress

The connection's IP address.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: ((25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d)\.(25[0-5]|2[0-4]\d|1\d\d|[1-9]?\d))|((6553[0-5]|655[0-2]\d|65[0-4]\d{2}|6[0-4]\d{3}|[1-5]\d{4}|[1-9]\d{0,3}))?

Required: Yes

Mask

The connection's DNS mask.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 255.

Pattern: . +

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

StorageLocation

A storage location.

Contents

BinaryPrefixLocation

The location's binary prefix.

Type: String

Required: Yes

Bucket

The location's bucket.

Type: String

Required: Yes

GeneratedPrefixLocation

The location's generated prefix.

Type: String

Required: Yes

ManifestPrefixLocation

The location's manifest prefix.

Type: String

Required: Yes

RepoPrefixLocation

The location's repo prefix.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionErrorArgument

A validation exception error argument.

Contents

Name

The argument's name.

Type: String

Required: Yes

Value

The argument's value.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

A validation exception field.

Contents

Message

The field's message.

Type: String

Required: Yes

Name

The field's name.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400