



API Reference

Amazon Managed Service for Prometheus



API Version 2020-08-01

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon Managed Service for Prometheus: API Reference

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
CreateAlertManagerDefinition	4
Request Syntax	4
URI Request Parameters	4
Request Body	4
Response Syntax	5
Response Elements	5
Errors	5
See Also	8
CreateAnomalyDetector	9
Request Syntax	9
URI Request Parameters	9
Request Body	10
Response Syntax	12
Response Elements	12
Errors	13
See Also	15
CreateLoggingConfiguration	17
Request Syntax	17
URI Request Parameters	17
Request Body	17
Response Syntax	18
Response Elements	18
Errors	19
See Also	20
CreateQueryLoggingConfiguration	21
Request Syntax	21
URI Request Parameters	21
Request Body	21
Response Syntax	22
Response Elements	22
Errors	23
See Also	24

CreateRuleGroupsNamespace	25
Request Syntax	25
URI Request Parameters	25
Request Body	26
Response Syntax	27
Response Elements	27
Errors	28
See Also	31
CreateScraper	32
Request Syntax	32
URI Request Parameters	33
Request Body	33
Response Syntax	35
Response Elements	35
Errors	36
See Also	39
CreateWorkspace	40
Request Syntax	40
URI Request Parameters	40
Request Body	40
Response Syntax	42
Response Elements	42
Errors	43
See Also	46
DeleteAlertManagerDefinition	47
Request Syntax	47
URI Request Parameters	47
Request Body	47
Response Syntax	47
Response Elements	48
Errors	48
See Also	50
DeleteAnomalyDetector	51
Request Syntax	51
URI Request Parameters	51
Request Body	51

Response Syntax	52
Response Elements	52
Errors	52
See Also	54
DeleteLoggingConfiguration	55
Request Syntax	55
URI Request Parameters	55
Request Body	55
Response Syntax	56
Response Elements	56
Errors	56
See Also	57
DeleteQueryLoggingConfiguration	59
Request Syntax	59
URI Request Parameters	59
Request Body	59
Response Syntax	59
Response Elements	60
Errors	60
See Also	61
DeleteResourcePolicy	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	64
Response Elements	64
Errors	64
See Also	66
DeleteRuleGroupsNamespace	67
Request Syntax	67
URI Request Parameters	67
Request Body	68
Response Syntax	68
Response Elements	68
Errors	68
See Also	70

DeleteScraper	71
Request Syntax	71
URI Request Parameters	71
Request Body	71
Response Syntax	71
Response Elements	72
Errors	72
See Also	74
DeleteScraperLoggingConfiguration	76
Request Syntax	76
URI Request Parameters	76
Request Body	76
Response Syntax	76
Response Elements	77
Errors	77
See Also	78
DeleteWorkspace	80
Request Syntax	80
URI Request Parameters	80
Request Body	80
Response Syntax	81
Response Elements	81
Errors	81
See Also	83
DescribeAlertManagerDefinition	84
Request Syntax	84
URI Request Parameters	84
Request Body	84
Response Syntax	84
Response Elements	85
Errors	85
See Also	87
DescribeAnomalyDetector	88
Request Syntax	88
URI Request Parameters	88
Request Body	88

Response Syntax	88
Response Elements	89
Errors	89
See Also	91
DescribeLoggingConfiguration	93
Request Syntax	93
URI Request Parameters	93
Request Body	93
Response Syntax	93
Response Elements	94
Errors	94
See Also	95
DescribeQueryLoggingConfiguration	97
Request Syntax	97
URI Request Parameters	97
Request Body	97
Response Syntax	97
Response Elements	98
Errors	98
See Also	99
DescribeResourcePolicy	101
Request Syntax	101
URI Request Parameters	101
Request Body	101
Response Syntax	101
Response Elements	101
Errors	102
See Also	104
DescribeRuleGroupsNamespace	105
Request Syntax	105
URI Request Parameters	105
Request Body	105
Response Syntax	105
Response Elements	106
Errors	106
See Also	108

DescribeScraper	109
Request Syntax	109
URI Request Parameters	109
Request Body	109
Response Syntax	109
Response Elements	110
Errors	110
See Also	112
DescribeScraperLoggingConfiguration	113
Request Syntax	113
URI Request Parameters	113
Request Body	113
Response Syntax	113
Response Elements	114
Errors	115
See Also	116
DescribeWorkspace	117
Request Syntax	117
URI Request Parameters	117
Request Body	117
Response Syntax	117
Response Elements	118
Errors	118
See Also	120
DescribeWorkspaceConfiguration	121
Request Syntax	121
URI Request Parameters	121
Request Body	121
Response Syntax	121
Response Elements	122
Errors	122
See Also	124
GetDefaultScraperConfiguration	125
Request Syntax	125
URI Request Parameters	125
Request Body	125

Response Syntax	125
Response Elements	125
Errors	126
See Also	127
ListAnomalyDetectors	128
Request Syntax	128
URI Request Parameters	128
Request Body	129
Response Syntax	129
Response Elements	129
Errors	130
See Also	131
ListRuleGroupsNamespaces	133
Request Syntax	133
URI Request Parameters	133
Request Body	134
Response Syntax	134
Response Elements	134
Errors	135
See Also	137
ListScrapers	138
Request Syntax	138
URI Request Parameters	138
Request Body	139
Response Syntax	139
Response Elements	140
Errors	140
See Also	142
ListTagsForResource	143
Request Syntax	143
URI Request Parameters	143
Request Body	143
Response Syntax	143
Response Elements	143
Errors	144
See Also	146

ListWorkspaces	147
Request Syntax	147
URI Request Parameters	147
Request Body	148
Response Syntax	148
Response Elements	148
Errors	149
See Also	150
PutAlertManagerDefinition	152
Request Syntax	152
URI Request Parameters	152
Request Body	152
Response Syntax	153
Response Elements	153
Errors	153
See Also	156
PutAnomalyDetector	157
Request Syntax	157
URI Request Parameters	157
Request Body	158
Response Syntax	159
Response Elements	159
Errors	160
See Also	163
PutResourcePolicy	164
Request Syntax	164
URI Request Parameters	164
Request Body	165
Response Syntax	165
Response Elements	166
Errors	166
See Also	168
PutRuleGroupsNamespace	170
Request Syntax	170
URI Request Parameters	170
Request Body	171

Response Syntax	171
Response Elements	172
Errors	173
See Also	175
TagResource	177
Request Syntax	177
URI Request Parameters	177
Request Body	177
Response Syntax	178
Response Elements	178
Errors	178
See Also	180
UntagResource	181
Request Syntax	181
URI Request Parameters	181
Request Body	181
Response Syntax	181
Response Elements	181
Errors	182
See Also	183
UpdateLoggingConfiguration	185
Request Syntax	185
URI Request Parameters	185
Request Body	185
Response Syntax	186
Response Elements	186
Errors	187
See Also	188
UpdateQueryLoggingConfiguration	190
Request Syntax	190
URI Request Parameters	190
Request Body	190
Response Syntax	191
Response Elements	191
Errors	192
See Also	193

UpdateScrapper	195
Request Syntax	195
URI Request Parameters	195
Request Body	195
Response Syntax	197
Response Elements	197
Errors	198
See Also	201
UpdateScrapperLoggingConfiguration	202
Request Syntax	202
URI Request Parameters	202
Request Body	202
Response Syntax	203
Response Elements	203
Errors	204
See Also	205
UpdateWorkspaceAlias	207
Request Syntax	207
URI Request Parameters	207
Request Body	207
Response Syntax	208
Response Elements	208
Errors	208
See Also	211
UpdateWorkspaceConfiguration	212
Request Syntax	212
URI Request Parameters	212
Request Body	213
Response Syntax	213
Response Elements	214
Errors	214
See Also	217
Data Types	218
AlertManagerDefinitionDescription	220
Contents	220
See Also	220

AlertManagerDefinitionStatus	222
Contents	222
See Also	222
AmpConfiguration	223
Contents	223
See Also	223
AnomalyDetectorConfiguration	224
Contents	224
See Also	224
AnomalyDetectorDescription	225
Contents	225
See Also	227
AnomalyDetectorMissingDataAction	229
Contents	229
See Also	229
AnomalyDetectorStatus	230
Contents	230
See Also	230
AnomalyDetectorSummary	231
Contents	231
See Also	232
CloudWatchLogDestination	234
Contents	234
See Also	234
ComponentConfig	235
Contents	235
See Also	235
Destination	236
Contents	236
See Also	236
EksConfiguration	237
Contents	237
See Also	238
IgnoreNearExpected	239
Contents	239
See Also	239

LimitsPerLabelSet	241
Contents	241
See Also	241
LimitsPerLabelSetEntry	243
Contents	243
See Also	243
LoggingConfigurationMetadata	244
Contents	244
See Also	245
LoggingConfigurationStatus	246
Contents	246
See Also	246
LoggingDestination	247
Contents	247
See Also	247
LoggingFilter	248
Contents	248
See Also	248
QueryLoggingConfigurationMetadata	249
Contents	249
See Also	250
QueryLoggingConfigurationStatus	251
Contents	251
See Also	251
RandomCutForestConfiguration	252
Contents	252
See Also	253
RoleConfiguration	254
Contents	254
See Also	254
RuleGroupsNamespaceDescription	255
Contents	255
See Also	256
RuleGroupsNamespaceStatus	257
Contents	257
See Also	257

RuleGroupsNamespaceSummary	258
Contents	258
See Also	259
ScrapeConfiguration	260
Contents	260
See Also	260
ScraperComponent	261
Contents	261
See Also	261
ScraperDescription	262
Contents	262
See Also	265
ScraperLoggingConfigurationStatus	266
Contents	266
See Also	266
ScraperLoggingDestination	267
Contents	267
See Also	267
ScraperStatus	268
Contents	268
See Also	268
ScraperSummary	269
Contents	269
See Also	271
Source	273
Contents	273
See Also	273
ValidationExceptionField	274
Contents	274
See Also	274
VpcConfiguration	275
Contents	275
See Also	275
WorkspaceConfigurationDescription	277
Contents	277
See Also	277

WorkspaceConfigurationStatus	279
Contents	279
See Also	279
WorkspaceDescription	280
Contents	280
See Also	282
WorkspaceStatus	283
Contents	283
See Also	283
WorkspaceSummary	284
Contents	284
See Also	285
YAML types	287
AlertManagerDefinitionData	287
RuleGroupsNamespaceData	287
Common Parameters	289
Common Error Types	292

Welcome

Amazon Managed Service for Prometheus is a serverless, Prometheus-compatible monitoring service for container metrics that makes it easier to securely monitor container environments at scale. With Amazon Managed Service for Prometheus, you can use the same open-source Prometheus data model and query language that you use today to monitor the performance of your containerized workloads, and also enjoy improved scalability, availability, and security without having to manage the underlying infrastructure.

For more information about Amazon Managed Service for Prometheus, see the [Amazon Managed Service for Prometheus User Guide](#).

Amazon Managed Service for Prometheus includes two APIs.

- Use the AWS API described in this guide to manage Amazon Managed Service for Prometheus resources, such as workspaces, rule groups, and alert managers.
- Use the [Prometheus-compatible API](#) to work within your Prometheus workspace.

This document was last published on April 10, 2026.

Actions

The following actions are supported:

- [CreateAlertManagerDefinition](#)
- [CreateAnomalyDetector](#)
- [CreateLoggingConfiguration](#)
- [CreateQueryLoggingConfiguration](#)
- [CreateRuleGroupsNamespace](#)
- [CreateScraper](#)
- [CreateWorkspace](#)
- [DeleteAlertManagerDefinition](#)
- [DeleteAnomalyDetector](#)
- [DeleteLoggingConfiguration](#)
- [DeleteQueryLoggingConfiguration](#)
- [DeleteResourcePolicy](#)
- [DeleteRuleGroupsNamespace](#)
- [DeleteScraper](#)
- [DeleteScraperLoggingConfiguration](#)
- [DeleteWorkspace](#)
- [DescribeAlertManagerDefinition](#)
- [DescribeAnomalyDetector](#)
- [DescribeLoggingConfiguration](#)
- [DescribeQueryLoggingConfiguration](#)
- [DescribeResourcePolicy](#)
- [DescribeRuleGroupsNamespace](#)
- [DescribeScraper](#)
- [DescribeScraperLoggingConfiguration](#)
- [DescribeWorkspace](#)
- [DescribeWorkspaceConfiguration](#)
- [GetDefaultScraperConfiguration](#)

- [ListAnomalyDetectors](#)
- [ListRuleGroupsNamespaces](#)
- [ListScrapers](#)
- [ListTagsForResource](#)
- [ListWorkspaces](#)
- [PutAlertManagerDefinition](#)
- [PutAnomalyDetector](#)
- [PutResourcePolicy](#)
- [PutRuleGroupsNamespace](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateLoggingConfiguration](#)
- [UpdateQueryLoggingConfiguration](#)
- [UpdateScraper](#)
- [UpdateScraperLoggingConfiguration](#)
- [UpdateWorkspaceAlias](#)
- [UpdateWorkspaceConfiguration](#)

CreateAlertManagerDefinition

The `CreateAlertManagerDefinition` operation creates the alert manager definition in a workspace. If a workspace already has an alert manager definition, don't use this operation to update it. Instead, use `PutAlertManagerDefinition`.

Request Syntax

```
POST /workspaces/workspaceId/alertmanager/definition HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "data": blob
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to add the alert manager definition to.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

data

The alert manager definition to add. A base64-encoded version of the YAML alert manager definition file.

For details about the alert manager definition, see [AlertManagedDefinitionData](#).

Type: Base64-encoded binary data object

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

A structure that displays the current status of the alert manager definition.

Type: [AlertManagerDefinitionStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateAnomalyDetector

Creates an anomaly detector within a workspace using the Random Cut Forest algorithm for time-series analysis. The anomaly detector analyzes Amazon Managed Service for Prometheus metrics to identify unusual patterns and behaviors.

Request Syntax

```
POST /workspaces/workspaceId/anomalydetectors HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "alias": "string",
  "clientToken": "string",
  "configuration": { ... },
  "evaluationIntervalInSeconds": number,
  "labels": {
    "string" : "string"
  },
  "missingDataAction": { ... },
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The identifier of the workspace where the anomaly detector will be created.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

alias

A user-friendly name for the anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: Yes

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

configuration

The algorithm configuration for the anomaly detector.

Type: [AnomalyDetectorConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

evaluationIntervalInSeconds

The frequency, in seconds, at which the anomaly detector evaluates metrics. The default value is 60 seconds.

Type: Integer

Valid Range: Minimum value of 30. Maximum value of 86400.

Required: No

labels

The Amazon Managed Service for Prometheus metric labels to associate with the anomaly detector.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 140 items.

Key Length Constraints: Minimum length of 1. Maximum length of 7168.

Key Pattern: (?!__)[a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 7168.

Required: No

missingDataAction

Specifies the action to take when data is missing during evaluation.

Type: [AnomalyDetectorMissingDataAction](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The metadata to apply to the anomaly detector to assist with categorization and organization.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ([\p{L}\p{Z}\p{N}_.:/=+\-@]*)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "anomalyDetectorId": "string",
  "arn": "string",
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

anomalyDetectorId

The unique identifier of the created anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

arn

The Amazon Resource Name (ARN) of the created anomaly detector.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:anomalydetector/ws-.+/ad-.+`

status

The status information of the created anomaly detector.

Type: [AnomalyDetectorStatus](#) object

tags

The tags applied to the created anomaly detector.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateLoggingConfiguration

The `CreateLoggingConfiguration` operation creates rules and alerting logging configuration for the workspace. Use this operation to set the CloudWatch log group to which the logs will be published to.

Note

These logging configurations are only for rules and alerting logs.

Request Syntax

```
POST /workspaces/workspaceId/logging HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "logGroupArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to create the logging configuration for.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

logGroupArn

The ARN of the CloudWatch log group to which the vended log data will be published. This log group must exist prior to calling this operation.

Type: String

Pattern: arn:aws[a-z0-9-]*:logs:[a-z0-9-]+:[0-9]{12}:log-group:[A-Za-z0-9\.\-_#\!/\]{1,512}\:*

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

A structure that displays the current status of the logging configuration.

Type: [LoggingConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateQueryLoggingConfiguration

Creates a query logging configuration for the specified workspace. This operation enables logging of queries that exceed the specified QSP threshold.

Request Syntax

```
POST /workspaces/workspaceId/logging/query HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "destinations": [
    {
      "cloudWatchLogs": {
        "logGroupArn": "string"
      },
      "filters": {
        "qspThreshold": number
      }
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace for which to create the query logging configuration.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

(Optional) A unique, case-sensitive identifier that you can provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

destinations

The destinations where query logs will be sent. Only CloudWatch Logs destination is supported. The list must contain exactly one element.

Type: Array of [LoggingDestination](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

The current status of the query logging configuration.

Type: [QueryLoggingConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateRuleGroupsNamespace

The `CreateRuleGroupsNamespace` operation creates a rule groups namespace within a workspace. A rule groups namespace is associated with exactly one rules file. A workspace can have multiple rule groups namespaces.

Important

The combined length of a rule group namespace and a rule group name cannot exceed 721 UTF-8 bytes.

Use this operation only to create new rule groups namespaces. To update an existing rule groups namespace, use `PutRuleGroupsNamespace`.

Request Syntax

```
POST /workspaces/workspaceId/rulegroupsnamespaces HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "data": blob,
  "name": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to add the rule groups namespace.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

data

The rules file to use in the new namespace.

Contains the base64-encoded version of the YAML rules file.

For details about the rule groups namespace structure, see [RuleGroupsNamespaceData](#).

Type: Base64-encoded binary data object

Required: Yes

name

The name for the new rule groups namespace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: .*[0-9A-Za-z][-.0-9A-Z_a-z]*.*

Required: Yes

tags

The list of tag keys and values to associate with the rule groups namespace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json
```

```
{
  "arn": "string",
  "name": "string",
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) of the new rule groups namespace.

Type: String

name

The name of the new rule groups namespace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

status

A structure that returns the current status of the rule groups namespace.

Type: [RuleGroupsNamespaceStatus](#) object

tags

The list of tag keys and values that are associated with the namespace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateScraper

The `CreateScraper` operation creates a scraper to collect metrics. A scraper pulls metrics from Prometheus-compatible sources and sends them to your Amazon Managed Service for Prometheus workspace. You can configure scrapers to collect metrics from Amazon EKS clusters, Amazon MSK clusters, or from VPC-based sources that support DNS-based service discovery. Scrapers are flexible, and can be configured to control what metrics are collected, the frequency of collection, what transformations are applied to the metrics, and more.

An IAM role will be created for you that Amazon Managed Service for Prometheus uses to access the metrics in your source. You must configure this role with a policy that allows it to scrape metrics from your source. For Amazon EKS sources, see [Configuring your Amazon EKS cluster](#) in the *Amazon Managed Service for Prometheus User Guide*.

The `scrapeConfiguration` parameter contains the base-64 encoded YAML configuration for the scraper.

When creating a scraper, the service creates a `Network Interface` in each **Availability Zone** that are passed into `CreateScraper` through subnets. These network interfaces are used to connect to your source within the VPC for scraping metrics.

Note

For more information about collectors, including what metrics are collected, and how to configure the scraper, see [Using an AWS managed collector](#) in the *Amazon Managed Service for Prometheus User Guide*.

Request Syntax

```
POST /scrapers HTTP/1.1
Content-type: application/json

{
  "alias": "string",
  "clientToken": "string",
  "destination": { ... },
  "roleConfiguration": {
    "sourceRoleArn": "string",
```

```
    "targetRoleArn": "string"
  },
  "scrapeConfiguration": { ... },
  "source": { ... },
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

alias

(optional) An alias to associate with the scraper. This is for your use, and does not need to be unique.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: No

clientToken

(Optional) A unique, case-sensitive identifier that you can provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

destination

The Amazon Managed Service for Prometheus workspace to send metrics to.

Type: [Destination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

roleConfiguration

Use this structure to enable cross-account access, so that you can use a target account to access Prometheus metrics from source accounts.

Type: [RoleConfiguration](#) object

Required: No

scrapeConfiguration

The configuration file to use in the new scraper. For more information, see [Scraper configuration](#) in the *Amazon Managed Service for Prometheus User Guide*.

Type: [ScrapeConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

source

The Amazon EKS or AWS cluster from which the scraper will collect metrics.

Type: [Source](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

tags

(Optional) The list of tag keys and values to associate with the scraper.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_ .:/=+\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_ .:/=+\-@]*)`)

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json
```

```
{
  "arn": "string",
  "scraperId": "string",
  "status": {
    "statusCode": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

[arn](#)

The Amazon Resource Name (ARN) of the new scraper.

Type: String

[scraperId](#)

The ID of the new scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][-0-9A-Z_a-z]*`

status

A structure that displays the current status of the scraper.

Type: [ScraperStatus](#) object

tags

The list of tag keys and values that are associated with the scraper.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

CreateWorkspace

Creates a Prometheus workspace. A workspace is a logical space dedicated to the storage and querying of Prometheus metrics. You can have one or more workspaces in each Region in your account.

Request Syntax

```
POST /workspaces HTTP/1.1
Content-type: application/json
```

```
{
  "alias": "string",
  "clientToken": "string",
  "kmsKeyArn": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

alias

An alias that you assign to this workspace to help you identify it. It does not need to be unique.

Blank spaces at the beginning or end of the alias that you specify will be trimmed from the value used.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

kmsKeyArn

(optional) The ARN for a customer managed AWS KMS key to use for encrypting data within your workspace. For more information about using your own key in your workspace, see [Encryption at rest](#) in the *Amazon Managed Service for Prometheus User Guide*.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/[-a-f0-9]+

Required: No

tags

The list of tag keys and values to associate with the workspace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ([\p{L}\p{Z}\p{N}_.:/+\\-@]*)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ([\p{L}\p{Z}\p{N}_.:/+\\-@]*)

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "arn": "string",
  "kmsKeyArn": "string",
  "status": {
    "statusCode": "string"
  },
  "tags": {
    "string" : "string"
  },
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

arn

The ARN for the new workspace.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:workspace/.+`

kmsKeyArn

(optional) If the workspace was created with a customer managed AWS KMS key, the ARN for the key used.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/[-a-f0-9]+`

status

The current status of the new workspace. Immediately after you create the workspace, the status is usually CREATING.

Type: [WorkspaceStatus](#) object

tags

The list of tag keys and values that are associated with the workspace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @] *)`)

workspaceId

The unique ID for the new workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAlertManagerDefinition

Deletes the alert manager definition from a workspace.

Request Syntax

```
DELETE /workspaces/workspaceId/alertmanager/definition?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

workspaceId

The ID of the workspace to delete the alert manager definition from.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteAnomalyDetector

Removes an anomaly detector from a workspace. This operation is idempotent.

Request Syntax

```
DELETE /workspaces/workspaceId/anomalydetectors/anomalyDetectorId?  
clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

anomalyDetectorId

The identifier of the anomaly detector to delete.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

workspaceId

The identifier of the workspace containing the anomaly detector to delete.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteLoggingConfiguration

Deletes the rules and alerting logging configuration for a workspace.

Note

These logging configurations are only for rules and alerting logs.

Request Syntax

```
DELETE /workspaces/workspaceId/logging?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

workspaceId

The ID of the workspace containing the logging configuration to delete.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: .*[0-9A-Za-z][-.0-9A-Z_a-z]*.*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteQueryLoggingConfiguration

Deletes the query logging configuration for the specified workspace.

Request Syntax

```
DELETE /workspaces/workspaceId/logging/query?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

(Optional) A unique, case-sensitive identifier that you can provide to ensure the idempotency of the request.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

workspaceId

The ID of the workspace from which to delete the query logging configuration.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: .*[0-9A-Za-z][-.0-9A-Z_a-z]*.*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteResourcePolicy

Deletes the resource-based policy attached to an Amazon Managed Service for Prometheus workspace.

Request Syntax

```
DELETE /workspaces/workspaceId/policy?clientToken=clientToken&revisionId=revisionId
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A unique, case-sensitive identifier that you provide to ensure the request is safe to retry (idempotent).

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

revisionId

The revision ID of the policy to delete. Use this parameter to ensure that you are deleting the correct version of the policy.

workspaceId

The ID of the workspace from which to delete the resource-based policy.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: .*[0-9A-Za-z][-.0-9A-Z_a-z]*.*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteRuleGroupsNamespace

Deletes one rule groups namespace and its associated rule groups definition.

Request Syntax

```
DELETE /workspaces/workspaceId/rulegroupsnamespaces/name?clientToken=clientToken  
HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

name

The name of the rule groups namespace to delete.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: .*[0-9A-Za-z][-.0-9A-Z_a-z]*.*

Required: Yes

workspaceId

The ID of the workspace containing the rule groups namespace and definition to delete.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: .*[0-9A-Za-z][-.0-9A-Z_a-z]*.*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteScraper

The DeleteScraper operation deletes one scraper, and stops any metrics collection that the scraper performs.

Request Syntax

```
DELETE /scrapers/scraperId?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

(Optional) A unique, case-sensitive identifier that you can provide to ensure the idempotency of the request.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

scraperId

The ID of the scraper to delete.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9A-Za-z][-.0-9A-Z_a-z]*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202  
Content-type: application/json
```

```
{
  "scraperId": "string",
  "status": {
    "statusCode": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

scraperId

The ID of the scraper to delete.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

status

The current status of the scraper.

Type: [ScraperStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)

- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteScraperLoggingConfiguration

Deletes the logging configuration for a Amazon Managed Service for Prometheus scraper.

Request Syntax

```
DELETE /scrapers/scraperId/logging-configuration?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A unique, case-sensitive identifier that you provide to ensure the request is processed exactly once.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

scraperId

The ID of the scraper whose logging configuration will be deleted.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [0-9A-Za-z][- .0-9A-Z_a-z]*

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DeleteWorkspace

Deletes an existing workspace.

Note

When you delete a workspace, the data that has been ingested into it is not immediately deleted. It will be permanently deleted within one month.

Request Syntax

```
DELETE /workspaces/workspaceId?clientToken=clientToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

workspaceId

The ID of the workspace to delete.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 202
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAlertManagerDefinition

Retrieves the full information about the alert manager definition for a workspace.

Request Syntax

```
GET /workspaces/workspaceId/alertmanager/definition HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to retrieve the alert manager definition from.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "alertManagerDefinition": {
    "createdAt": number,
    "data": blob,
    "modifiedAt": number,
    "status": {
      "statusCode": "string",
      "statusReason": "string"
    }
  }
}
```

```
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

alertManagerDefinition

The alert manager definition.

Type: [AlertManagerDefinitionDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeAnomalyDetector

Retrieves detailed information about a specific anomaly detector, including its status and configuration.

Request Syntax

```
GET /workspaces/workspaceId/anomalydetectors/anomalyDetectorId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[anomalyDetectorId](#)

The identifier of the anomaly detector to describe.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

[workspaceId](#)

The identifier of the workspace containing the anomaly detector.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "anomalyDetector": {
    "alias": "string",
    "anomalyDetectorId": "string",
    "arn": "string",
    "configuration": { ... },
    "createdAt": number,
    "evaluationIntervalInSeconds": number,
    "labels": {
      "string" : "string"
    },
    "missingDataAction": { ... },
    "modifiedAt": number,
    "status": {
      "statusCode": "string",
      "statusReason": "string"
    },
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

anomalyDetector

The detailed information about the anomaly detector.

Type: [AnomalyDetectorDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

DescribeLoggingConfiguration

Returns complete information about the current rules and alerting logging configuration of the workspace.

Note

These logging configurations are only for rules and alerting logs.

Request Syntax

```
GET /workspaces/workspaceId/logging HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to describe the logging configuration for.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "loggingConfiguration": {
```

```
  "createdAt": number,
  "logGroupArn": "string",
  "modifiedAt": number,
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  },
  "workspace": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

loggingConfiguration

A structure that displays the information about the logging configuration.

Type: [LoggingConfigurationMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeQueryLoggingConfiguration

Retrieves the details of the query logging configuration for the specified workspace.

Request Syntax

```
GET /workspaces/workspaceId/logging/query HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace for which to retrieve the query logging configuration.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "queryLoggingConfiguration": {
    "createdAt": number,
    "destinations": [
      {
        "cloudWatchLogs": {
          "logGroupArn": "string"
        },
        "filters": {
          "qspThreshold": number
        }
      }
    ]
  }
}
```

```
    }
  }
],
"modifiedAt": number,
"status": {
  "statusCode": "string",
  "statusReason": "string"
},
"workspace": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

queryLoggingConfiguration

The detailed information about the query logging configuration for the specified workspace.

Type: [QueryLoggingConfigurationMetadata](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeResourcePolicy

Returns information about the resource-based policy attached to an Amazon Managed Service for Prometheus workspace.

Request Syntax

```
GET /workspaces/workspaceId/policy HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to describe the resource-based policy for.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "policyDocument": "string",
  "policyStatus": "string",
  "revisionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

policyDocument

The JSON policy document for the resource-based policy attached to the workspace.

Type: String

policyStatus

The current status of the resource-based policy.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING

revisionId

The revision ID of the current resource-based policy.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeRuleGroupsNamespace

Returns complete information about one rule groups namespace. To retrieve a list of rule groups namespaces, use `ListRuleGroupsNamespaces`.

Request Syntax

```
GET /workspaces/workspaceId/rulegroupsnamespaces/name HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the rule groups namespace that you want information for.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

workspaceId

The ID of the workspace containing the rule groups namespace.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "ruleGroupsNamespace": {
    "arn": "string",
    "createdAt": number,
    "data": blob,
    "modifiedAt": number,
    "name": "string",
    "status": {
      "statusCode": "string",
      "statusReason": "string"
    },
    "tags": {
      "string" : "string"
    }
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ruleGroupsNamespace

The information about the rule groups namespace.

Type: [RuleGroupsNamespaceDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeScraper

The DescribeScraper operation displays information about an existing scraper.

Request Syntax

```
GET /scrapers/scraperId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

scraperId

The ID of the scraper to describe.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "scraper": {
    "alias": "string",
    "arn": "string",
    "createdAt": number,
    "destination": { ... },
    "lastModifiedAt": number,
    "roleArn": "string",
    "roleConfiguration": {
      "sourceRoleArn": "string",
```

```
    "targetRoleArn": "string"
  },
  "scrapeConfiguration": { ... },
  "scraperId": "string",
  "source": { ... },
  "status": {
    "statusCode": "string"
  },
  "statusReason": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

scraper

Contains details about the scraper.

Type: [ScraperDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeScraperLoggingConfiguration

Describes the logging configuration for a Amazon Managed Service for Prometheus scraper.

Request Syntax

```
GET /scrapers/scraperId/logging-configuration HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

scraperId

The ID of the scraper whose logging configuration will be described.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "loggingDestination": { ... },
  "modifiedAt": number,
  "scraperComponents": [
    {
      "config": {
        "options": {
          "string" : "string"
        }
      }
    }
  ]
}
```

```
    },
    "type": "string"
  }
],
"scraperId": "string",
"status": {
  "statusCode": "string",
  "statusReason": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

loggingDestination

The destination where scraper logs are sent.

Type: [ScraperLoggingDestination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

modifiedAt

The date and time when the logging configuration was last modified.

Type: Timestamp

scraperComponents

The list of scraper components configured for logging.

Type: Array of [ScraperComponent](#) objects

Array Members: Minimum number of 1 item.

scraperId

The ID of the scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][-.0-9A-Z_a-z]*`

status

The status of the scraper logging configuration.

Type: [ScrapingLoggingConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeWorkspace

Returns information about an existing workspace.

Request Syntax

```
GET /workspaces/workspaceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to describe.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "workspace": {
    "alias": "string",
    "arn": "string",
    "createdAt": number,
    "kmsKeyArn": "string",
    "prometheusEndpoint": "string",
    "status": {
      "statusCode": "string"
    }
  }
}
```

```
    },
    "tags": {
      "string" : "string"
    },
    "workspaceId": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

workspace

A structure that contains details about the workspace.

Type: [WorkspaceDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

DescribeWorkspaceConfiguration

Use this operation to return information about the configuration of a workspace. The configuration details returned include workspace configuration status, label set limits, and retention period.

Request Syntax

```
GET /workspaces/workspaceId/configuration HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that you want to retrieve information for. To find the IDs of your workspaces, use the [ListWorkspaces](#) operation.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "workspaceConfiguration": {
    "limitsPerLabelSet": [
      {
        "labelSet": {
          "string" : "string"
        }
      }
    ]
  }
}
```

```
    },
    "limits": {
      "maxSeries": number
    }
  ],
  "retentionPeriodInDays": number,
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

workspaceConfiguration

This structure contains the information about the workspace configuration.

Type: [WorkspaceConfigurationDescription](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

GetDefaultScrapeConfiguration

The `GetDefaultScrapeConfiguration` operation returns the default scraper configuration used when Amazon EKS creates a scraper for you.

Request Syntax

```
GET /scrapeconfiguration HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "configuration": blob
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[configuration](#)

The configuration file. Base 64 encoded. For more information, see [Scrape configuration](#) in the *Amazon Managed Service for Prometheus User Guide*.

Type: Base64-encoded binary data object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListAnomalyDetectors

Returns a paginated list of anomaly detectors for a workspace with optional filtering by alias.

Request Syntax

```
GET /workspaces/workspaceId/anomalydetectors?  
alias=alias&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

alias

Filters the results to anomaly detectors with the specified alias.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

maxResults

The maximum number of results to return in a single call. Valid range is 1 to 1000.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The pagination token to continue retrieving results.

Length Constraints: Minimum length of 0. Maximum length of 1000.

workspaceId

The identifier of the workspace containing the anomaly detectors to list.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][- .0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "anomalyDetectors": [
    {
      "alias": "string",
      "anomalyDetectorId": "string",
      "arn": "string",
      "createdAt": number,
      "modifiedAt": number,
      "status": {
        "statusCode": "string",
        "statusReason": "string"
      },
      "tags": {
        "string" : "string"
      }
    }
  ],
  "nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

anomalyDetectors

The list of anomaly detectors in the workspace.

Type: Array of [AnomalyDetectorSummary](#) objects

nextToken

The pagination token to retrieve the next set of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListRuleGroupsNamespaces

Returns a list of rule groups namespaces in a workspace.

Request Syntax

```
GET /workspaces/workspaceId/rulegroupsnamespaces?  
maxResults=maxResults&name=name&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

maxResults

The maximum number of results to return. The default is 100.

Valid Range: Minimum value of 1. Maximum value of 1000.

name

Use this parameter to filter the rule groups namespaces that are returned. Only the namespaces with names that begin with the value that you specify are returned.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

nextToken

The token for the next set of items to return. You receive this token from a previous call, and use it to get the next page of results. The other parameters must be the same as the initial call.

For example, if your initial request has `maxResults` of 10, and there are 12 rule groups namespaces to return, then your initial request will return 10 and a `nextToken`. Using the next token in a subsequent call will return the remaining 2 namespaces.

Length Constraints: Minimum length of 0. Maximum length of 1000.

workspaceId

The ID of the workspace containing the rule groups namespaces.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "ruleGroupsNamespaces": [
    {
      "arn": "string",
      "createdAt": number,
      "modifiedAt": number,
      "name": "string",
      "status": {
        "statusCode": "string",
        "statusReason": "string"
      },
      "tags": {
        "string" : "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A token indicating that there are more results to retrieve. You can use this token as part of your next `ListRuleGroupsNamespaces` request to retrieve those results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

[ruleGroupsNamespaces](#)

The returned list of rule groups namespaces.

Type: Array of [RuleGroupsNamespaceSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListScrapers

The `ListScrapers` operation lists all of the scrapers in your account. This includes scrapers being created or deleted. You can optionally filter the returned list.

Request Syntax

```
GET /scrapers?filters&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

filters

(Optional) A list of key-value pairs to filter the list of scrapers returned. Keys include `status`, `sourceArn`, `destinationArn`, and `alias`.

Filters on the same key are OR'd together, and filters on different keys are AND'd together. For example, `status=ACTIVE&status=CREATING&alias=Test`, will return all scrapers that have the alias `Test`, and are either in status `ACTIVE` or `CREATING`.

To find all active scrapers that are sending metrics to a specific Amazon Managed Service for Prometheus workspace, you would use the ARN of the workspace in a query:

```
status=ACTIVE&destinationArn=arn:aws:aps:us-east-1:123456789012:workspace/ws-example1-1234-abcd-56ef-123456789012
```

If this is included, it filters the results to only the scrapers that match the filter.

Map Entries: Maximum number of 4 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Array Members: Minimum number of 1 item. Maximum number of 20 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

maxResults

(Optional) The maximum number of scrapers to return in one `ListScrapers` operation. The range is 1-1000.

If you omit this parameter, the default of 100 is used.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

(Optional) The token for the next set of items to return. (You received this token from a previous call.)

Length Constraints: Minimum length of 0. Maximum length of 1000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "scrapers": [
    {
      "alias": "string",
      "arn": "string",
      "createdAt": number,
      "destination": { ... },
      "lastModifiedAt": number,
      "roleArn": "string",
      "roleConfiguration": {
        "sourceRoleArn": "string",
        "targetRoleArn": "string"
      },
      "scraperId": "string",
      "source": { ... },
      "status": {
        "statusCode": "string"
      },
      "statusReason": "string",
      "tags": {
        "string" : "string"
      }
    }
  ]
}
```

```
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A token indicating that there are more results to retrieve. You can use this token as part of your next `ListScrapers` operation to retrieve those results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

scrapers

A list of `ScraperSummary` structures giving information about scrapers in the account that match the filters provided.

Type: Array of [ScraperSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListTagsForResource

The `ListTagsForResource` operation returns the tags that are associated with an Amazon Managed Service for Prometheus resource. Currently, the only resources that can be tagged are scrapers, workspaces, and rule groups namespaces.

Request Syntax

```
GET /tags/resourceArn HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The ARN of the resource to list tages for. Must be a workspace, scraper, or rule groups namespace resource.

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

tags

The list of tag keys and values associated with the resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`[\p{L}\p{Z}\p{N}_ . :/=+\-@]*`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`[\p{L}\p{Z}\p{N}_ . :/=+\-@]*`)

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

ListWorkspaces

Lists all of the Amazon Managed Service for Prometheus workspaces in your account. This includes workspaces being created or deleted.

Request Syntax

```
GET /workspaces?alias=alias&maxResults=maxResults&nextToken=nextToken HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

alias

If this is included, it filters the results to only the workspaces with names that start with the value that you specify here.

Amazon Managed Service for Prometheus will automatically strip any blank spaces from the beginning and end of the alias that you specify.

Length Constraints: Minimum length of 1. Maximum length of 100.

maxResults

The maximum number of workspaces to return per request. The default is 100.

Valid Range: Minimum value of 1. Maximum value of 1000.

nextToken

The token for the next set of items to return. You receive this token from a previous call, and use it to get the next page of results. The other parameters must be the same as the initial call.

For example, if your initial request has `maxResults` of 10, and there are 12 workspaces to return, then your initial request will return 10 and a `nextToken`. Using the next token in a subsequent call will return the remaining 2 workspaces.

Length Constraints: Minimum length of 0. Maximum length of 1000.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "workspaces": [
    {
      "alias": "string",
      "arn": "string",
      "createdAt": number,
      "kmsKeyArn": "string",
      "status": {
        "statusCode": "string"
      },
      "tags": {
        "string" : "string"
      },
      "workspaceId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

A token indicating that there are more results to retrieve. You can use this token as part of your next `ListWorkspaces` request to retrieve those results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1000.

workspaces

An array of `WorkspaceSummary` structures containing information about the workspaces requested.

Type: Array of [WorkspaceSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)

- [AWS SDK for Ruby V3](#)

PutAlertManagerDefinition

Updates an existing alert manager definition in a workspace. If the workspace does not already have an alert manager definition, don't use this operation to create it. Instead, use `CreateAlertManagerDefinition`.

Request Syntax

```
PUT /workspaces/workspaceId/alertmanager/definition HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "data": blob
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to update the alert manager definition in.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

data

The alert manager definition to use. A base64-encoded version of the YAML alert manager definition file.

For details about the alert manager definition, see [AlertManagedDefinitionData](#).

Type: Base64-encoded binary data object

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

A structure that returns the current status of the alert manager definition.

Type: [AlertManagerDefinitionStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutAnomalyDetector

When you call `PutAnomalyDetector`, the operation creates a new anomaly detector if one doesn't exist, or updates an existing one. Each call to this operation triggers a complete retraining of the detector, which includes querying the minimum required samples and backfilling the detector with historical data. This process occurs regardless of whether you're making a minor change like updating the evaluation interval or making more substantial modifications. The operation serves as the single method for creating, updating, and retraining anomaly detectors.

Request Syntax

```
PUT /workspaces/workspaceId/anomalydetectors/anomalyDetectorId HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "configuration": { ... },
  "evaluationIntervalInSeconds": number,
  "labels": {
    "string" : "string"
  },
  "missingDataAction": { ... }
}
```

URI Request Parameters

The request uses the following URI parameters.

[anomalyDetectorId](#)

The identifier of the anomaly detector to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

[workspaceId](#)

The identifier of the workspace containing the anomaly detector to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

configuration

The algorithm configuration for the anomaly detector.

Type: [AnomalyDetectorConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

evaluationIntervalInSeconds

The frequency, in seconds, at which the anomaly detector evaluates metrics.

Type: Integer

Valid Range: Minimum value of 30. Maximum value of 86400.

Required: No

labels

The Amazon Managed Service for Prometheus metric labels to associate with the anomaly detector.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 7168.

Key Pattern: (?!__)[a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 7168.

Required: No

missingDataAction

Specifies the action to take when data is missing during evaluation.

Type: [AnomalyDetectorMissingDataAction](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "anomalyDetectorId": "string",
  "arn": "string",
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

anomalyDetectorId

The unique identifier of the updated anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

arn

The Amazon Resource Name (ARN) of the updated anomaly detector.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:anomalydetector/ws-./ad-.`
+

status

The status information of the updated anomaly detector.

Type: [AnomalyDetectorStatus](#) object

tags

The tags applied to the updated anomaly detector.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutResourcePolicy

Creates or updates a resource-based policy for an Amazon Managed Service for Prometheus workspace. Use resource-based policies to grant permissions to other AWS accounts or services to access your workspace.

Only Prometheus-compatible APIs can be used for workspace sharing. You can add non-Prometheus-compatible APIs to the policy, but they will be ignored. For more information, see [Prometheus-compatible APIs](#) in the *Amazon Managed Service for Prometheus User Guide*.

If your workspace uses customer-managed KMS keys for encryption, you must grant the principals in your resource-based policy access to those KMS keys. You can do this by creating KMS grants. For more information, see [CreateGrant](#) in the *AWS Key Management Service API Reference* and [Encryption at rest](#) in the *Amazon Managed Service for Prometheus User Guide*.

For more information about working with IAM, see [Using Amazon Managed Service for Prometheus with IAM](#) in the *Amazon Managed Service for Prometheus User Guide*.

Request Syntax

```
PUT /workspaces/workspaceId/policy HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "policyDocument": "string",
  "revisionId": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

[workspaceId](#)

The ID of the workspace to attach the resource-based policy to.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique, case-sensitive identifier that you provide to ensure the request is safe to retry (idempotent).

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

policyDocument

The JSON policy document to use as the resource-based policy. This policy defines the permissions that other AWS accounts or services have to access your workspace.

Type: String

Required: Yes

revisionId

The revision ID of the policy to update. Use this parameter to ensure that you are updating the correct version of the policy. If you don't specify a revision ID, the policy is updated regardless of its current revision.

For the first **PUT** request on a workspace that doesn't have an existing resource policy, you can specify `NO_POLICY` as the revision ID.

Type: String

Required: No

Response Syntax

```
HTTP/1.1 202
```

```
Content-type: application/json

{
  "policyStatus": "string",
  "revisionId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

policyStatus

The current status of the resource-based policy.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING

revisionId

The revision ID of the newly created or updated resource-based policy.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

PutRuleGroupsNamespace

Updates an existing rule groups namespace within a workspace. A rule groups namespace is associated with exactly one rules file. A workspace can have multiple rule groups namespaces.

Important

The combined length of a rule group namespace and a rule group name cannot exceed 721 UTF-8 bytes.

Use this operation only to update existing rule groups namespaces. To create a new rule groups namespace, use `CreateRuleGroupsNamespace`.

You can't use this operation to add tags to an existing rule groups namespace. Instead, use `TagResource`.

Request Syntax

```
PUT /workspaces/workspaceId/rulegroupsnamespaces/name HTTP/1.1
Content-type: application/json

{
  "clientToken": "string",
  "data": blob
}
```

URI Request Parameters

The request uses the following URI parameters.

name

The name of the rule groups namespace that you are updating.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

workspaceId

The ID of the workspace where you are updating the rule groups namespace.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

data

The new rules file to use in the namespace. A base64-encoded version of the YAML rule groups file.

For details about the rule groups namespace structure, see [RuleGroupsNamespaceData](#).

Type: Base64-encoded binary data object

Required: Yes

Response Syntax

```
HTTP/1.1 202
```

```
Content-type: application/json

{
  "arn": "string",
  "name": "string",
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

arn

The ARN of the rule groups namespace.

Type: String

name

The name of the rule groups namespace that was updated.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

status

A structure that includes the current status of the rule groups namespace.

Type: [RuleGroupsNamespaceStatus](#) object

tags

The list of tag keys and values that are associated with the namespace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

TagResource

The TagResource operation associates tags with an Amazon Managed Service for Prometheus resource. The only resources that can be tagged are rule groups namespaces, scrapers, and workspaces.

If you specify a new tag key for the resource, this tag is appended to the list of tags associated with the resource. If you specify a tag key that is already associated with the resource, the new tag value that you specify replaces the previous value for that tag. To remove a tag, use UntagResource.

Request Syntax

```
POST /tags/resourceArn HTTP/1.1
Content-type: application/json
```

```
{
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

resourceArn

The ARN of the resource to apply tags to.

Required: Yes

Request Body

The request accepts the following data in JSON format.

tags

The list of tag keys and values to associate with the resource.

Keys must not begin with `aws :`.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_ :/=+\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_ :/=+\-@]*)`)

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UntagResource

Removes the specified tags from an Amazon Managed Service for Prometheus resource. The only resources that can be tagged are rule groups namespaces, scrapers, and workspaces.

Request Syntax

```
DELETE /tags/resourceArn?tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

[resourceArn](#)

The ARN of the resource from which to remove a tag.

Required: Yes

[tagKeys](#)

The keys of the tags to remove.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: (`([\p{L}\p{Z}\p{N}_ . : / = + \ - @]*)`)

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateLoggingConfiguration

Updates the log group ARN or the workspace ID of the current rules and alerting logging configuration.

Note

These logging configurations are only for rules and alerting logs.

Request Syntax

```
PUT /workspaces/workspaceId/logging HTTP/1.1
Content-type: application/json
```

```
{
  "clientToken": "string",
  "logGroupArn": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to update the logging configuration for.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

logGroupArn

The ARN of the CloudWatch log group to which the vended log data will be published.

Type: String

Pattern: arn:aws[a-z0-9-]*:logs:[a-z0-9-]+:[0-9]{12}:log-group:[A-Za-z0-9\.\-_\#\!/\]{1,512}\:*

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

A structure that contains the current status of the logging configuration.

Type: [LoggingConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateQueryLoggingConfiguration

Updates the query logging configuration for the specified workspace.

Request Syntax

```
PUT /workspaces/workspaceId/logging/query HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "clientToken": "string",
  "destinations": [
    {
      "cloudWatchLogs": {
        "logGroupArn": "string"
      },
      "filters": {
        "qspThreshold": number
      }
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace for which to update the query logging configuration.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

(Optional) A unique, case-sensitive identifier that you can provide to ensure the idempotency of the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

destinations

The destinations where query logs will be sent. Only CloudWatch Logs destination is supported. The list must contain exactly one element.

Type: Array of [LoggingDestination](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

The current status of the query logging configuration.

Type: [QueryLoggingConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)

- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateScraper

Updates an existing scraper.

You can't use this function to update the source from which the scraper is collecting metrics. To change the source, delete the scraper and create a new one.

Request Syntax

```
PUT /scrapers/scraperId HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "alias": "string",
  "clientToken": "string",
  "destination": { ... },
  "roleConfiguration": {
    "sourceRoleArn": "string",
    "targetRoleArn": "string"
  },
  "scrapeConfiguration": { ... }
}
```

URI Request Parameters

The request uses the following URI parameters.

scraperId

The ID of the scraper to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

alias

The new alias of the scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: No

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[!-~]+`

Required: No

destination

The new Amazon Managed Service for Prometheus workspace to send metrics to.

Type: [Destination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

roleConfiguration

Use this structure to enable cross-account access, so that you can use a target account to access Prometheus metrics from source accounts.

Type: [RoleConfiguration](#) object

Required: No

scrapeConfiguration

Contains the base-64 encoded YAML configuration for the scraper.

Note

For more information about configuring a scraper, see [Using an AWS managed collector](#) in the *Amazon Managed Service for Prometheus User Guide*.

Type: [ScrapeConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "arn": "string",
  "scraperId": "string",
  "status": {
    "statusCode": "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

arn

The Amazon Resource Name (ARN) of the updated scraper.

Type: String

scraperId

The ID of the updated scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][-0-9A-Z_a-z]*`

status

A structure that displays the current status of the scraper.

Type: [ScraperStatus](#) object

tags

The list of tag keys and values that are associated with the scraper.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateScrapeLoggingConfiguration

Updates the logging configuration for a Amazon Managed Service for Prometheus scraper.

Request Syntax

```
PUT /scrapers/scraperId/logging-configuration HTTP/1.1
Content-type: application/json
```

```
{
  "loggingDestination": { ... },
  "scraperComponents": [
    {
      "config": {
        "options": {
          "string" : "string"
        }
      },
      "type": "string"
    }
  ]
}
```

URI Request Parameters

The request uses the following URI parameters.

scraperId

The ID of the scraper whose logging configuration will be updated.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

loggingDestination

The destination where scraper logs will be sent.

Type: [ScraperLoggingDestination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

scraperComponents

The list of scraper components to configure for logging.

Type: Array of [ScraperComponent](#) objects

Array Members: Minimum number of 1 item.

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
    "statusReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

The status of the updated scraper logging configuration.

Type: [ScraperLoggingConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerError

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)

- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateWorkspaceAlias

Updates the alias of an existing workspace.

Request Syntax

```
POST /workspaces/workspaceId/alias HTTP/1.1
Content-type: application/json

{
  "alias": "string",
  "clientToken": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to update.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

alias

The new alias for the workspace. It does not need to be unique.

Amazon Managed Service for Prometheus will automatically strip any blank spaces from the beginning and end of the alias that you specify.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

clientToken

A unique identifier that you can provide to ensure the idempotency of the request. Case-sensitive.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

Response Syntax

```
HTTP/1.1 204
```

Response Elements

If the action is successful, the service sends back an HTTP 204 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

UpdateWorkspaceConfiguration

Use this operation to create or update the label sets, label set limits, and retention period of a workspace.

You must specify at least one of `limitsPerLabelSet` or `retentionPeriodInDays` for the request to be valid.

Request Syntax

```
PATCH /workspaces/workspaceId/configuration HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "clientToken": string,
  "limitsPerLabelSet": [
    {
      "labelSet": {
        "string": "string"
      },
      "limits": {
        "maxSeries": number
      }
    }
  ],
  "retentionPeriodInDays": number
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that you want to update. To find the IDs of your workspaces, use the [ListWorkspaces](#) operation.

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

Request Body

The request accepts the following data in JSON format.

clientToken

You can include a token in your operation to make it an idempotent operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: [!-~]+

Required: No

limitsPerLabelSet

This is an array of structures, where each structure defines a label set for the workspace, and defines the active time series limit for each of those label sets. Each label name in a label set must be unique.

Type: Array of [LimitsPerLabelSet](#) objects

Required: No

retentionPeriodInDays

Specifies how many days that metrics will be retained in the workspace.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

Response Syntax

```
HTTP/1.1 202
Content-type: application/json

{
  "status": {
    "statusCode": "string",
```

```
    "statusReason": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 202 response.

The following data is returned in JSON format by the service.

status

The status of the workspace configuration.

Type: [WorkspaceConfigurationStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Error Types](#).

AccessDeniedException

You do not have sufficient access to perform this action.

message

Description of the error.

HTTP Status Code: 403

ConflictException

The request would cause an inconsistent state.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error occurred during the processing of the request.

message

Description of the error.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

HTTP Status Code: 500

ResourceNotFoundException

The request references a resources that doesn't exist.

message

Description of the error.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

HTTP Status Code: 404

ServiceQuotaExceededException

Completing the request would cause a service quota to be exceeded.

message

Description of the error.

quotaCode

Service quotas code of the originating quota.

resourceId

Identifier of the resource affected.

resourceType

Type of the resource affected.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 402

ThrottlingException

The request was denied due to request throttling.

message

Description of the error.

quotaCode

Service quotas code for the originating quota.

retryAfterSeconds

Advice to clients on when the call can be safely retried.

serviceCode

Service quotas code for the originating service.

HTTP Status Code: 429

ValidationException

The input fails to satisfy the constraints specified by an AWS service.

fieldList

The field that caused the error, if applicable.

message

Description of the error.

reason

Reason the request failed validation.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface V2](#)
- [AWS SDK for .NET V4](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go v2](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for JavaScript V3](#)
- [AWS SDK for Kotlin](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V3](#)

Data Types

The Amazon Prometheus Service API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [AlertManagerDefinitionDescription](#)
- [AlertManagerDefinitionStatus](#)
- [AmpConfiguration](#)
- [AnomalyDetectorConfiguration](#)
- [AnomalyDetectorDescription](#)
- [AnomalyDetectorMissingDataAction](#)
- [AnomalyDetectorStatus](#)
- [AnomalyDetectorSummary](#)
- [CloudWatchLogDestination](#)
- [ComponentConfig](#)
- [Destination](#)
- [EksConfiguration](#)
- [IgnoreNearExpected](#)
- [LimitsPerLabelSet](#)
- [LimitsPerLabelSetEntry](#)
- [LoggingConfigurationMetadata](#)
- [LoggingConfigurationStatus](#)
- [LoggingDestination](#)
- [LoggingFilter](#)
- [QueryLoggingConfigurationMetadata](#)

- [QueryLoggingConfigurationStatus](#)
- [RandomCutForestConfiguration](#)
- [RoleConfiguration](#)
- [RuleGroupsNamespaceDescription](#)
- [RuleGroupsNamespaceStatus](#)
- [RuleGroupsNamespaceSummary](#)
- [ScrapeConfiguration](#)
- [ScraperComponent](#)
- [ScraperDescription](#)
- [ScraperLoggingConfigurationStatus](#)
- [ScraperLoggingDestination](#)
- [ScraperStatus](#)
- [ScraperSummary](#)
- [Source](#)
- [ValidationExceptionField](#)
- [VpcConfiguration](#)
- [WorkspaceConfigurationDescription](#)
- [WorkspaceConfigurationStatus](#)
- [WorkspaceDescription](#)
- [WorkspaceStatus](#)
- [WorkspaceSummary](#)

AlertManagerDefinitionDescription

The details of an alert manager definition. It is the configuration for the alert manager, including information about receivers for routing alerts.

Contents

createdAt

The date and time that the alert manager definition was created.

Type: Timestamp

Required: Yes

data

The actual alert manager definition.

For details about the alert manager definition, see [AlertManagedDefinitionData](#).

Type: Base64-encoded binary data object

Required: Yes

modifiedAt

The date and time that the alert manager definition was most recently changed.

Type: Timestamp

Required: Yes

status

A structure that displays the current status of the alert manager definition..

Type: [AlertManagerDefinitionStatus](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AlertManagerDefinitionStatus

The status of the alert manager.

Contents

statusCode

The current status of the alert manager.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED | UPDATE_FAILED

Required: Yes

statusReason

If there is a failure, the reason for the failure.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AmpConfiguration

The `AmpConfiguration` structure defines the Amazon Managed Service for Prometheus instance a scraper should send metrics to.

Contents

`workspaceArn`

ARN of the Amazon Managed Service for Prometheus workspace.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:workspace/.+`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyDetectorConfiguration

The configuration for the anomaly detection algorithm.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

randomCutForest

The Random Cut Forest algorithm configuration for anomaly detection.

Type: [RandomCutForestConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyDetectorDescription

Detailed information about an anomaly detector.

Contents

alias

The user-friendly name of the anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

anomalyDetectorId

The unique identifier of the anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

arn

The Amazon Resource Name (ARN) of the anomaly detector.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:anomalydetector/ws-./ad-.`
+

Required: Yes

createdAt

The timestamp when the anomaly detector was created.

Type: Timestamp

Required: Yes

modifiedAt

The timestamp when the anomaly detector was last modified.

Type: Timestamp

Required: Yes

status

The current status of the anomaly detector.

Type: [AnomalyDetectorStatus](#) object

Required: Yes

configuration

The algorithm configuration of the anomaly detector.

Type: [AnomalyDetectorConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

evaluationIntervalInSeconds

The frequency, in seconds, at which the anomaly detector evaluates metrics.

Type: Integer

Valid Range: Minimum value of 30. Maximum value of 86400.

Required: No

labels

The Amazon Managed Service for Prometheus metric labels associated with the anomaly detector.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 7168.

Key Pattern: (?!__)[a-zA-Z_][a-zA-Z0-9_]*

Value Length Constraints: Minimum length of 1. Maximum length of 7168.

Required: No

missingDataAction

The action taken when data is missing during evaluation.

Type: [AnomalyDetectorMissingDataAction](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

tags

The tags applied to the anomaly detector.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ([\p{L}\p{Z}\p{N}_.:/=+\-@]*)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: ([\p{L}\p{Z}\p{N}_.:/=+\-@]*)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)

- [AWS SDK for Ruby V3](#)

AnomalyDetectorMissingDataAction

Specifies the action to take when data is missing during anomaly detection evaluation.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

markAsAnomaly

Marks missing data points as anomalies.

Type: Boolean

Required: No

skip

Skips evaluation when data is missing.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyDetectorStatus

The status information of an anomaly detector.

Contents

statusCode

The status code of the anomaly detector.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED | UPDATE_FAILED | DELETION_FAILED

Required: Yes

statusReason

A description of the current status of the anomaly detector.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

AnomalyDetectorSummary

Summary information about an anomaly detector for list operations.

Contents

alias

The user-friendly name of the anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

anomalyDetectorId

The unique identifier of the anomaly detector.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `ad-[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

arn

The Amazon Resource Name (ARN) of the anomaly detector.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:anomalydetector/ws-./ad-.`
+

Required: Yes

createdAt

The timestamp when the anomaly detector was created.

Type: Timestamp

Required: Yes

modifiedAt

The timestamp when the anomaly detector was last modified.

Type: Timestamp

Required: Yes

status

The current status of the anomaly detector.

Type: [AnomalyDetectorStatus](#) object

Required: Yes

tags

The tags applied to the anomaly detector.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

CloudWatchLogDestination

Configuration details for logging to CloudWatch Logs.

Contents

logGroupArn

The ARN of the CloudWatch log group to which the vended log data will be published. This log group must exist prior to calling this operation.

Type: String

Pattern: `arn:aws[a-z0-9-]*:logs:[a-z0-9-]+:[0-9]{12}:log-group:[A-Za-z0-9\.\-_\#\!/\]{1,512}\:*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ComponentConfig

Configuration settings for a scraper component.

Contents

options

Configuration options for the scraper component.

Type: String to string map

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Destination

Where to send the metrics from a scraper.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

ampConfiguration

The Amazon Managed Service for Prometheus workspace to send metrics to.

Type: [AmpConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

EksConfiguration

The `EksConfiguration` structure describes the connection to the Amazon EKS cluster from which a scraper collects metrics.

Contents

clusterArn

ARN of the Amazon EKS cluster.

Type: String

Pattern: `arn:aws[-a-z]*:eks:[-a-z0-9]+:[0-9]{12}:cluster/.+`

Required: Yes

subnetIds

A list of subnet IDs for the Amazon EKS cluster VPC configuration.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `subnet-[0-9a-z]+`

Required: Yes

securityGroupIds

A list of the security group IDs for the Amazon EKS cluster VPC configuration.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: `sg-[0-9a-z]+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

IgnoreNearExpected

Configuration for threshold settings that determine when values near expected values should be ignored during anomaly detection.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

amount

The absolute amount by which values can differ from expected values before being considered anomalous.

Type: Double

Valid Range: Minimum value of 0.

Required: No

ratio

The ratio by which values can differ from expected values before being considered anomalous.

Type: Double

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LimitsPerLabelSet

This structure defines one label set used to enforce active time series limits for the workspace, and defines the limit for that label set.

A label set is a unique combination of label-value pairs. Use them to control time series limits and to monitor usage by specific label groups. Example label sets might be `team:finance` or `env:prod`

Contents

labelSet

This defines one label set that will have an enforced active time series limit.

Label values accept ASCII characters and must contain at least one character that isn't whitespace. ASCII control characters are not accepted. If the label name is metric name label `__name__`, then the *metric* part of the name must conform to the following pattern: `[a-zA-Z_:[a-zA-Z0-9_:]*`

Type: String to string map

Key Length Constraints: Minimum length of 1.

Key Pattern: `[a-zA-Z_:[a-zA-Z0-9_:]*`

Value Length Constraints: Minimum length of 1.

Required: Yes

limits

This structure contains the information about the limits that apply to time series that match this label set.

Type: [LimitsPerLabelSetEntry](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LimitsPerLabelSetEntry

This structure contains the information about the limits that apply to time series that match one label set.

Contents

maxSeries

The maximum number of active series that can be ingested that match this label set.

Setting this to 0 causes no label set limit to be enforced, but it does cause Amazon Managed Service for Prometheus to vend label set metrics to CloudWatch

Type: Long

Valid Range: Minimum value of 0.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LoggingConfigurationMetadata

Contains information about the current rules and alerting logging configuration for the workspace.

Note

These logging configurations are only for rules and alerting logs.

Contents

createdAt

The date and time that the logging configuration was created.

Type: Timestamp

Required: Yes

logGroupArn

The ARN of the CloudWatch log group to which the vended log data will be published.

Type: String

Pattern: `arn:aws[a-z0-9-]*:logs:[a-z0-9-]+:[0-9]{12}:log-group:[A-Za-z0-9\.-_#\/*]{1,512}\:*`

Required: Yes

modifiedAt

The date and time that the logging configuration was most recently changed.

Type: Timestamp

Required: Yes

status

The current status of the logging configuration.

Type: [LoggingConfigurationStatus](#) object

Required: Yes

workspace

The ID of the workspace the logging configuration is for.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-0-9A-Z_a-z]*.*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LoggingConfigurationStatus

The status of the logging configuration.

Contents

statusCode

The current status of the current rules and alerting logging configuration.

Note

These logging configurations are only for rules and alerting logs.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED | UPDATE_FAILED

Required: Yes

statusReason

If failed, the reason for the failure.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LoggingDestination

Defines a destination and its associated filtering criteria for query logging.

Contents

cloudWatchLogs

Configuration details for logging to CloudWatch Logs.

Type: [CloudWatchLogDestination](#) object

Required: Yes

filters

Filtering criteria that determine which queries are logged.

Type: [LoggingFilter](#) object

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

LoggingFilter

Filtering criteria that determine which queries are logged.

Contents

qspThreshold

The Query Samples Processed (QSP) threshold above which queries will be logged. Queries processing more samples than this threshold will be captured in logs.

Type: Long

Valid Range: Minimum value of 0.

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QueryLoggingConfigurationMetadata

The metadata for a query logging configuration.

Contents

createdAt

The date and time when the query logging configuration was created.

Type: Timestamp

Required: Yes

destinations

The configured destinations for the query logging configuration.

Type: Array of [LoggingDestination](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

modifiedAt

The date and time when the query logging configuration was last modified.

Type: Timestamp

Required: Yes

status

The current status of the query logging configuration.

Type: [QueryLoggingConfigurationStatus](#) object

Required: Yes

workspace

The ID of the workspace associated with this query logging configuration.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

QueryLoggingConfigurationStatus

The status information for a query logging configuration.

Contents

statusCode

The current status of the query logging configuration.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED | UPDATE_FAILED

Required: Yes

statusReason

If there is a failure, the reason for the failure.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RandomCutForestConfiguration

Configuration for the Random Cut Forest algorithm used for anomaly detection in time-series data.

Contents

query

The Prometheus query used to retrieve the time-series data for anomaly detection.

Important

Random Cut Forest queries must be wrapped by a supported PromQL aggregation operator. For more information, see [Aggregation operators](#) on the *Prometheus docs* website.

Supported PromQL aggregation operators: avg, count, group, max, min, quantile, stddev, stdvar, and sum.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 8192.

Required: Yes

ignoreNearExpectedFromAbove

Configuration for ignoring values that are near expected values from above during anomaly detection.

Type: [IgnoreNearExpected](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

ignoreNearExpectedFromBelow

Configuration for ignoring values that are near expected values from below during anomaly detection.

Type: [IgnoreNearExpected](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: No

sampleSize

The number of data points sampled from the input stream for the Random Cut Forest algorithm. The default number is 256 consecutive data points.

Type: Integer

Valid Range: Minimum value of 256. Maximum value of 1024.

Required: No

shingleSize

The number of consecutive data points used to create a shingle for the Random Cut Forest algorithm. The default number is 8 consecutive data points.

Type: Integer

Valid Range: Minimum value of 2. Maximum value of 1024.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RoleConfiguration

Use this structure to enable cross-account access, so that you can use a target account to access Prometheus metrics from source accounts.

Contents

sourceRoleArn

The Amazon Resource Name (ARN) of the role used in the source account to enable cross-account scraping. For information about the contents of this policy, see [Cross-account setup](#).

Type: String

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: No

targetRoleArn

The Amazon Resource Name (ARN) of the role used in the target account to enable cross-account scraping. For information about the contents of this policy, see [Cross-account setup](#).

Type: String

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleGroupsNamespaceDescription

The details about one rule groups namespace.

Contents

arn

The ARN of the rule groups namespace. For example, `arn:aws:aps:<region>:123456789012:rulegroupsnamespace/ws-example1-1234-abcd-5678-ef90abcd1234/rulesfile1`.

Type: String

Required: Yes

createdAt

The date and time that the rule groups namespace was created.

Type: Timestamp

Required: Yes

data

The rule groups file used in the namespace.

For details about the rule groups namespace structure, see [RuleGroupsNamespaceData](#).

Type: Base64-encoded binary data object

Required: Yes

modifiedAt

The date and time that the rule groups namespace was most recently changed.

Type: Timestamp

Required: Yes

name

The name of the rule groups namespace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

status

The current status of the rule groups namespace.

Type: [RuleGroupsNamespaceStatus](#) object

Required: Yes

tags

The list of tag keys and values that are associated with the rule groups namespace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleGroupsNamespaceStatus

The status information about a rule groups namespace.

Contents

statusCode

The current status of the namespace.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED | UPDATE_FAILED

Required: Yes

statusReason

The reason for the failure, if any.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

RuleGroupsNamespaceSummary

The high-level information about a rule groups namespace. To retrieve more information, use `DescribeRuleGroupsNamespace`.

Contents

arn

The ARN of the rule groups namespace.

Type: String

Required: Yes

createdAt

The date and time that the rule groups namespace was created.

Type: Timestamp

Required: Yes

modifiedAt

The date and time that the rule groups namespace was most recently changed.

Type: Timestamp

Required: Yes

name

The name of the rule groups namespace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

status

A structure that displays the current status of the rule groups namespace.

Type: [RuleGroupsNamespaceStatus](#) object

Required: Yes

tags

The list of tag keys and values that are associated with the rule groups namespace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScrapeConfiguration

A scrape configuration for a scraper, base 64 encoded. For more information, see [Scraper configuration](#) in the *Amazon Managed Service for Prometheus User Guide*.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

configurationBlob

The base 64 encoded scrape configuration file.

Type: Base64-encoded binary data object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScraperComponent

A component of a Amazon Managed Service for Prometheus scraper that can be configured for logging.

Contents

type

The type of the scraper component.

Type: String

Valid Values: SERVICE_DISCOVERY | COLLECTOR | EXPORTER

Required: Yes

config

The configuration settings for the scraper component.

Type: [ComponentConfig](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScraperDescription

The `ScraperDescription` structure contains the full details about one scraper in your account.

Contents

arn

The Amazon Resource Name (ARN) of the scraper. For example, `arn:aws:aps:<region>:123456798012:scraper/s-example1-1234-abcd-5678-ef9012abcd34`.

Type: String

Required: Yes

createdAt

The date and time that the scraper was created.

Type: Timestamp

Required: Yes

destination

The Amazon Managed Service for Prometheus workspace the scraper sends metrics to.

Type: [Destination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

lastModifiedAt

The date and time that the scraper was last modified.

Type: Timestamp

Required: Yes

roleArn

The Amazon Resource Name (ARN) of the IAM role that provides permissions for the scraper to discover and collect metrics on your behalf.

For example, `arn:aws:iam::123456789012:role/service-role/AmazonGrafanaServiceRole-12example`.

Type: String

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: Yes

scrapeConfiguration

The configuration in use by the scraper.

Type: [ScrapeConfiguration](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

scraperId

The ID of the scraper. For example, `s-example1-1234-abcd-5678-ef9012abcd34`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: Yes

source

The Amazon EKS cluster from which the scraper collects metrics.

Type: [Source](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

status

A structure that contains the current status of the scraper.

Type: [ScraperStatus](#) object

Required: Yes

alias

(Optional) A name associated with the scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z][-.0-9A-Z_a-z]*`

Required: No

roleConfiguration

This structure displays information about the IAM roles used for cross-account scraping configuration.

Type: [RoleConfiguration](#) object

Required: No

statusReason

If there is a failure, the reason for the failure.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

tags

(Optional) The list of tag keys and values associated with the scraper.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScrapingLoggingConfigurationStatus

The status of a scraper logging configuration.

Contents

statusCode

The status code of the scraper logging configuration.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED | UPDATE_FAILED

Required: Yes

statusReason

The reason for the current status of the scraper logging configuration.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScraperLoggingDestination

The destination where scraper logs are sent.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

cloudWatchLogs

The CloudWatch Logs configuration for the scraper logging destination.

Type: [CloudWatchLogDestination](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScraperStatus

The `ScraperStatus` structure contains status information about the scraper.

Contents

`statusCode`

The current status of the scraper.

Type: String

Valid Values: CREATING | UPDATING | ACTIVE | DELETING | CREATION_FAILED | UPDATE_FAILED | DELETION_FAILED

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ScraperSummary

The `ScraperSummary` structure contains a summary of the details about one scraper in your account.

Contents

arn

The Amazon Resource Name (ARN) of the scraper.

Type: String

Required: Yes

createdAt

The date and time that the scraper was created.

Type: Timestamp

Required: Yes

destination

The Amazon Managed Service for Prometheus workspace the scraper sends metrics to.

Type: [Destination](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

lastModifiedAt

The date and time that the scraper was last modified.

Type: Timestamp

Required: Yes

roleArn

The Amazon Resource Name (ARN) of the IAM role that provides permissions for the scraper to discover and collect metrics on your behalf.

Type: String

Pattern: `arn:aws[-a-z]*:iam::[0-9]{12}:role/.+`

Required: Yes

scrapeId

The ID of the scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: Yes

source

The Amazon EKS cluster from which the scraper collects metrics.

Type: [Source](#) object

Note: This object is a Union. Only one member of this object can be specified or returned.

Required: Yes

status

A structure that contains the current status of the scraper.

Type: [ScrapeStatus](#) object

Required: Yes

alias

(Optional) A name associated with the scraper.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Pattern: `[0-9A-Za-z][- .0-9A-Z_a-z]*`

Required: No

roleConfiguration

This structure displays information about the IAM roles used for cross-account scraping configuration.

Type: [RoleConfiguration](#) object

Required: No

statusReason

If there is a failure, the reason for the failure.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Required: No

tags

(Optional) The list of tag keys and values associated with the scraper.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`[\p{L}\p{Z}\p{N}_.:/+\\-@]*`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`[\p{L}\p{Z}\p{N}_.:/+\\-@]*`)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

Source

The source of collected metrics for a scraper.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

eksConfiguration

The Amazon EKS cluster from which a scraper collects metrics.

Type: [EksConfiguration](#) object

Required: No

vpcConfiguration

The Amazon VPC configuration for the Prometheus collector when connecting to Amazon MSK clusters. This configuration enables secure, private network connectivity between the collector and your Amazon MSK cluster within your Amazon VPC.

Type: [VpcConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

ValidationExceptionField

Information about a field passed into a request that resulted in an exception.

Contents

message

A message describing why the field caused an exception.

Type: String

Required: Yes

name

The name of the field that caused an exception.

Type: String

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

VpcConfiguration

The Amazon VPC configuration that specifies the network settings for a Prometheus collector to securely connect to Amazon MSK clusters. This configuration includes the security groups and subnets that control network access and placement for the collector.

Contents

securityGroupIds

The security group IDs that control network access for the Prometheus collector. These security groups must allow the collector to communicate with your Amazon MSK cluster on the required ports.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: sg-[0-9a-z]+

Required: Yes

subnetIds

The subnet IDs where the Prometheus collector will be deployed. The subnets must be in the same Amazon VPC as your Amazon MSK cluster and have network connectivity to the cluster.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 5 items.

Length Constraints: Minimum length of 0. Maximum length of 255.

Pattern: subnet-[0-9a-z]+

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkspaceConfigurationDescription

This structure contains the description of the workspace configuration.

Contents

status

This structure displays the current status of the workspace configuration, and might also contain a reason for that status.

Type: [WorkspaceConfigurationStatus](#) object

Required: Yes

limitsPerLabelSet

This is an array of structures, where each structure displays one label sets for the workspace and the limits for that label set.

Type: Array of [LimitsPerLabelSet](#) objects

Required: No

retentionPeriodInDays

This field displays how many days that metrics are retained in the workspace.

Type: Integer

Valid Range: Minimum value of 1.

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkspaceConfigurationStatus

This structure displays the current status of the workspace configuration, and might also contain a reason for that status.

Contents

statusCode

The current status of the workspace configuration.

Type: String

Valid Values: ACTIVE | UPDATING | UPDATE_FAILED

Required: Yes

statusReason

The reason for the current status, if a reason is available.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkspaceDescription

The full details about one Amazon Managed Service for Prometheus workspace in your account.

Contents

arn

The ARN of the workspace. For example,

```
arn:aws:aps:<region>:123456789012:workspace/ws-example1-1234-abcd-5678-ef90abcd1234.
```

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:workspace/.+`

Required: Yes

createdAt

The date and time that the workspace was created.

Type: Timestamp

Required: Yes

status

The current status of the workspace.

Type: [WorkspaceStatus](#) object

Required: Yes

workspaceId

The unique ID for the workspace. For example, `ws-example1-1234-abcd-5678-ef90abcd1234`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

alias

The alias that is assigned to this workspace to help identify it. It does not need to be unique.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

kmsKeyArn

(optional) If the workspace was created with a customer managed AWS KMS key, the ARN for the key used.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/[-a-f0-9]+`

Required: No

prometheusEndpoint

The Prometheus endpoint available for this workspace. For example, `https://aps-workspaces.<region>.amazonaws.com/workspaces/ws-example1-1234-abcd-5678-ef90abcd1234/api/v1/`.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1024.

Required: No

tags

The list of tag keys and values that are associated with the workspace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkspaceStatus

The status of the workspace.

Contents

statusCode

The current status of the workspace.

Type: String

Valid Values: CREATING | ACTIVE | UPDATING | DELETING | CREATION_FAILED

Required: Yes

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

WorkspaceSummary

The information about one Amazon Managed Service for Prometheus workspace in your account.

Contents

arn

The ARN of the workspace.

Type: String

Pattern: `arn:aws[-a-z]*:aps:[-a-z0-9]+:[0-9]{12}:workspace/.+`

Required: Yes

createdAt

The date and time that the workspace was created.

Type: Timestamp

Required: Yes

status

The current status of the workspace.

Type: [WorkspaceStatus](#) object

Required: Yes

workspaceId

The unique ID for the workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 64.

Pattern: `.*[0-9A-Za-z][-.0-9A-Z_a-z]*.*`

Required: Yes

alias

The alias that is assigned to this workspace to help identify it. It does not need to be unique.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

kmsKeyArn

(optional) If the workspace was created with a customer managed AWS KMS key, the ARN for the key used.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:aws[-a-z]*:kms:[-a-z0-9]+:[0-9]{12}:key/[-a-f0-9]+`

Required: No

tags

The list of tag keys and values that are associated with the workspace.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 0. Maximum length of 256.

Value Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)

- [AWS SDK for Java V2](#)
- [AWS SDK for Ruby V3](#)

YAML types

Prometheus uses YAML files for some of its configuration. The following data types are used by Amazon Managed Service for Prometheus to configure aspects of the underlying Prometheus workspace.

Topics

- [AlertManagerDefinitionData YAML structure](#)
- [RuleGroupsNamespaceData YAML structure](#)

AlertManagerDefinitionData YAML structure

This structure contains the alert manager configuration as a blob (binary data). It is a base64-encoded YAML file. The following is an example of an alert manager configuration file YAML.

```
alertmanager_config: |
  route:
    receiver: 'default'
  receivers:
    - name: 'default'
      sns_configs:
        - topic_arn: arn:aws:sns:us-east-2:123456789012:My-Topic
          sigv4:
            region: us-east-2
          attributes:
            key: key1
            value: value1
```

For more information about alert manager configurations and their use, see [Creating an alert manager configuration file](#) in the *Amazon Managed Service for Prometheus User Guide*.

RuleGroupsNamespaceData YAML structure

The RuleGroupsNamespaceData structure contains the rule groups file as a base64-encoded blob of the YAML file. The following is an example of an rules file YAML.

```
groups:
```

```
- name: test
  rules:
    - record: metric:recording_rule
      expr: avg(rate(container_cpu_usage_seconds_total[5m]))
- name: alert-test
  rules:
    - alert: metric:alerting_rule
      expr: avg(rate(container_cpu_usage_seconds_total[5m])) > 0
      for: 2m
```

For more details about rules, see [Recording rules and alerting rules](#) in the *Amazon Managed Service for Prometheus User Guide*.

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing AWS API requests](#) in the *IAM User Guide*.

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an AWS API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service (AWS STS). For a list of services that support temporary security credentials from AWS STS, see [AWS services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from AWS STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed AWS API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Error Types

This section lists common error types that this AWS service may return. Not all services return all error types listed here. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You don't have permission to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request has expired. Request a new security token and try again.

HTTP Status Code: 403

IncompleteSignature

The request signature doesn't conform to AWS standards. Verify that you're using valid AWS credentials and that your request is properly formatted. If you're using an SDK, ensure it's up to date.

HTTP Status Code: 403

InternalFailure

The request can't be processed right now because of an internal server issue. Try again later. If the problem persists, contact AWS Support.

HTTP Status Code: 500

MalformedHttpRequestException

The request body can't be processed. This typically happens when the request body can't be decompressed using the specified content encoding algorithm. Verify that the content encoding header matches the compression format used.

HTTP Status Code: 400

NotAuthorized

You don't have permissions to perform this action. Verify that your IAM policy includes the required permissions.

HTTP Status Code: 401

OptInRequired

Your AWS account needs a subscription for this service. Verify that you've enabled the service in your account.

HTTP Status Code: 403

RequestAbortedException

The request was aborted before a response could be returned. This typically happens when the client closes the connection.

HTTP Status Code: 400

RequestEntityTooLargeException

The request entity is too large. Reduce the size of the request body and try again.

HTTP Status Code: 413

RequestTimeoutException

The request timed out. The server didn't receive the complete request within the expected time frame. Try again.

HTTP Status Code: 408

ServiceUnavailable

The service is temporarily unavailable. Try again later.

HTTP Status Code: 503

ThrottlingException

Your request rate is too high. The AWS SDKs automatically retry requests that receive this exception. Reduce the frequency of requests.

HTTP Status Code: 400

UnknownOperationException

The action or operation isn't recognized. Verify that the action name is spelled correctly and that it's supported by the API version you're using.

HTTP Status Code: 404

UnrecognizedClientException

The X.509 certificate or AWS access key ID you provided doesn't exist in our records. Verify that you're using valid credentials and that they haven't expired.

HTTP Status Code: 403

ValidationError

The input doesn't meet the required format or constraints. Check that all required parameters are included and that values are valid.

HTTP Status Code: 400